

PCTEST ENGINEERING LABORATORY, INC.

7185 Oakland Mills Road, Columbia, MD 21046 USA Tel. 410.290.6652 / Fax 410.290.6654 http://www.pctestlab.com



## MEASUREMENT REPORT FCC Part 22, 24, & 27 LTE

#### **Applicant Name:**

LG Electronics MobileComm U.S.A 1000 Sylvan Avenue Englewood Cliffs, NJ 07632 United States

Date of Testing: 3/18 - 4/9/2015 **Test Site/Location:** PCTEST Lab., Columbia, MD, USA **Test Report Serial No.:** 0Y1503160591.ZNF

# **ZNFH810**

# APPLICANT:

FCC ID :

# LG ELECTRONICS MOBILECOMM U.S.A

**Application Type: FCC Classification:** FCC Rule Part(s): Test Procedure(s): EUT Type: Model(s): **Test Device Serial No.:**  Certification PCS Licensed Transmitter Held to Ear (PCE) §2; §22; §24; §27 ANSI/TIA-603-C-2004, KDB 971168 v02r02, KDB 648474 D03 v01r02 Portable Handset LG-H810, LGH810, H810, LG-H812, LGH812, H812 identical prototype [S/N: 17MAR-6, LTE SAR#1]

				ERP	/EIRP					ERP/	EIRP
Mode	Tx Frequency (MHz)	Emission Designator	Modulation	Max. Power (W)	Max. Pow er (dBm)	Mode	Tx Frequency (MHz)	Emission Designator	Modulation	(W)	(dBm)
LTE Band 12	699.7 - 715.3	1M11G7D	QPSK	0.133	21.25	LTE Band 4	1710.7 - 1754.3	1M11G7D	QPSK	0.194	22.87
LTE Band 12	699.7 - 715.3	1M1107D	16QAM	0.133	20.51	LTE Band 4	1710.7 - 1754.3	1M11W7D	16QAM	0.162	22.08
	700.5 - 714.5			-		LTE Band 4 LTE Band 4	1711.5 - 1753.5 1711.5 - 1753.5	2M72G7D 2M71W7D	QPSK 16QAM	0.200	23.02 22.22
LTE Band 12		2M72G7D	QPSK	0.147	21.67	LTE Band 4	1712.5 - 1753.5	4M50G7D	QPSK	0.167	22.22
LTE Band 12	700.5 - 714.5	2M72W7D	16QAM	0.131	21.17	LTE Band 4	1712.5 - 1752.5	4M50G7D	16QAM	0.200	23.14
LTE Band 12/17	701.5 - 713.5	4M50G7D	QPSK	0.152	21.82	LTE Band 4	1715 - 1752.5	8M98G7D	QPSK	0.234	23.69
LTE Band 12/17	701.5 - 713.5	4M50W7D	16QAM	0.129	21.09	LTE Band 4	1715 - 1750	8M97W7D	16QAM	0.198	22.97
LTE Band 12/17	704 - 711	9M00G7D	QPSK	0.133	21.24	LTE Band 4	1717.5 - 1747.5	13M5G7D	QPSK	0.420	26.23
LTE Band 12/17	704 - 711	9M01W7D	16QAM	0.116	20.65	LTE Band 4	1717.5 - 1747.5	13M5W7D	16QAM	0.355	25.50
LTE Band 13	779.5 - 784.5	4M49G7D	QPSK	0.069	18.40	LTE Band 4	1720 - 1745	17M9G7D	QPSK	0.428	26.31
LTE Band 13	779.5 - 784.5	4M51W7D	16QAM	0.059	17.72	LTE Band 4	1720 - 1745	18M0W7D	16QAM	0.357	25.52
LTE Band 13	782	8M97G7D	QPSK	0.061	17.85	LTE Band 2	1850.7 - 1909.3	1M12G7D	QPSK	0.188	22.74
LTE Band 13	782	8M97W7D	16QAM	0.052	17.18	LTE Band 2	1850.7 - 1909.3	1M13W7D	16QAM	0.162	22.10
LTE Band 5	824.7 - 848.3	1M11G7D	QPSK	0.080	19.03	LTE Band 2	1851.5 - 1908.5	2M72G7D	QPSK	0.213	23.28
LTE Band 5	824.7 - 848.3	1M1107D	16QAM	0.069	18.40	LTE Band 2	1851.5 - 1908.5	2M73W7D	16QAM	0.185	22.67
						LTE Band 2	1852.5 - 1907.5	4M50G7D	QPSK	0.230	23.61
LTE Band 5	825.5 - 847.5	2M72G7D	QPSK	0.101	20.02	LTE Band 2	1852.5 - 1907.5	4M49W7D	16QAM QPSK	0.195	22.89 23.01
LTE Band 5	825.5 - 847.5	2M71W7D	16QAM	0.087	19.41	LTE Band 2 LTE Band 2	1855 - 1905 1855 - 1905	8M99G7D 8M98W7D	16QAM	0.200	23.01
LTE Band 5	826.5 - 846.5	4M49G7D	QPSK	0.103	20.14	LTE Band 2	1857.5 - 1905	13M5G7D	QPSK	0.174	22.40
LTE Band 5	826.5 - 846.5	4M51W7D	16QAM	0.088	19.46	LTE Band 2	1857.5 - 1902.5	13M5W7D	16QAM	0.207	22.17
LTE Band 5	829 - 844	8M98G7D	QPSK	0.095	19.76	LTE Band 2	1860 - 1900	18M0G7D	QPSK	0.213	23.28
LTE Band 5	829 - 844	8M98W7D	16QAM	0.078	18.93	LTE Band 2	1860 - 1900	18M0W7D	16QAM	0.168	22.25
						LTE Band 7	2502.5 - 2567.5	4M49G7D	QPSK	0.166	22.19
						LTE Band 7	2502.5 - 2567.5	4M50W7D	16QAM	0.140	21.46
						LTE Band 7	2505 - 2565	8M99G7D	QPSK	0.186	22.71
						LTE Band 7	2505 - 2565	8M96W7D	16QAM	0.159	22.01
						LTE Band 7	2507.5 - 2562.5	13M5G7D	QPSK	0.204	23.09
						LTE Band 7	2507.5 - 2562.5	13M5W7D	16QAM	0.173	22.39
						LTE Band 7	2510 - 2560	18M0G7D	QPSK	0.213	23.28
						LTE Band 7	2510 - 2560	18M0W7D	16QAM	0.181	22.57

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.



FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕑 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 1 of 159
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Fage 101 159
© 2015 PCTEST Engineering Laboratory, Inc.				




# TABLE OF CONTENTS

FCC F	PART 2	22, 24, & 27 MEASUREMENT REPORT	3
1.0		RODUCTION	
	1.1	SCOPE	4
	1.2	TESTING FACILITY	4
2.0	PRC	DDUCT INFORMATION	5
	2.1	EQUIPMENT DESCRIPTION	5
	2.2	DEVICE CAPABILITIES	5
	2.3	TEST CONFIGURATION	5
	2.4	EMI SUPPRESSION DEVICE(S)/MODIFICATIONS	5
	2.5	LABELING REQUIREMENTS	5
3.0	DES	CRIPTION OF TESTS	6
	3.1	MEASUREMENT PROCEDURE	6
	3.1	BLOCK C FREQUENCY RANGE	6
	3.2	BLOCK A FREQUENCY RANGE	6
	3.3	CELLULAR - BASE FREQUENCY BLOCKS	6
	3.4	CELLULAR - MOBILE FREQUENCY BLOCKS	6
	3.5	PCS - BASE FREQUENCY BLOCKS	7
	3.6	PCS - MOBILE FREQUENCY BLOCKS	7
	3.7	AWS - BASE FREQUENCY BLOCKS	7
	3.8	AWS - MOBILE FREQUENCY BLOCKS	7
	3.9	RADIATED POWER AND RADIATED SPURIOUS EMISSIONS	8
4.0	TES	T EQUIPMENT CALIBRATION DATA	9
5.0	SAM	IPLE CALCULATIONS	10
6.0	TES	T RESULTS	11
	6.1	SUMMARY	11
	6.2	OCCUPIED BANDWIDTH	12
	6.3	SPURIOUS AND HARMONIC EMISSIONS AT ANTENNA TERMINAL	
	6.4	BAND EDGE EMISSIONS AT ANTENNA TERMINAL	67
	6.5	PEAK-AVERAGE RATIO	
	6.6	RADIATED POWER (ERP/EIRP)	
	6.7	RADIATED SPURIOUS EMISSIONS MEASUREMENTS	132
	6.8	FREQUENCY STABILITY / TEMPERATURE VARIATION	146
7.0	CON	NCLUSION	

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Daga 2 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 2 of 159
© 2015 PCTEST Engineering Laboratory, Inc.				





# MEASUREMENT REPORT FCC Part 22, 24, & 27



## §2.1033 General Information

APPLICANT:	LG Electronics MobileCon	nm U.S.A		
APPLICANT ADDRESS:	1000 Sylvan Avenue			
	Englewood Cliffs, NJ 0763	32, United States		
TEST SITE:	PCTEST ENGINEERING	LABORATORY, INC.		
TEST SITE ADDRESS:	7185 Oakland Mills Road,	Columbia, MD 21045	5 USA	
FCC RULE PART(S):	§2; §22; §24; §27			
BASE MODEL:	LG-H810			
FCC ID:	ZNFH810			
FCC CLASSIFICATION:	PCS Licensed Transmitter	r Held to Ear (PCE)		
FREQUENCY TOLERANCE:	±0.00025 % (2.5 ppm)			
Test Device Serial No.:	17MAR-6, LTE SAR#1	Production	Pre-Production	Engineering
DATE(S) OF TEST:	3/18 - 4/9/2015			
TEST REPORT S/N:	0Y1503160591.ZNF			

#### **Test Facility / Accreditations**

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST facility is an FCC registered (PCTEST Reg. No. 159966) test facility with the site description report on file and has met all the requirements specified in Section 2.948 of the FCC Rules and Industry Canada (2451B-1).
  - PCTEST Lab is accredited to ISO 17025 by U.S. National Institute of Standards and Technology (NIST) under the National Voluntary Laboratory Accreditation Program (NVLAP Lab code: 100431-0) in EMC, FCC and Telecommunications.
- PCTEST Lab is accredited to ISO 17025-2005 by the American Association for Laboratory Accreditation (A2LA) in Specific Absorption Rate (SAR) testing, Hearing Aid Compatibility (HAC) testing, CTIA Test Plans, and wireless testing for FCC and Industry Canada Rules.
- PCTEST Lab is a recognized U.S. Conformity Assessment Body (CAB) in EMC and R&TTE (n.b. 0982) under the U.S.-EU Mutual Recognition Agreement (MRA).
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC Guide 65 by the American National Standards Institute (ANSI) in all scopes of FCC Rules and Industry Canada Standards (RSS).
- PCTEST facility is an IC registered (2451B-1) test laboratory with the site description on file at Industry Canada.
- PCTEST is a CTIA Authorized Test Laboratory (CATL) for AMPS, CDMA, and EvDO wireless devices and for Over-the-Air (OTA) Antenna Performance testing for AMPS, CDMA, GSM, GPRS, EGPRS, UMTS (W-CDMA), CDMA 1xEVDO, and CDMA 1xRTT.

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dega 2 of 150	
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 3 of 159	
© 2015 PCTEST Engineerin	2015 PCTEST Engineering Laboratory, Inc.				





# 1.0 INTRODUCTION

## 1.1 Scope

Measurement and determination of electromagnetic emissions (EME) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Industry Canada Certification and Engineering Bureau.

## 1.2 Testing Facility

The map below shows the location of the PCTEST LABORATORY, its proximity to the FCC Laboratory, the Columbia vicinity, the Baltimore-Washington Internt'I (BWI) airport, the city of Baltimore and the Washington, DC area. (See Figure 1-1).

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The site coordinates are 39° 10'23" N latitude and 76° 49'50" W longitude. The facility is 0.4 miles North of the FCC laboratory, and the ambient signal and ambient signal strength are approximately equal to those of the FCC laboratory. The detailed description of the measurement facility was found to be in compliance with the requirements of § 2.948 according to ANSI C63.4-2003 on February 15, 2012.




Figure 1-1. Map of the Greater Baltimore and Metropolitan Washington, D.C. area

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dega 4 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 4 of 159
© 2015 PCTEST Engineering Laboratory, Inc.				



# 2.0 PRODUCT INFORMATION

## 2.1 Equipment Description

The Equipment Under Test (EUT) is the **LG Portable Handset FCC ID: ZNFH810**. The test data contained in this report pertains only to the emissions due to the EUT's LTE function.

## 2.2 Device Capabilities

This device contains the following capabilities:

850/1900 GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, 802.11b/g/n WLAN, 802.11a/n/ac UNII, Bluetooth (1x, EDR, LE), NFC

## 2.3 Test Configuration

The LG Portable Handset FCC ID: ZNFH810 was tested per the guidance of ANSI/TIA-603-C-2004 and KDB 971168 v02r02. See Section 6.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

This device supports wireless charging capability and, thus, is subject to the test requirements of KDB 648474 D03 v01r02. Additional radiated spurious emission measurements were performed with the EUT lying flat on a certified wireless charging pad while operating under normal conditions in a simulated call or data transmission configuration. The worst case radiated emissions data is shown in this report.

## 2.4 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

#### 2.5 Labeling Requirements

#### Per 2.925

The FCC identifier shall be permanently affixed to the equipment and shall be readily visible to the purchaser at the time of purchase.

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dege 5 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 5 of 159
© 2015 PCTEST Engineering	2015 PCTEST Engineering Laboratory, Inc.			



# 3.0 DESCRIPTION OF TESTS

#### 3.1 Measurement Procedure

The measurement procedures described in the document titled "Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards" (ANSI/TIA-603-C-2004) and "Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems" (KDB 971168) were used in the measurement of the LG Portable Handset FCC ID: ZNFH810.

# 3.1 Block C Frequency Range


<u>§27.5(b)(3)</u>

Two paired channels of 11 megahertz each are available for assignment in Block C in the 746-757 MHz and 776-787 MHz bands. In the event that no licenses for two channels in this Block C are assigned based on the results of the first auction in which such licenses were offered because the auction results do not satisfy the applicable reserve price, the spectrum in the 746-757 MHz and 776-787 MHz bands will instead be made available for assignment at a subsequent auction as follows: (i) Two paired channels of 6 megahertz each available for assignment in Block C1 in the 746-752 MHz and 776-782 MHz bands. (ii) Two paired channels of 5 megahertz each available for assignment in Block C2 in the 752-757 MHz and 782-787 MHz bands.


# 3.2 Block A Frequency Range §27.5(c)

<u>698-746 MHz band</u>. The following frequencies are available for licensing pursuant to this part in the 698-746 MHz band: (1) Three paired channel blocks of 12 megahertz each are available for assignment as follows:


Block A: 698-704 MHz and 728-734 MHz; Block B: 704-710 MHz and 734-740 MHz; and Block C: 710-716 MHz and 740-746 MHz.







FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dege 6 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 6 of 159
© 2015 PCTEST Engineering	2015 PCTEST Engineering Laboratory, Inc.			



BLOCK 1: 1710 - 1720 MHz (A) BLOCK 2: 1720 - 1730 MHz (B) BLOCK 3: 1730 - 1735 MHz (C)

BLO BLO BLO

DCK 4: 1735 – 1740 MHz	
DCK 5: 1740 – 1745 MHz	(E)
DCK 6: 1745 – 1755 MHz	(F)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dage 7 of 150	
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 7 of 159	
© 2015 PCTEST Engineering	2015 PCTEST Engineering Laboratory, Inc.				



### **3.9** Radiated Power and Radiated Spurious Emissions §2.1053 §22.913(a.2) §22.917(a) §24.232(c) §24.238(a) §27.50(b.10) §27.50(c.10) §27.50(d.4) §27.53(f) §27.53(g) §27.53(h)

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Clause 5, Figure 5.7 of ANSI C63.4-2009. For measurements above 1GHz absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections. For measurements below 1GHz, the absorbers are removed. An ETS Lindgren Model 2188 raised turntable is used for radiated measurement. It is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. A 78cm high PVC support structure is placed on top of the turntable. A  $\frac{3}{4}$ " (~1.9cm) sheet of high density polyethylene is used as the table top and is placed on top of the PVC supports to bring the total height of the table to 80cm.

The equipment under test was transmitting while connected to its integral antenna and is placed on a wooden turntable 80cm above the ground plane and 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Radiated power levels are also investigated with the receive antenna horizontally and vertically polarized. The maximized power level is recorded using the spectrum analyzer "Channel Power" function with the integration band set to the emissions' occupied bandwidth, a RMS detector, RBW = 100kHz, VBW = 300kHz, and a 1 second sweep time over a minimum of 10 sweeps, per the guidelines of KDB 971168.

Per the guidance of ANSI/TIA-603-C-2004, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

 $P_{d [dBm]} = P_{g [dBm]} - cable loss _{[dB]} + antenna gain _{[dBd/dBi]}$ 

Where,  $P_d$  is the dipole equivalent power,  $P_g$  is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to  $P_{q \text{ [dBm]}}$  – cable loss <sub>[dB]</sub>.

The calculated  $P_d$  levels are then compared to the absolute spurious emission limit of -13dBm which is equivalent to the required minimum attenuation of 43 + 10log<sub>10</sub>(Power <sub>[Watts]</sub>). For Band 7, the calculated  $P_d$  levels are compared to the absolute spurious emission limit of -25dBm which is equivalent to the required minimum attenuation of 55 + 10log<sub>10</sub>(Power <sub>[Watts]</sub>).

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dage 9 of 150	
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 8 of 159	
© 2015 PCTEST Engineerin	2015 PCTEST Engineering Laboratory, Inc.				



# 4.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST).

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	RE1	Radiated Emissions Cable Set (UHF/EHF)	10/24/2014	Annual	10/24/2015	N/A
-	LTx3	Licensed Transmitter Cable Set	10/15/2014	Annual	10/15/2015	N/A
Agilent	8447D	Broadband Amplifier	5/30/2014	Annual	5/30/2015	2443A01900
Agilent	N9020A	MXA Signal Analyzer	10/27/2014	Annual	10/27/2015	US46470561
Agilent	N9030A	PXA Signal Analyzer (44GHz)	3/24/2015	Annual	3/24/2016	MY52350166
Emco	3115	Horn Antenna (1-18GHz)	1/30/2014	Biennial	1/30/2016	9704-5182
Rohde & Schwarz	CMW500	Radio Communication Tester		N/A		100976
Espec	ESX-2CA	Environmental Chamber	3/17/2015	Annual	3/17/2016	17620
ETS Lindgren	3160-09	18-26.5 GHz Standard Gain Horn	6/17/2014	Biennial	6/17/2016	135427
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	3/12/2014	Biennial	3/12/2016	128337
K & L	11SH10-6000/T18000	High Pass Filter	12/1/2014	Annual	12/1/2015	1
K & L	13SH10-1000/U1000	N Type High Pass Filter	12/1/2014	Annual	12/1/2015	1
K & L	11SH10-3075/U18000	High Pass Filter	12/1/2014	Annual	12/1/2015	2
Mini Circuits	PWR-SEN-4GHS	USB Power Sensor	3/11/2015	Annual	3/11/2016	11401010036
Mini-Circuits	SSG-4000HP	USB Synthesized Signal Generator		N/A		11208010032
Mini-Circuits	TVA-11-422	RF Power Amp		N/A		QA1303002
Rohde & Schwarz	TS-PR18	1-18 GHz Pre-Amplifier	3/5/2015	Annual	3/5/2016	100071
Rohde & Schwarz	TS-PR26	18-26.5 GHz Pre-Amplifier	3/3/2015	Annual	3/3/2016	100040
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	3/12/2015	Annual	3/12/2016	100342
Schwarzbeck	UHA 9105	Dipole Antenna (400 - 1GHz) Rx	11/1/2013	Biennial	11/1/2015	91052523RX
Sunol	JB5	Bi-Log Antenna (30M - 5GHz)	1/28/2014	Biennial	1/28/2016	A051107

Table 4-1. Test Equipment

#### Note:

Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 9 of 159
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 9 01 159
© 2015 PCTEST Engineering Laboratory, Inc.				



# 5.0 SAMPLE CALCULATIONS

### **Emission Designator**

#### **QPSK Modulation**

#### Emission Designator = 8M62G7D

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

#### 16QAM Modulation

#### Emission Designator = 8M45W7D

LTE BW = 8.45 MHz W = Amplitude/Angle Modulated 7 = Quantized/Digital Info D = Data transmission, telemetry, telecommand

## Spurious Radiated Emission – LTE Band

# Example: Middle Channel LTE Mode 2<sup>nd</sup> Harmonic (1564 MHz)

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm – (-24.80).

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 10 of 159
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 10 01 159
© 2015 PCTEST Engineering	015 PCTEST Engineering Laboratory, Inc.			



# 6.0 TEST RESULTS

#### 6.1 Summary

Company Name:	LG Electronics MobileComm U.S.A
FCC ID:	ZNFH810
FCC ID. FCC Classification: Mode(s):	PCS Licensed Transmitter Held to Ear (PCE)

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Result	Reference
TRANSMITTER MC	<u>DDE (TX)</u>		-		
2.1049	Occupied Bandwidth	N/A		PASS	Section 6.2
2.1051 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Out of Band Emissions	> 43 + 10log <sub>10</sub> (P[Watts]) at Band Edge and for all out-of- band emissions		PASS	Section 6.3, 6.4
27.53(m)	Out of Band Emissions	<ul> <li>&gt; 43 + 10log<sub>10</sub> (P[Watts]) at channel edges and</li> <li>&gt; 55 + 10log<sub>10</sub> (P[Watts]) at 5.5MHz away and beyond channel edges</li> </ul>	CONDUCTED	PASS	Section 6.3, 6.4
24.232(d)	Peak-Average Ratio	< 13 dB		PASS	Section 6.5
2.1046	Transmitter Conducted Output Power	N/A		PASS	See RF Exposure Report
2.1055. 22.355 24.235 27.54	Frequency Stability	< 2.5 ppm (Part 22) and fundamental emissions stay within authorized frequency block (Part 24, 27)		PASS	Section 6.8
22.913(a.2)	Effective Radiated Power (Band 5,)	< 7 Watts max. ERP		PASS	Section 6.6
27.50(b.10) 27.50(c.10)	Effective Radiated Power (Band 12 13)	< 3 Watts max. ERP		PASS	Section 6.6
24.232(c) 27.50(h.2)	Equivalent Isotropic Radiated Power (Band 2 7)	< 2 Watts max. EIRP		PASS	Section 6.6
27.50(d.4)	Equivalent Isotropic Radiated Power (Band 4)	< 1 Watts max. EIRP		PASS	Section 6.6
2.1053 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	Undesirable Emissions	> 43 + 10log <sub>10</sub> (P[Watts]) for all out-of-band emissions	RADIATED	PASS	Section 6.7
27.53(f)	Undesirable Emissions (Band 13)	<ul> <li>-70 dBW/MHz (for wideband signals)</li> <li>-80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 – 1610 MHz</li> </ul>		PASS	Section 6.7
27.53(m)	Undesirable Emissions	<ul> <li>&gt; 43 + 10log<sub>10</sub> (P[Watts]) at channel edges and</li> <li>&gt; 55 + 10log<sub>10</sub> (P[Watts]) at 5.5MHz away and beyond channel edges</li> </ul>		PASS	Section 6.7
	Table 6	6-1. Summary of Test Resul	lts		

#### Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots (Sections 6.2, 6.3, 6.4, 6.5) were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST "LTE Automation," Version 3.3.

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 11 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 11 of 159
© 2015 DOTEST Engineering Laboratory Inc.				

© 2015 PCTEST Engineering Laboratory, Inc.



#### 6.2 **Occupied Bandwidth** §2.1049

#### Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

#### **Test Procedure Used**

KDB 971168 v02r02 - Section 4.2

#### Test Settings

- 1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
- 2. RBW = 1 5% of the expected OBW
- 3. VBW  $\geq$  3 x RBW
- 4. Detector = Peak
- 5. Trace mode = max hold
- 6. Sweep = auto couple
- 7. The trace was allowed to stabilize
- 8. If necessary, steps 2 7 were repeated after changing the RBW such that it would be within

1 – 5% of the 99% occupied bandwidth observed in Step 7

#### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 6-1. Test Instrument & Measurement Setup

#### Test Notes

None.

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 12 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 12 of 159
© 2015 PCTEST Engineerin	2015 PCTEST Engineering Laboratory, Inc.			






Plot 6-1. Occupied Bandwidth Plot (Band 12 – 1.4MHz QPSK – RB Size 6)



Plot 6-2. Occupied Bandwidth Plot (Band 12 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 12 of 150	
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 13 of 159	
© 2015 PCTEST Engineerin	2015 PCTEST Engineering Laboratory, Inc.				





Plot 6-3. Occupied Bandwidth Plot (Band 12 - 3.0MHz QPSK - RB Size 15)



Plot 6-4. Occupied Bandwidth Plot (Band 12 – 3.0MHz 16-QAM – RB Size 15)

FCC ID: ZNFH810	PCTEST	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 14 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 14 of 159
© 2015 PCTEST Engineerin	015 PCTEST Engineering Laboratory, Inc.			






Plot 6-5. Occupied Bandwidth Plot (Band 12 – 5.0MHz QPSK – RB Size 25)



Plot 6-6. Occupied Bandwidth Plot (Band 12 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 15 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 15 of 159
© 2015 PCTEST Engineerin	015 PCTEST Engineering Laboratory, Inc.			






Plot 6-7. Occupied Bandwidth Plot (Band 12 – 10.0MHz QPSK – RB Size 50)




Plot 6-8. Occupied Bandwidth Plot (Band 12 - 10.0MHz 16-QAM - RB Size 50)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 16 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 16 of 159
© 2015 PCTEST Engineerin	015 PCTEST Engineering Laboratory, Inc.			





Plot 6-9. Occupied Bandwidth Plot (Band 13 – 5.0MHz QPSK – RB Size 25)



Plot 6-10. Occupied Bandwidth Plot (Band 13 - 5.0MHz 16-QAM - RB Size 25)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 17 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 17 of 159
© 2015 PCTEST Engineerin	15 PCTEST Engineering Laboratory, Inc.			





Plot 6-11. Occupied Bandwidth Plot (Band 13 – 10.0MHz QPSK – RB Size 50)




Plot 6-12. Occupied Bandwidth Plot (Band 13 – 10.0MHz 16-QAM – RB Size 50)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 19 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 18 of 159
© 2015 PCTEST Engineering Laboratory, Inc.				V 2.3





Plot 6-13. Occupied Bandwidth Plot (Band 5 – 1.4MHz QPSK – RB Size 6)



Plot 6-14. Occupied Bandwidth Plot (Band 5 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 10 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 19 of 159
© 2015 PCTEST Engineerin	015 PCTEST Engineering Laboratory, Inc.			





Plot 6-15. Occupied Bandwidth Plot (Band 5 - 3.0MHz QPSK - RB Size 15)



Plot 6-16. Occupied Bandwidth Plot (Band 5 – 3.0MHz 16-QAM – RB Size 15)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 20 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 20 of 159
© 2015 PCTEST Engineerin	015 PCTEST Engineering Laboratory, Inc.			






Plot 6-17. Occupied Bandwidth Plot (Band 5 – 5.0MHz QPSK – RB Size 25)




Plot 6-18. Occupied Bandwidth Plot (Band 5 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Daga 21 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 21 of 159
© 2015 PCTEST Engineerin	115 PCTEST Engineering Laboratory, Inc.			






Plot 6-19. Occupied Bandwidth Plot (Band 5 – 10.0MHz QPSK – RB Size 50)



Plot 6-20. Occupied Bandwidth Plot (Band 5 - 10.0MHz 16-QAM - RB Size 50)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 22 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 22 of 159
© 2015 PCTEST Engineerin	015 PCTEST Engineering Laboratory, Inc.			






Plot 6-21. Occupied Bandwidth Plot (Band 4 – 1.4MHz QPSK – RB Size 6)



Plot 6-22. Occupied Bandwidth Plot (Band 4 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 22 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 23 of 159
© 2015 PCTEST Engineerin	ng Laboratory, Inc.	÷		V 2.3






Plot 6-23. Occupied Bandwidth Plot (Band 4 – 3.0MHz QPSK – RB Size 15)



Plot 6-24. Occupied Bandwidth Plot (Band 4 – 3.0MHz 16-QAM – RB Size 15)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 24 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 24 of 159
© 2015 PCTEST Engineerin	015 PCTEST Engineering Laboratory, Inc.			






Plot 6-25. Occupied Bandwidth Plot (Band 4 – 5.0MHz QPSK – RB Size 25)




Plot 6-26. Occupied Bandwidth Plot (Band 4 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Daga 25 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 25 of 159
© 2015 PCTEST Engineerin	015 PCTEST Engineering Laboratory, Inc.			






Plot 6-27. Occupied Bandwidth Plot (Band 4 – 10.0MHz QPSK – RB Size 50)




Plot 6-28. Occupied Bandwidth Plot (Band 4 – 10.0MHz 16-QAM – RB Size 50)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 26 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 26 of 159
© 2015 PCTEST Engineerin	015 PCTEST Engineering Laboratory, Inc.			






Plot 6-29. Occupied Bandwidth Plot (Band 4 – 15.0MHz QPSK – RB Size 75)




Plot 6-30. Occupied Bandwidth Plot (Band 4 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 27 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 27 of 159
© 2015 PCTEST Engineerin	015 PCTEST Engineering Laboratory, Inc.			






Plot 6-31. Occupied Bandwidth Plot (Band 4 – 20.0MHz QPSK – RB Size 100)




Plot 6-32. Occupied Bandwidth Plot (Band 4 – 20.0MHz 16-QAM – RB Size 100)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 29 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 28 of 159
© 2015 PCTEST Engineerin	2015 PCTEST Engineering Laboratory, Inc.			






Plot 6-33. Occupied Bandwidth Plot (Band 2 – 1.4MHz QPSK – RB Size 6)



Plot 6-34. Occupied Bandwidth Plot (Band 2 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 20 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 29 of 159
© 2015 PCTEST Engineerin	015 PCTEST Engineering Laboratory, Inc.			






Plot 6-35. Occupied Bandwidth Plot (Band 2 – 3.0MHz QPSK – RB Size 15)



Plot 6-36. Occupied Bandwidth Plot (Band 2 – 3.0MHz 16-QAM – RB Size 15)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 20 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 30 of 159
2 2015 PCTEST Engineering Laboratory, Inc.				V 2.3






Plot 6-37. Occupied Bandwidth Plot (Band 2 – 5.0MHz QPSK – RB Size 25)



Plot 6-38. Occupied Bandwidth Plot (Band 2 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 21 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 31 of 159
© 2015 PCTEST Engineering Laboratory, Inc.				V 2.3





Plot 6-39. Occupied Bandwidth Plot (Band 2 – 10.0MHz QPSK – RB Size 50)




Plot 6-40. Occupied Bandwidth Plot (Band 2 – 10.0MHz 16-QAM – RB Size 50)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 22 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 32 of 159
© 2015 PCTEST Engineering Laboratory, Inc.				V 2.3






Plot 6-41. Occupied Bandwidth Plot (Band 2 – 15.0MHz QPSK – RB Size 75)



Plot 6-42. Occupied Bandwidth Plot (Band 2 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 22 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 33 of 159
2015 PCTEST Engineering Laboratory, Inc.				V 2.3






Plot 6-43. Occupied Bandwidth Plot (Band 2 – 20.0MHz QPSK – RB Size 100)



Plot 6-44. Occupied Bandwidth Plot (Band 2 – 20.0MHz 16-QAM – RB Size 100)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 24 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 34 of 159
© 2015 PCTEST Engineering Laboratory, Inc.				






Plot 6-45. Occupied Bandwidth Plot (Band 7 – 5.0MHz QPSK – RB Size 25)




Plot 6-46. Occupied Bandwidth Plot (Band 7 – 5.0MHz 16-QAM – RB Size 25)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 25 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 35 of 159
2015 PCTEST Engineering Laboratory, Inc.				V 2.3






Plot 6-47. Occupied Bandwidth Plot (Band 7 – 10.0MHz QPSK – RB Size 50)



Plot 6-48. Occupied Bandwidth Plot (Band 7 – 10.0MHz 16-QAM – RB Size 50)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 26 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 36 of 159
© 2015 PCTEST Engineering Laboratory, Inc.				V 2.3






Plot 6-49. Occupied Bandwidth Plot (Band 7 – 15.0MHz QPSK – RB Size 75)




Plot 6-50. Occupied Bandwidth Plot (Band 7 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 27 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 37 of 159
© 2015 PCTEST Engineerin	ng Laboratory, Inc.	•		V 2.3





Plot 6-51. Occupied Bandwidth Plot (Band 7 – 20.0MHz QPSK – RB Size 100)



Plot 6-52. Occupied Bandwidth Plot (Band 7 – 20.0MHz 16-QAM – RB Size 100)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 29 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 38 of 159
© 2015 PCTEST Engineerin	g Laboratory, Inc.	·		V 2.3



# 6.3 Spurious and Harmonic Emissions at Antenna Terminal §2.1051 §22.917(a) §24.238(a) §27.53(c.2) §27.53(f) §27.53(g) §27.53(h) §27.53(m)

## Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10<sup>th</sup> harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is  $43 + \log_{10}(P_{[Watts]})$ , where P is the transmitter power in Watts. For Band 7, the minimum permissible attenuation level of any spurious emission is  $55 + \log_{10}(P_{[Watts]})$ .

### **Test Procedure Used**

KDB 971168 v02r02 - Section 6.0

### Test Settings

- 1. Start frequency was set to 30MHz and stop frequency was set to at least 10 \* the fundamental frequency (separated into at least two plots per channel)
- 2. Detector = RMS
- 3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
- 4. Sweep time = auto couple
- 5. The trace was allowed to stabilize
- 6. Please see test notes below for RBW and VBW settings

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 6-2. Test Instrument & Measurement Setup

### Test Notes


Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 20 of 150	
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 39 of 159	
© 2015 PCTEST Engineerin	g Laboratory, Inc.			V 2.3	



	ctrum Analyz							1				
LXI RL	RF	50 Ω	AC	CORREC		SE	NSE:INT	#Avg Type	ALIGN AUTO e: RMS	TRAC	4 Mar 30, 2015 E <b>1 2 3 4 5 6</b>	Frequency
				PNO: F IFGain:	∃ast ⊊ Low	Trig: Fre Atten: 30		•		TYP		
10 dB/di Log r	v Ref	20.00 d	Bm						M	kr1 697. -59.	00 MHz 90 dBm	Auto Tune
10.0												Center Freq
												363.950000 MHz
0.00												Start Freq 30.000000 MHz
-10.0											-13.00 dBm	
-20.0												Stop Freq 697.900000 MHz
-30.0												
-40.0												CF Step 66.790000 MHz
-50.0												<u>Auto</u> Mar
-60.0												Freq Offset
-70.0							in an line in the left					
	0.0 MHz W 100 k				#VBW	300 kHz		S	weep 32	8 Stop 2.06 ms (1	97.9 MHz 3359 pts)	
MSG									STATUS			


Plot 6-53. Conducted Spurious Plot (Band 12 – 10.0MHz QPSK – RB Size 1, RB Offset 0– Low Channel)




Plot 6-54. Conducted Spurious Plot (Band 12 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 40 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 40 of 159
© 2015 PCTEST Engineerin	g Laboratory, Inc.			V 2.3





Plot 6-55. Conducted Spurious Plot (Band 12 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)




Plot 6-56. Conducted Spurious Plot (Band 12 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 41 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 41 of 159
© 2015 PCTEST Engineerin	g Laboratory, Inc.			V 2.3



		n Analyzer -										
l <b>XI</b> R	L	RF	50 Ω A	C CORF	REC	SEI	VSE:INT	#440	ALIGNAUTO Type: RMS		M Mar 30, 2015	Frequency
					0: Fast 🕞 ain:Low	Trig: Free Atten: 30		#AY 2	Type. runo	TY		
10 di Log	B/div	Ref 20	.00 dBn	n					M	kr1 716. -51.	35 MHz 85 dBm	Auto Tune
10.0												Center Freq 1.358000000 GHz
0.00 -10.0											-13.00 dBm	Start Freq 716.000000 MHz
-20.0 -30.0												Stop Freq 2.000000000 GHz
-40.0 -50.0	1											CF Step 128.400000 MHz <u>Auto</u> Man
-60.0									é promovno provinské konstruktion skola konstrukcion k Provinské provinské p		and the second s	<b>Freq Offset</b> 0 Hz
-70.0												
#Re		100 kHz				300 kHz			Sweep 61	l.63 ms (2	0000 GHz 5681 pts)	
MSG 🤇		-	d; all trac		d	140	10.0					

Plot 6-57. Conducted Spurious Plot (Band 12 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)




Plot 6-58. Conducted Spurious Plot (Band 12 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 42 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 42 of 159
© 2015 PCTEST Engineerin	g Laboratory, Inc.			V 2.3



		n Analyzer													-	
l <mark>XI</mark> RI	L	RF	50 Ω	AC	CORRE	C		SEN	SE:INT	#A1	, γg Tγpe	ALIGN AUTO		PM Mar 30, 2015	Frequence	cy
						:Fast 🕞 n:Low		j:Free ∋n:30					T			_
10 dE Log	B/div	Ref 2	0.00 d	Bm								M	kr1 697 -51	.75 MHz .19 dBm	Auto	Tune
10.0															Center 364.00000	
0.00 -10.0														-13.00 dBm	Start 30.00000	: <b>Freq</b> 0 MHz
-20.0 -30.0															Stop 698.00000	<b>Freq</b> 0 MHz
-40.0 -50.0														1	CF 66.80000 <u>Auto</u>	<b>Step</b> 0 MHz Man
-60.0	algorid – ender										49.69 <sup>.61</sup> .19.19 <sup>.61</sup> .	Intelligence and the second second second			Freq C	Offset 0 Hz
-70.0																
	t 30.0 s BW	MHz 100 kH	z			#VBW	/ 300	kHz			S	weep 32		598.0 MHz 13361 pts)		
MSG												STATUS	5			


Plot 6-59. Conducted Spurious Plot (Band 12 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)



Plot 6-60. Conducted Spurious Plot (Band 12 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dego 42 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 43 of 159
© 2015 PCTEST Engineerin	g Laboratory, Inc.			V 2.3






Plot 6-61. Conducted Spurious Plot (Band 12 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)




Plot 6-62. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dego 44 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 44 of 159
© 2015 PCTEST Engineering	Laboratory, Inc.			V 2.3





Plot 6-63. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)




Plot 6-64. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 45 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 45 of 159
© 2015 PCTEST Engineering	Laboratory, Inc.			V 2.3



	ım Analyzer - Swep								
X/RL	RF 50 \$	AC AC	CORREC	SENSE:INT	#Avg Typ	ALIGNAUTO e: RMS	TRAC	Apr 03, 2015	Frequency
			PNO: Fast 🖵 IFGain:Low	Trig: Free Run Atten: 30 dB			TYP DE	TANNNN	
10 dB/div Log	Ref 20.00	dBm				M	kr1 776. -51.4	10 MHz 15 dBm	Auto Tune
10.0									Center Free 403.500000 MH
0.00								-13.00 dBm	Start Fre 30.000000 MH
20.0									<b>Stop Fre</b> 777.000000 MH
40.0 50.0								1 <sub>/</sub>	<b>CF Ste</b> 74.700000 MH <u>Auto</u> Ma
50.0	a f de sa de la constante de la La constante de la constante de				ang share of lating and field states and			wajitiyajarawa ta'	Freq Offse 0 H
70.0									
Start 30.0 #Res BW	MHz 100 kHz		#VBW	300 kHz	s	weep 35	Stop 77 .86 ms (14	77.0 MHz 4941 pts)	
ISG			<i>"</i> <b>U D M</b>			STATUS		re i i pt3)	

Plot 6-65. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)




Plot 6-66. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dage 46 of 150	
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 46 of 159	
© 2015 PCTEST Engineering Laboratory, Inc.					





Plot 6-67. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)



Plot 6-68. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 47 of 150	
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 47 of 159	
© 2015 PCTEST Engineering Laboratory, Inc.					



RF 50Ω AC	CORREC				
		SENSE:INT	ALIGN AUTO #Avg Type: RMS	03:04:19 PM Apr 03, 2015 TRACE 1 2 3 4 5 6	Frequency
	PNO: Fast 🖵 IFGain:Low	Trig: Free Run Atten: 30 dB			
Ref 20.00 dBm			M	kr1 788.85 MHz -48.20 dBm	Auto Tune
					Center Fred 1.393550000 GH;
				-13 00 dBm	Start Fred 787.100000 MHz
					Stop Fred
					2.000000000 GH:
					CF Step 121.290000 MH
					<u>Auto</u> Mar
fanne statue av ta stindig en trasse	a a construction de la construction	and the second			Freq Offse 0 Hi
MHz				Stop 2.0000 GHz	
		300 kHz			
	MHz 10 KHz shanged; all traces	MHz 10 KHz thanged; all traces cleared	MHz NHz NHz NHz NHz NHz NHz Shanged; all traces cleared	MHz #VBW 300 kHz Sweep 58	MHz #VEW 300 kHz Stop 2.0000 GHz Sweep 58.22 ms (24259 pts)


Plot 6-69. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)




Plot 6-70. Conducted Spurious Plot (Band 13 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager		
Test Report S/N:	Test Dates:	EUT Type:		Dogo 49 of 150		
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 48 of 159		
© 2015 PCTEST Engineering Laboratory, Inc.						






Plot 6-71. Conducted Spurious Plot (Band 5 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)



Plot 6-72. Conducted Spurious Plot (Band 5 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 40 of 150	
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 49 of 159	
© 2015 PCTEST Engineering Laboratory, Inc.					






Plot 6-73. Conducted Spurious Plot (Band 5 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)



Plot 6-74. Conducted Spurious Plot (Band 5 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager		
Test Report S/N:	Test Dates:	EUT Type:		Dege 50 of 150		
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 50 of 159		
© 2015 PCTEST Engineering Laboratory, Inc.						





Plot 6-75. Conducted Spurious Plot (Band 5 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)




Plot 6-76. Conducted Spurious Plot (Band 5 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Page 51 of 159	
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 51 01 159	
© 2015 PCTEST Engineering Laboratory, Inc.					



	ım Analyzer - Swept SA					
X/RL	RF 50 Ω AC	CORREC	SENSE:INT	ALIGNAUTO #Avg Type: RMS	01:43:30 PM Mar 30, 2015 TRACE 1 2 3 4 5 6	Frequency
		PNO: Fast 🧊 IFGain:Low	Trig: Free Run Atten: 30 dB		DET A NNNN	
10 dB/div	Ref 20.00 dBm			Μ	kr1 822.10 MHz -61.97 dBm	Auto Tune
10.0						Center Freq 427.000000 MHz
-10.00					-13.00 dBm	Start Free 30.000000 MH;
-20.0						Stop Fred 824.000000 MHz
40.0						CF Step 79.400000 MH <u>Auto</u> Mar
-60.0				antipet. (Texture, and the face) pipe darks for Texture	1. 	Freq Offse 0 Hi
-70.0						
Start 30.0 #Res BW		#VBW	300 kHz	Sweep 3	Stop 824.0 MHz 3.11 ms (15881 pts)	
MSG				STATU		

Plot 6-77. Conducted Spurious Plot (Band 5 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)



Plot 6-78. Conducted Spurious Plot (Band 5 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Dogo 52 of 150	
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 52 of 159	
© 2015 PCTEST Engineering Laboratory, Inc.					





Plot 6-79. Conducted Spurious Plot (Band 5 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)



Plot 6-80. Conducted Spurious Plot (Band 4 – 10.0MHz QPSK – RB Size 1, RB Offset 0– Low Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager		
Test Report S/N:	Test Dates:	EUT Type:		Dego 52 of 150		
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 53 of 159		
© 2015 PCTEST Engineering Laboratory, Inc.						





Plot 6-81. Conducted Spurious Plot (Band 4 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)



Plot 6-82. Conducted Spurious Plot (Band 4 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Page 54 of 159	
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 54 01 159	
© 2015 PCTEST Engineering Laboratory, Inc.					



	ım Analyzer - Swept SA					
XU RL	RF 50 Ω AC	CORREC	SENSE:INT	ALIGNAUTO #Avg Type: RMS	11:35:20 AM Mar 30, 2015 TRACE 1 2 3 4 5 6 TYPE A WWWW	Frequency
10 dB/div	Ref 20.00 dBm	IFGain:Low	Atten: 30 dB	M	cr1 1.702 0 GHz -50.61 dBm	Auto Tune
10.0						Center Free 870.000000 MH
10.0					-13.00 dBm	<b>Start Fre</b> 30.000000 MH
20.0 <b></b> 30.0 <b></b>						<b>Stop Fre</b> 1.710000000 GH
i0.0						<b>CF Ste</b> 168.000000 M⊦ <u>Auto</u> Ma
60.0		ennesingen der sollte statigte der der mennen der	ang dapan karaman karan barta karan kar		n yan bila in da kanangin kenangan kenangan kenangan kenangan kenangan kenangan kenangan kenangan kenangan kena 	Freq Offse 0 H
70.0					Stop 1.7100 GHz	
Res BW	1.0 MHz	#VBW	3.0 MHz	-	.240 ms (3361 pts)	
5G				STATUS		

Plot 6-83. Conducted Spurious Plot (Band 4 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)



Plot 6-84. Conducted Spurious Plot (Band 4 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 55 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 55 of 159
© 2015 PCTEST Engineerin	g Laboratory, Inc.			V 2.3





Plot 6-85. Conducted Spurious Plot (Band 4 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)



Plot 6-86. Conducted Spurious Plot (Band 4 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 56 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 56 of 159
© 2015 PCTEST Engineerin	g Laboratory, Inc.			V 2.3





Plot 6-87. Conducted Spurious Plot (Band 4 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)




Plot 6-88. Conducted Spurious Plot (Band 4 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Daga 57 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 57 of 159
© 2015 PCTEST Engineerin	g Laboratory, Inc.	·		V 2.3



	m Analyzer - Swept SA					
LXI RL	RF 50 Ω A	C CORREC	SENSE:INT	ALIGNAUTO #Avg Type: RMS	12:07:03 PM Mar 23, 2015 TRACE 1 2 3 4 5 6	Frequency
		PNO: Fast 🖵 IFGain:Low	Trig: Free Run Atten: 30 dB	ang type.rune	TYPE A WWWWW DET A N N N N N	
10 dB/div Log	Ref 20.00 dBn	n		M	kr1 1.849 0 GHz -43.64 dBm	Auto Tune
10.0						Center Freq 939.500000 MHz
-10.0					-13.00 dBm	Start Freq 30.000000 MHz
-20.0						<b>Stop Freq</b> 1.849000000 GHz
-40.0					1	<b>CF Step</b> 181.900000 MHz <u>Auto</u> Man
-50.0	۵۵۵ اور اندیل روی دوره در منه ۲۰ اور مربع مربع مربع مربع مربع مربع مربع مرب		yan ne shi kuying ninini yang sashar vi			Freq Offset 0 Hz
-70.0						
Start 30.0 #Res BW		#VBW	3.0 MHz	Sweep 2	Stop 1.8490 GHz 2.425 ms (3639 pts)	
MSG				STATU	s	


Plot 6-89. Conducted Spurious Plot (Band 2 – 10.0MHz QPSK – RB Size 1, RB Offset 0– Low Channel)



Plot 6-90. Conducted Spurious Plot (Band 2 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager	
Test Report S/N:	Test Dates:	EUT Type:		Page 58 of 159	
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 56 01 159	
© 2015 PCTEST Engineering Laboratory, Inc.					






Plot 6-91. Conducted Spurious Plot (Band 2 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)




Plot 6-92. Conducted Spurious Plot (Band 2 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Daga 50 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 59 of 159
© 2015 PCTEST Engineerin	g Laboratory, Inc.			V 2.3





Plot 6-93. Conducted Spurious Plot (Band 2 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)




Plot 6-94. Conducted Spurious Plot (Band 2 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Daga 60 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 60 of 159
© 2015 PCTEST Engineerin	g Laboratory, Inc.			V 2.3






Plot 6-95. Conducted Spurious Plot (Band 2 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)



Plot 6-96. Conducted Spurious Plot (Band 2 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 61 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 61 of 159
© 2015 PCTEST Engineerin	g Laboratory, Inc.			V 2.3





Plot 6-97. Conducted Spurious Plot (Band 2 – 10.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)



Plot 6-98. Conducted Spurious Plot (Band 7 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dega 62 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 62 of 159
© 2015 PCTEST Engineerin	g Laboratory, Inc.			V 2.3





Plot 6-99. Conducted Spurious Plot (Band 7 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)



Plot 6-100. Conducted Spurious Plot (Band 7 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Low Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 62 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 63 of 159
© 2015 PCTEST Engineerin	g Laboratory, Inc.			V 2.3



	ım Analyzer - Swe						
KI RL	RF 50	)Ω AC	CORREC PNO: Fast	Trig: Free Run Atten: 30 dB	ALIGNAUTO #Avg Type: RMS	10:13:10 AM Mar 24, 2015 TRACE 1 2 3 4 5 6 TYPE A WWWW DET A N N N N N	Frequency
I0 dB/div	Ref 20.0	) dBm	IFGam.LUW	TRUE OF WE	M	(r1 2.500 0 GHz -46.62 dBm	Auto Tune
10.0							Center Free 1.265000000 GH
10.00							<b>Start Fre</b> 30.000000 MH
30.0						-25.00 dBm	<b>Stop Fre</b> 2.500000000 GH
40.0				المراجع	an a	1	CF Ste 247.000000 MH <u>Auto</u> Ma
60.0							Freq Offso 0 ⊦
5tart 30 M						Stop 2.500 GHz	
Res BW	1.0 MHz		#VBV	/ 3.0 MHz	Sweep 3	.293 ms (4941 pts)	

Plot 6-101. Conducted Spurious Plot (Band 7 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)



Plot 6-102. Conducted Spurious Plot (Band 7 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 64 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 64 of 159
© 2015 PCTEST Engineering Laboratory, Inc.				






Plot 6-103. Conducted Spurious Plot (Band 7 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – Mid Channel)



Plot 6-104. Conducted Spurious Plot (Band 7 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dage 65 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 65 of 159
© 2015 PCTEST Engineering Laboratory, Inc.				





Plot 6-105. Conducted Spurious Plot (Band 7 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)



Plot 6-106. Conducted Spurious Plot (Band 7 – 5.0MHz QPSK – RB Size 1, RB Offset 0 – High Channel)

FCC ID: ZNFH810		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	🕒 LG	Reviewed by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Daga 66 of 150
0Y1503160591.ZNF	3/18 - 4/9/2015	Portable Handset		Page 66 of 159
© 2015 PCTEST Engineering Laboratory, Inc.				