

SAR Simultaneous Transmission Analysis of L-01K

Head SAR Simultaneous Transmission Analysis

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.132	0.291
	Right Touch	0.103	0.624	0.727
	Left Tilt	0.073	0.077	0.150
	Right Tilt	0.058	0.267	0.325

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.132	0.315
	Right Touch	0.114	0.624	0.738
	Left Tilt	0.081	0.077	0.158
	Right Tilt	0.065	0.267	0.332

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.132	0.181
	Right Touch	0.045	0.624	0.669
	Left Tilt	0.040	0.077	0.117
	Right Tilt	0.019	0.267	0.286

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.132	0.191
	Right Touch	0.052	0.624	0.676
	Left Tilt	0.042	0.077	0.119
	Right Tilt	0.022	0.267	0.289

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.132	0.382
	Right Touch	0.152	0.624	0.776
	Left Tilt	0.117	0.077	0.194
	Right Tilt	0.093	0.267	0.360

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.132	0.260
	Right Touch	0.107	0.624	0.731
	Left Tilt	0.068	0.077	0.145
	Right Tilt	0.055	0.267	0.322

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.132	0.343
	Right Touch	0.135	0.624	0.759
	Left Tilt	0.095	0.077	0.172
	Right Tilt	0.093	0.267	0.360

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.370	0.529
	Right Touch	0.103	0.858	0.961
	Left Tilt	0.073	0.419	0.492
	Right Tilt	0.058	0.832	0.890

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.370	0.553
	Right Touch	0.114	0.858	0.972
	Left Tilt	0.081	0.419	0.500
	Right Tilt	0.065	0.832	0.897

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.370	0.419
	Right Touch	0.045	0.858	0.903
	Left Tilt	0.040	0.419	0.459
	Right Tilt	0.019	0.832	0.851

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.370	0.429
	Right Touch	0.052	0.858	0.910
	Left Tilt	0.042	0.419	0.461
	Right Tilt	0.022	0.832	0.854

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.370	0.620
	Right Touch	0.152	0.858	1.010
	Left Tilt	0.117	0.419	0.536
	Right Tilt	0.093	0.832	0.925

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.370	0.498
	Right Touch	0.107	0.858	0.965
	Left Tilt	0.068	0.419	0.487
	Right Tilt	0.055	0.832	0.887

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.370	0.581
	Right Touch	0.135	0.858	0.993
	Left Tilt	0.095	0.419	0.514
	Right Tilt	0.093	0.832	0.925

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.440	0.599
	Right Touch	0.103	0.910	1.013
	Left Tilt	0.073	0.433	0.506
	Right Tilt	0.058	0.912	0.970

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.440	0.623
	Right Touch	0.114	0.910	1.024
	Left Tilt	0.081	0.433	0.514
	Right Tilt	0.065	0.912	0.977

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.440	0.489
	Right Touch	0.045	0.910	0.955
	Left Tilt	0.040	0.433	0.473
	Right Tilt	0.019	0.912	0.931

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.440	0.499
	Right Touch	0.052	0.910	0.962
	Left Tilt	0.042	0.433	0.475
	Right Tilt	0.022	0.912	0.934

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.440	0.690
	Right Touch	0.152	0.910	1.062
	Left Tilt	0.117	0.433	0.550
	Right Tilt	0.093	0.912	1.005

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.440	0.568
	Right Touch	0.107	0.910	1.017
	Left Tilt	0.068	0.433	0.501
	Right Tilt	0.055	0.912	0.967

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.440	0.651
	Right Touch	0.135	0.910	1.045
	Left Tilt	0.095	0.433	0.528
	Right Tilt	0.093	0.912	1.005

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.067	0.226
	Right Touch	0.103	0.135	0.238
	Left Tilt	0.073	0.088	0.161
	Right Tilt	0.058	0.174	0.232

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.067	0.250
	Right Touch	0.114	0.135	0.249
	Left Tilt	0.081	0.088	0.169
	Right Tilt	0.065	0.174	0.239

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.067	0.116
	Right Touch	0.045	0.135	0.180
	Left Tilt	0.040	0.088	0.128
	Right Tilt	0.019	0.174	0.193

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.067	0.126
	Right Touch	0.052	0.135	0.187
	Left Tilt	0.042	0.088	0.130
	Right Tilt	0.022	0.174	0.196

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.067	0.317
	Right Touch	0.152	0.135	0.287
	Left Tilt	0.117	0.088	0.205
	Right Tilt	0.093	0.174	0.267

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.067	0.195
	Right Touch	0.107	0.135	0.242
	Left Tilt	0.068	0.088	0.156
	Right Tilt	0.055	0.174	0.229

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.067	0.278
	Right Touch	0.135	0.135	0.270
	Left Tilt	0.095	0.088	0.183
	Right Tilt	0.093	0.174	0.267

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.402	0.561
	Right Touch	0.103	0.751	0.854
	Left Tilt	0.073	0.436	0.509
	Right Tilt	0.058	0.637	0.695

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.402	0.585
	Right Touch	0.114	0.751	0.865
	Left Tilt	0.081	0.436	0.517
	Right Tilt	0.065	0.637	0.702

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.402	0.451
	Right Touch	0.045	0.751	0.796
	Left Tilt	0.040	0.436	0.476
	Right Tilt	0.019	0.637	0.656

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.402	0.461
	Right Touch	0.052	0.751	0.803
	Left Tilt	0.042	0.436	0.478
	Right Tilt	0.022	0.637	0.659

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.402	0.652
	Right Touch	0.152	0.751	0.903
	Left Tilt	0.117	0.436	0.553
	Right Tilt	0.093	0.637	0.730

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.402	0.530
	Right Touch	0.107	0.751	0.858
	Left Tilt	0.068	0.436	0.504
	Right Tilt	0.055	0.637	0.692

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.402	0.613
	Right Touch	0.135	0.751	0.886
	Left Tilt	0.095	0.436	0.531
	Right Tilt	0.093	0.637	0.730

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.432	0.591
	Right Touch	0.103	0.638	0.741
	Left Tilt	0.073	0.482	0.555
	Right Tilt	0.058	0.800	0.858

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.432	0.615
	Right Touch	0.114	0.638	0.752
	Left Tilt	0.081	0.482	0.563
	Right Tilt	0.065	0.800	0.865

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.432	0.481
	Right Touch	0.045	0.638	0.683
	Left Tilt	0.040	0.482	0.522
	Right Tilt	0.019	0.800	0.819

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.432	0.491
	Right Touch	0.052	0.638	0.690
	Left Tilt	0.042	0.482	0.524
	Right Tilt	0.022	0.800	0.822

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.432	0.682
	Right Touch	0.152	0.638	0.790
	Left Tilt	0.117	0.482	0.599
	Right Tilt	0.093	0.800	0.893

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.432	0.560
	Right Touch	0.107	0.638	0.745
	Left Tilt	0.068	0.482	0.550
	Right Tilt	0.055	0.800	0.855

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.432	0.643
	Right Touch	0.135	0.638	0.773
	Left Tilt	0.095	0.482	0.577
	Right Tilt	0.093	0.800	0.893

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.103	0.262
	Right Touch	0.103	0.230	0.333
	Left Tilt	0.073	0.108	0.181
	Right Tilt	0.058	0.181	0.239

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.103	0.286
	Right Touch	0.114	0.230	0.344
	Left Tilt	0.081	0.108	0.189
	Right Tilt	0.065	0.181	0.246

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.103	0.152
	Right Touch	0.045	0.230	0.275
	Left Tilt	0.040	0.108	0.148
	Right Tilt	0.019	0.181	0.200

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.103	0.162
	Right Touch	0.052	0.230	0.282
	Left Tilt	0.042	0.108	0.150
	Right Tilt	0.022	0.181	0.203

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.103	0.353
	Right Touch	0.152	0.230	0.382
	Left Tilt	0.117	0.108	0.225
	Right Tilt	0.093	0.181	0.274

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.103	0.231
	Right Touch	0.107	0.230	0.337
	Left Tilt	0.068	0.108	0.176
	Right Tilt	0.055	0.181	0.236

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.103	0.314
	Right Touch	0.135	0.230	0.365
	Left Tilt	0.095	0.108	0.203
	Right Tilt	0.093	0.181	0.274

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.206	0.365
	Right Touch	0.103	0.537	0.640
	Left Tilt	0.073	0.281	0.354
	Right Tilt	0.058	0.449	0.507

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.206	0.389
	Right Touch	0.114	0.537	0.651
	Left Tilt	0.081	0.281	0.362
	Right Tilt	0.065	0.449	0.514

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.206	0.255
	Right Touch	0.045	0.537	0.582
	Left Tilt	0.040	0.281	0.321
	Right Tilt	0.019	0.449	0.468

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.206	0.265
	Right Touch	0.052	0.537	0.589
	Left Tilt	0.042	0.281	0.323
	Right Tilt	0.022	0.449	0.471

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.206	0.456
	Right Touch	0.152	0.537	0.689
	Left Tilt	0.117	0.281	0.398
	Right Tilt	0.093	0.449	0.542

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.206	0.334
	Right Touch	0.107	0.537	0.644
	Left Tilt	0.068	0.281	0.349
	Right Tilt	0.055	0.449	0.504

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.206	0.417
	Right Touch	0.135	0.537	0.672
	Left Tilt	0.095	0.281	0.376
	Right Tilt	0.093	0.449	0.542

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.241	0.400
	Right Touch	0.103	0.571	0.674
	Left Tilt	0.073	0.345	0.418
	Right Tilt	0.058	0.595	0.653

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.241	0.424
	Right Touch	0.114	0.571	0.685
	Left Tilt	0.081	0.345	0.426
	Right Tilt	0.065	0.595	0.660

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.241	0.290
	Right Touch	0.045	0.571	0.616
	Left Tilt	0.040	0.345	0.385
	Right Tilt	0.019	0.595	0.614

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.241	0.300
	Right Touch	0.052	0.571	0.623
	Left Tilt	0.042	0.345	0.387
	Right Tilt	0.022	0.595	0.617

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.241	0.491
	Right Touch	0.152	0.571	0.723
	Left Tilt	0.117	0.345	0.462
	Right Tilt	0.093	0.595	0.688

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.241	0.369
	Right Touch	0.107	0.571	0.678
	Left Tilt	0.068	0.345	0.413
	Right Tilt	0.055	0.595	0.650

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.241	0.452
	Right Touch	0.135	0.571	0.706
	Left Tilt	0.095	0.345	0.440
	Right Tilt	0.093	0.595	0.688

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.087	0.246
	Right Touch	0.103	0.324	0.427
	Left Tilt	0.073	0.082	0.155
	Right Tilt	0.058	0.115	0.173

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.087	0.270
	Right Touch	0.114	0.324	0.438
	Left Tilt	0.081	0.082	0.163
	Right Tilt	0.065	0.115	0.180

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.087	0.136
	Right Touch	0.045	0.324	0.369
	Left Tilt	0.040	0.082	0.122
	Right Tilt	0.019	0.115	0.134

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.087	0.146
	Right Touch	0.052	0.324	0.376
	Left Tilt	0.042	0.082	0.124
	Right Tilt	0.022	0.115	0.137

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.087	0.337
	Right Touch	0.152	0.324	0.476
	Left Tilt	0.117	0.082	0.199
	Right Tilt	0.093	0.115	0.208

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.087	0.215
	Right Touch	0.107	0.324	0.431
	Left Tilt	0.068	0.082	0.150
	Right Tilt	0.055	0.115	0.170

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.087	0.298
	Right Touch	0.135	0.324	0.459
	Left Tilt	0.095	0.082	0.177
	Right Tilt	0.093	0.115	0.208

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.247	0.406
	Right Touch	0.103	0.285	0.388
	Left Tilt	0.073	0.315	0.388
	Right Tilt	0.058	0.266	0.324

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.247	0.430
	Right Touch	0.114	0.285	0.399
	Left Tilt	0.081	0.315	0.396
	Right Tilt	0.065	0.266	0.331

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.247	0.296
	Right Touch	0.045	0.285	0.330
	Left Tilt	0.040	0.315	0.355
	Right Tilt	0.019	0.266	0.285

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.247	0.306
	Right Touch	0.052	0.285	0.337
	Left Tilt	0.042	0.315	0.357
	Right Tilt	0.022	0.266	0.288

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.247	0.497
	Right Touch	0.152	0.285	0.437
	Left Tilt	0.117	0.315	0.432
	Right Tilt	0.093	0.266	0.359

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.247	0.375
	Right Touch	0.107	0.285	0.392
	Left Tilt	0.068	0.315	0.383
	Right Tilt	0.055	0.266	0.321

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.247	0.458
	Right Touch	0.135	0.285	0.420
	Left Tilt	0.095	0.315	0.410
	Right Tilt	0.093	0.266	0.359

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.264	0.423
	Right Touch	0.103	0.403	0.506
	Left Tilt	0.073	0.329	0.402
	Right Tilt	0.058	0.262	0.320

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.264	0.447
	Right Touch	0.114	0.403	0.517
	Left Tilt	0.081	0.329	0.410
	Right Tilt	0.065	0.262	0.327

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.264	0.313
	Right Touch	0.045	0.403	0.448
	Left Tilt	0.040	0.329	0.369
	Right Tilt	0.019	0.262	0.281

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.264	0.323
	Right Touch	0.052	0.403	0.455
	Left Tilt	0.042	0.329	0.371
	Right Tilt	0.022	0.262	0.284

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.264	0.514
	Right Touch	0.152	0.403	0.555
	Left Tilt	0.117	0.329	0.446
	Right Tilt	0.093	0.262	0.355

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.264	0.392
	Right Touch	0.107	0.403	0.510
	Left Tilt	0.068	0.329	0.397
	Right Tilt	0.055	0.262	0.317

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.264	0.475
	Right Touch	0.135	0.403	0.538
	Left Tilt	0.095	0.329	0.424
	Right Tilt	0.093	0.262	0.355

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.132	0.402	0.693
	Right Touch	0.103	0.624	0.751	1.478
	Left Tilt	0.073	0.077	0.436	0.586
	Right Tilt	0.058	0.267	0.637	0.962

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.132	0.402	0.717
	Right Touch	0.114	0.624	0.751	1.489
	Left Tilt	0.081	0.077	0.436	0.594
	Right Tilt	0.065	0.267	0.637	0.969

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.132	0.402	0.583
	Right Touch	0.045	0.624	0.751	1.420
	Left Tilt	0.040	0.077	0.436	0.553
	Right Tilt	0.019	0.267	0.637	0.923

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.132	0.402	0.593
	Right Touch	0.052	0.624	0.751	1.427
	Left Tilt	0.042	0.077	0.436	0.555
	Right Tilt	0.022	0.267	0.637	0.926

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.132	0.402	0.784
	Right Touch	0.152	0.624	0.751	1.527
	Left Tilt	0.117	0.077	0.436	0.630
	Right Tilt	0.093	0.267	0.637	0.997

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.132	0.402	0.662
	Right Touch	0.107	0.624	0.751	1.482
	Left Tilt	0.068	0.077	0.436	0.581
	Right Tilt	0.055	0.267	0.637	0.959

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.132	0.402	0.745
	Right Touch	0.135	0.624	0.751	1.510
	Left Tilt	0.095	0.077	0.436	0.608
	Right Tilt	0.093	0.267	0.637	0.997

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.132	0.206	0.497
	Right Touch	0.103	0.624	0.537	1.264
	Left Tilt	0.073	0.077	0.281	0.431
	Right Tilt	0.058	0.267	0.449	0.774

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.132	0.206	0.521
	Right Touch	0.114	0.624	0.537	1.275
	Left Tilt	0.081	0.077	0.281	0.439
	Right Tilt	0.065	0.267	0.449	0.781

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.132	0.206	0.387
	Right Touch	0.045	0.624	0.537	1.206
	Left Tilt	0.040	0.077	0.281	0.398
	Right Tilt	0.019	0.267	0.449	0.735

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.132	0.206	0.397
	Right Touch	0.052	0.624	0.537	1.213
	Left Tilt	0.042	0.077	0.281	0.400
	Right Tilt	0.022	0.267	0.449	0.738

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.132	0.206	0.588
	Right Touch	0.152	0.624	0.537	1.313
	Left Tilt	0.117	0.077	0.281	0.475
	Right Tilt	0.093	0.267	0.449	0.809

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.132	0.206	0.466
	Right Touch	0.107	0.624	0.537	1.268
	Left Tilt	0.068	0.077	0.281	0.426
	Right Tilt	0.055	0.267	0.449	0.771

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.132	0.206	0.549
	Right Touch	0.135	0.624	0.537	1.296
	Left Tilt	0.095	0.077	0.281	0.453
	Right Tilt	0.093	0.267	0.449	0.809

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.132	0.247	0.538
	Right Touch	0.103	0.624	0.285	1.012
	Left Tilt	0.073	0.077	0.315	0.465
	Right Tilt	0.058	0.267	0.266	0.591

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.132	0.247	0.562
	Right Touch	0.114	0.624	0.285	1.023
	Left Tilt	0.081	0.077	0.315	0.473
	Right Tilt	0.065	0.267	0.266	0.598

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.132	0.247	0.428
	Right Touch	0.045	0.624	0.285	0.954
	Left Tilt	0.040	0.077	0.315	0.432
	Right Tilt	0.019	0.267	0.266	0.552

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.132	0.247	0.438
	Right Touch	0.052	0.624	0.285	0.961
	Left Tilt	0.042	0.077	0.315	0.434
	Right Tilt	0.022	0.267	0.266	0.555

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.132	0.247	0.629
	Right Touch	0.152	0.624	0.285	1.061
	Left Tilt	0.117	0.077	0.315	0.509
	Right Tilt	0.093	0.267	0.266	0.626

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.132	0.247	0.507
	Right Touch	0.107	0.624	0.285	1.016
	Left Tilt	0.068	0.077	0.315	0.460
	Right Tilt	0.055	0.267	0.266	0.588

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.132	0.247	0.590
	Right Touch	0.135	0.624	0.285	1.044
	Left Tilt	0.095	0.077	0.315	0.487
	Right Tilt	0.093	0.267	0.266	0.626

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.067	0.293
	Right Touch	0.103	0.344	0.135	0.582
	Left Tilt	0.073	0.033	0.088	0.194
	Right Tilt	0.058	0.137	0.174	0.369

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.067	0.317
	Right Touch	0.114	0.344	0.135	0.593
	Left Tilt	0.081	0.033	0.088	0.202
	Right Tilt	0.065	0.137	0.174	0.376

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.067	0.183
	Right Touch	0.045	0.344	0.135	0.524
	Left Tilt	0.040	0.033	0.088	0.161
	Right Tilt	0.019	0.137	0.174	0.330

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.067	0.193
	Right Touch	0.052	0.344	0.135	0.531
	Left Tilt	0.042	0.033	0.088	0.163
	Right Tilt	0.022	0.137	0.174	0.333

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.067	0.384
	Right Touch	0.152	0.344	0.135	0.631
	Left Tilt	0.117	0.033	0.088	0.238
	Right Tilt	0.093	0.137	0.174	0.404

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.067	0.262
	Right Touch	0.107	0.344	0.135	0.586
	Left Tilt	0.068	0.033	0.088	0.189
	Right Tilt	0.055	0.137	0.174	0.366

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.067	0.345
	Right Touch	0.135	0.344	0.135	0.614
	Left Tilt	0.095	0.033	0.088	0.216
	Right Tilt	0.093	0.137	0.174	0.404

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.103	0.329
	Right Touch	0.103	0.344	0.230	0.677
	Left Tilt	0.073	0.033	0.108	0.214
	Right Tilt	0.058	0.137	0.181	0.376

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.103	0.353
	Right Touch	0.114	0.344	0.230	0.688
	Left Tilt	0.081	0.033	0.108	0.222
	Right Tilt	0.065	0.137	0.181	0.383

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.103	0.219
	Right Touch	0.045	0.344	0.230	0.619
	Left Tilt	0.040	0.033	0.108	0.181
	Right Tilt	0.019	0.137	0.181	0.337

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.103	0.229
	Right Touch	0.052	0.344	0.230	0.626
	Left Tilt	0.042	0.033	0.108	0.183
	Right Tilt	0.022	0.137	0.181	0.340

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.103	0.420
	Right Touch	0.152	0.344	0.230	0.726
	Left Tilt	0.117	0.033	0.108	0.258
	Right Tilt	0.093	0.137	0.181	0.411

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.103	0.298
	Right Touch	0.107	0.344	0.230	0.681
	Left Tilt	0.068	0.033	0.108	0.209
	Right Tilt	0.055	0.137	0.181	0.373

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.103	0.381
	Right Touch	0.135	0.344	0.230	0.709
	Left Tilt	0.095	0.033	0.108	0.236
	Right Tilt	0.093	0.137	0.181	0.411

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.087	0.313
	Right Touch	0.103	0.344	0.324	0.771
	Left Tilt	0.073	0.033	0.082	0.188
	Right Tilt	0.058	0.137	0.115	0.310

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.087	0.337
	Right Touch	0.114	0.344	0.324	0.782
	Left Tilt	0.081	0.033	0.082	0.196
	Right Tilt	0.065	0.137	0.115	0.317

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.087	0.203
	Right Touch	0.045	0.344	0.324	0.713
	Left Tilt	0.040	0.033	0.082	0.155
	Right Tilt	0.019	0.137	0.115	0.271

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.087	0.213
	Right Touch	0.052	0.344	0.324	0.720
	Left Tilt	0.042	0.033	0.082	0.157
	Right Tilt	0.022	0.137	0.115	0.274

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.087	0.404
	Right Touch	0.152	0.344	0.324	0.820
	Left Tilt	0.117	0.033	0.082	0.232
	Right Tilt	0.093	0.137	0.115	0.345

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.087	0.282
	Right Touch	0.107	0.344	0.324	0.775
	Left Tilt	0.068	0.033	0.082	0.183
	Right Tilt	0.055	0.137	0.115	0.307

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.087	0.365
	Right Touch	0.135	0.344	0.324	0.803
	Left Tilt	0.095	0.033	0.082	0.210
	Right Tilt	0.093	0.137	0.115	0.345

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.402	0.628
	Right Touch	0.103	0.344	0.751	1.198
	Left Tilt	0.073	0.033	0.436	0.542
	Right Tilt	0.058	0.137	0.637	0.832

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.402	0.652
	Right Touch	0.114	0.344	0.751	1.209
	Left Tilt	0.081	0.033	0.436	0.550
	Right Tilt	0.065	0.137	0.637	0.839

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.402	0.518
	Right Touch	0.045	0.344	0.751	1.140
	Left Tilt	0.040	0.033	0.436	0.509
	Right Tilt	0.019	0.137	0.637	0.793

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.402	0.528
	Right Touch	0.052	0.344	0.751	1.147
	Left Tilt	0.042	0.033	0.436	0.511
	Right Tilt	0.022	0.137	0.637	0.796

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.402	0.719
	Right Touch	0.152	0.344	0.751	1.247
	Left Tilt	0.117	0.033	0.436	0.586
	Right Tilt	0.093	0.137	0.637	0.867

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.402	0.597
	Right Touch	0.107	0.344	0.751	1.202
	Left Tilt	0.068	0.033	0.436	0.537
	Right Tilt	0.055	0.137	0.637	0.829

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.402	0.680
	Right Touch	0.135	0.344	0.751	1.230
	Left Tilt	0.095	0.033	0.436	0.564
	Right Tilt	0.093	0.137	0.637	0.867

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.206	0.432
	Right Touch	0.103	0.344	0.537	0.984
	Left Tilt	0.073	0.033	0.281	0.387
	Right Tilt	0.058	0.137	0.449	0.644

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.206	0.456
	Right Touch	0.114	0.344	0.537	0.995
	Left Tilt	0.081	0.033	0.281	0.395
	Right Tilt	0.065	0.137	0.449	0.651

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.206	0.322
	Right Touch	0.045	0.344	0.537	0.926
	Left Tilt	0.040	0.033	0.281	0.354
	Right Tilt	0.019	0.137	0.449	0.605

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.206	0.332
	Right Touch	0.052	0.344	0.537	0.933
	Left Tilt	0.042	0.033	0.281	0.356
	Right Tilt	0.022	0.137	0.449	0.608

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.206	0.523
	Right Touch	0.152	0.344	0.537	1.033
	Left Tilt	0.117	0.033	0.281	0.431
	Right Tilt	0.093	0.137	0.449	0.679

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.206	0.401
	Right Touch	0.107	0.344	0.537	0.988
	Left Tilt	0.068	0.033	0.281	0.382
	Right Tilt	0.055	0.137	0.449	0.641

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.206	0.484
	Right Touch	0.135	0.344	0.537	1.016
	Left Tilt	0.095	0.033	0.281	0.409
	Right Tilt	0.093	0.137	0.449	0.679

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.247	0.473
	Right Touch	0.103	0.344	0.285	0.732
	Left Tilt	0.073	0.033	0.315	0.421
	Right Tilt	0.058	0.137	0.266	0.461

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.247	0.497
	Right Touch	0.114	0.344	0.285	0.743
	Left Tilt	0.081	0.033	0.315	0.429
	Right Tilt	0.065	0.137	0.266	0.468

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.247	0.363
	Right Touch	0.045	0.344	0.285	0.674
	Left Tilt	0.040	0.033	0.315	0.388
	Right Tilt	0.019	0.137	0.266	0.422

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.247	0.373
	Right Touch	0.052	0.344	0.285	0.681
	Left Tilt	0.042	0.033	0.315	0.390
	Right Tilt	0.022	0.137	0.266	0.425

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.247	0.564
	Right Touch	0.152	0.344	0.285	0.781
	Left Tilt	0.117	0.033	0.315	0.465
	Right Tilt	0.093	0.137	0.266	0.496

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.247	0.442
	Right Touch	0.107	0.344	0.285	0.736
	Left Tilt	0.068	0.033	0.315	0.416
	Right Tilt	0.055	0.137	0.266	0.458

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.247	0.525
	Right Touch	0.135	0.344	0.285	0.764
	Left Tilt	0.095	0.033	0.315	0.443
	Right Tilt	0.093	0.137	0.266	0.496

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.432	0.658
	Right Touch	0.103	0.344	0.638	1.085
	Left Tilt	0.073	0.033	0.482	0.588
	Right Tilt	0.058	0.137	0.800	0.995

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.432	0.682
	Right Touch	0.114	0.344	0.638	1.096
	Left Tilt	0.081	0.033	0.482	0.596
	Right Tilt	0.065	0.137	0.800	1.002

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.432	0.548
	Right Touch	0.045	0.344	0.638	1.027
	Left Tilt	0.040	0.033	0.482	0.555
	Right Tilt	0.019	0.137	0.800	0.956

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.432	0.558
	Right Touch	0.052	0.344	0.638	1.034
	Left Tilt	0.042	0.033	0.482	0.557
	Right Tilt	0.022	0.137	0.800	0.959

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.432	0.749
	Right Touch	0.152	0.344	0.638	1.134
	Left Tilt	0.117	0.033	0.482	0.632
	Right Tilt	0.093	0.137	0.800	1.030

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.432	0.627
	Right Touch	0.107	0.344	0.638	1.089
	Left Tilt	0.068	0.033	0.482	0.583
	Right Tilt	0.055	0.137	0.800	0.992

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.432	0.710
	Right Touch	0.135	0.344	0.638	1.117
	Left Tilt	0.095	0.033	0.482	0.610
	Right Tilt	0.093	0.137	0.800	1.030

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.241	0.467
	Right Touch	0.103	0.344	0.571	1.018
	Left Tilt	0.073	0.033	0.345	0.451
	Right Tilt	0.058	0.137	0.595	0.790

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.241	0.491
	Right Touch	0.114	0.344	0.571	1.029
	Left Tilt	0.081	0.033	0.345	0.459
	Right Tilt	0.065	0.137	0.595	0.797

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.241	0.357
	Right Touch	0.045	0.344	0.571	0.960
	Left Tilt	0.040	0.033	0.345	0.418
	Right Tilt	0.019	0.137	0.595	0.751

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.241	0.367
	Right Touch	0.052	0.344	0.571	0.967
	Left Tilt	0.042	0.033	0.345	0.420
	Right Tilt	0.022	0.137	0.595	0.754

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.241	0.558
	Right Touch	0.152	0.344	0.571	1.067
	Left Tilt	0.117	0.033	0.345	0.495
	Right Tilt	0.093	0.137	0.595	0.825

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.241	0.436
	Right Touch	0.107	0.344	0.571	1.022
	Left Tilt	0.068	0.033	0.345	0.446
	Right Tilt	0.055	0.137	0.595	0.787

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.241	0.519
	Right Touch	0.135	0.344	0.571	1.050
	Left Tilt	0.095	0.033	0.345	0.473
	Right Tilt	0.093	0.137	0.595	0.825

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.159	0.067	0.264	0.490
	Right Touch	0.103	0.344	0.403	0.850
	Left Tilt	0.073	0.033	0.329	0.435
	Right Tilt	0.058	0.137	0.262	0.457

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.183	0.067	0.264	0.514
	Right Touch	0.114	0.344	0.403	0.861
	Left Tilt	0.081	0.033	0.329	0.443
	Right Tilt	0.065	0.137	0.262	0.464

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.049	0.067	0.264	0.380
	Right Touch	0.045	0.344	0.403	0.792
	Left Tilt	0.040	0.033	0.329	0.402
	Right Tilt	0.019	0.137	0.262	0.418

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.059	0.067	0.264	0.390
	Right Touch	0.052	0.344	0.403	0.799
	Left Tilt	0.042	0.033	0.329	0.404
	Right Tilt	0.022	0.137	0.262	0.421

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.250	0.067	0.264	0.581
	Right Touch	0.152	0.344	0.403	0.899
	Left Tilt	0.117	0.033	0.329	0.479
	Right Tilt	0.093	0.137	0.262	0.492

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.128	0.067	0.264	0.459
	Right Touch	0.107	0.344	0.403	0.854
	Left Tilt	0.068	0.033	0.329	0.430
	Right Tilt	0.055	0.137	0.262	0.454

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.211	0.067	0.264	0.542
	Right Touch	0.135	0.344	0.403	0.882
	Left Tilt	0.095	0.033	0.329	0.457
	Right Tilt	0.093	0.137	0.262	0.492

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.132	0.402	0.534
	Right Touch	0.624	0.751	1.375
	Left Tilt	0.077	0.436	0.513
	Right Tilt	0.267	0.637	0.904

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.132	0.206	0.338
	Right Touch	0.624	0.537	1.161
	Left Tilt	0.077	0.281	0.358
	Right Tilt	0.267	0.449	0.716

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.132	0.247	0.379
	Right Touch	0.624	0.285	0.909
	Left Tilt	0.077	0.315	0.392
	Right Tilt	0.267	0.266	0.533

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.067	0.134
	Right Touch	0.344	0.135	0.479
	Left Tilt	0.033	0.088	0.121
	Right Tilt	0.137	0.174	0.311

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.103	0.170
	Right Touch	0.344	0.230	0.574
	Left Tilt	0.033	0.108	0.141
	Right Tilt	0.137	0.181	0.318

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.087	0.154
	Right Touch	0.344	0.324	0.668
	Left Tilt	0.033	0.082	0.115
	Right Tilt	0.137	0.115	0.252

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.402	0.469
	Right Touch	0.344	0.751	1.095
	Left Tilt	0.033	0.436	0.469
	Right Tilt	0.137	0.637	0.774

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.206	0.273
	Right Touch	0.344	0.537	0.881
	Left Tilt	0.033	0.281	0.314
	Right Tilt	0.137	0.449	0.586

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.247	0.314
	Right Touch	0.344	0.285	0.629
	Left Tilt	0.033	0.315	0.348
	Right Tilt	0.137	0.266	0.403

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.432	0.499
	Right Touch	0.344	0.638	0.982
	Left Tilt	0.033	0.482	0.515
	Right Tilt	0.137	0.800	0.937

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.241	0.308
	Right Touch	0.344	0.571	0.915
	Left Tilt	0.033	0.345	0.378
	Right Tilt	0.137	0.595	0.732

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.067	0.264	0.331
	Right Touch	0.344	0.403	0.747
	Left Tilt	0.033	0.329	0.362
	Right Tilt	0.137	0.262	0.399

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.159	0.067	0.226
	Right Touch	0.103	0.344	0.447
	Left Tilt	0.073	0.033	0.106
	Right Tilt	0.058	0.137	0.195

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.183	0.067	0.250
	Right Touch	0.114	0.344	0.458
	Left Tilt	0.081	0.033	0.114
	Right Tilt	0.065	0.137	0.202

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.049	0.067	0.116
	Right Touch	0.045	0.344	0.389
	Left Tilt	0.040	0.033	0.073
	Right Tilt	0.019	0.137	0.156

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.059	0.067	0.126
	Right Touch	0.052	0.344	0.396
	Left Tilt	0.042	0.033	0.075
	Right Tilt	0.022	0.137	0.159

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.250	0.067	0.317
	Right Touch	0.152	0.344	0.496
	Left Tilt	0.117	0.033	0.150
	Right Tilt	0.093	0.137	0.230

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.128	0.067	0.195
	Right Touch	0.107	0.344	0.451
	Left Tilt	0.068	0.033	0.101
	Right Tilt	0.055	0.137	0.192

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.211	0.067	0.278
	Right Touch	0.135	0.344	0.479
	Left Tilt	0.095	0.033	0.128
	Right Tilt	0.093	0.137	0.230

Body-Worn SAR Simultaneous Transmission Analysis

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.066	0.580
	Rear	0.542	0.108	0.650

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.066	0.646
	Rear	0.600	0.108	0.708

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.066	0.274
	Rear	0.177	0.108	0.285

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.066	0.301
	Rear	0.209	0.108	0.317

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.066	0.934
	Rear	0.775	0.108	0.883

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.066	0.535
	Rear	0.485	0.108	0.593

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.066	0.689
	Rear	0.669	0.108	0.777

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.114	0.628
	Rear	0.542	0.074	0.616

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.114	0.694
	Rear	0.600	0.074	0.674

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.114	0.322
	Rear	0.177	0.074	0.251

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.114	0.349
	Rear	0.209	0.074	0.283

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.114	0.982
	Rear	0.775	0.074	0.849

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.114	0.583
	Rear	0.485	0.074	0.559

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.114	0.737
	Rear	0.669	0.074	0.743

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.124	0.638
	Rear	0.542	0.174	0.716

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.124	0.704
	Rear	0.600	0.174	0.774

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.124	0.332
	Rear	0.177	0.174	0.351

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.124	0.359
	Rear	0.209	0.174	0.383

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.124	0.992
	Rear	0.775	0.174	0.949

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.124	0.593
	Rear	0.485	0.174	0.659

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.124	0.747
	Rear	0.669	0.174	0.843

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.021	0.535
	Rear	0.542	0.311	0.853

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.021	0.601
	Rear	0.600	0.311	0.911

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.021	0.229
	Rear	0.177	0.311	0.488

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.021	0.256
	Rear	0.209	0.311	0.520

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.021	0.889
	Rear	0.775	0.311	1.086

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.021	0.490
	Rear	0.485	0.311	0.796

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.021	0.644
	Rear	0.669	0.311	0.980

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.130	0.644
	Rear	0.542	0.475	1.017

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.130	0.710
	Rear	0.600	0.475	1.075

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.130	0.338
	Rear	0.177	0.475	0.652

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.130	0.365
	Rear	0.209	0.475	0.684

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.130	0.998
	Rear	0.775	0.475	1.250

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.130	0.599
	Rear	0.485	0.475	0.960

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.130	0.753
	Rear	0.669	0.475	1.144

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.128	0.642
	Rear	0.542	0.639	1.181

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.128	0.708
	Rear	0.600	0.639	1.239

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.128	0.336
	Rear	0.177	0.639	0.816

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.128	0.363
	Rear	0.209	0.639	0.848

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.128	0.996
	Rear	0.775	0.639	1.414

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.128	0.597
	Rear	0.485	0.639	1.124

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.128	0.751
	Rear	0.669	0.639	1.308

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.049	0.563
	Rear	0.542	0.429	0.971

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.049	0.629
	Rear	0.600	0.429	1.029

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.049	0.257
	Rear	0.177	0.429	0.606

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.049	0.284
	Rear	0.209	0.429	0.638

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.049	0.917
	Rear	0.775	0.429	1.204

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.049	0.518
	Rear	0.485	0.429	0.914

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.049	0.672
	Rear	0.669	0.429	1.098

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.055	0.569
	Rear	0.542	0.606	1.148

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.055	0.635
	Rear	0.600	0.606	1.206

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.055	0.263
	Rear	0.177	0.606	0.783

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.055	0.290
	Rear	0.209	0.606	0.815

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.055	0.923
	Rear	0.775	0.606	1.381

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.055	0.524
	Rear	0.485	0.606	1.091

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.055	0.678
	Rear	0.669	0.606	1.275

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.087	0.601
	Rear	0.542	0.659	1.201

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.087	0.667
	Rear	0.600	0.659	1.259

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.087	0.295
	Rear	0.177	0.659	0.836

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.087	0.322
	Rear	0.209	0.659	0.868

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.087	0.955
	Rear	0.775	0.659	1.434

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.087	0.556
	Rear	0.485	0.659	1.144

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.087	0.710
	Rear	0.669	0.659	1.328

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.063	0.577
	Rear	0.542	0.543	1.085

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.063	0.643
	Rear	0.600	0.543	1.143

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.063	0.271
	Rear	0.177	0.543	0.720

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.063	0.298
	Rear	0.209	0.543	0.752

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.063	0.931
	Rear	0.775	0.543	1.318

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.063	0.532
	Rear	0.485	0.543	1.028

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.063	0.686
	Rear	0.669	0.543	1.212

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.017	0.531
	Rear	0.542	0.350	0.892

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.017	0.597
	Rear	0.600	0.350	0.950

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.017	0.225
	Rear	0.177	0.350	0.527

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.017	0.252
	Rear	0.209	0.350	0.559

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.017	0.885
	Rear	0.775	0.350	1.125

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.017	0.486
	Rear	0.485	0.350	0.835

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.017	0.640
	Rear	0.669	0.350	1.019

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.070	0.584
	Rear	0.542	0.546	1.088

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.070	0.650
	Rear	0.600	0.546	1.146

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.070	0.278
	Rear	0.177	0.546	0.723

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.070	0.305
	Rear	0.209	0.546	0.755

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.070	0.938
	Rear	0.775	0.546	1.321

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.070	0.539
	Rear	0.485	0.546	1.031

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.070	0.693
	Rear	0.669	0.546	1.215

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.066	0.130	0.710
	Rear	0.542	0.108	0.475	1.125

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.066	0.130	0.776
	Rear	0.600	0.108	0.475	1.183

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.066	0.130	0.404
	Rear	0.177	0.108	0.475	0.760

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.066	0.130	0.431
	Rear	0.209	0.108	0.475	0.792

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.066	0.130	1.064
	Rear	0.775	0.108	0.475	1.358

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.066	0.130	0.665
	Rear	0.485	0.108	0.475	1.068

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.066	0.130	0.819
	Rear	0.669	0.108	0.475	1.252

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.066	0.055	0.635
	Rear	0.542	0.108	0.606	1.256

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.066	0.055	0.701
	Rear	0.600	0.108	0.606	1.314

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.066	0.055	0.329
	Rear	0.177	0.108	0.606	0.891

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.066	0.055	0.356
	Rear	0.209	0.108	0.606	0.923

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.066	0.055	0.989
	Rear	0.775	0.108	0.606	1.489

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.066	0.055	0.590
	Rear	0.485	0.108	0.606	1.199

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.066	0.055	0.744
	Rear	0.669	0.108	0.606	1.383

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.066	0.017	0.597
	Rear	0.542	0.108	0.350	1.000

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.066	0.017	0.663
	Rear	0.600	0.108	0.350	1.058

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.066	0.017	0.291
	Rear	0.177	0.108	0.350	0.635

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.066	0.017	0.318
	Rear	0.209	0.108	0.350	0.667

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.066	0.017	0.951
	Rear	0.775	0.108	0.350	1.233

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.066	0.017	0.552
	Rear	0.485	0.108	0.350	0.943

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.066	0.017	0.706
	Rear	0.669	0.108	0.350	1.127

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.021	0.586
	Rear	0.542	0.062	0.311	0.915

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.021	0.652
	Rear	0.600	0.062	0.311	0.973

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.021	0.280
	Rear	0.177	0.062	0.311	0.550

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.021	0.307
	Rear	0.209	0.062	0.311	0.582

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.021	0.940
	Rear	0.775	0.062	0.311	1.148

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.021	0.541
	Rear	0.485	0.062	0.311	0.858

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.021	0.695
	Rear	0.669	0.062	0.311	1.042

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.049	0.614
	Rear	0.542	0.062	0.429	1.033

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.049	0.680
	Rear	0.600	0.062	0.429	1.091

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.049	0.308
	Rear	0.177	0.062	0.429	0.668

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.049	0.335
	Rear	0.209	0.062	0.429	0.700

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.049	0.968
	Rear	0.775	0.062	0.429	1.266

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.049	0.569
	Rear	0.485	0.062	0.429	0.976

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.049	0.723
	Rear	0.669	0.062	0.429	1.160

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.063	0.628
	Rear	0.542	0.062	0.543	1.147

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.063	0.694
	Rear	0.600	0.062	0.543	1.205

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.063	0.322
	Rear	0.177	0.062	0.543	0.782

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.063	0.349
	Rear	0.209	0.062	0.543	0.814

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.063	0.982
	Rear	0.775	0.062	0.543	1.380

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.063	0.583
	Rear	0.485	0.062	0.543	1.090

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.063	0.737
	Rear	0.669	0.062	0.543	1.274

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.130	0.695
	Rear	0.542	0.062	0.475	1.079

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.130	0.761
	Rear	0.600	0.062	0.475	1.137

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.130	0.389
	Rear	0.177	0.062	0.475	0.714

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.130	0.416
	Rear	0.209	0.062	0.475	0.746

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.130	1.049
	Rear	0.775	0.062	0.475	1.312

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.130	0.650
	Rear	0.485	0.062	0.475	1.022

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.130	0.804
	Rear	0.669	0.062	0.475	1.206

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.055	0.620
	Rear	0.542	0.062	0.606	1.210

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.055	0.686
	Rear	0.600	0.062	0.606	1.268

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.055	0.314
	Rear	0.177	0.062	0.606	0.845

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.055	0.341
	Rear	0.209	0.062	0.606	0.877

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.055	0.974
	Rear	0.775	0.062	0.606	1.443

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.055	0.575
	Rear	0.485	0.062	0.606	1.153

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.055	0.729
	Rear	0.669	0.062	0.606	1.337

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.017	0.582
	Rear	0.542	0.062	0.350	0.954

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.017	0.648
	Rear	0.600	0.062	0.350	1.012

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.017	0.276
	Rear	0.177	0.062	0.350	0.589

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.017	0.303
	Rear	0.209	0.062	0.350	0.621

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.017	0.936
	Rear	0.775	0.062	0.350	1.187

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.017	0.537
	Rear	0.485	0.062	0.350	0.897

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.017	0.691
	Rear	0.669	0.062	0.350	1.081

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.128	0.693
	Rear	0.542	0.062	0.639	1.243

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.128	0.759
	Rear	0.600	0.062	0.639	1.301

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.128	0.387
	Rear	0.177	0.062	0.639	0.878

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.128	0.414
	Rear	0.209	0.062	0.639	0.910

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.128	1.047
	Rear	0.775	0.062	0.639	1.476

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.128	0.648
	Rear	0.485	0.062	0.639	1.186

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.128	0.802
	Rear	0.669	0.062	0.639	1.370

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.087	0.652
	Rear	0.542	0.062	0.659	1.263

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.087	0.718
	Rear	0.600	0.062	0.659	1.321

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.087	0.346
	Rear	0.177	0.062	0.659	0.898

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.087	0.373
	Rear	0.209	0.062	0.659	0.930

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.087	1.006
	Rear	0.775	0.062	0.659	1.496

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.087	0.607
	Rear	0.485	0.062	0.659	1.206

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.087	0.761
	Rear	0.669	0.062	0.659	1.390

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.514	0.051	0.070	0.635
	Rear	0.542	0.062	0.546	1.150

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.580	0.051	0.070	0.701
	Rear	0.600	0.062	0.546	1.208

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.208	0.051	0.070	0.329
	Rear	0.177	0.062	0.546	0.785

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.235	0.051	0.070	0.356
	Rear	0.209	0.062	0.546	0.817

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.868	0.051	0.070	0.989
	Rear	0.775	0.062	0.546	1.383

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.469	0.051	0.070	0.590
	Rear	0.485	0.062	0.546	1.093

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.623	0.051	0.070	0.744
	Rear	0.669	0.062	0.546	1.277

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.066	0.130	0.196
	Rear	0.108	0.475	0.583

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.066	0.055	0.121
	Rear	0.108	0.606	0.714

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.066	0.017	0.083
	Rear	0.108	0.350	0.458

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.021	0.072
	Rear	0.062	0.311	0.373

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN An.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.049	0.100
	Rear	0.062	0.429	0.491

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.063	0.114
	Rear	0.062	0.543	0.605

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.130	0.181
	Rear	0.062	0.475	0.537

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.055	0.106
	Rear	0.062	0.606	0.668

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.017	0.068
	Rear	0.062	0.350	0.412

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.128	0.179
	Rear	0.062	0.639	0.701

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.087	0.138
	Rear	0.062	0.659	0.721

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.051	0.070	0.121
	Rear	0.062	0.546	0.608

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.514	0.051	0.565
	Rear	0.542	0.062	0.604

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.580	0.051	0.631
	Rear	0.600	0.062	0.662

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.208	0.051	0.259
	Rear	0.177	0.062	0.239

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.235	0.051	0.286
	Rear	0.209	0.062	0.271

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.868	0.051	0.919
	Rear	0.775	0.062	0.837

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.469	0.051	0.520
	Rear	0.485	0.062	0.547

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.623	0.051	0.674
	Rear	0.669	0.062	0.731

Hotspot SAR Simultaneous Transmission Analysis

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.036	0.036
	Bottom	0.322	-	0.322
	Front	0.580	0.066	0.646
	Rear	0.600	0.108	0.708
	Right	0.080	-	0.080
	Left	0.268	0.168	0.436

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.036	0.036
	Bottom	0.253	-	0.253
	Front	0.235	0.066	0.301
	Rear	0.209	0.108	0.317
	Right	-	-	-
	Left	0.111	0.168	0.279

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.036	0.036
	Bottom	0.436	-	0.436
	Front	0.868	0.066	0.934
	Rear	0.775	0.108	0.883
	Right	0.130	-	0.130
	Left	0.391	0.168	0.559

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.036	0.036
	Bottom	0.293	-	0.293
	Front	0.469	0.066	0.535
	Rear	0.485	0.108	0.593
	Right	0.176	-	0.176
	Left	0.086	0.168	0.254

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.036	0.036
	Bottom	0.386	-	0.386
	Front	0.623	0.066	0.689
	Rear	0.669	0.108	0.777
	Right	0.113	-	0.113
	Left	0.333	0.168	0.501

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.108	0.108
	Bottom	0.322	-	0.322
	Front	0.580	0.114	0.694
	Rear	0.600	0.074	0.674
	Right	0.080	-	0.080
	Left	0.268	0.099	0.367

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.108	0.108
	Bottom	0.253	-	0.253
	Front	0.235	0.114	0.349
	Rear	0.209	0.074	0.283
	Right	-	-	-
	Left	0.111	0.099	0.210

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.108	0.108
	Bottom	0.436	-	0.436
	Front	0.868	0.114	0.982
	Rear	0.775	0.074	0.849
	Right	0.130	-	0.130
	Left	0.391	0.099	0.490

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.108	0.108
	Bottom	0.293	-	0.293
	Front	0.469	0.114	0.583
	Rear	0.485	0.074	0.559
	Right	0.176	-	0.176
	Left	0.086	0.099	0.185

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.108	0.108
	Bottom	0.386	-	0.386
	Front	0.623	0.114	0.737
	Rear	0.669	0.074	0.743
	Right	0.113	-	0.113
	Left	0.333	0.099	0.432

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.127	0.127
	Bottom	0.322	-	0.322
	Front	0.580	0.124	0.704
	Rear	0.600	0.174	0.774
	Right	0.080	-	0.080
	Left	0.268	0.158	0.426

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.127	0.127
	Bottom	0.253	-	0.253
	Front	0.235	0.124	0.359
	Rear	0.209	0.174	0.383
	Right	-	-	-
	Left	0.111	0.158	0.269

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.127	0.127
	Bottom	0.436	-	0.436
	Front	0.868	0.124	0.992
	Rear	0.775	0.174	0.949
	Right	0.130	-	0.130
	Left	0.391	0.158	0.549

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.127	0.127
	Bottom	0.293	-	0.293
	Front	0.469	0.124	0.593
	Rear	0.485	0.174	0.659
	Right	0.176	-	0.176
	Left	0.086	0.158	0.244

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.127	0.127
	Bottom	0.386	-	0.386
	Front	0.623	0.124	0.747
	Rear	0.669	0.174	0.843
	Right	0.113	-	0.113
	Left	0.333	0.158	0.491

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.059	0.059
	Bottom	0.322	-	0.322
	Front	0.580	0.021	0.601
	Rear	0.600	0.283	0.883
	Right	0.080	-	0.080
	Left	0.268	0.138	0.406

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.059	0.059
	Bottom	0.253	-	0.253
	Front	0.235	0.021	0.256
	Rear	0.209	0.283	0.492
	Right	-	-	-
	Left	0.111	0.138	0.249

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.059	0.059
	Bottom	0.436	-	0.436
	Front	0.868	0.021	0.889
	Rear	0.775	0.283	1.058
	Right	0.130	-	0.130
	Left	0.391	0.138	0.529

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.059	0.059
	Bottom	0.293	-	0.293
	Front	0.469	0.021	0.490
	Rear	0.485	0.283	0.768
	Right	0.176	-	0.176
	Left	0.086	0.138	0.224

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.059	0.059
	Bottom	0.386	-	0.386
	Front	0.623	0.021	0.644
	Rear	0.669	0.283	0.952
	Right	0.113	-	0.113
	Left	0.333	0.138	0.471

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.137	0.137
	Bottom	0.322	-	0.322
	Front	0.580	0.123	0.703
	Rear	0.600	0.463	1.063
	Right	0.080	-	0.080
	Left	0.268	0.119	0.387

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.137	0.137
	Bottom	0.253	-	0.253
	Front	0.235	0.123	0.358
	Rear	0.209	0.463	0.672
	Right	-	-	-
	Left	0.111	0.119	0.230

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.137	0.137
	Bottom	0.436	-	0.436
	Front	0.868	0.123	0.991
	Rear	0.775	0.463	1.238
	Right	0.130	-	0.130
	Left	0.391	0.119	0.510

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.137	0.137
	Bottom	0.293	-	0.293
	Front	0.469	0.123	0.592
	Rear	0.485	0.463	0.948
	Right	0.176	-	0.176
	Left	0.086	0.119	0.205

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.137	0.137
	Bottom	0.386	-	0.386
	Front	0.623	0.123	0.746
	Rear	0.669	0.463	1.132
	Right	0.113	-	0.113
	Left	0.333	0.119	0.452

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.192	0.192
	Bottom	0.322	-	0.322
	Front	0.580	0.142	0.722
	Rear	0.600	0.658	1.258
	Right	0.080	-	0.080
	Left	0.268	0.277	0.545

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.192	0.192
	Bottom	0.253	-	0.253
	Front	0.235	0.142	0.377
	Rear	0.209	0.658	0.867
	Right	-	-	-
	Left	0.111	0.277	0.388

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.192	0.192
	Bottom	0.436	-	0.436
	Front	0.868	0.142	1.010
	Rear	0.775	0.658	1.433
	Right	0.130	-	0.130
	Left	0.391	0.277	0.668

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.192	0.192
	Bottom	0.293	-	0.293
	Front	0.469	0.142	0.611
	Rear	0.485	0.658	1.143
	Right	0.176	-	0.176
	Left	0.086	0.277	0.363

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.192	0.192
	Bottom	0.386	-	0.386
	Front	0.623	0.142	0.765
	Rear	0.669	0.658	1.327
	Right	0.113	-	0.113
	Left	0.333	0.277	0.610

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.050	0.050
	Bottom	0.322	-	0.322
	Front	0.580	0.063	0.643
	Rear	0.600	0.543	1.143
	Right	0.080	-	0.080
	Left	0.268	0.234	0.502

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.050	0.050
	Bottom	0.253	-	0.253
	Front	0.235	0.063	0.298
	Rear	0.209	0.543	0.752
	Right	-	-	-
	Left	0.111	0.234	0.345

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.050	0.050
	Bottom	0.436	-	0.436
	Front	0.868	0.063	0.931
	Rear	0.775	0.543	1.318
	Right	0.130	-	0.130
	Left	0.391	0.234	0.625

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.050	0.050
	Bottom	0.293	-	0.293
	Front	0.469	0.063	0.532
	Rear	0.485	0.543	1.028
	Right	0.176	-	0.176
	Left	0.086	0.234	0.320

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.050	0.050
	Bottom	0.386	-	0.386
	Front	0.623	0.063	0.686
	Rear	0.669	0.543	1.212
	Right	0.113	-	0.113
	Left	0.333	0.234	0.567

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.204	0.204
	Bottom	0.322	-	0.322
	Front	0.580	0.017	0.597
	Rear	0.600	0.350	0.950
	Right	0.080	-	0.080
	Left	0.268	0.011	0.279

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.204	0.204
	Bottom	0.253	-	0.253
	Front	0.235	0.017	0.252
	Rear	0.209	0.350	0.559
	Right	-	-	-
	Left	0.111	0.011	0.122

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.204	0.204
	Bottom	0.436	-	0.436
	Front	0.868	0.017	0.885
	Rear	0.775	0.350	1.125
	Right	0.130	-	0.130
	Left	0.391	0.011	0.402

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.204	0.204
	Bottom	0.293	-	0.293
	Front	0.469	0.017	0.486
	Rear	0.485	0.350	0.835
	Right	0.176	-	0.176
	Left	0.086	0.011	0.097

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.204	0.204
	Bottom	0.386	-	0.386
	Front	0.623	0.017	0.640
	Rear	0.669	0.350	1.019
	Right	0.113	-	0.113
	Left	0.333	0.011	0.344

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.220	0.220
	Bottom	0.322	-	0.322
	Front	0.580	0.070	0.650
	Rear	0.600	0.546	1.146
	Right	0.080	-	0.080
	Left	0.268	0.302	0.570

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.220	0.220
	Bottom	0.253	-	0.253
	Front	0.235	0.070	0.305
	Rear	0.209	0.546	0.755
	Right	-	-	-
	Left	0.111	0.302	0.413

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.220	0.220
	Bottom	0.436	-	0.436
	Front	0.868	0.070	0.938
	Rear	0.775	0.546	1.321
	Right	0.130	-	0.130
	Left	0.391	0.302	0.693

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.220	0.220
	Bottom	0.293	-	0.293
	Front	0.469	0.070	0.539
	Rear	0.485	0.546	1.031
	Right	0.176	-	0.176
	Left	0.086	0.302	0.388

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.220	0.220
	Bottom	0.386	-	0.386
	Front	0.623	0.070	0.693
	Rear	0.669	0.546	1.215
	Right	0.113	-	0.113
	Left	0.333	0.302	0.635

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.137	0.173
	Bottom	0.322	-	-	0.322
	Front	0.580	0.066	0.123	0.769
	Rear	0.600	0.108	0.463	1.171
	Right	0.080	-	-	0.080
	Left	0.268	0.168	0.119	0.555

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.137	0.173
	Bottom	0.253	-	-	0.253
	Front	0.235	0.066	0.123	0.424
	Rear	0.209	0.108	0.463	0.780
	Right	-	-	-	-
	Left	0.111	0.168	0.119	0.398

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.137	0.173
	Bottom	0.436	-	-	0.436
	Front	0.868	0.066	0.123	1.057
	Rear	0.775	0.108	0.463	1.346
	Right	0.130	-	-	0.130
	Left	0.391	0.168	0.119	0.678

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.137	0.173
	Bottom	0.293	-	-	0.293
	Front	0.469	0.066	0.123	0.658
	Rear	0.485	0.108	0.463	1.056
	Right	0.176	-	-	0.176
	Left	0.086	0.168	0.119	0.373

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.137	0.173
	Bottom	0.386	-	-	0.386
	Front	0.623	0.066	0.123	0.812
	Rear	0.669	0.108	0.463	1.240
	Right	0.113	-	-	0.113
	Left	0.333	0.168	0.119	0.501

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.204	0.240
	Bottom	0.322	-	-	0.322
	Front	0.580	0.066	0.017	0.663
	Rear	0.600	0.108	0.350	1.058
	Right	0.080	-	-	0.080
	Left	0.268	0.168	0.011	0.447

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.204	0.240
	Bottom	0.253	-	-	0.253
	Front	0.235	0.066	0.017	0.318
	Rear	0.209	0.108	0.350	0.667
	Right	-	-	-	-
	Left	0.111	0.168	0.011	0.290

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.204	0.240
	Bottom	0.436	-	-	0.436
	Front	0.868	0.066	0.017	0.951
	Rear	0.775	0.108	0.350	1.233
	Right	0.130	-	-	0.130
	Left	0.391	0.168	0.011	0.570

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.204	0.240
	Bottom	0.293	-	-	0.293
	Front	0.469	0.066	0.017	0.552
	Rear	0.485	0.108	0.350	0.943
	Right	0.176	-	-	0.176
	Left	0.086	0.168	0.011	0.265

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.036	0.204	0.240
	Bottom	0.386	-	-	0.386
	Front	0.623	0.066	0.017	0.706
	Rear	0.669	0.108	0.350	1.127
	Right	0.113	-	-	0.113
	Left	0.333	0.168	0.011	0.512

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.059	0.073
	Bottom	0.322	-	-	0.322
	Front	0.580	0.051	0.021	0.652
	Rear	0.600	0.062	0.283	0.945
	Right	0.080	-	-	0.080
	Left	0.268	0.077	0.138	0.483

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.059	0.073
	Bottom	0.253	-	-	0.253
	Front	0.235	0.051	0.021	0.307
	Rear	0.209	0.062	0.283	0.554
	Right	-	-	-	-
	Left	0.111	0.077	0.138	0.326

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.059	0.073
	Bottom	0.436	-	-	0.436
	Front	0.868	0.051	0.021	0.940
	Rear	0.775	0.062	0.283	1.120
	Right	0.130	-	-	0.130
	Left	0.391	0.077	0.138	0.606

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.059	0.073
	Bottom	0.293	-	-	0.293
	Front	0.469	0.051	0.021	0.541
	Rear	0.485	0.062	0.283	0.830
	Right	0.176	-	-	0.176
	Left	0.086	0.077	0.138	0.301

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.059	0.073
	Bottom	0.386	-	-	0.386
	Front	0.623	0.051	0.021	0.695
	Rear	0.669	0.062	0.283	1.014
	Right	0.113	-	-	0.113
	Left	0.333	0.077	0.138	0.410

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.050	0.064
	Bottom	0.322	-	-	0.322
	Front	0.580	0.051	0.063	0.694
	Rear	0.600	0.062	0.543	1.205
	Right	0.080	-	-	0.080
	Left	0.268	0.077	0.234	0.579

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.050	0.064
	Bottom	0.253	-	-	0.253
	Front	0.235	0.051	0.063	0.349
	Rear	0.209	0.062	0.543	0.814
	Right	-	-	-	-
	Left	0.111	0.077	0.234	0.422

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.050	0.064
	Bottom	0.436	-	-	0.436
	Front	0.868	0.051	0.063	0.982
	Rear	0.775	0.062	0.543	1.380
	Right	0.130	-	-	0.130
	Left	0.391	0.077	0.234	0.702

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.050	0.064
	Bottom	0.293	-	-	0.293
	Front	0.469	0.051	0.063	0.583
	Rear	0.485	0.062	0.543	1.090
	Right	0.176	-	-	0.176
	Left	0.086	0.077	0.234	0.397

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.050	0.064
	Bottom	0.386	-	-	0.386
	Front	0.623	0.051	0.063	0.737
	Rear	0.669	0.062	0.543	1.274
	Right	0.113	-	-	0.113
	Left	0.333	0.077	0.234	0.644

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.137	0.151
	Bottom	0.322	-	-	0.322
	Front	0.580	0.051	0.123	0.754
	Rear	0.600	0.062	0.463	1.125
	Right	0.080	-	-	0.080
	Left	0.268	0.077	0.119	0.464

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.137	0.151
	Bottom	0.253	-	-	0.253
	Front	0.235	0.051	0.123	0.409
	Rear	0.209	0.062	0.463	0.734
	Right	-	-	-	-
	Left	0.111	0.077	0.119	0.307

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.137	0.151
	Bottom	0.436	-	-	0.436
	Front	0.868	0.051	0.123	1.042
	Rear	0.775	0.062	0.463	1.300
	Right	0.130	-	-	0.130
	Left	0.391	0.077	0.119	0.587

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.137	0.151
	Bottom	0.293	-	-	0.293
	Front	0.469	0.051	0.123	0.643
	Rear	0.485	0.062	0.463	1.010
	Right	0.176	-	-	0.176
	Left	0.086	0.077	0.119	0.282

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.137	0.151
	Bottom	0.386	-	-	0.386
	Front	0.623	0.051	0.123	0.797
	Rear	0.669	0.062	0.463	1.194
	Right	0.113	-	-	0.113
	Left	0.333	0.077	0.119	0.410

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.204	0.218
	Bottom	0.322	-	-	0.322
	Front	0.580	0.051	0.017	0.648
	Rear	0.600	0.062	0.350	1.012
	Right	0.080	-	-	0.080
	Left	0.268	0.077	0.011	0.356

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.204	0.218
	Bottom	0.253	-	-	0.253
	Front	0.235	0.051	0.017	0.303
	Rear	0.209	0.062	0.350	0.621
	Right	-	-	-	-
	Left	0.111	0.077	0.011	0.199

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.204	0.218
	Bottom	0.436	-	-	0.436
	Front	0.868	0.051	0.017	0.936
	Rear	0.775	0.062	0.350	1.187
	Right	0.130	-	-	0.130
	Left	0.391	0.077	0.011	0.479

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.204	0.218
	Bottom	0.293	-	-	0.293
	Front	0.469	0.051	0.017	0.537
	Rear	0.485	0.062	0.350	0.897
	Right	0.176	-	-	0.176
	Left	0.086	0.077	0.011	0.174

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.204	0.218
	Bottom	0.386	-	-	0.386
	Front	0.623	0.051	0.017	0.691
	Rear	0.669	0.062	0.350	1.081
	Right	0.113	-	-	0.113
	Left	0.333	0.077	0.011	0.421

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.192	0.206
	Bottom	0.322	-	-	0.322
	Front	0.580	0.051	0.142	0.773
	Rear	0.600	0.062	0.658	1.320
	Right	0.080	-	-	0.080
	Left	0.268	0.077	0.277	0.622

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.192	0.206
	Bottom	0.253	-	-	0.253
	Front	0.235	0.051	0.142	0.428
	Rear	0.209	0.062	0.658	0.929
	Right	-	-	-	-
	Left	0.111	0.077	0.277	0.465

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.192	0.206
	Bottom	0.436	-	-	0.436
	Front	0.868	0.051	0.142	1.061
	Rear	0.775	0.062	0.658	1.495
	Right	0.130	-	-	0.130
	Left	0.391	0.077	0.277	0.745

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.192	0.206
	Bottom	0.293	-	-	0.293
	Front	0.469	0.051	0.142	0.662
	Rear	0.485	0.062	0.658	1.205
	Right	0.176	-	-	0.176
	Left	0.086	0.077	0.277	0.440

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.192	0.206
	Bottom	0.386	-	-	0.386
	Front	0.623	0.051	0.142	0.816
	Rear	0.669	0.062	0.658	1.389
	Right	0.113	-	-	0.113
	Left	0.333	0.077	0.277	0.410

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.220	0.234
	Bottom	0.322	-	-	0.322
	Front	0.580	0.051	0.070	0.701
	Rear	0.600	0.062	0.546	1.208
	Right	0.080	-	-	0.080
	Left	0.268	0.077	0.302	0.647

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.220	0.234
	Bottom	0.253	-	-	0.253
	Front	0.235	0.051	0.070	0.356
	Rear	0.209	0.062	0.546	0.817
	Right	-	-	-	-
	Left	0.111	0.077	0.302	0.490

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.220	0.234
	Bottom	0.436	-	-	0.436
	Front	0.868	0.051	0.070	0.989
	Rear	0.775	0.062	0.546	1.383
	Right	0.130	-	-	0.130
	Left	0.391	0.077	0.302	0.770

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.220	0.234
	Bottom	0.293	-	-	0.293
	Front	0.469	0.051	0.070	0.590
	Rear	0.485	0.062	0.546	1.093
	Right	0.176	-	-	0.176
	Left	0.086	0.077	0.302	0.465

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	ΣSAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.014	0.220	0.234
	Bottom	0.386	-	-	0.386
	Front	0.623	0.051	0.070	0.744
	Rear	0.669	0.062	0.546	1.277
	Right	0.113	-	-	0.113
	Left	0.333	0.077	0.302	0.712

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.036	0.137	0.173
	Bottom	-	-	-
	Front	0.066	0.123	0.189
	Rear	0.108	0.463	0.571
	Right	-	-	-
	Left	0.168	0.119	0.287

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.036	0.204	0.240
	Bottom	-	-	-
	Front	0.066	0.017	0.083
	Rear	0.108	0.350	0.458
	Right	-	-	-
	Left	0.168	0.011	0.179

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.014	0.059	0.073
	Bottom	-	-	-
	Front	0.051	0.021	0.072
	Rear	0.062	0.283	0.345
	Right	-	-	-
	Left	0.077	0.138	0.215

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.014	0.050	0.064
	Bottom	-	-	-
	Front	0.051	0.063	0.114
	Rear	0.062	0.543	0.605
	Right	-	-	-
	Left	0.077	0.234	0.311

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.014	0.137	0.151
	Bottom	-	-	-
	Front	0.051	0.123	0.174
	Rear	0.062	0.463	0.525
	Right	-	-	-
	Left	0.077	0.119	0.196

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.014	0.204	0.218
	Bottom	-	-	-
	Front	0.051	0.017	0.068
	Rear	0.062	0.350	0.412
	Right	-	-	-
	Left	0.077	0.011	0.088

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.014	0.192	0.206
	Bottom	-	-	-
	Front	0.051	0.142	0.193
	Rear	0.062	0.658	0.720
	Right	-	-	-
	Left	0.077	0.277	0.354

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.014	0.220	0.234
	Bottom	-	-	-
	Front	0.051	0.070	0.121
	Rear	0.062	0.546	0.608
	Right	-	-	-
	Left	0.077	0.302	0.379

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.014	0.014
	Bottom	0.322	-	0.322
	Front	0.580	0.051	0.631
	Rear	0.600	0.062	0.662
	Right	0.080	-	0.080
	Left	0.268	0.077	0.345

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.014	0.014
	Bottom	0.253	-	0.253
	Front	0.235	0.051	0.286
	Rear	0.209	0.062	0.271
	Right	-	-	-
	Left	0.111	0.077	0.188

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.014	0.014
	Bottom	0.436	-	0.436
	Front	0.868	0.051	0.919
	Rear	0.775	0.062	0.837
	Right	0.130	-	0.130
	Left	0.391	0.077	0.468

Simul Tx	Configuration	LTE Band 12 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.014	0.014
	Bottom	0.293	-	0.293
	Front	0.469	0.051	0.520
	Rear	0.485	0.062	0.547
	Right	0.176	-	0.176
	Left	0.086	0.077	0.163

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.014	0.014
	Bottom	0.386	-	0.386
	Front	0.623	0.051	0.674
	Rear	0.669	0.062	0.731
	Right	0.113	-	0.113
	Left	0.333	0.077	0.410