

HAC-RF Emission

Communication System: UID 0, CW; Frequency: 835 MHz; Duty Cycle: 1:1

Phantom section: RF Section

DASY5 Configuration:

- Probe: ER3DV6 - SN2509; ConvF(1, 1, 1); Calibrated: 5/16/2014;
- Sensor-Surface: (Fix Surface)
- Electronics: DAE3 Sn427; Calibrated: 1/14/2015
- Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BB
- Measurement SW: DASY52, Version 52.8 (7);SEMCAD X Version 14.6.10 (7164)

Dipole E-Field measurement/835 MHz/Hearing Aid Compatibility Test at 15mm distance

(41x361x1): Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 103.4 V/m; Power Drift = 0.05 dB


PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 107.7 V/m

Near-field category: **M4 (AWF 0 dB)**

PMF scaled E-field

Grid 1 M4 106.3 V/m	Grid 2 M4 107.7 V/m	Grid 3 M4 105.8 V/m
Grid 4 M4 62.48 V/m	Grid 5 M4 62.92 V/m	Grid 6 M4 61.37 V/m
Grid 7 M4 104.2 V/m	Grid 8 M4 105.9 V/m	Grid 9 M4 103.8 V/m



0 dB = 107.7 V/m = 40.64 dBV/m

HAC-RF Emission

Communication System: UID 0, CW; Frequency: 1880 MHz; Duty Cycle: 1:1

Phantom section: RF Section

DASY5 Configuration:

- Probe: ER3DV6 - SN2509; ConvF(1, 1, 1); Calibrated: 5/16/2014;
- Sensor-Surface: (Fix Surface)
- Electronics: DAE3 Sn427; Calibrated: 1/14/2015
- Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BB
- Measurement SW: DASY52, Version 52.8 (7); SEMCAD X Version 14.6.10 (7164)

Dipole E-Field measurement/1880 MHz/Hearing Aid Compatibility Test at 15mm distance (41x181x1):

Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 150.0 V/m; Power Drift = 0.04 dB


PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 87.50 V/m

Near-field category: **M3 (AWF 0 dB)**

PMF scaled E-field

Grid 1 M3 86.08 V/m	Grid 2 M3 87.50 V/m	Grid 3 M3 86.23 V/m
Grid 4 M3 70.70 V/m	Grid 5 M3 71.29 V/m	Grid 6 M3 69.85 V/m
Grid 7 M3 84.11 V/m	Grid 8 M3 86.14 V/m	Grid 9 M3 85.43 V/m



0 dB = 87.50 V/m = 38.84 dBV/m