



# HCT CO., LTD.

## CERTIFICATE OF COMPLIANCE FCC Certification

<b>Applicant Name:</b> LG Electronics MobileComm U.S.A., Inc.	<b>Date of Issue:</b> May 17, 2012
<b>Address:</b> 10101 Old Grove Road, San Diego, CA 92131	<b>Test Site/Location:</b> HCT CO., LTD., 105-1, Jangam-ri, Majang-Myeon, Icheon-si, Kyunggi-Do, Korea
	<b>Report No.:</b> HCTR1205FR19-1
	<b>HCT FRN:</b> 0005866421

<b>FCC ID:</b>	<b>ZNFP880</b>
<b>APPLICANT:</b>	<b>LG Electronics MobileComm U.S.A., Inc.</b>

<b>FCC Model(s):</b>	LG-P880
<b>Additional FCC Model(s):</b>	P880, LGP880
<b>EUT Type:</b>	Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC
<b>Max. RF Output Power:</b>	Wi-Fi 802.11a (5180~5240) (6.41 dBm)/ Wi-Fi 802.11a (5260~5350) (6.30 dBm)/ Wi-Fi 802.11a (5500~5700) (5.92 dBm)/ Wi-Fi 802.11n (5180~5240) (5.19 dBm)/ Wi-Fi 802.11n (5260~5350) (5.01 dBm)/ Wi-Fi 802.11n (5500~5700) (4.69 dBm)
<b>Frequency Range:</b>	5180 MHz - 5240 MHz (UNII 1) 5260 MHz - 5320 MHz (UNII 2) 5500 MHz - 5700 MHz (UNII 3)
<b>Modulation type</b>	OFDM
<b>FCC Classification:</b>	Unlicensed National Information Infrastructure(UNII)
<b>FCC Rule Part(s):</b>	Part 15.407

**Engineering Statement:**

The measurements shown in this report were made in accordance with the procedures indicated, and the emissions from this equipment were found to be within the limits applicable. I assume full responsibility for the accuracy and completeness of these measurements, and for the qualifications of all persons taking them.

HCT CO., LTD. Certifies that no party to this application has subject to a denial of Federal benefits that includes FCC benefits pursuant to section 5301 of the Anti-Drug Abuse Act of 1998,21 U.S. C.853(a)

**Report prepared by**  
: Jong Seok Lee  
**Test engineer of RF Team**

**Approved by**  
: Sang Jun Lee  
**Manager of RF Team**

This report only responds to the tested sample and may not be reproduced, except in full, without written approval of the HCT Co., Ltd.

FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

# Version

TEST REPORT NO.	DATE	DESCRIPTION
HCTR1205FR19	May 10, 2012	- First Approval Report
HCTR1205FR19-1	May 17, 2012	- Updated 26 dB BW Plot - Add Sweep Point Information(Page. 22)

# Table of Contents

1. GENERAL INFORMATION .....	4
2. EUT DESCRIPTION .....	4
3. TEST METHODOLOGY .....	5
3.1 EUT CONFIGURATION .....	5
3.2 EUT EXERCISE .....	5
3.3 GENERAL TEST PROCEDURES .....	5
3.4 DESCRIPTION OF TEST MODES .....	5
4. INSTRUMENT CALIBRATION.....	6
5. FACILITIES AND ACCREDITATIONS .....	6
5.1 FACILITIES .....	6
5.2 EQUIPMENT .....	6
6. ANTENNA REQUIREMENTS .....	7
7. SUMMARY OF TEST RESULTS .....	8
8. TEST RESULT .....	9
8.1 26dB BANDWIDTH MEASUREMENT .....	9
8.2 OUTPUT POWER MEASUREMENT.....	2 2
8.3 POWER SPECTRAL DENSITY.....	1 0 2
8.4 PEAK EXCURSION RATIO.....	1 1 4
8.5 FREQUENCY STABILITY.....	1 2 5
8.6 RADIATED MEASUREMENT.....	1 2 8
8.6.1 RADIATED SPURIOUS EMISSIONS.....	1 2 8
8.6.2 RADIATED RESTRICTED BAND EDGE MEASUREMENTS .....	1 4 2
8.7 POWERLINE CONDUCTED EMISSIONS .....	1 4 4
9. LIST OF TEST EQUIPMENT .....	1 4 9

FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



## 1. GENERAL INFORMATION

**Applicant:** LG Electronics MobileComm U.S.A., Inc.  
**Address:** 10101 Old Grove Road, San Diego, CA 92131  
**FCC ID:** ZNFP880  
**EUT Type:** Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC  
**Model name(s):** LG-P880  
**Additional Model name(s):** P880, LGP880  
**Date(s) of Tests:** April 07, 2012 ~ May 9, 2012  
**Contact person:** Name: Cheol Goo Lee  
 Phone #: +82-2-2033-1111  
**Place of Tests:** HCT Co., Ltd.  
 105-1, Jangam-ri , Majang-Myeon, Icheon-si, Kyunggi-Do, 467-811, KOREA.  
 (IC Recognition No. : 5944A-3)

## 2. EUT DESCRIPTION

<b>EUT Type</b>	Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC
<b>FCC Model Name</b>	LG-P880
<b>Additional FCC Model Name</b>	P880, LGP880
<b>Power Supply</b>	DC 3.7 V
<b>Frequency Range</b>	TX: 5180 MHz - 5240 MHz (UNII 1)/ 5260 MHz - 5320 MHz (UNII 2)/ 5500 MHz - 5700 MHz (UNII 3) RX: 5180 MHz - 5240 MHz (UNII 1)/ 5260 MHz - 5320 MHz (UNII 2)/ 5500 MHz - 5700 MHz (UNII 3)
<b>Max. RF Output Power:</b>	Wi-Fi 802.11a (5180~5240) (6.41 dBm)/ Wi-Fi 802.11a (5260~5350) (6.30 dBm)/ Wi-Fi 802.11a (5500~5700) (5.92 dBm)/ Wi-Fi 802.11n (5180~5240) (5.19 dBm)/ Wi-Fi 802.11n (5260~5350) (5.01 dBm)/ Wi-Fi 802.11n (5500~5700) (4.69 dBm)
<b>Modulation Type</b>	OFDM(802.11a, 802.11n)
<b>Antenna Specification</b>	Manufacturer: Mobitech Antenna type: Built-in Antenna Peak Gain : -0.17 dBi

<b>FCC PT.15.247 TEST REPORT</b>	<b>FCC CERTIFICATION REPORT</b>		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
<b>Test Report No.</b> HCTR1205FR19-1	<b>Date of Issue:</b> May 17, 2012	<b>EUT Type:</b> Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	<b>FCC ID:</b> ZNFP880

### 3. TEST METHODOLOGY

The measurement procedure described in the American National Standard for Testing Unlicensed Wireless Devices(ANSI C63.10-2009) and FCC KDB 789033 D01 General UNII Test Procedures v01r01 dated March 05, 2012 entitled “ Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices – Part 15, Subpart E” were used in the measurement.

#### 3.1 EUT CONFIGURATION

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner that intends to maximize its emission characteristics in a continuous normal application.

#### 3.2 EUT EXERCISE

The EUT was operated in the engineering mode to fix the Tx frequency that was for the purpose of the measurements. According to its specifications, the EUT must comply with the requirements of the Section 15.207, 15.209 and 15.247 under the FCC Rules Part 15 Subpart C.

#### 3.3 GENERAL TEST PROCEDURES

##### Conducted Emissions

The EUT is placed on the turntable, which is 0.8 m above ground plane. According to the requirements in Section 6.2 of ANSI C63.10. (Version :2009) Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz using CISPR Quasi-peak and average detector modes.

##### Radiated Emissions

The EUT is placed on a turn table, which is 0.8 m above ground plane. The turntable shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3 m away from the receiving antenna, which varied from 1 m to 4 m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes according to the requirements in Section 6.3 of ANSI C63.10. (Version: 2009)

#### 3.4 DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.

Channel low, mid and high with highest data rate (worst case) is chosen for full testing.

<b>FCC PT.15.247 TEST REPORT</b>	<b>FCC CERTIFICATION REPORT</b>		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
<b>Test Report No.</b> HCTR1205FR19-1	<b>Date of Issue:</b> May 17, 2012	<b>EUT Type:</b> Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	<b>FCC ID:</b> ZNFP880



## 4. INSTRUMENT CALIBRATION

The measuring equipment, which was utilized in performing the tests documented herein, has been calibrated in accordance with the manufacturer's recommendations for utilizing calibration equipments, which is traceable to recognized national standards.

## 5. FACILITIES AND ACCREDITATIONS

### 5.1 FACILITIES

The SAC(Semi-Anechoic Chamber) and conducted measurement facility used to collect the radiated data are located at the 105-1, Jangam-ri, Majang-Myeon, Icheon-si, Kyunggi-Do, 467-811, Korea. The site is constructed in conformance with the requirements of ANSI C63.4. (Version :2003) and CISPR Publication 22. Detailed description of test facility was submitted to the Commission and accepted dated March 02, 2011 (Registration Number: 90661)

### 5.2 EQUIPMENT

Radiated emissions are measured with one or more of the following types of Linearly polarized antennas: tuned dipole, bi-conical, log periodic, bi-log, and/or ridged waveguide, horn. Spectrum analyzers with pre-selectors and quasi-peak detectors are used to perform radiated measurements. Conducted emissions are measured with Line Impedance Stabilization Networks and EMI Test Receivers. Calibrated wideband preamplifiers, coaxial cables, and coaxial attenuators are also used for making measurements.

All receiving equipment conforms to CISPR Publication 16-1, "Radio Interference Measuring Apparatus and Measurement Methods."

<b>FCC PT.15.247 TEST REPORT</b>	<b>FCC CERTIFICATION REPORT</b>		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
<b>Test Report No.</b> HCTR1205FR19-1	<b>Date of Issue:</b> May 17, 2012	<b>EUT Type:</b> Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	<b>FCC ID:</b> ZNFP880



## 6. ANTENNA REQUIREMENTS

### According to FCC 47 CFR §15.203:

“An intentional radiator antenna shall be designed to ensure that no antenna other than that furnished by the responsible party can be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.”

\* The antennas of this E.U.T are permanently attached.

\*The E.U.T Complies with the requirement of §15.203

<b>FCC PT.15.247 TEST REPORT</b>	<b>FCC CERTIFICATION REPORT</b>		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
<b>Test Report No.</b> HCTR1205FR19-1	<b>Date of Issue:</b> May 17, 2012	<b>EUT Type:</b> Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	<b>FCC ID:</b> ZNFP880

## 7. SUMMARY OF TEST RESULTS

Test Description	FCC Part Section(s)	Test Limit	Test Condition	Test Result
<b><u>TRANSMITTER MODE(TX)</u></b>				
26dB Bandwidth	NA	NA	CONDUCTED	PASS
Maximum Conducted Output Power	§15.407(a)(1)	< 4+10 log <sub>10</sub> (BW) dBm (5150-5250 MHz) < 11+10 log <sub>10</sub> (BW) dBm (5250-5350 MHz) < 11+10 log <sub>10</sub> (BW) dBm (5470-5725 MHz)		PASS
Peak Power Spectral Density	§15.407(a)(1), (5)	<4 dBm/ MHz (5150-5250) <11 dBm/ MHz (5250-5350) <11 dBm/ MHz (5470-5725)		PASS
Peak Excursion	§15.407(a)(6)	<13 dB/ MHz maximum difference		PASS
Frequency Stability	§15.407(g)	NA		PASS
Undesirable Emissions	§15.407(b)(1), (2), (3)	<-27 dBm/ MHz EIRP (5150-5350 MHz, 5470-5725 MHz)	RADIATED	PASS
General Field Strength Limits(Restricted Bands and Radiated Emission Limits)	15.205, 5.407(b)(1), (5), (6)	Emissions in restricted bands must meet the radiated limits detailed in 15.209		PASS
AC Conducted Emissions 150 kHz-30 MHz	15.207	<FCC 15.207 limits	LINE CONDUCTED	PASS




## 8. TEST RESULT

### 8.1 26dB BANDWIDTH MEASUREMENT

The bandwidth at 26 dB down from the highest in-band spectral density is measured with a spectrum analyzer connected to the antenna terminal while the EUT is operating at its maximum power control level, as defined in KDB 789033, at the appropriate frequencies. The spectrum analyzer's bandwidth measurement function is configured to measure the 26 dB bandwidth.

The 26 dB bandwidth is used to determine the conducted power limits.

#### ■ TEST CONFIGURATION



#### ■ TEST PROCEDURE

The transmitter output is connected to the Spectrum Analyzer.

The Spectrum Analyzer is set to

RBW: 430 kHz

VBW: 1.3 MHz

SPAN: 40 MHz

FCC PT.15.247 TEST REPORT		FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC		FCC ID: ZNFP880

■ TEST RESULTS

Conducted 26dB Bandwidth Measurements for 802.11a

802.11a Mode		Measured Bandwidth [MHz]	Minimum Bandwidth [MHz]	Pass / Fail
Frequency [MHz]	Channel No.			
5180	36	19.16	N/A	Pass
5200	40	19.25	N/A	Pass
5240	48	19.05	N/A	Pass

Conducted 26dB Bandwidth Measurements for 802.11a

802.11a Mode		Measured Bandwidth [MHz]	Minimum Bandwidth [MHz]	Pass / Fail
Frequency [MHz]	Channel No.			
5260	52	19.34	N/A	Pass
5300	60	18.98	N/A	Pass
5320	64	19.10	N/A	Pass

Conducted 26dB Bandwidth Measurements for 802.11a

802.11a Mode		Measured Bandwidth [MHz]	Minimum Bandwidth [MHz]	Pass / Fail
Frequency [MHz]	Channel No.			
5500	100	19.15	N/A	Pass
5580	116	18.96	N/A	Pass
5700	140	19.18	N/A	Pass

■ TEST RESULTS

Conducted 26dB Bandwidth Measurements for 802.11n

802.11n Mode		Measured Bandwidth [MHz]	Minimum Bandwidth [MHz]	Pass / Fail
Frequency [MHz]	Channel No.			
5180	36	19.49	N/A	Pass
5200	40	19.53	N/A	Pass
5240	48	19.35	N/A	Pass

Conducted 26dB Bandwidth Measurements for 802.11n


802.11n Mode		Measured Bandwidth [MHz]	Minimum Bandwidth [MHz]	Pass / Fail
Frequency [MHz]	Channel No.			
5260	52	19.61	N/A	Pass
5300	60	19.43	N/A	Pass
5320	64	19.57	N/A	Pass

Conducted 26dB Bandwidth Measurements for 802.11n


802.11n Mode		Measured Bandwidth [MHz]	Minimum Bandwidth [MHz]	Pass / Fail
Frequency [MHz]	Channel No.			
5500	100	19.43	N/A	Pass
5580	116	19.41	N/A	Pass
5700	140	19.48	N/A	Pass

RESULT PLOTS

26dB Bandwidth plot (802.11a-CH 36)




26dB Bandwidth plot (802.11a-CH 40)




FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### 26dB Bandwidth plot (802.11a-CH 48)




### 26dB Bandwidth plot (802.11a-CH 52)




FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### 26dB Bandwidth plot (802.11a-CH 60)




### 26dB Bandwidth plot (802.11a-CH 64)




FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### 26dB Bandwidth plot (802.11a-CH 100)



### 26dB Bandwidth plot (802.11a-CH 116)



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880


**26dB Bandwidth plot (802.11a-CH 140)**




FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### 26dB Bandwidth plot (802.11n-CH 36)




### 26dB Bandwidth plot (802.11n-CH 40)



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### 26dB Bandwidth plot (802.11n-CH 48)




### 26dB Bandwidth plot (802.11n-CH 52)




FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### 26dB Bandwidth plot (802.11n-CH 60)




### 26dB Bandwidth plot (802.11n-CH 64)




FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### 26dB Bandwidth plot (802.11n-CH 100)




### 26dB Bandwidth plot (802.11n-CH 116)



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### 26dB Bandwidth plot (802.11n-CH 140)



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880


## 8.2 OUTPUT POWER MEASUREMENT

### Test Requirements and limit, §15.247(b)(3)

A transmitter antenna terminal of EUT is connected to the input of a Spectrum Analyzer. Measurement is made while the EUT is operating in transmission mode at the appropriate frequencies. In the 5.15 – 5.25 GHz band, the maximum permissible conducted output power is the lesser of 50 mW (16.99 dBm) and  $4 \text{ dBm} + 10 \log_{10} (26 \text{ dB BW})$  frequencies. In the 5.25 – 5.35 GHz band, the maximum permissible conducted output power is the lesser of 250 mW (23.98 dBm) and  $11 \text{ dBm} + 10 \log_{10} (26 \text{ dB BW})$  frequencies. In the 5.47 – 5.725 GHz band, the maximum permissible conducted output power is the lesser of 250 mW (23.98 dBm) and  $11 \text{ dBm} + 10 \log_{10} (26 \text{ dB BW})$

Limit : 802.11a\_UNII-1 = 16.85 dBm  
 802.11n\_UNII-1 = 16.92 dBm  
 802.11a\_UNII-2 = 23.83 dBm  
 802.11n\_UNII-2 = 23.92 dBm  
 802.11a\_UNII-3 = 23.84 dBm  
 802.11n\_UNII-3 = 23.92 dBm

### ■ TEST CONFIGURATION



### ■ TEST PROCEDURE

The transmitter output is connected to the Spectrum Analyzer. We use the spectrum analyzer's integrated band power measurement function. We tested according to Method SA-1 in KDB 789033(issued 3/05/2012).

This EUT TX condition is actual operating mode(not near 100 % duty cycle) by WLAN test program.

The Spectrum Analyzer is set to

- Average Power
- RBW = 1 MHz
- VBW = 3 MHz
- SPAN = to encompass the entire EBW of the signal
- Sweep Time = auto
- Sweep Point = 1001
- Detector Mode = Average
- Trace average at least 100 traces in power averaging(RMS) mode
- Integrated bandwidth = EBW

FCC PT.15.247 TEST REPORT		FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC		FCC ID: ZNFP880



■ **Sample Calculation**

$$\begin{aligned} \text{Output Power} &= \text{Reading Value} + \text{ATT loss} + \text{Cable loss}(1 \text{ ea}) \\ &= 10 \text{ dBm} + 10 \text{ dB} + 0.8 \text{ dB} = 20.8 \text{ dBm} \end{aligned}$$

Note :

1. Spectrum reading values are not plot data. The power results in plot is already including the actual values of loss for the attenuator and cable combination.
2. Spectrum offset = Attenuator loss + Cable loss
3. We apply to the offset in the 5.2 GHz, 5.3 GHz and 5.6 GHz range that was rounded off to the closest tenth dB. Actual value of loss for the attenuator and cable combination is 10.78 dB at 5.2 GHz and is 10.81 dB at 5.3 GHz and is 10.86 at 5500 MHz, 10.89 at 5600 MHz, 10.91 at 5700 MHz.

<b>FCC PT.15.247 TEST REPORT</b>	<b>FCC CERTIFICATION REPORT</b>		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
<b>Test Report No.</b> HCTR1205FR19-1	<b>Date of Issue:</b> May 17, 2012	<b>EUT Type:</b> Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	<b>FCC ID:</b> ZNFP880

■ TEST RESULTS

Conducted Output Power Measurements (802.11a Mode: 5180~5240)

802.11a Mode		Rate (Mbps)	Measured Power(dBm)	Limit (dBm)
Frequency[MHz]	Channel No.			
5180	36	6 Mbps	6.15	30
		9 Mbps	6.09	30
		12 Mbps	5.96	30
		18 Mbps	5.81	30
		24 Mbps	5.59	30
		36 Mbps	5.61	30
		48 Mbps	5.34	30
		54 Mbps	5.13	30
5200	40	6 Mbps	6.41	30
		9 Mbps	6.35	30
		12 Mbps	6.22	30
		18 Mbps	6.03	30
		24 Mbps	5.87	30
		36 Mbps	5.54	30
		48 Mbps	5.29	30
		54 Mbps	5.14	30
5240	48	6 Mbps	6.41	30
		9 Mbps	6.24	30
		12 Mbps	6.23	30
		18 Mbps	6.07	30
		24 Mbps	5.80	30
		36 Mbps	5.67	30
		48 Mbps	5.24	30
		54 Mbps	5.14	30



Conducted Output Power Measurements (802.11a Mode: 5260~5320)

802.11a Mode		Rate (Mbps)	Measured Power(dBm)	Limit (dBm)
Frequency[MHz]	Channel No.			
5260	52	6 Mbps	6.30	30
		9 Mbps	6.15	30
		12 Mbps	6.06	30
		18 Mbps	5.92	30
		24 Mbps	5.76	30
		36 Mbps	5.40	30
		48 Mbps	5.10	30
		54 Mbps	4.96	30
5300	60	6 Mbps	6.01	30
		9 Mbps	5.88	30
		12 Mbps	5.80	30
		18 Mbps	5.60	30
		24 Mbps	5.46	30
		36 Mbps	5.14	30
		48 Mbps	4.84	30
		54 Mbps	4.72	30
5320	64	6 Mbps	5.82	30
		9 Mbps	5.71	30
		12 Mbps	5.64	30
		18 Mbps	5.44	30
		24 Mbps	5.34	30
		36 Mbps	5.07	30
		48 Mbps	4.73	30
		54 Mbps	4.59	30

Conducted Output Power Measurements (802.11a Mode: 5500~5700)

802.11a Mode		Rate (Mbps)	Measured Power(dBm)	Limit (dBm)
Frequency[MHz]	Channel No.			
5500	100	6 Mbps	5.78	30
		9 Mbps	5.61	30
		12 Mbps	5.51	30
		18 Mbps	5.37	30
		24 Mbps	5.22	30
		36 Mbps	4.92	30
		48 Mbps	4.59	30
		54 Mbps	4.49	30
5580	116	6 Mbps	5.92	30
		9 Mbps	5.76	30
		12 Mbps	5.62	30
		18 Mbps	5.52	30
		24 Mbps	5.38	30
		36 Mbps	5.02	30
		48 Mbps	4.82	30
		54 Mbps	4.65	30
5700	140	6 Mbps	5.06	30
		9 Mbps	4.98	30
		12 Mbps	4.89	30
		18 Mbps	4.70	30
		24 Mbps	4.55	30
		36 Mbps	4.26	30
		48 Mbps	3.88	30
		54 Mbps	3.75	30

Conducted Output Power Measurements (802.11n Mode: 5180~5240)

802.11n Mode		Rate (Mbps)	Measured Power(dBm)	Limit (dBm)
Frequency[MHz]	Channel No.			
5180	36	6.5 Mbps	5.12	30
		13 Mbps	4.94	30
		19.5 Mbps	4.77	30
		26 Mbps	4.61	30
		39 Mbps	4.33	30
		52 Mbps	4.05	30
		58.5 Mbps	3.93	30
		65 Mbps	3.83	30
5200	40	6.5 Mbps	5.15	30
		13 Mbps	4.90	30
		19.5 Mbps	4.76	30
		26 Mbps	4.55	30
		39 Mbps	4.26	30
		52 Mbps	3.97	30
		58.5 Mbps	3.96	30
		65 Mbps	3.77	30
5240	48	6.5 Mbps	5.19	30
		13 Mbps	4.92	30
		19.5 Mbps	4.69	30
		26 Mbps	4.49	30
		39 Mbps	4.22	30
		52 Mbps	4.01	30
		58.5 Mbps	3.94	30
		65 Mbps	3.81	30

Conducted Output Power Measurements (802.11n Mode: 5260~5320)

802.11n Mode		Rate (Mbps)	Measured Power(dBm)	Limit (dBm)
Frequency[MHz]	Channel No.			
5260	52	6.5 Mbps	5.01	30
		13 Mbps	4.78	30
		19.5 Mbps	4.57	30
		26 Mbps	4.40	30
		39 Mbps	4.13	30
		52 Mbps	3.83	30
		58.5 Mbps	3.79	30
		65 Mbps	3.67	30
5300	60	6.5 Mbps	4.72	30
		13 Mbps	4.51	30
		19.5 Mbps	4.31	30
		26 Mbps	4.20	30
		39 Mbps	3.91	30
		52 Mbps	3.65	30
		58.5 Mbps	3.56	30
		65 Mbps	3.38	30
5320	64	6.5 Mbps	4.49	30
		13 Mbps	4.43	30
		19.5 Mbps	4.21	30
		26 Mbps	4.00	30
		39 Mbps	3.77	30
		52 Mbps	3.42	30
		58.5 Mbps	3.42	30
		65 Mbps	3.25	30

Conducted Output Power Measurements (802.11n Mode: 5500~5700)

802.11n Mode		Rate (Mbps)	Measured Power(dBm)	Limit (dBm)
Frequency[MHz]	Channel No.			
5500	100	6.5 Mbps	4.64	30
		13 Mbps	4.47	30
		19.5 Mbps	4.25	30
		26 Mbps	4.03	30
		39 Mbps	3.76	30
		52 Mbps	3.58	30
		58.5 Mbps	3.43	30
		65 Mbps	3.33	30
5580	116	6.5 Mbps	4.69	30
		13 Mbps	4.60	30
		19.5 Mbps	4.48	30
		26 Mbps	3.78	30
		39 Mbps	3.38	30
		52 Mbps	3.18	30
		58.5 Mbps	3.01	30
		65 Mbps	2.92	30
5700	140	6.5 Mbps	3.34	30
		13 Mbps	3.21	30
		19.5 Mbps	3.01	30
		26 Mbps	2.83	30
		39 Mbps	2.47	30
		52 Mbps	2.20	30
		58.5 Mbps	2.13	30
		65 Mbps	1.97	30

RESULT PLOTS (5180 MHz ~5240 MHz)

Conducted Output Power (802.11a-CH 36) 6 Mbps



Conducted Output Power (802.11a-CH 36) 9 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11a-CH 36) 12 Mbps



### Conducted Output Power (802.11a-CH 36) 18 Mbps



### Conducted Output Power (802.11a-CH 36) 24 Mbps



### Conducted Output Power (802.11a-CH 36) 36 Mbps





### Conducted Output Power (802.11a-CH 36) 48 Mbps



### Conducted Output Power (802.11a-CH 36) 54 Mbps



### Conducted Output Power (802.11a-CH 40) 6 Mbps



### Conducted Output Power (802.11a-CH 40) 9 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11a-CH 40) 12 Mbps



### Conducted Output Power (802.11a-CH 40) 18 Mbps



### Conducted Output Power (802.11a-CH 40) 24 Mbps



### Conducted Output Power (802.11a-CH 40) 36 Mbps





### Conducted Output Power (802.11a-CH 40) 48 Mbps



### Conducted Output Power (802.11a-CH 40) 54 Mbps



### Conducted Output Power (802.11a-CH 48) 6 Mbps



### Conducted Output Power (802.11a-CH 48) 9 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11a-CH 48) 12 Mbps



### Conducted Output Power (802.11a-CH 48) 18 Mbps



### Conducted Output Power (802.11a-CH 48) 24 Mbps



### Conducted Output Power (802.11a-CH 48) 36 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11a-CH 48) 48 Mbps



### Conducted Output Power (802.11a-CH 48) 54 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

RESULT PLOTS (5260 MHz ~5320 MHz)

Conducted Output Power (802.11a-CH 52) 6 Mbps



Conducted Output Power (802.11a-CH 52) 9 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11a-CH 52) 12 Mbps



### Conducted Output Power (802.11a-CH 52) 18 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11a-CH 52) 24 Mbps



### Conducted Output Power (802.11a-CH 52) 36 Mbps





### Conducted Output Power (802.11a-CH 52) 48 Mbps



### Conducted Output Power (802.11a-CH 52) 54 Mbps



### Conducted Output Power (802.11a-CH 60) 6 Mbps



### Conducted Output Power (802.11a-CH 60) 9 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11a-CH 60) 12 Mbps



### Conducted Output Power (802.11a-CH 60) 18 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11a-CH 60) 24 Mbps



### Conducted Output Power (802.11a-CH 60) 36 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11a-CH 60) 48 Mbps



### Conducted Output Power (802.11a-CH 60) 54 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11a-CH 64) 6 Mbps



### Conducted Output Power (802.11a-CH 64) 9 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11a-CH 64) 12 Mbps



### Conducted Output Power (802.11a-CH 64) 18 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11a-CH 64) 24 Mbps



### Conducted Output Power (802.11a-CH 64) 36 Mbps





### Conducted Output Power (802.11a-CH 64) 48 Mbps



### Conducted Output Power (802.11a-CH 64) 54 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

RESULT PLOTS (5500 MHz ~5700 MHz)

Conducted Output Power (802.11a-CH 100) 6 Mbps



Conducted Output Power (802.11a-CH 100) 9 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11a-CH 100) 12 Mbps



### Conducted Output Power (802.11a-CH 100) 18 Mbps



### Conducted Output Power (802.11a-CH 100) 24 Mbps



### Conducted Output Power (802.11a-CH 100) 36 Mbps





### Conducted Output Power (802.11a-CH 100) 48 Mbps



### Conducted Output Power (802.11a-CH 100) 54 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11a-CH 116) 6 Mbps



### Conducted Output Power (802.11a-CH 116) 9 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11a-CH 116) 12 Mbps



### Conducted Output Power (802.11a-CH 116) 18 Mbps



### Conducted Output Power (802.11a-CH 116) 24 Mbps



### Conducted Output Power (802.11a-CH 116) 36 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11a-CH 116) 48 Mbps



### Conducted Output Power (802.11a-CH 116) 54 Mbps



### Conducted Output Power (802.11a-CH 140) 6 Mbps



### Conducted Output Power (802.11a-CH 140) 9 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11a-CH 140) 12 Mbps



### Conducted Output Power (802.11a-CH 140) 18 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11a-CH 140) 24 Mbps



### Conducted Output Power (802.11a-CH 140) 36 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11a-CH 140) 48 Mbps



### Conducted Output Power (802.11a-CH 140) 54 Mbps



RESULT PLOTS (5180 MHz ~5240 MHz)

Conducted Output Power (802.11n-CH 36) 6.5 Mbps



Conducted Output Power (802.11n-CH 36) 13 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 36) 19.5 Mbps



### Conducted Output Power (802.11n-CH 36) 26 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 36) 39 Mbps



### Conducted Output Power (802.11n-CH 36) 52 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11n-CH 36) 58.5 Mbps



### Conducted Output Power (802.11n-CH 36) 65 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 40) 6.5 Mbps



### Conducted Output Power (802.11n-CH 40) 13 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11n-CH 40) 19.5 Mbps



### Conducted Output Power (802.11n-CH 40) 26 Mbps



### Conducted Output Power (802.11n-CH 40) 39 Mbps



### Conducted Output Power (802.11n-CH 40) 52 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 40) 58.5 Mbps



### Conducted Output Power (802.11n-CH 40) 65 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 48) 6.5 Mbps



### Conducted Output Power (802.11n-CH 48) 13 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11n-CH 48) 19.5 Mbps



### Conducted Output Power (802.11n-CH 48) 26 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 48) 39 Mbps



### Conducted Output Power (802.11n-CH 48) 52 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11n-CH 48) 58.5 Mbps



### Conducted Output Power (802.11n-CH 48) 65 Mbps



RESULT PLOTS (5260 MHz ~5320 MHz)

Conducted Output Power (802.11n-CH 52) 6.5 Mbps



Conducted Output Power (802.11n-CH 52) 13 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 52) 19.5 Mbps



### Conducted Output Power (802.11n-CH 52) 26 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 52) 39 Mbps



### Conducted Output Power (802.11n-CH 52) 52 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11n-CH 52) 58.5 Mbps



### Conducted Output Power (802.11n-CH 52) 65 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11n-CH 60) 6.5 Mbps



### Conducted Output Power (802.11n-CH 60) 13 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 60) 19.5 Mbps



### Conducted Output Power (802.11n-CH 60) 26 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 60) 39 Mbps



### Conducted Output Power (802.11n-CH 60) 52 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 60) 58.5 Mbps



### Conducted Output Power (802.11n-CH 60) 65 Mbps





### Conducted Output Power (802.11n-CH 64) 6.5 Mbps



### Conducted Output Power (802.11n-CH 64) 13 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11n-CH 64) 19.5 Mbps



### Conducted Output Power (802.11n-CH 64) 26 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 64) 39 Mbps



### Conducted Output Power (802.11n-CH 64) 52 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 64) 58.5 Mbps



### Conducted Output Power (802.11n-CH 64) 65 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

RESULT PLOTS (5500 MHz ~5700 MHz)

Conducted Output Power (802.11n-CH 100) 6.5 Mbps



Conducted Output Power (802.11n-CH 100) 13 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11n-CH 100) 19.5 Mbps



### Conducted Output Power (802.11n-CH 100) 26 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11n-CH 100) 39 Mbps



### Conducted Output Power (802.11n-CH 100) 52 Mbps



### Conducted Output Power (802.11n-CH 100) 58.5 Mbps



### Conducted Output Power (802.11n-CH 100) 65 Mbps



### Conducted Output Power (802.11n-CH 116) 6.5 Mbps



### Conducted Output Power (802.11n-CH 116) 13 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 116) 19.5 Mbps



### Conducted Output Power (802.11n-CH 116) 26 Mbps





### Conducted Output Power (802.11n-CH 116) 39 Mbps



### Conducted Output Power (802.11n-CH 116) 52 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880



### Conducted Output Power (802.11n-CH 116) 58.5 Mbps



### Conducted Output Power (802.11n-CH 116) 65 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 140) 6.5 Mbps



### Conducted Output Power (802.11n-CH 140) 13 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 140) 19.5 Mbps



### Conducted Output Power (802.11n-CH 140) 26 Mbps



### Conducted Output Power (802.11n-CH 140) 39 Mbps



### Conducted Output Power (802.11n-CH 140) 52 Mbps



FCC PT.15.247 TEST REPORT	FCC CERTIFICATION REPORT		<a href="http://www.hct.co.kr">www.hct.co.kr</a>
Test Report No. HCTR1205FR19-1	Date of Issue: May 17, 2012	EUT Type: Cellular/PCS GSM/GPRS/EDGE/WCDMA/HSDPA/HSUPA Phone with Bluetooth/WLAN/NFC	FCC ID: ZNFP880

### Conducted Output Power (802.11n-CH 140) 58.5 Mbps



### Conducted Output Power (802.11n-CH 140) 65 Mbps

