

SAR Simultaneous Transmission Analysis of QVR

Head SAR Simultaneous Transmission Analysis

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.195	0.110	0.305
	Right Touch	0.109	0.484	0.593
	Left Tilt	0.096	0.062	0.158
	Right Tilt	0.073	0.234	0.307

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.251	0.110	0.361
	Right Touch	0.136	0.484	0.620
	Left Tilt	0.122	0.062	0.184
	Right Tilt	0.089	0.234	0.323

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.181	0.110	0.291
	Right Touch	0.150	0.484	0.634
	Left Tilt	0.154	0.062	0.216
	Right Tilt	0.103	0.234	0.337

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.227	0.110	0.337
	Right Touch	0.205	0.484	0.689
	Left Tilt	0.194	0.062	0.256
	Right Tilt	0.140	0.234	0.374

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.254	0.110	0.364
	Right Touch	0.161	0.484	0.645
	Left Tilt	0.129	0.062	0.191
	Right Tilt	0.113	0.234	0.347

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.167	0.110	0.277
	Right Touch	0.143	0.484	0.627
	Left Tilt	0.096	0.062	0.158
	Right Tilt	0.097	0.234	0.331

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.207	0.110	0.317
	Right Touch	0.181	0.484	0.665
	Left Tilt	0.182	0.062	0.244
	Right Tilt	0.113	0.234	0.347

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.095	0.110	0.205
	Right Touch	0.082	0.484	0.566
	Left Tilt	0.051	0.062	0.113
	Right Tilt	0.087	0.234	0.321

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.063	0.110	0.173
	Right Touch	0.046	0.484	0.530
	Left Tilt	0.027	0.062	0.089
	Right Tilt	0.035	0.234	0.269

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.221	0.110	0.331
	Right Touch	0.148	0.484	0.632
	Left Tilt	0.112	0.062	0.174
	Right Tilt	0.127	0.234	0.361

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.195	0.298	0.493
	Right Touch	0.109	0.629	0.738
	Left Tilt	0.096	0.415	0.511
	Right Tilt	0.073	0.649	0.722

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.251	0.298	0.549
	Right Touch	0.136	0.629	0.765
	Left Tilt	0.122	0.415	0.537
	Right Tilt	0.089	0.649	0.738

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.181	0.298	0.479
	Right Touch	0.150	0.629	0.779
	Left Tilt	0.154	0.415	0.569
	Right Tilt	0.103	0.649	0.752

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.227	0.298	0.525
	Right Touch	0.205	0.629	0.834
	Left Tilt	0.194	0.415	0.609
	Right Tilt	0.140	0.649	0.789

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.254	0.298	0.552
	Right Touch	0.161	0.629	0.790
	Left Tilt	0.129	0.415	0.544
	Right Tilt	0.113	0.649	0.762

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.167	0.298	0.465
	Right Touch	0.143	0.629	0.772
	Left Tilt	0.096	0.415	0.511
	Right Tilt	0.097	0.649	0.746

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.207	0.298	0.505
	Right Touch	0.181	0.629	0.810
	Left Tilt	0.182	0.415	0.597
	Right Tilt	0.113	0.649	0.762

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.095	0.298	0.393
	Right Touch	0.082	0.629	0.711
	Left Tilt	0.051	0.415	0.466
	Right Tilt	0.087	0.649	0.736

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.063	0.298	0.361
	Right Touch	0.046	0.629	0.675
	Left Tilt	0.027	0.415	0.442
	Right Tilt	0.035	0.649	0.684

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.221	0.298	0.519
	Right Touch	0.148	0.629	0.777
	Left Tilt	0.112	0.415	0.527
	Right Tilt	0.127	0.649	0.776

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.195	0.366	0.561
	Right Touch	0.109	0.903	1.012
	Left Tilt	0.096	0.498	0.594
	Right Tilt	0.073	0.758	0.831

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.251	0.366	0.617
	Right Touch	0.136	0.903	1.039
	Left Tilt	0.122	0.498	0.620
	Right Tilt	0.089	0.758	0.847

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.181	0.366	0.547
	Right Touch	0.150	0.903	1.053
	Left Tilt	0.154	0.498	0.652
	Right Tilt	0.103	0.758	0.861

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.227	0.366	0.593
	Right Touch	0.205	0.903	1.108
	Left Tilt	0.194	0.498	0.692
	Right Tilt	0.140	0.758	0.898

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.254	0.366	0.620
	Right Touch	0.161	0.903	1.064
	Left Tilt	0.129	0.498	0.627
	Right Tilt	0.113	0.758	0.871

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.167	0.366	0.533
	Right Touch	0.143	0.903	1.046
	Left Tilt	0.096	0.498	0.594
	Right Tilt	0.097	0.758	0.855

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.207	0.366	0.573
	Right Touch	0.181	0.903	1.084
	Left Tilt	0.182	0.498	0.680
	Right Tilt	0.113	0.758	0.871

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.095	0.366	0.461
	Right Touch	0.082	0.903	0.985
	Left Tilt	0.051	0.498	0.549
	Right Tilt	0.087	0.758	0.845

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.063	0.366	0.429
	Right Touch	0.046	0.903	0.949
	Left Tilt	0.027	0.498	0.525
	Right Tilt	0.035	0.758	0.793

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.221	0.366	0.587
	Right Touch	0.148	0.903	1.051
	Left Tilt	0.112	0.498	0.610
	Right Tilt	0.127	0.758	0.885

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.195	0.064	0.259
	Right Touch	0.109	0.176	0.285
	Left Tilt	0.096	0.060	0.156
	Right Tilt	0.073	0.157	0.230

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.251	0.064	0.315
	Right Touch	0.136	0.176	0.312
	Left Tilt	0.122	0.060	0.182
	Right Tilt	0.089	0.157	0.246

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.181	0.064	0.245
	Right Touch	0.150	0.176	0.326
	Left Tilt	0.154	0.060	0.214
	Right Tilt	0.103	0.157	0.260

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.227	0.064	0.291
	Right Touch	0.205	0.176	0.381
	Left Tilt	0.194	0.060	0.254
	Right Tilt	0.140	0.157	0.297

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.254	0.064	0.318
	Right Touch	0.161	0.176	0.337
	Left Tilt	0.129	0.060	0.189
	Right Tilt	0.113	0.157	0.270

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.167	0.064	0.231
	Right Touch	0.143	0.176	0.319
	Left Tilt	0.096	0.060	0.156
	Right Tilt	0.097	0.157	0.254

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.207	0.064	0.271
	Right Touch	0.181	0.176	0.357
	Left Tilt	0.182	0.060	0.242
	Right Tilt	0.113	0.157	0.270

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.095	0.064	0.159
	Right Touch	0.082	0.176	0.258
	Left Tilt	0.051	0.060	0.111
	Right Tilt	0.087	0.157	0.244

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.063	0.064	0.127
	Right Touch	0.046	0.176	0.222
	Left Tilt	0.027	0.060	0.087
	Right Tilt	0.035	0.157	0.192

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.221	0.064	0.285
	Right Touch	0.148	0.176	0.324
	Left Tilt	0.112	0.060	0.172
	Right Tilt	0.127	0.157	0.284

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.195	0.239	0.434
	Right Touch	0.109	0.586	0.695
	Left Tilt	0.096	0.289	0.385
	Right Tilt	0.073	0.688	0.761

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.251	0.239	0.490
	Right Touch	0.136	0.586	0.722
	Left Tilt	0.122	0.289	0.411
	Right Tilt	0.089	0.688	0.777

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.181	0.239	0.420
	Right Touch	0.150	0.586	0.736
	Left Tilt	0.154	0.289	0.443
	Right Tilt	0.103	0.688	0.791

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.227	0.239	0.466
	Right Touch	0.205	0.586	0.791
	Left Tilt	0.194	0.289	0.483
	Right Tilt	0.140	0.688	0.828

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.254	0.239	0.493
	Right Touch	0.161	0.586	0.747
	Left Tilt	0.129	0.289	0.418
	Right Tilt	0.113	0.688	0.801

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.167	0.239	0.406
	Right Touch	0.143	0.586	0.729
	Left Tilt	0.096	0.289	0.385
	Right Tilt	0.097	0.688	0.785

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.207	0.239	0.446
	Right Touch	0.181	0.586	0.767
	Left Tilt	0.182	0.289	0.471
	Right Tilt	0.113	0.688	0.801

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.095	0.239	0.334
	Right Touch	0.082	0.586	0.668
	Left Tilt	0.051	0.289	0.340
	Right Tilt	0.087	0.688	0.775

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.063	0.239	0.302
	Right Touch	0.046	0.586	0.632
	Left Tilt	0.027	0.289	0.316
	Right Tilt	0.035	0.688	0.723

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.221	0.239	0.460
	Right Touch	0.148	0.586	0.734
	Left Tilt	0.112	0.289	0.401
	Right Tilt	0.127	0.688	0.815

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.195	0.314	0.509
	Right Touch	0.109	0.785	0.894
	Left Tilt	0.096	0.415	0.511
	Right Tilt	0.073	0.948	1.021

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.251	0.314	0.565
	Right Touch	0.136	0.785	0.921
	Left Tilt	0.122	0.415	0.537
	Right Tilt	0.089	0.948	1.037

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.181	0.314	0.495
	Right Touch	0.150	0.785	0.935
	Left Tilt	0.154	0.415	0.569
	Right Tilt	0.103	0.948	1.051

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.227	0.314	0.541
	Right Touch	0.205	0.785	0.990
	Left Tilt	0.194	0.415	0.609
	Right Tilt	0.140	0.948	1.088

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.254	0.314	0.568
	Right Touch	0.161	0.785	0.946
	Left Tilt	0.129	0.415	0.544
	Right Tilt	0.113	0.948	1.061

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.167	0.314	0.481
	Right Touch	0.143	0.785	0.928
	Left Tilt	0.096	0.415	0.511
	Right Tilt	0.097	0.948	1.045

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.207	0.314	0.521
	Right Touch	0.181	0.785	0.966
	Left Tilt	0.182	0.415	0.597
	Right Tilt	0.113	0.948	1.061

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.095	0.314	0.409
	Right Touch	0.082	0.785	0.867
	Left Tilt	0.051	0.415	0.466
	Right Tilt	0.087	0.948	1.035

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.063	0.314	0.377
	Right Touch	0.046	0.785	0.831
	Left Tilt	0.027	0.415	0.442
	Right Tilt	0.035	0.948	0.983

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.221	0.314	0.535
	Right Touch	0.148	0.785	0.933
	Left Tilt	0.112	0.415	0.527
	Right Tilt	0.127	0.948	1.075

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.195	0.069	0.264
	Right Touch	0.109	0.275	0.384
	Left Tilt	0.096	0.101	0.197
	Right Tilt	0.073	0.216	0.289

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.251	0.069	0.320
	Right Touch	0.136	0.275	0.411
	Left Tilt	0.122	0.101	0.223
	Right Tilt	0.089	0.216	0.305

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.181	0.069	0.250
	Right Touch	0.150	0.275	0.425
	Left Tilt	0.154	0.101	0.255
	Right Tilt	0.103	0.216	0.319

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.227	0.069	0.296
	Right Touch	0.205	0.275	0.480
	Left Tilt	0.194	0.101	0.295
	Right Tilt	0.140	0.216	0.356

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.254	0.069	0.323
	Right Touch	0.161	0.275	0.436
	Left Tilt	0.129	0.101	0.230
	Right Tilt	0.113	0.216	0.329

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.167	0.069	0.236
	Right Touch	0.143	0.275	0.418
	Left Tilt	0.096	0.101	0.197
	Right Tilt	0.097	0.216	0.313

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.207	0.069	0.276
	Right Touch	0.181	0.275	0.456
	Left Tilt	0.182	0.101	0.283
	Right Tilt	0.113	0.216	0.329

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.095	0.069	0.164
	Right Touch	0.082	0.275	0.357
	Left Tilt	0.051	0.101	0.152
	Right Tilt	0.087	0.216	0.303

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.063	0.069	0.132
	Right Touch	0.046	0.275	0.321
	Left Tilt	0.027	0.101	0.128
	Right Tilt	0.035	0.216	0.251

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.221	0.069	0.290
	Right Touch	0.148	0.275	0.423
	Left Tilt	0.112	0.101	0.213
	Right Tilt	0.127	0.216	0.343

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.195	0.110	0.305
	Right Touch	0.109	0.183	0.292
	Left Tilt	0.096	0.154	0.250
	Right Tilt	0.073	0.207	0.280

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.251	0.110	0.361
	Right Touch	0.136	0.183	0.319
	Left Tilt	0.122	0.154	0.276
	Right Tilt	0.089	0.207	0.296

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.181	0.110	0.291
	Right Touch	0.150	0.183	0.333
	Left Tilt	0.154	0.154	0.308
	Right Tilt	0.103	0.207	0.310

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.227	0.11	0.337
	Right Touch	0.205	0.183	0.388
	Left Tilt	0.194	0.154	0.348
	Right Tilt	0.140	0.207	0.347

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.254	0.110	0.364
	Right Touch	0.161	0.183	0.344
	Left Tilt	0.129	0.154	0.283
	Right Tilt	0.113	0.207	0.320

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.167	0.11	0.277
	Right Touch	0.143	0.183	0.326
	Left Tilt	0.096	0.154	0.250
	Right Tilt	0.097	0.207	0.304

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.207	0.11	0.317
	Right Touch	0.181	0.183	0.364
	Left Tilt	0.182	0.154	0.336
	Right Tilt	0.113	0.207	0.320

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.095	0.110	0.205
	Right Touch	0.082	0.183	0.265
	Left Tilt	0.051	0.154	0.205
	Right Tilt	0.087	0.207	0.294

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.063	0.11	0.173
	Right Touch	0.046	0.183	0.229
	Left Tilt	0.027	0.154	0.181
	Right Tilt	0.035	0.207	0.242

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.221	0.110	0.331
	Right Touch	0.148	0.183	0.331
	Left Tilt	0.112	0.154	0.266
	Right Tilt	0.127	0.207	0.334

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.195	0.214	0.409
	Right Touch	0.109	0.525	0.634
	Left Tilt	0.096	0.224	0.320
	Right Tilt	0.073	0.607	0.680

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.251	0.214	0.465
	Right Touch	0.136	0.525	0.661
	Left Tilt	0.122	0.224	0.346
	Right Tilt	0.089	0.607	0.696

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.181	0.214	0.395
	Right Touch	0.150	0.525	0.675
	Left Tilt	0.154	0.224	0.378
	Right Tilt	0.103	0.607	0.710

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.227	0.214	0.441
	Right Touch	0.205	0.525	0.730
	Left Tilt	0.194	0.224	0.418
	Right Tilt	0.140	0.607	0.747

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.254	0.214	0.468
	Right Touch	0.161	0.525	0.686
	Left Tilt	0.129	0.224	0.353
	Right Tilt	0.113	0.607	0.720

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.167	0.214	0.381
	Right Touch	0.143	0.525	0.668
	Left Tilt	0.096	0.224	0.320
	Right Tilt	0.097	0.607	0.704

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.207	0.214	0.421
	Right Touch	0.181	0.525	0.706
	Left Tilt	0.182	0.224	0.406
	Right Tilt	0.113	0.607	0.720

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.095	0.214	0.309
	Right Touch	0.082	0.525	0.607
	Left Tilt	0.051	0.224	0.275
	Right Tilt	0.087	0.607	0.694

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.063	0.214	0.277
	Right Touch	0.046	0.525	0.571
	Left Tilt	0.027	0.224	0.251
	Right Tilt	0.035	0.607	0.642

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.221	0.214	0.435
	Right Touch	0.148	0.525	0.673
	Left Tilt	0.112	0.224	0.336
	Right Tilt	0.127	0.607	0.734

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.195	0.081	0.276
	Right Touch	0.109	0.384	0.493
	Left Tilt	0.096	0.079	0.175
	Right Tilt	0.073	0.198	0.271

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.251	0.081	0.332
	Right Touch	0.136	0.384	0.520
	Left Tilt	0.122	0.079	0.201
	Right Tilt	0.089	0.198	0.287

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.181	0.081	0.262
	Right Touch	0.150	0.384	0.534
	Left Tilt	0.154	0.079	0.233
	Right Tilt	0.103	0.198	0.301

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.227	0.081	0.308
	Right Touch	0.205	0.384	0.589
	Left Tilt	0.194	0.079	0.273
	Right Tilt	0.140	0.198	0.338

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.254	0.081	0.335
	Right Touch	0.161	0.384	0.545
	Left Tilt	0.129	0.079	0.208
	Right Tilt	0.113	0.198	0.311

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.167	0.081	0.248
	Right Touch	0.143	0.384	0.527
	Left Tilt	0.096	0.079	0.175
	Right Tilt	0.097	0.198	0.295

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.207	0.081	0.288
	Right Touch	0.181	0.384	0.565
	Left Tilt	0.182	0.079	0.261
	Right Tilt	0.113	0.198	0.311

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.095	0.081	0.176
	Right Touch	0.082	0.384	0.466
	Left Tilt	0.051	0.079	0.130
	Right Tilt	0.087	0.198	0.285

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.063	0.081	0.144
	Right Touch	0.046	0.384	0.430
	Left Tilt	0.027	0.079	0.106
	Right Tilt	0.035	0.198	0.233

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.221	0.081	0.302
	Right Touch	0.148	0.384	0.532
	Left Tilt	0.112	0.079	0.191
	Right Tilt	0.127	0.198	0.325

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.195	0.095	0.290
	Right Touch	0.109	0.165	0.274
	Left Tilt	0.096	0.120	0.216
	Right Tilt	0.073	0.176	0.249

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.251	0.095	0.346
	Right Touch	0.136	0.165	0.301
	Left Tilt	0.122	0.120	0.242
	Right Tilt	0.089	0.176	0.265

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.181	0.095	0.276
	Right Touch	0.150	0.165	0.315
	Left Tilt	0.154	0.120	0.274
	Right Tilt	0.103	0.176	0.279

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.227	0.095	0.322
	Right Touch	0.205	0.165	0.370
	Left Tilt	0.194	0.120	0.314
	Right Tilt	0.140	0.176	0.316

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.254	0.095	0.349
	Right Touch	0.161	0.165	0.326
	Left Tilt	0.129	0.12	0.249
	Right Tilt	0.113	0.176	0.289

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.167	0.095	0.262
	Right Touch	0.143	0.165	0.308
	Left Tilt	0.096	0.120	0.216
	Right Tilt	0.097	0.176	0.273

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.207	0.095	0.302
	Right Touch	0.181	0.165	0.346
	Left Tilt	0.182	0.120	0.302
	Right Tilt	0.113	0.176	0.289

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.095	0.095	0.190
	Right Touch	0.082	0.165	0.247
	Left Tilt	0.051	0.120	0.171
	Right Tilt	0.087	0.176	0.263

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.063	0.095	0.158
	Right Touch	0.046	0.165	0.211
	Left Tilt	0.027	0.120	0.147
	Right Tilt	0.035	0.176	0.211

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.221	0.095	0.316
	Right Touch	0.148	0.165	0.313
	Left Tilt	0.112	0.120	0.232
	Right Tilt	0.127	0.176	0.303

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.195	0.148	0.343
	Right Touch	0.109	0.555	0.664
	Left Tilt	0.096	0.194	0.290
	Right Tilt	0.073	0.401	0.474

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.251	0.148	0.399
	Right Touch	0.136	0.555	0.691
	Left Tilt	0.122	0.194	0.316
	Right Tilt	0.089	0.401	0.490

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.181	0.148	0.329
	Right Touch	0.150	0.555	0.705
	Left Tilt	0.154	0.194	0.348
	Right Tilt	0.103	0.401	0.504

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.227	0.148	0.375
	Right Touch	0.205	0.555	0.760
	Left Tilt	0.194	0.194	0.388
	Right Tilt	0.140	0.401	0.541

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.254	0.148	0.402
	Right Touch	0.161	0.555	0.716
	Left Tilt	0.129	0.194	0.323
	Right Tilt	0.113	0.401	0.514

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.167	0.148	0.315
	Right Touch	0.143	0.555	0.698
	Left Tilt	0.096	0.194	0.290
	Right Tilt	0.097	0.401	0.498

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.207	0.148	0.355
	Right Touch	0.181	0.555	0.736
	Left Tilt	0.182	0.194	0.376
	Right Tilt	0.113	0.401	0.514

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.095	0.148	0.243
	Right Touch	0.082	0.555	0.637
	Left Tilt	0.051	0.194	0.245
	Right Tilt	0.087	0.401	0.488

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.063	0.148	0.211
	Right Touch	0.046	0.555	0.601
	Left Tilt	0.027	0.194	0.221
	Right Tilt	0.035	0.401	0.436

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.221	0.148	0.369
	Right Touch	0.148	0.555	0.703
	Left Tilt	0.112	0.194	0.306
	Right Tilt	0.127	0.401	0.528

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.195	0.110	0.239	0.544
	Right Touch	0.109	0.484	0.586	1.179
	Left Tilt	0.096	0.062	0.289	0.447
	Right Tilt	0.073	0.234	0.688	0.995

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.251	0.110	0.239	0.600
	Right Touch	0.136	0.484	0.586	1.206
	Left Tilt	0.122	0.062	0.289	0.473
	Right Tilt	0.089	0.234	0.688	1.011

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.181	0.110	0.239	0.530
	Right Touch	0.150	0.484	0.586	1.220
	Left Tilt	0.154	0.062	0.289	0.505
	Right Tilt	0.103	0.234	0.688	1.025

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.227	0.110	0.239	0.576
	Right Touch	0.205	0.484	0.586	1.275
	Left Tilt	0.194	0.062	0.289	0.545
	Right Tilt	0.140	0.234	0.688	1.062

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.254	0.110	0.239	0.603
	Right Touch	0.161	0.484	0.586	1.231
	Left Tilt	0.129	0.062	0.289	0.480
	Right Tilt	0.113	0.234	0.688	1.035

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.167	0.110	0.239	0.516
	Right Touch	0.143	0.484	0.586	1.213
	Left Tilt	0.096	0.062	0.289	0.447
	Right Tilt	0.097	0.234	0.688	1.019

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.207	0.110	0.239	0.556
	Right Touch	0.181	0.484	0.586	1.251
	Left Tilt	0.182	0.062	0.289	0.533
	Right Tilt	0.113	0.234	0.688	1.035

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.095	0.110	0.239	0.444
	Right Touch	0.082	0.484	0.586	1.152
	Left Tilt	0.051	0.062	0.289	0.402
	Right Tilt	0.087	0.234	0.688	1.009

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.063	0.110	0.239	0.412
	Right Touch	0.046	0.484	0.586	1.116
	Left Tilt	0.027	0.062	0.289	0.378
	Right Tilt	0.035	0.234	0.688	0.957

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.221	0.110	0.239	0.570
	Right Touch	0.148	0.484	0.586	1.218
	Left Tilt	0.112	0.062	0.289	0.463
	Right Tilt	0.127	0.234	0.688	1.049

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.195	0.110	0.110	0.415
	Right Touch	0.109	0.484	0.183	0.776
	Left Tilt	0.096	0.062	0.154	0.312
	Right Tilt	0.073	0.234	0.207	0.514

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.251	0.110	0.110	0.471
	Right Touch	0.136	0.484	0.183	0.803
	Left Tilt	0.122	0.062	0.154	0.338
	Right Tilt	0.089	0.234	0.207	0.530

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.181	0.110	0.110	0.401
	Right Touch	0.150	0.484	0.183	0.817
	Left Tilt	0.154	0.062	0.154	0.370
	Right Tilt	0.103	0.234	0.207	0.544

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.227	0.110	0.110	0.447
	Right Touch	0.205	0.484	0.183	0.872
	Left Tilt	0.194	0.062	0.154	0.410
	Right Tilt	0.140	0.234	0.207	0.581

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.254	0.110	0.110	0.474
	Right Touch	0.161	0.484	0.183	0.828
	Left Tilt	0.129	0.062	0.154	0.345
	Right Tilt	0.113	0.234	0.207	0.554

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.167	0.110	0.110	0.387
	Right Touch	0.143	0.484	0.183	0.810
	Left Tilt	0.096	0.062	0.154	0.312
	Right Tilt	0.097	0.234	0.207	0.538

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.207	0.110	0.110	0.427
	Right Touch	0.181	0.484	0.183	0.848
	Left Tilt	0.182	0.062	0.154	0.398
	Right Tilt	0.113	0.234	0.207	0.554

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.095	0.110	0.110	0.315
	Right Touch	0.082	0.484	0.183	0.749
	Left Tilt	0.051	0.062	0.154	0.267
	Right Tilt	0.087	0.234	0.207	0.528

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.063	0.110	0.110	0.283
	Right Touch	0.046	0.484	0.183	0.713
	Left Tilt	0.027	0.062	0.154	0.243
	Right Tilt	0.035	0.234	0.207	0.476

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.221	0.110	0.110	0.441
	Right Touch	0.148	0.484	0.183	0.815
	Left Tilt	0.112	0.062	0.154	0.328
	Right Tilt	0.127	0.234	0.207	0.568

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.195	0.110	0.095	0.400
	Right Touch	0.109	0.484	0.165	0.758
	Left Tilt	0.096	0.062	0.120	0.278
	Right Tilt	0.073	0.234	0.176	0.483

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.251	0.110	0.095	0.456
	Right Touch	0.136	0.484	0.165	0.785
	Left Tilt	0.122	0.062	0.120	0.304
	Right Tilt	0.089	0.234	0.176	0.499

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.181	0.110	0.095	0.386
	Right Touch	0.150	0.484	0.165	0.799
	Left Tilt	0.154	0.062	0.120	0.336
	Right Tilt	0.103	0.234	0.176	0.513

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.227	0.110	0.095	0.432
	Right Touch	0.205	0.484	0.165	0.854
	Left Tilt	0.194	0.062	0.120	0.376
	Right Tilt	0.140	0.234	0.176	0.550

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.254	0.110	0.095	0.459
	Right Touch	0.161	0.484	0.165	0.810
	Left Tilt	0.129	0.062	0.120	0.311
	Right Tilt	0.113	0.234	0.176	0.523

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.167	0.110	0.095	0.372
	Right Touch	0.143	0.484	0.165	0.792
	Left Tilt	0.096	0.062	0.120	0.278
	Right Tilt	0.097	0.234	0.176	0.507

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.207	0.110	0.095	0.412
	Right Touch	0.181	0.484	0.165	0.830
	Left Tilt	0.182	0.062	0.120	0.364
	Right Tilt	0.113	0.234	0.176	0.523

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.095	0.110	0.095	0.300
	Right Touch	0.082	0.484	0.165	0.731
	Left Tilt	0.051	0.062	0.120	0.233
	Right Tilt	0.087	0.234	0.176	0.497

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.063	0.110	0.095	0.268
	Right Touch	0.046	0.484	0.165	0.695
	Left Tilt	0.027	0.062	0.120	0.209
	Right Tilt	0.035	0.234	0.176	0.445

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.221	0.110	0.095	0.426
	Right Touch	0.148	0.484	0.165	0.797
	Left Tilt	0.112	0.062	0.120	0.294
	Right Tilt	0.127	0.234	0.176	0.537

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.195	0.035	0.064	0.294
	Right Touch	0.109	0.228	0.176	0.513
	Left Tilt	0.096	0.019	0.060	0.175
	Right Tilt	0.073	0.081	0.157	0.311

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.251	0.035	0.064	0.350
	Right Touch	0.136	0.228	0.176	0.540
	Left Tilt	0.122	0.019	0.060	0.201
	Right Tilt	0.089	0.081	0.157	0.327

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.181	0.035	0.064	0.280
	Right Touch	0.150	0.228	0.176	0.554
	Left Tilt	0.154	0.019	0.060	0.233
	Right Tilt	0.103	0.081	0.157	0.341

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.227	0.035	0.064	0.326
	Right Touch	0.205	0.228	0.176	0.609
	Left Tilt	0.194	0.019	0.060	0.273
	Right Tilt	0.140	0.081	0.157	0.378

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.254	0.035	0.064	0.353
	Right Touch	0.161	0.228	0.176	0.565
	Left Tilt	0.129	0.019	0.060	0.208
	Right Tilt	0.113	0.081	0.157	0.351

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.167	0.035	0.064	0.266
	Right Touch	0.143	0.228	0.176	0.547
	Left Tilt	0.096	0.019	0.060	0.175
	Right Tilt	0.097	0.081	0.157	0.335

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.207	0.035	0.064	0.306
	Right Touch	0.181	0.228	0.176	0.585
	Left Tilt	0.182	0.019	0.060	0.261
	Right Tilt	0.113	0.081	0.157	0.351

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.095	0.035	0.064	0.194
	Right Touch	0.082	0.228	0.176	0.486
	Left Tilt	0.051	0.019	0.060	0.130
	Right Tilt	0.087	0.081	0.157	0.325

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.063	0.035	0.064	0.162
	Right Touch	0.046	0.228	0.176	0.450
	Left Tilt	0.027	0.019	0.060	0.106
	Right Tilt	0.035	0.081	0.157	0.273

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.221	0.035	0.064	0.320
	Right Touch	0.148	0.228	0.176	0.552
	Left Tilt	0.112	0.019	0.060	0.191
	Right Tilt	0.127	0.081	0.157	0.365

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.195	0.035	0.069	0.299
	Right Touch	0.109	0.228	0.275	0.612
	Left Tilt	0.096	0.019	0.101	0.216
	Right Tilt	0.073	0.081	0.216	0.370

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.251	0.035	0.069	0.355
	Right Touch	0.136	0.228	0.275	0.639
	Left Tilt	0.122	0.019	0.101	0.242
	Right Tilt	0.089	0.081	0.216	0.386

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.181	0.035	0.069	0.285
	Right Touch	0.150	0.228	0.275	0.653
	Left Tilt	0.154	0.019	0.101	0.274
	Right Tilt	0.103	0.081	0.216	0.400

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.227	0.035	0.069	0.331
	Right Touch	0.205	0.228	0.275	0.708
	Left Tilt	0.194	0.019	0.101	0.314
	Right Tilt	0.140	0.081	0.216	0.437

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.254	0.035	0.069	0.358
	Right Touch	0.161	0.228	0.275	0.664
	Left Tilt	0.129	0.019	0.101	0.249
	Right Tilt	0.113	0.081	0.216	0.410

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.167	0.035	0.069	0.271
	Right Touch	0.143	0.228	0.275	0.646
	Left Tilt	0.096	0.019	0.101	0.216
	Right Tilt	0.097	0.081	0.216	0.394

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.207	0.035	0.069	0.311
	Right Touch	0.181	0.228	0.275	0.684
	Left Tilt	0.182	0.019	0.101	0.302
	Right Tilt	0.113	0.081	0.216	0.410

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.095	0.035	0.069	0.199
	Right Touch	0.082	0.228	0.275	0.585
	Left Tilt	0.051	0.019	0.101	0.171
	Right Tilt	0.087	0.081	0.216	0.384

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.063	0.035	0.069	0.167
	Right Touch	0.046	0.228	0.275	0.549
	Left Tilt	0.027	0.019	0.101	0.147
	Right Tilt	0.035	0.081	0.216	0.332

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.221	0.035	0.069	0.325
	Right Touch	0.148	0.228	0.275	0.651
	Left Tilt	0.112	0.019	0.101	0.232
	Right Tilt	0.127	0.081	0.216	0.424

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.195	0.035	0.081	0.311
	Right Touch	0.109	0.228	0.384	0.721
	Left Tilt	0.096	0.019	0.079	0.194
	Right Tilt	0.073	0.081	0.198	0.352

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.251	0.035	0.081	0.367
	Right Touch	0.136	0.228	0.384	0.748
	Left Tilt	0.122	0.019	0.079	0.220
	Right Tilt	0.089	0.081	0.198	0.368

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.181	0.035	0.081	0.297
	Right Touch	0.150	0.228	0.384	0.762
	Left Tilt	0.154	0.019	0.079	0.252
	Right Tilt	0.103	0.035	0.081	0.297

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.227	0.035	0.081	0.343
	Right Touch	0.205	0.228	0.384	0.817
	Left Tilt	0.194	0.019	0.079	0.292
	Right Tilt	0.140	0.081	0.198	0.419

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.254	0.035	0.081	0.370
	Right Touch	0.161	0.228	0.384	0.773
	Left Tilt	0.129	0.019	0.079	0.227
	Right Tilt	0.113	0.081	0.198	0.392

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.167	0.035	0.081	0.283
	Right Touch	0.143	0.228	0.384	0.755
	Left Tilt	0.096	0.019	0.079	0.194
	Right Tilt	0.097	0.081	0.198	0.376

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.207	0.035	0.081	0.323
	Right Touch	0.181	0.228	0.384	0.793
	Left Tilt	0.182	0.019	0.079	0.280
	Right Tilt	0.113	0.081	0.198	0.392

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.095	0.035	0.081	0.211
	Right Touch	0.082	0.228	0.384	0.694
	Left Tilt	0.051	0.019	0.079	0.149
	Right Tilt	0.087	0.081	0.198	0.366

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.063	0.035	0.081	0.179
	Right Touch	0.046	0.228	0.384	0.658
	Left Tilt	0.027	0.019	0.079	0.125
	Right Tilt	0.035	0.081	0.198	0.314

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.221	0.035	0.081	0.337
	Right Touch	0.148	0.228	0.384	0.760
	Left Tilt	0.112	0.019	0.079	0.210
	Right Tilt	0.127	0.081	0.198	0.406

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.195	0.035	0.239	0.469
	Right Touch	0.109	0.228	0.586	0.923
	Left Tilt	0.096	0.019	0.289	0.404
	Right Tilt	0.073	0.081	0.688	0.842

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.251	0.035	0.239	0.525
	Right Touch	0.136	0.228	0.586	0.950
	Left Tilt	0.122	0.019	0.289	0.430
	Right Tilt	0.089	0.081	0.688	0.858

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.181	0.035	0.239	0.455
	Right Touch	0.150	0.228	0.586	0.964
	Left Tilt	0.154	0.019	0.289	0.462
	Right Tilt	0.103	0.081	0.688	0.872

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.227	0.035	0.239	0.501
	Right Touch	0.205	0.228	0.586	1.019
	Left Tilt	0.194	0.019	0.289	0.502
	Right Tilt	0.140	0.081	0.688	0.909

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.254	0.035	0.239	0.528
	Right Touch	0.161	0.228	0.586	0.975
	Left Tilt	0.129	0.019	0.289	0.437
	Right Tilt	0.113	0.081	0.688	0.882

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.167	0.035	0.239	0.441
	Right Touch	0.143	0.228	0.586	0.957
	Left Tilt	0.096	0.019	0.289	0.404
	Right Tilt	0.097	0.081	0.688	0.866

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.207	0.035	0.239	0.481
	Right Touch	0.181	0.228	0.586	0.995
	Left Tilt	0.182	0.019	0.289	0.490
	Right Tilt	0.113	0.081	0.688	0.882

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.095	0.035	0.239	0.369
	Right Touch	0.082	0.228	0.586	0.896
	Left Tilt	0.051	0.019	0.289	0.359
	Right Tilt	0.087	0.081	0.688	0.856

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.063	0.035	0.239	0.337
	Right Touch	0.046	0.228	0.586	0.860
	Left Tilt	0.027	0.019	0.289	0.335
	Right Tilt	0.035	0.081	0.688	0.804

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.221	0.035	0.239	0.495
	Right Touch	0.148	0.228	0.586	0.962
	Left Tilt	0.112	0.019	0.289	0.420
	Right Tilt	0.127	0.081	0.688	0.896

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.195	0.035	0.110	0.340
	Right Touch	0.109	0.228	0.183	0.520
	Left Tilt	0.096	0.019	0.154	0.269
	Right Tilt	0.073	0.081	0.207	0.361

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.251	0.035	0.110	0.396
	Right Touch	0.136	0.228	0.183	0.547
	Left Tilt	0.122	0.019	0.154	0.295
	Right Tilt	0.089	0.081	0.207	0.377

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.181	0.035	0.110	0.326
	Right Touch	0.150	0.228	0.183	0.561
	Left Tilt	0.154	0.019	0.154	0.327
	Right Tilt	0.103	0.081	0.207	0.391

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.227	0.035	0.110	0.372
	Right Touch	0.205	0.228	0.183	0.616
	Left Tilt	0.194	0.019	0.154	0.367
	Right Tilt	0.140	0.081	0.207	0.428

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.254	0.035	0.110	0.399
	Right Touch	0.161	0.228	0.183	0.572
	Left Tilt	0.129	0.019	0.154	0.302
	Right Tilt	0.113	0.081	0.207	0.401

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.167	0.035	0.110	0.312
	Right Touch	0.143	0.228	0.183	0.554
	Left Tilt	0.096	0.019	0.154	0.269
	Right Tilt	0.097	0.081	0.207	0.385

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.207	0.035	0.110	0.352
	Right Touch	0.181	0.228	0.183	0.592
	Left Tilt	0.182	0.019	0.154	0.355
	Right Tilt	0.113	0.081	0.207	0.401

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.095	0.035	0.110	0.240
	Right Touch	0.082	0.228	0.183	0.493
	Left Tilt	0.051	0.019	0.154	0.224
	Right Tilt	0.087	0.081	0.207	0.375

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.063	0.035	0.110	0.208
	Right Touch	0.046	0.228	0.183	0.457
	Left Tilt	0.027	0.019	0.154	0.200
	Right Tilt	0.035	0.081	0.207	0.323

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.221	0.035	0.110	0.366
	Right Touch	0.148	0.228	0.183	0.559
	Left Tilt	0.112	0.019	0.154	0.285
	Right Tilt	0.127	0.081	0.207	0.415

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.195	0.035	0.095	0.325
	Right Touch	0.109	0.228	0.165	0.502
	Left Tilt	0.096	0.019	0.120	0.235
	Right Tilt	0.073	0.081	0.176	0.330

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.251	0.035	0.095	0.381
	Right Touch	0.136	0.228	0.165	0.529
	Left Tilt	0.122	0.019	0.120	0.261
	Right Tilt	0.089	0.081	0.176	0.346

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.181	0.035	0.095	0.311
	Right Touch	0.150	0.228	0.165	0.543
	Left Tilt	0.154	0.019	0.120	0.293
	Right Tilt	0.103	0.081	0.176	0.360

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.227	0.035	0.095	0.357
	Right Touch	0.205	0.228	0.165	0.598
	Left Tilt	0.194	0.019	0.120	0.333
	Right Tilt	0.140	0.081	0.176	0.397

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.254	0.035	0.095	0.384
	Right Touch	0.161	0.228	0.165	0.554
	Left Tilt	0.129	0.019	0.120	0.268
	Right Tilt	0.113	0.081	0.176	0.370

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.167	0.035	0.095	0.297
	Right Touch	0.143	0.228	0.165	0.536
	Left Tilt	0.096	0.019	0.120	0.235
	Right Tilt	0.097	0.081	0.176	0.354

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.207	0.035	0.095	0.337
	Right Touch	0.181	0.228	0.165	0.574
	Left Tilt	0.182	0.019	0.120	0.321
	Right Tilt	0.113	0.081	0.176	0.370

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.095	0.035	0.095	0.225
	Right Touch	0.082	0.228	0.165	0.475
	Left Tilt	0.051	0.019	0.120	0.190
	Right Tilt	0.087	0.081	0.176	0.344

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.063	0.035	0.095	0.193
	Right Touch	0.046	0.228	0.165	0.439
	Left Tilt	0.027	0.019	0.120	0.166
	Right Tilt	0.035	0.081	0.176	0.292

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.221	0.035	0.095	0.351
	Right Touch	0.148	0.228	0.165	0.541
	Left Tilt	0.112	0.019	0.120	0.251
	Right Tilt	0.127	0.081	0.176	0.384

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.195	0.035	0.314	0.544
	Right Touch	0.109	0.228	0.785	1.122
	Left Tilt	0.096	0.019	0.415	0.530
	Right Tilt	0.073	0.081	0.948	1.102

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.251	0.035	0.314	0.600
	Right Touch	0.136	0.228	0.785	1.149
	Left Tilt	0.122	0.019	0.415	0.556
	Right Tilt	0.089	0.081	0.948	1.118

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.181	0.035	0.314	0.530
	Right Touch	0.150	0.228	0.785	1.163
	Left Tilt	0.154	0.019	0.415	0.588
	Right Tilt	0.103	0.081	0.948	1.132

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.227	0.035	0.314	0.576
	Right Touch	0.205	0.228	0.785	1.218
	Left Tilt	0.194	0.019	0.415	0.628
	Right Tilt	0.140	0.081	0.948	1.169

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.254	0.035	0.314	0.603
	Right Touch	0.161	0.228	0.785	1.174
	Left Tilt	0.129	0.019	0.415	0.563
	Right Tilt	0.113	0.081	0.948	1.142

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.167	0.035	0.314	0.516
	Right Touch	0.143	0.228	0.785	1.156
	Left Tilt	0.096	0.019	0.415	0.530
	Right Tilt	0.097	0.081	0.948	1.126

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.207	0.035	0.314	0.556
	Right Touch	0.181	0.228	0.785	1.194
	Left Tilt	0.182	0.019	0.415	0.616
	Right Tilt	0.113	0.081	0.948	1.142

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.095	0.035	0.314	0.444
	Right Touch	0.082	0.228	0.785	1.095
	Left Tilt	0.051	0.019	0.415	0.485
	Right Tilt	0.087	0.081	0.948	1.116

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.063	0.035	0.314	0.412
	Right Touch	0.046	0.228	0.785	1.059
	Left Tilt	0.027	0.019	0.415	0.461
	Right Tilt	0.035	0.081	0.948	1.064

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.221	0.035	0.314	0.570
	Right Touch	0.148	0.228	0.785	1.161
	Left Tilt	0.112	0.019	0.415	0.546
	Right Tilt	0.127	0.081	0.948	1.156

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.195	0.035	0.214	0.444
	Right Touch	0.109	0.228	0.525	0.862
	Left Tilt	0.096	0.019	0.224	0.339
	Right Tilt	0.073	0.081	0.607	0.761

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.251	0.035	0.214	0.500
	Right Touch	0.136	0.228	0.525	0.889
	Left Tilt	0.122	0.019	0.224	0.365
	Right Tilt	0.089	0.081	0.607	0.777

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.181	0.035	0.214	0.430
	Right Touch	0.150	0.228	0.525	0.903
	Left Tilt	0.154	0.019	0.224	0.397
	Right Tilt	0.103	0.081	0.607	0.791

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.227	0.035	0.214	0.476
	Right Touch	0.205	0.228	0.525	0.958
	Left Tilt	0.194	0.019	0.224	0.437
	Right Tilt	0.140	0.081	0.607	0.828

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.254	0.035	0.214	0.503
	Right Touch	0.161	0.228	0.525	0.914
	Left Tilt	0.129	0.019	0.224	0.372
	Right Tilt	0.113	0.081	0.607	0.801

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.167	0.035	0.214	0.416
	Right Touch	0.143	0.228	0.525	0.896
	Left Tilt	0.096	0.019	0.224	0.339
	Right Tilt	0.097	0.081	0.607	0.785

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.207	0.035	0.214	0.456
	Right Touch	0.181	0.228	0.525	0.934
	Left Tilt	0.182	0.019	0.224	0.425
	Right Tilt	0.113	0.081	0.607	0.801

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.095	0.035	0.214	0.344
	Right Touch	0.082	0.228	0.525	0.835
	Left Tilt	0.051	0.019	0.224	0.294
	Right Tilt	0.087	0.081	0.607	0.775

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.063	0.035	0.214	0.312
	Right Touch	0.046	0.228	0.525	0.799
	Left Tilt	0.027	0.019	0.224	0.270
	Right Tilt	0.035	0.081	0.607	0.723

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.221	0.035	0.214	0.470
	Right Touch	0.148	0.228	0.525	0.901
	Left Tilt	0.112	0.019	0.224	0.355
	Right Tilt	0.127	0.081	0.607	0.815

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.195	0.035	0.148	0.378
	Right Touch	0.109	0.228	0.555	0.892
	Left Tilt	0.096	0.019	0.194	0.309
	Right Tilt	0.073	0.081	0.401	0.555

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.251	0.035	0.148	0.434
	Right Touch	0.136	0.228	0.555	0.919
	Left Tilt	0.122	0.019	0.194	0.335
	Right Tilt	0.089	0.081	0.401	0.571

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.181	0.035	0.148	0.364
	Right Touch	0.150	0.228	0.555	0.933
	Left Tilt	0.154	0.019	0.194	0.367
	Right Tilt	0.103	0.081	0.401	0.585

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.227	0.035	0.148	0.410
	Right Touch	0.205	0.228	0.555	0.988
	Left Tilt	0.194	0.019	0.194	0.407
	Right Tilt	0.140	0.081	0.401	0.622

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.254	0.035	0.148	0.437
	Right Touch	0.161	0.228	0.555	0.944
	Left Tilt	0.129	0.019	0.194	0.342
	Right Tilt	0.113	0.081	0.401	0.595

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.167	0.035	0.148	0.350
	Right Touch	0.143	0.228	0.555	0.926
	Left Tilt	0.096	0.019	0.194	0.309
	Right Tilt	0.097	0.081	0.401	0.579

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.207	0.035	0.148	0.390
	Right Touch	0.181	0.228	0.555	0.964
	Left Tilt	0.182	0.019	0.194	0.395
	Right Tilt	0.113	0.081	0.401	0.595

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.095	0.035	0.148	0.278
	Right Touch	0.082	0.228	0.555	0.865
	Left Tilt	0.051	0.019	0.194	0.264
	Right Tilt	0.087	0.081	0.401	0.569

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.063	0.035	0.148	0.246
	Right Touch	0.046	0.228	0.555	0.829
	Left Tilt	0.027	0.019	0.194	0.240
	Right Tilt	0.035	0.081	0.401	0.517

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Head SAR	Left Touch	0.221	0.035	0.148	0.404
	Right Touch	0.148	0.228	0.555	0.931
	Left Tilt	0.112	0.019	0.194	0.325
	Right Tilt	0.127	0.081	0.401	0.609

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.110	0.239	0.349
	Right Touch	0.484	0.586	1.070
	Left Tilt	0.062	0.289	0.351
	Right Tilt	0.234	0.688	0.922

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.110	0.110	0.220
	Right Touch	0.484	0.183	0.667
	Left Tilt	0.062	0.154	0.216
	Right Tilt	0.234	0.207	0.441

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.110	0.095	0.205
	Right Touch	0.484	0.165	0.649
	Left Tilt	0.062	0.120	0.182
	Right Tilt	0.234	0.176	0.410

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.035	0.064	0.099
	Right Touch	0.228	0.176	0.404
	Left Tilt	0.019	0.060	0.079
	Right Tilt	0.081	0.157	0.238

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.035	0.069	0.104
	Right Touch	0.228	0.275	0.503
	Left Tilt	0.019	0.101	0.120
	Right Tilt	0.081	0.216	0.297

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.035	0.081	0.116
	Right Touch	0.228	0.384	0.612
	Left Tilt	0.019	0.079	0.098
	Right Tilt	0.081	0.198	0.279

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.035	0.239	0.274
	Right Touch	0.228	0.586	0.814
	Left Tilt	0.019	0.289	0.308
	Right Tilt	0.081	0.688	0.769

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.035	0.110	0.145
	Right Touch	0.228	0.183	0.411
	Left Tilt	0.019	0.154	0.173
	Right Tilt	0.081	0.207	0.288

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.035	0.095	0.130
	Right Touch	0.228	0.165	0.393
	Left Tilt	0.019	0.120	0.139
	Right Tilt	0.081	0.176	0.257

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.035	0.314	0.349
	Right Touch	0.228	0.785	1.013
	Left Tilt	0.019	0.415	0.434
	Right Tilt	0.081	0.948	1.029

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.035	0.214	0.249
	Right Touch	0.228	0.525	0.753
	Left Tilt	0.019	0.224	0.243
	Right Tilt	0.081	0.607	0.688

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.035	0.148	0.183
	Right Touch	0.228	0.555	0.783
	Left Tilt	0.019	0.194	0.213
	Right Tilt	0.081	0.401	0.482

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.195	0.035	0.230
	Right Touch	0.109	0.228	0.337
	Left Tilt	0.096	0.019	0.115
	Right Tilt	0.073	0.081	0.154

.Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.251	0.035	0.286
	Right Touch	0.136	0.228	0.364
	Left Tilt	0.122	0.019	0.141
	Right Tilt	0.089	0.081	0.170

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.181	0.035	0.216
	Right Touch	0.150	0.228	0.378
	Left Tilt	0.154	0.019	0.173
	Right Tilt	0.103	0.081	0.184

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.227	0.035	0.262
	Right Touch	0.205	0.228	0.433
	Left Tilt	0.194	0.019	0.213
	Right Tilt	0.140	0.081	0.221

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.254	0.035	0.289
	Right Touch	0.161	0.228	0.389
	Left Tilt	0.129	0.019	0.148
	Right Tilt	0.113	0.081	0.194

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.167	0.035	0.202
	Right Touch	0.143	0.228	0.371
	Left Tilt	0.096	0.019	0.115
	Right Tilt	0.097	0.081	0.178

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.207	0.035	0.242
	Right Touch	0.181	0.228	0.409
	Left Tilt	0.182	0.019	0.201
	Right Tilt	0.113	0.081	0.194

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.095	0.035	0.130
	Right Touch	0.082	0.228	0.310
	Left Tilt	0.051	0.019	0.070
	Right Tilt	0.087	0.081	0.168

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.063	0.035	0.098
	Right Touch	0.046	0.228	0.274
	Left Tilt	0.027	0.019	0.046
	Right Tilt	0.035	0.081	0.116

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Head SAR	Left Touch	0.221	0.035	0.256
	Right Touch	0.148	0.228	0.376
	Left Tilt	0.112	0.019	0.131
	Right Tilt	0.127	0.081	0.208

Body-Worn SAR Simultaneous Transmission Analysis

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.511	0.107	0.618
	Rear	0.577	0.104	0.681

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.680	0.107	0.787
	Rear	0.746	0.104	0.850

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.715	0.107	0.822
	Rear	0.678	0.104	0.782

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.989	0.107	1.096
	Rear	0.873	0.104	0.977

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.705	0.107	0.812
	Rear	0.759	0.104	0.863

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.500	0.107	0.607
	Rear	0.490	0.104	0.594

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.956	0.107	1.063
	Rear	0.862	0.104	0.966

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.424	0.107	0.531
	Rear	0.458	0.104	0.562

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.236	0.107	0.343
	Rear	0.271	0.104	0.375

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.665	0.107	0.772
	Rear	0.729	0.104	0.833

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.511	0.121	0.632
	Rear	0.577	0.127	0.704

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.680	0.121	0.801
	Rear	0.746	0.127	0.873

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.715	0.121	0.836
	Rear	0.678	0.127	0.805

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.989	0.121	1.110
	Rear	0.873	0.127	1.000

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.705	0.121	0.826
	Rear	0.759	0.127	0.886

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.500	0.121	0.621
	Rear	0.490	0.127	0.617

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.956	0.121	1.077
	Rear	0.862	0.127	0.989

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.424	0.121	0.545
	Rear	0.458	0.127	0.585

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.236	0.121	0.357
	Rear	0.271	0.127	0.398

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.2. SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.665	0.121	0.786
	Rear	0.729	0.127	0.856

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.511	0.159	0.670
	Rear	0.577	0.183	0.760

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.680	0.159	0.839
	Rear	0.746	0.183	0.929

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.715	0.159	0.874
	Rear	0.678	0.183	0.861

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.989	0.159	1.148
	Rear	0.873	0.183	1.056

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.705	0.159	0.864
	Rear	0.759	0.183	0.942

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.500	0.159	0.659
	Rear	0.490	0.183	0.673

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.956	0.159	1.115
	Rear	0.862	0.183	1.045

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.424	0.159	0.583
	Rear	0.458	0.183	0.641

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.236	0.159	0.395
	Rear	0.271	0.183	0.454

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.665	0.159	0.824
	Rear	0.729	0.183	0.912

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.511	0.041	0.552
	Rear	0.577	0.550	1.127

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.680	0.041	0.721
	Rear	0.746	0.550	1.296

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.715	0.041	0.756
	Rear	0.678	0.550	1.228

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.989	0.041	1.030
	Rear	0.873	0.550	1.423

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.705	0.041	0.746
	Rear	0.759	0.550	1.309

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.500	0.041	0.541
	Rear	0.490	0.550	1.040

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.956	0.041	0.997
	Rear	0.862	0.550	1.412

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.424	0.041	0.465
	Rear	0.458	0.550	1.008

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.236	0.041	0.277
	Rear	0.271	0.550	0.821

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.665	0.041	0.706
	Rear	0.729	0.550	1.279

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.511	0.059	0.570
	Rear	0.577	0.333	0.910

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.680	0.059	0.739
	Rear	0.746	0.333	1.079

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.715	0.059	0.774
	Rear	0.678	0.333	1.011

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.989	0.059	1.048
	Rear	0.873	0.333	1.206

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.705	0.059	0.764
	Rear	0.759	0.333	1.092

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.500	0.059	0.559
	Rear	0.490	0.333	0.823

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.956	0.059	1.015
	Rear	0.862	0.333	1.195

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.424	0.059	0.483
	Rear	0.458	0.333	0.791

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.236	0.059	0.295
	Rear	0.271	0.333	0.604

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.665	0.059	0.724
	Rear	0.729	0.333	1.062

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.511	0.092	0.603
	Rear	0.577	0.567	1.144

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.680	0.092	0.772
	Rear	0.746	0.567	1.313

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.715	0.092	0.807
	Rear	0.678	0.567	1.245

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.989	0.092	1.081
	Rear	0.873	0.567	1.440

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.705	0.092	0.797
	Rear	0.759	0.567	1.326

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.500	0.092	0.592
	Rear	0.490	0.567	1.057

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.956	0.092	1.048
	Rear	0.862	0.567	1.429

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.424	0.092	0.516
	Rear	0.458	0.567	1.025

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.236	0.092	0.328
	Rear	0.271	0.567	0.838

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.665	0.092	0.757
	Rear	0.729	0.567	1.296

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.511	0.047	0.558
	Rear	0.577	0.478	1.055

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.680	0.047	0.727
	Rear	0.746	0.478	1.224

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.715	0.047	0.762
	Rear	0.678	0.478	1.156

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.989	0.047	1.036
	Rear	0.873	0.478	1.351

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.705	0.047	0.752
	Rear	0.759	0.478	1.237

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.500	0.047	0.547
	Rear	0.490	0.478	0.968

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.956	0.047	1.003
	Rear	0.862	0.478	1.340

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.424	0.047	0.471
	Rear	0.458	0.478	0.936

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.236	0.047	0.283
	Rear	0.271	0.478	0.749

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.665	0.047	0.712
	Rear	0.729	0.478	1.207

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.511	0.035	0.546
	Rear	0.577	0.315	0.892

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.680	0.035	0.715
	Rear	0.746	0.315	1.061

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.715	0.035	0.750
	Rear	0.678	0.315	0.993

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.989	0.035	1.024
	Rear	0.873	0.315	1.188

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.705	0.035	0.740
	Rear	0.759	0.315	1.074

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.500	0.035	0.535
	Rear	0.490	0.315	0.805

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.956	0.035	0.991
	Rear	0.862	0.315	1.177

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.424	0.035	0.459
	Rear	0.458	0.315	0.773

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.236	0.035	0.271
	Rear	0.271	0.315	0.586

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.665	0.035	0.700
	Rear	0.729	0.315	1.044

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.511	0.075	0.586
	Rear	0.577	0.504	1.081

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.680	0.075	0.755
	Rear	0.746	0.504	1.250

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.715	0.075	0.790
	Rear	0.678	0.504	1.182

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.989	0.075	1.064
	Rear	0.873	0.504	1.377

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.705	0.075	0.780
	Rear	0.759	0.504	1.263

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.500	0.075	0.575
	Rear	0.490	0.504	0.994

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.956	0.075	1.031
	Rear	0.862	0.504	1.366

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.424	0.075	0.499
	Rear	0.458	0.504	0.962

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.236	0.075	0.311
	Rear	0.271	0.504	0.775

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.665	0.075	0.740
	Rear	0.729	0.504	1.233

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.511	0.070	0.581
	Rear	0.577	0.636	1.213

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.680	0.070	0.750
	Rear	0.746	0.636	1.382

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.715	0.070	0.785
	Rear	0.678	0.636	1.314

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.989	0.070	1.059
	Rear	0.873	0.636	1.509

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.705	0.070	0.775
	Rear	0.759	0.636	1.395

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.500	0.070	0.570
	Rear	0.490	0.636	1.126

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.956	0.070	1.026
	Rear	0.862	0.636	1.498

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.424	0.070	0.494
	Rear	0.458	0.636	1.094

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.236	0.070	0.306
	Rear	0.271	0.636	0.907

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.665	0.070	0.735
	Rear	0.729	0.636	1.365

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.511	0.016	0.527
	Rear	0.577	0.181	0.758

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.680	0.016	0.696
	Rear	0.746	0.181	0.927

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.715	0.016	0.731
	Rear	0.678	0.181	0.859

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.989	0.016	1.005
	Rear	0.873	0.181	1.054

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.705	0.016	0.721
	Rear	0.759	0.181	0.940

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.500	0.016	0.516
	Rear	0.490	0.181	0.671

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.956	0.016	0.972
	Rear	0.862	0.181	1.043

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.424	0.016	0.440
	Rear	0.458	0.181	0.639

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.236	0.016	0.252
	Rear	0.271	0.181	0.452

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.665	0.016	0.681
	Rear	0.729	0.181	0.910

Simul Tx	Configuration	GSM 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.511	0.075	0.586
	Rear	0.577	0.527	1.104

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.680	0.075	0.755
	Rear	0.746	0.527	1.273

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.715	0.075	0.790
	Rear	0.678	0.527	1.205

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.989	0.075	1.064
	Rear	0.873	0.527	1.400

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.705	0.075	0.780
	Rear	0.759	0.527	1.286

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.500	0.075	0.575
	Rear	0.490	0.527	1.017

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.956	0.075	1.031
	Rear	0.862	0.527	1.389

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.424	0.075	0.499
	Rear	0.458	0.527	0.985

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.236	0.075	0.311
	Rear	0.271	0.527	0.798

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.665	0.075	0.740
	Rear	0.729	0.527	1.256

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.511	0.107	0.059	0.677
	Rear	0.577	0.104	0.333	1.014

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.680	0.107	0.059	0.846
	Rear	0.746	0.104	0.333	1.183

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.715	0.107	0.059	0.881
	Rear	0.678	0.104	0.333	1.115

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.989	0.107	0.059	1.155
	Rear	0.873	0.104	0.333	1.310

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.705	0.107	0.059	0.871
	Rear	0.759	0.104	0.333	1.196

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.500	0.107	0.059	0.666
	Rear	0.490	0.104	0.333	0.927

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.956	0.107	0.059	1.122
	Rear	0.862	0.104	0.333	1.299

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.424	0.107	0.059	0.590
	Rear	0.458	0.104	0.333	0.895

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.236	0.107	0.059	0.402
	Rear	0.271	0.104	0.333	0.708

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.665	0.107	0.059	0.831
	Rear	0.729	0.104	0.333	1.166

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.511	0.107	0.035	0.653
	Rear	0.577	0.104	0.315	0.996

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.680	0.107	0.035	0.822
	Rear	0.746	0.104	0.315	1.165

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.715	0.107	0.035	0.857
	Rear	0.678	0.104	0.315	1.097

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.989	0.107	0.035	1.131
	Rear	0.873	0.104	0.315	1.292

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.705	0.107	0.035	0.847
	Rear	0.759	0.104	0.315	1.178

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.500	0.107	0.035	0.642
	Rear	0.490	0.104	0.315	0.909

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.956	0.107	0.035	1.098
	Rear	0.862	0.104	0.315	1.281

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.424	0.107	0.035	0.566
	Rear	0.458	0.104	0.315	0.877

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.236	0.107	0.035	0.378
	Rear	0.271	0.104	0.315	0.690

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.665	0.107	0.035	0.807
	Rear	0.729	0.104	0.315	1.148

Simul Tx	Configuration	GSM 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.511	0.107	0.016	0.634
	Rear	0.577	0.104	0.181	0.862

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.680	0.107	0.016	0.803
	Rear	0.746	0.104	0.181	1.031

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.715	0.107	0.016	0.838
	Rear	0.678	0.104	0.181	0.963

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.989	0.107	0.016	1.112
	Rear	0.873	0.104	0.181	1.158

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.705	0.107	0.016	0.828
	Rear	0.759	0.104	0.181	1.044

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.500	0.107	0.016	0.623
	Rear	0.490	0.104	0.181	0.775

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.956	0.107	0.016	1.079
	Rear	0.862	0.104	0.181	1.147

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.424	0.107	0.016	0.547
	Rear	0.458	0.104	0.181	0.743

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.236	0.107	0.016	0.359
	Rear	0.271	0.104	0.181	0.556

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.665	0.107	0.016	0.788
	Rear	0.729	0.104	0.181	1.014

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.511	0.035	0.041	0.587
	Rear	0.577	0.031	0.550	1.158

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.680	0.035	0.041	0.756
	Rear	0.746	0.031	0.550	1.327

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.715	0.035	0.041	0.791
	Rear	0.678	0.031	0.550	1.259

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.989	0.035	0.041	1.065
	Rear	0.873	0.031	0.550	1.454

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.705	0.035	0.041	0.781
	Rear	0.759	0.031	0.550	1.340

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.500	0.035	0.041	0.576
	Rear	0.490	0.031	0.550	1.071

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.956	0.035	0.041	1.032
	Rear	0.862	0.031	0.550	1.443

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.424	0.035	0.041	0.500
	Rear	0.458	0.031	0.550	1.039

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.236	0.035	0.041	0.312
	Rear	0.271	0.031	0.550	0.852

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.665	0.035	0.041	0.741
	Rear	0.729	0.031	0.550	1.310

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.511	0.035	0.047	0.593
	Rear	0.577	0.031	0.478	1.086

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.680	0.035	0.047	0.762
	Rear	0.746	0.031	0.478	1.255

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.715	0.035	0.047	0.797
	Rear	0.678	0.031	0.478	1.187

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.989	0.035	0.047	1.071
	Rear	0.873	0.031	0.478	1.382

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.705	0.035	0.047	0.787
	Rear	0.759	0.031	0.478	1.268

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.500	0.035	0.047	0.582
	Rear	0.490	0.031	0.478	0.999

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.956	0.035	0.047	1.038
	Rear	0.862	0.031	0.478	1.371

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.424	0.035	0.047	0.506
	Rear	0.458	0.031	0.478	0.967

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.236	0.035	0.047	0.318
	Rear	0.271	0.031	0.478	0.780

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.665	0.035	0.047	0.747
	Rear	0.729	0.031	0.478	1.238

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.511	0.035	0.070	0.616
	Rear	0.577	0.031	0.636	1.244

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.680	0.035	0.070	0.785
	Rear	0.746	0.031	0.636	1.413

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.715	0.035	0.070	0.820
	Rear	0.678	0.031	0.636	1.345

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.989	0.035	0.070	1.094
	Rear	0.873	0.031	0.636	1.540

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.705	0.035	0.070	0.810
	Rear	0.759	0.031	0.636	1.426

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.500	0.035	0.070	0.605
	Rear	0.490	0.031	0.636	1.157

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.956	0.035	0.070	1.061
	Rear	0.862	0.031	0.636	1.529

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.424	0.035	0.070	0.529
	Rear	0.458	0.031	0.636	1.125

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.236	0.035	0.070	0.341
	Rear	0.271	0.031	0.636	0.938

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.665	0.035	0.070	0.770
	Rear	0.729	0.031	0.636	1.396

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.511	0.035	0.059	0.605
	Rear	0.577	0.031	0.333	0.941

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.680	0.035	0.059	0.774
	Rear	0.746	0.031	0.333	1.110

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.715	0.035	0.059	0.809
	Rear	0.678	0.031	0.333	1.042

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.989	0.035	0.059	1.083
	Rear	0.873	0.031	0.333	1.237

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.705	0.035	0.059	0.799
	Rear	0.759	0.031	0.333	1.123

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.500	0.035	0.059	0.594
	Rear	0.490	0.031	0.333	0.854

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.956	0.035	0.059	1.050
	Rear	0.862	0.031	0.333	1.226

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.424	0.035	0.059	0.518
	Rear	0.458	0.031	0.333	0.822

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.236	0.035	0.059	0.330
	Rear	0.271	0.031	0.333	0.635

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.665	0.035	0.059	0.759
	Rear	0.729	0.031	0.333	1.093

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.511	0.035	0.035	0.581
	Rear	0.577	0.031	0.315	0.923

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.680	0.035	0.035	0.750
	Rear	0.746	0.031	0.315	1.092

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.715	0.035	0.035	0.785
	Rear	0.678	0.031	0.315	1.024

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.989	0.035	0.035	1.059
	Rear	0.873	0.031	0.315	1.219

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.705	0.035	0.035	0.775
	Rear	0.759	0.031	0.315	1.105

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.500	0.035	0.035	0.570
	Rear	0.490	0.031	0.315	0.836

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.956	0.035	0.035	1.026
	Rear	0.862	0.031	0.315	1.208

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.424	0.035	0.035	0.494
	Rear	0.458	0.031	0.315	0.804

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.236	0.035	0.035	0.306
	Rear	0.271	0.031	0.315	0.617

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.665	0.035	0.035	0.735
	Rear	0.729	0.031	0.315	1.075

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.511	0.035	0.016	0.562
	Rear	0.577	0.031	0.181	0.789

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.680	0.035	0.016	0.731
	Rear	0.746	0.031	0.181	0.958

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.715	0.035	0.016	0.766
	Rear	0.678	0.031	0.181	0.890

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.989	0.035	0.016	1.040
	Rear	0.873	0.031	0.181	1.085

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.705	0.035	0.016	0.756
	Rear	0.759	0.031	0.181	0.971

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.500	0.035	0.016	0.551
	Rear	0.490	0.031	0.181	0.702

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.956	0.035	0.016	1.007
	Rear	0.862	0.031	0.181	1.074

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.424	0.035	0.016	0.475
	Rear	0.458	0.031	0.181	0.670

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.236	0.035	0.016	0.287
	Rear	0.271	0.031	0.181	0.483

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.665	0.035	0.016	0.716
	Rear	0.729	0.031	0.181	0.941

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.511	0.035	0.092	0.638
	Rear	0.577	0.031	0.567	1.175

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.680	0.035	0.092	0.807
	Rear	0.746	0.031	0.567	1.344

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.715	0.035	0.092	0.842
	Rear	0.678	0.031	0.567	1.276

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.989	0.035	0.092	1.116
	Rear	0.873	0.031	0.567	1.471

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.705	0.035	0.092	0.832
	Rear	0.759	0.031	0.567	1.357

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.500	0.035	0.092	0.627
	Rear	0.490	0.031	0.567	1.088

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.956	0.035	0.092	1.083
	Rear	0.862	0.031	0.567	1.460

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.424	0.035	0.092	0.551
	Rear	0.458	0.031	0.567	1.056

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.236	0.035	0.092	0.363
	Rear	0.271	0.031	0.567	0.869

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.665	0.035	0.092	0.792
	Rear	0.729	0.031	0.567	1.327

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.511	0.035	0.075	0.621
	Rear	0.577	0.031	0.504	1.112

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.680	0.035	0.075	0.790
	Rear	0.746	0.031	0.504	1.281

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.715	0.035	0.075	0.825
	Rear	0.678	0.031	0.504	1.213

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.989	0.035	0.075	1.099
	Rear	0.873	0.031	0.504	1.408

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.705	0.035	0.075	0.815
	Rear	0.759	0.031	0.504	1.294

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.500	0.035	0.075	0.610
	Rear	0.490	0.031	0.504	1.025

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.956	0.035	0.075	1.066
	Rear	0.862	0.031	0.504	1.397

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.424	0.035	0.075	0.534
	Rear	0.458	0.031	0.504	0.993

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.236	0.035	0.075	0.346
	Rear	0.271	0.031	0.504	0.806

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.665	0.035	0.075	0.775
	Rear	0.729	0.031	0.504	1.264

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.511	0.035	0.075	0.621
	Rear	0.577	0.031	0.527	1.135

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.680	0.035	0.075	0.790
	Rear	0.746	0.031	0.527	1.304

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.715	0.035	0.075	0.825
	Rear	0.678	0.031	0.527	1.236

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.989	0.035	0.075	1.099
	Rear	0.873	0.031	0.527	1.431

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.705	0.035	0.075	0.815
	Rear	0.759	0.031	0.527	1.317

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.500	0.035	0.075	0.610
	Rear	0.490	0.031	0.527	1.048

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.956	0.035	0.075	1.066
	Rear	0.862	0.031	0.527	1.420

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.424	0.035	0.075	0.534
	Rear	0.458	0.031	0.527	1.016

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.236	0.035	0.075	0.346
	Rear	0.271	0.031	0.527	0.829

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Body-Worn SAR	Front	0.665	0.035	0.075	0.775
	Rear	0.729	0.031	0.527	1.287

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.107	0.059	0.166
	Rear	0.104	0.333	0.437

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.107	0.035	0.142
	Rear	0.104	0.315	0.419

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.107	0.016	0.123
	Rear	0.104	0.181	0.285

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.035	0.041	0.076
	Rear	0.031	0.550	0.581

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN An.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.035	0.047	0.082
	Rear	0.031	0.478	0.509

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.035	0.070	0.105
	Rear	0.031	0.636	0.667

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.035	0.059	0.094
	Rear	0.031	0.333	0.364

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.035	0.035	0.070
	Rear	0.031	0.315	0.346

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.035	0.016	0.051
	Rear	0.031	0.181	0.212

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.3G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.035	0.092	0.127
	Rear	0.031	0.567	0.598

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.6G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.035	0.075	0.110
	Rear	0.031	0.504	0.535

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.035	0.075	0.110
	Rear	0.031	0.527	0.558

Simul Tx	Configuration	GSM 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.511	0.035	0.546
	Rear	0.577	0.031	0.608

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.680	0.035	0.715
	Rear	0.746	0.031	0.777

Simul Tx	Configuration	GSM 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.715	0.035	0.750
	Rear	0.678	0.031	0.709

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.989	0.035	1.024
	Rear	0.873	0.031	0.904

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.705	0.035	0.740
	Rear	0.759	0.031	0.790

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.500	0.035	0.535
	Rear	0.490	0.031	0.521

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.956	0.035	0.991
	Rear	0.862	0.031	0.893

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.424	0.035	0.459
	Rear	0.458	0.031	0.489

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.236	0.035	0.271
	Rear	0.271	0.031	0.302

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Body-Worn SAR	Front	0.665	0.035	0.700
	Rear	0.729	0.031	0.760

Hotspot SAR Simultaneous Transmission Analysis

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.027	0.027
	Bottom	0.375	-	0.375
	Front	0.680	0.107	0.787
	Rear	0.746	0.104	0.850
	Right	0.125	-	0.125
	Left	0.344	0.111	0.455

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.027	0.027
	Bottom	0.987	-	0.987
	Front	0.989	0.107	1.096
	Rear	0.873	0.104	0.977
	Right	-	-	-
	Left	0.486	0.111	0.597

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.027	0.027
	Bottom	0.407	-	0.407
	Front	0.705	0.107	0.812
	Rear	0.759	0.104	0.863
	Right	0.134	-	0.134
	Left	0.363	0.111	0.474

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.027	0.027
	Bottom	0.511	-	0.511
	Front	0.500	0.107	0.607
	Rear	0.490	0.104	0.594
	Right	-	-	-
	Left	0.332	0.111	0.443

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.027	0.027
	Bottom	0.917	-	0.917
	Front	0.956	0.107	1.063
	Rear	0.862	0.104	0.966
	Right	-	-	-
	Left	0.421	0.111	0.532

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.027	0.027
	Bottom	0.242	-	0.242
	Front	0.424	0.107	0.531
	Rear	0.458	0.104	0.562
	Right	0.158	-	0.158
	Left	0.084	0.111	0.195

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.027	0.027
	Bottom	0.132	-	0.132
	Front	0.236	0.107	0.343
	Rear	0.271	0.104	0.375
	Right	0.061	-	0.061
	Left	0.114	0.111	0.225

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.027	0.027
	Bottom	0.375	-	0.375
	Front	0.665	0.107	0.772
	Rear	0.729	0.104	0.833
	Right	0.125	-	0.125
	Left	0.347	0.111	0.458

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.159	0.159
	Bottom	0.375	-	0.375
	Front	0.680	0.121	0.801
	Rear	0.746	0.127	0.873
	Right	0.125	-	0.125
	Left	0.344	0.019	0.363

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.159	0.159
	Bottom	0.987	-	0.987
	Front	0.989	0.121	1.110
	Rear	0.873	0.127	1.000
	Right	-	-	-
	Left	0.486	0.019	0.505

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.159	0.159
	Bottom	0.407	-	0.407
	Front	0.705	0.121	0.826
	Rear	0.759	0.127	0.886
	Right	0.134	-	0.134
	Left	0.363	0.019	0.382

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.159	0.159
	Bottom	0.511	-	0.511
	Front	0.500	0.121	0.621
	Rear	0.490	0.127	0.617
	Right	-	-	-
	Left	0.332	0.019	0.351

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.159	0.159
	Bottom	0.917	-	0.917
	Front	0.956	0.121	1.077
	Rear	0.862	0.127	0.989
	Right	-	-	-
	Left	0.421	0.019	0.440

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.159	0.159
	Bottom	0.242	-	0.242
	Front	0.424	0.121	0.545
	Rear	0.458	0.127	0.585
	Right	0.158	-	0.158
	Left	0.084	0.019	0.103

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.159	0.159
	Bottom	0.132	-	0.132
	Front	0.236	0.121	0.357
	Rear	0.271	0.127	0.398
	Right	0.061	-	0.061
	Left	0.114	0.019	0.133

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.159	0.159
	Bottom	0.375	-	0.375
	Front	0.665	0.121	0.786
	Rear	0.729	0.127	0.856
	Right	0.125	-	0.125
	Left	0.347	0.019	0.366

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.191	0.191
	Bottom	0.375	-	0.375
	Front	0.680	0.159	0.839
	Rear	0.746	0.183	0.929
	Right	0.125	-	0.125
	Left	0.344	0.150	0.494

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.191	0.191
	Bottom	0.987	-	0.987
	Front	0.989	0.159	1.148
	Rear	0.873	0.183	1.056
	Right	-	-	-
	Left	0.486	0.150	0.636

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.191	0.191
	Bottom	0.407	-	0.407
	Front	0.705	0.159	0.864
	Rear	0.759	0.183	0.942
	Right	0.134	-	0.134
	Left	0.363	0.15	0.513

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.191	0.191
	Bottom	0.511	-	0.511
	Front	0.500	0.159	0.659
	Rear	0.490	0.183	0.673
	Right	-	-	-
	Left	0.332	0.150	0.482

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.191	0.191
	Bottom	0.917	-	0.917
	Front	0.956	0.159	1.115
	Rear	0.862	0.183	1.045
	Right	-	-	-
	Left	0.421	0.150	0.571

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.191	0.191
	Bottom	0.242	-	0.242
	Front	0.424	0.159	0.583
	Rear	0.458	0.183	0.641
	Right	0.158	-	0.158
	Left	0.084	0.150	0.234

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.191	0.191
	Bottom	0.132	-	0.132
	Front	0.236	0.159	0.395
	Rear	0.271	0.183	0.454
	Right	0.061	-	0.061
	Left	0.114	0.150	0.264

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.191	0.191
	Bottom	0.375	-	0.375
	Front	0.665	0.159	0.824
	Rear	0.729	0.183	0.912
	Right	0.125	-	0.125
	Left	0.347	0.150	0.497

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.101	0.101
	Bottom	0.375	-	0.375
	Front	0.680	0.040	0.720
	Rear	0.746	0.532	1.278
	Right	0.125	-	0.125
	Left	0.344	0.254	0.598

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.101	0.101
	Bottom	0.987	-	0.987
	Front	0.989	0.040	1.029
	Rear	0.873	0.532	1.405
	Right	-	-	-
	Left	0.486	0.254	0.740

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.101	0.101
	Bottom	0.407	-	0.407
	Front	0.705	0.040	0.745
	Rear	0.759	0.532	1.291
	Right	0.134	-	0.134
	Left	0.363	0.254	0.617

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.101	0.101
	Bottom	0.511	-	0.511
	Front	0.500	0.040	0.540
	Rear	0.490	0.532	1.022
	Right	-	-	-
	Left	0.332	0.254	0.586

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.101	0.101
	Bottom	0.917	-	0.917
	Front	0.956	0.040	0.996
	Rear	0.862	0.532	1.394
	Right	-	-	-
	Left	0.421	0.254	0.675

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.101	0.101
	Bottom	0.242	-	0.242
	Front	0.424	0.04	0.464
	Rear	0.458	0.532	0.990
	Right	0.158	-	0.158
	Left	0.084	0.254	0.338

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.101	0.101
	Bottom	0.132	-	0.132
	Front	0.236	0.040	0.276
	Rear	0.271	0.532	0.803
	Right	0.061	-	0.061
	Left	0.114	0.254	0.368

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.101	0.101
	Bottom	0.375	-	0.375
	Front	0.665	0.040	0.705
	Rear	0.729	0.532	1.261
	Right	0.125	-	0.125
	Left	0.347	0.254	0.601

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.116	0.116
	Bottom	0.375	-	0.375
	Front	0.680	0.058	0.738
	Rear	0.746	0.328	1.074
	Right	0.125	-	0.125
	Left	0.344	0.056	0.400

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.116	0.116
	Bottom	0.987	-	0.987
	Front	0.989	0.058	1.047
	Rear	0.873	0.328	1.201
	Right	-	-	-
	Left	0.486	0.056	0.542

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.116	0.116
	Bottom	0.407	-	0.407
	Front	0.705	0.058	0.763
	Rear	0.759	0.328	1.087
	Right	0.134	-	0.134
	Left	0.363	0.056	0.419

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.116	0.116
	Bottom	0.511	-	0.511
	Front	0.500	0.058	0.558
	Rear	0.490	0.328	0.818
	Right	-	-	-
	Left	0.332	0.056	0.388

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.116	0.116
	Bottom	0.917	-	0.917
	Front	0.956	0.058	1.014
	Rear	0.862	0.328	1.190
	Right	-	-	-
	Left	0.421	0.056	0.477

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.116	0.116
	Bottom	0.242	-	0.242
	Front	0.424	0.058	0.482
	Rear	0.458	0.328	0.786
	Right	0.158	-	0.158
	Left	0.084	0.056	0.140

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.116	0.116
	Bottom	0.132	-	0.132
	Front	0.236	0.058	0.294
	Rear	0.271	0.328	0.599
	Right	0.061	-	0.061
	Left	0.114	0.056	0.170

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.116	0.116
	Bottom	0.375	-	0.375
	Front	0.665	0.058	0.723
	Rear	0.729	0.328	1.057
	Right	0.125	-	0.125
	Left	0.347	0.056	0.403

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.209	0.209
	Bottom	0.375	-	0.375
	Front	0.680	0.089	0.769
	Rear	0.746	0.586	1.332
	Right	0.125	-	0.125
	Left	0.344	0.279	0.623

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.209	0.209
	Bottom	0.987	-	0.987
	Front	0.989	0.089	1.078
	Rear	0.873	0.586	1.459
	Right	-	-	-
	Left	0.486	0.279	0.765

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.209	0.209
	Bottom	0.407	-	0.407
	Front	0.705	0.089	0.794
	Rear	0.759	0.586	1.345
	Right	0.134	-	0.134
	Left	0.363	0.279	0.642

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.209	0.209
	Bottom	0.511	-	0.511
	Front	0.500	0.089	0.589
	Rear	0.490	0.586	1.076
	Right	-	-	-
	Left	0.332	0.279	0.611

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.209	0.209
	Bottom	0.917	-	0.917
	Front	0.956	0.089	1.045
	Rear	0.862	0.586	1.448
	Right	-	-	-
	Left	0.421	0.279	0.700

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.209	0.209
	Bottom	0.242	-	0.242
	Front	0.424	0.089	0.513
	Rear	0.458	0.586	1.044
	Right	0.158	-	0.158
	Left	0.084	0.279	0.363

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.209	0.209
	Bottom	0.132	-	0.132
	Front	0.236	0.089	0.325
	Rear	0.271	0.586	0.857
	Right	0.061	-	0.061
	Left	0.114	0.279	0.393

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.209	0.209
	Bottom	0.375	-	0.375
	Front	0.665	0.089	0.754
	Rear	0.729	0.586	1.315
	Right	0.125	-	0.125
	Left	0.347	0.279	0.626

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.060	0.060
	Bottom	0.375	-	0.375
	Front	0.680	0.070	0.750
	Rear	0.746	0.636	1.382
	Right	0.125	-	0.125
	Left	0.344	0.317	0.661

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.060	0.060
	Bottom	0.987	-	0.987
	Front	0.989	0.070	1.059
	Rear	0.873	0.636	1.509
	Right	-	-	-
	Left	0.486	0.317	0.803

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.060	0.060
	Bottom	0.407	-	0.407
	Front	0.705	0.070	0.775
	Rear	0.759	0.636	1.395
	Right	0.134	-	0.134
	Left	0.363	0.317	0.680

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.060	0.060
	Bottom	0.511	-	0.511
	Front	0.500	0.070	0.570
	Rear	0.490	0.636	1.126
	Right	-	-	-
	Left	0.332	0.317	0.649

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.060	0.060
	Bottom	0.917	-	0.917
	Front	0.956	0.070	1.026
	Rear	0.862	0.636	1.498
	Right	-	-	-
	Left	0.421	0.317	0.738

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.060	0.060
	Bottom	0.242	-	0.242
	Front	0.424	0.070	0.494
	Rear	0.458	0.636	1.094
	Right	0.158	-	0.158
	Left	0.084	0.317	0.401

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.060	0.060
	Bottom	0.132	-	0.132
	Front	0.236	0.070	0.306
	Rear	0.271	0.636	0.907
	Right	0.061	-	0.061
	Left	0.114	0.317	0.431

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.060	0.060
	Bottom	0.375	-	0.375
	Front	0.665	0.070	0.735
	Rear	0.729	0.636	1.365
	Right	0.125	-	0.125
	Left	0.347	0.317	0.664

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.152	0.152
	Bottom	0.375	-	0.375
	Front	0.680	0.016	0.696
	Rear	0.746	0.181	0.927
	Right	0.125	-	0.125
	Left	0.344	0.016	0.360

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.152	0.152
	Bottom	0.987	-	0.987
	Front	0.989	0.016	1.005
	Rear	0.873	0.181	1.054
	Right	-	-	-
	Left	0.486	0.016	0.502

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.152	0.152
	Bottom	0.407	-	0.407
	Front	0.705	0.016	0.721
	Rear	0.759	0.181	0.940
	Right	0.134	-	0.134
	Left	0.363	0.016	0.379

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.152	0.152
	Bottom	0.511	-	0.511
	Front	0.500	0.016	0.516
	Rear	0.490	0.181	0.671
	Right	-	-	-
	Left	0.332	0.016	0.348

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.152	0.152
	Bottom	0.917	-	0.917
	Front	0.956	0.016	0.972
	Rear	0.862	0.181	1.043
	Right	-	-	-
	Left	0.421	0.016	0.437

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.152	0.152
	Bottom	0.242	-	0.242
	Front	0.424	0.016	0.440
	Rear	0.458	0.181	0.639
	Right	0.158	-	0.158
	Left	0.084	0.016	0.100

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.152	0.152
	Bottom	0.132	-	0.132
	Front	0.236	0.016	0.252
	Rear	0.271	0.181	0.452
	Right	0.061	-	0.061
	Left	0.114	0.016	0.130

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.152	0.152
	Bottom	0.375	-	0.375
	Front	0.665	0.016	0.681
	Rear	0.729	0.181	0.910
	Right	0.125	-	0.125
	Left	0.347	0.016	0.363

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.177	0.177
	Bottom	0.375	-	0.375
	Front	0.680	0.075	0.755
	Rear	0.746	0.527	1.273
	Right	0.125	-	0.125
	Left	0.344	0.338	0.682

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.177	0.177
	Bottom	0.987	-	0.987
	Front	0.989	0.075	1.064
	Rear	0.873	0.527	1.400
	Right	-	-	-
	Left	0.486	0.338	0.824

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.177	0.177
	Bottom	0.407	-	0.407
	Front	0.705	0.075	0.780
	Rear	0.759	0.527	1.286
	Right	0.134	-	0.134
	Left	0.363	0.338	0.701

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.177	0.177
	Bottom	0.511	-	0.511
	Front	0.500	0.075	0.575
	Rear	0.490	0.527	1.017
	Right	-	-	-
	Left	0.332	0.338	0.670

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.177	0.177
	Bottom	0.917	-	0.917
	Front	0.956	0.075	1.031
	Rear	0.862	0.527	1.389
	Right	-	-	-
	Left	0.421	0.338	0.759

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.177	0.177
	Bottom	0.242	-	0.242
	Front	0.424	0.075	0.499
	Rear	0.458	0.527	0.985
	Right	0.158	-	0.158
	Left	0.084	0.338	0.422

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.177	0.177
	Bottom	0.132	-	0.132
	Front	0.236	0.075	0.311
	Rear	0.271	0.527	0.798
	Right	0.061	-	0.061
	Left	0.114	0.338	0.452

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.177	0.177
	Bottom	0.375	-	0.375
	Front	0.665	0.075	0.740
	Rear	0.729	0.527	1.256
	Right	0.125	-	0.125
	Left	0.347	0.338	0.685

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.116	0.143
	Bottom	0.375	-	-	0.375
	Front	0.680	0.107	0.058	0.845
	Rear	0.746	0.104	0.328	1.178
	Right	0.125	-	-	0.125
	Left	0.344	0.111	0.056	0.511

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.116	0.143
	Bottom	0.987	-	-	0.987
	Front	0.989	0.107	0.058	1.154
	Rear	0.873	0.104	0.328	1.305
	Right	-	-	-	-
	Left	0.486	0.111	0.056	0.653

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.116	0.143
	Bottom	0.407	-	-	0.407
	Front	0.705	0.107	0.058	0.870
	Rear	0.759	0.104	0.328	1.191
	Right	0.134	-	-	0.134
	Left	0.363	0.111	0.056	0.530

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.116	0.143
	Bottom	0.511	-	-	0.511
	Front	0.500	0.107	0.058	0.665
	Rear	0.490	0.104	0.328	0.922
	Right	-	-	-	-
	Left	0.332	0.111	0.056	0.499

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.116	0.143
	Bottom	0.917	-	-	0.917
	Front	0.956	0.107	0.058	1.121
	Rear	0.862	0.104	0.328	1.294
	Right	-	-	-	-
	Left	0.421	0.111	0.056	0.588

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.116	0.143
	Bottom	0.242	-	-	0.242
	Front	0.424	0.107	0.058	0.589
	Rear	0.458	0.104	0.328	0.890
	Right	0.158	-	-	0.158
	Left	0.084	0.111	0.056	0.251

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.116	0.143
	Bottom	0.132	-	-	0.132
	Front	0.236	0.107	0.058	0.401
	Rear	0.271	0.104	0.328	0.703
	Right	0.061	-	-	0.061
	Left	0.114	0.111	0.056	0.281

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.116	0.143
	Bottom	0.375	-	-	0.375
	Front	0.665	0.107	0.058	0.830
	Rear	0.729	0.104	0.328	1.161
	Right	0.125	-	-	0.125
	Left	0.347	0.111	0.056	0.458

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.152	0.179
	Bottom	0.375	-	-	0.375
	Front	0.680	0.107	0.016	0.803
	Rear	0.746	0.104	0.181	1.031
	Right	0.125	-	-	0.125
	Left	0.344	0.111	0.016	0.471

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.152	0.179
	Bottom	0.987	-	-	0.987
	Front	0.989	0.107	0.016	1.112
	Rear	0.873	0.104	0.181	1.158
	Right	-	-	-	-
	Left	0.486	0.111	0.016	0.613

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.152	0.179
	Bottom	0.407	-	-	0.407
	Front	0.705	0.107	0.016	0.828
	Rear	0.759	0.104	0.181	1.044
	Right	0.134	-	-	0.134
	Left	0.363	0.111	0.016	0.490

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.152	0.179
	Bottom	0.511	-	-	0.511
	Front	0.500	0.107	0.016	0.623
	Rear	0.490	0.104	0.181	0.775
	Right	-	-	-	-
	Left	0.332	0.111	0.016	0.459

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.152	0.179
	Bottom	0.917	-	-	0.917
	Front	0.956	0.107	0.016	1.079
	Rear	0.862	0.104	0.181	1.147
	Right	-	-	-	-
	Left	0.421	0.111	0.016	0.548

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.152	0.179
	Bottom	0.242	-	-	0.242
	Front	0.424	0.107	0.016	0.547
	Rear	0.458	0.104	0.181	0.743
	Right	0.158	-	-	0.158
	Left	0.084	0.111	0.016	0.211

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.152	0.179
	Bottom	0.132	-	-	0.132
	Front	0.236	0.107	0.016	0.359
	Rear	0.271	0.104	0.181	0.556
	Right	0.061	-	-	0.061
	Left	0.114	0.111	0.016	0.241

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.027	0.152	0.179
	Bottom	0.375	-	-	0.375
	Front	0.665	0.107	0.016	0.788
	Rear	0.729	0.104	0.181	1.014
	Right	0.125	-	-	0.125
	Left	0.347	0.111	0.016	0.474

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.101	0.118
	Bottom	0.375	-	-	0.375
	Front	0.680	0.035	0.040	0.755
	Rear	0.746	0.031	0.532	1.309
	Right	0.125	-	-	0.125
	Left	0.344	0.056	0.254	0.654

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.101	0.118
	Bottom	0.987	-	-	0.987
	Front	0.989	0.035	0.040	1.064
	Rear	0.873	0.031	0.532	1.436
	Right	-	-	-	-
	Left	0.486	0.056	0.254	0.796

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.101	0.118
	Bottom	0.407	-	-	0.407
	Front	0.705	0.035	0.040	0.780
	Rear	0.759	0.031	0.532	1.322
	Right	0.134	-	-	0.134
	Left	0.363	0.056	0.254	0.673

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.101	0.118
	Bottom	0.511	-	-	0.511
	Front	0.500	0.035	0.040	0.575
	Rear	0.490	0.031	0.532	1.053
	Right	-	-	-	-
	Left	0.332	0.056	0.254	0.642

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.101	0.118
	Bottom	0.917	-	-	0.917
	Front	0.956	0.035	0.040	1.031
	Rear	0.862	0.031	0.532	1.425
	Right	-	-	-	-
	Left	0.421	0.056	0.254	0.731

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.101	0.118
	Bottom	0.242	-	-	0.242
	Front	0.424	0.035	0.040	0.499
	Rear	0.458	0.031	0.532	1.021
	Right	0.158	-	-	0.158
	Left	0.084	0.056	0.254	0.394

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.101	0.118
	Bottom	0.132	-	-	0.132
	Front	0.236	0.035	0.040	0.311
	Rear	0.271	0.031	0.532	0.834
	Right	0.061	-	-	0.061
	Left	0.114	0.056	0.254	0.424

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.101	0.118
	Bottom	0.375	-	-	0.375
	Front	0.665	0.035	0.040	0.740
	Rear	0.729	0.031	0.532	1.292
	Right	0.125	-	-	0.125
	Left	0.347	0.056	0.254	0.403

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.060	0.077
	Bottom	0.375	-	-	0.375
	Front	0.680	0.035	0.070	0.785
	Rear	0.746	0.031	0.636	1.413
	Right	0.125	-	-	0.125
	Left	0.344	0.056	0.317	0.717

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.060	0.077
	Bottom	0.987	-	-	0.987
	Front	0.989	0.035	0.070	1.094
	Rear	0.873	0.031	0.636	1.540
	Right	-	-	-	-
	Left	0.486	0.056	0.317	0.859

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.060	0.077
	Bottom	0.407	-	-	0.407
	Front	0.705	0.035	0.070	0.810
	Rear	0.759	0.031	0.636	1.426
	Right	0.134	-	-	0.134
	Left	0.363	0.056	0.317	0.736

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.060	0.077
	Bottom	0.511	-	-	0.511
	Front	0.500	0.035	0.070	0.605
	Rear	0.490	0.031	0.636	1.157
	Right	-	-	-	-
	Left	0.332	0.056	0.317	0.705

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.060	0.077
	Bottom	0.917	-	-	0.917
	Front	0.956	0.035	0.070	1.061
	Rear	0.862	0.031	0.636	1.529
	Right	-	-	-	-
	Left	0.421	0.056	0.317	0.794

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.060	0.077
	Bottom	0.242	-	-	0.242
	Front	0.424	0.035	0.070	0.529
	Rear	0.458	0.031	0.636	1.125
	Right	0.158	-	-	0.158
	Left	0.084	0.056	0.317	0.457

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.060	0.077
	Bottom	0.132	-	-	0.132
	Front	0.236	0.035	0.070	0.341
	Rear	0.271	0.031	0.636	0.938
	Right	0.061	-	-	0.061
	Left	0.114	0.056	0.317	0.487

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.060	0.077
	Bottom	0.375	-	-	0.375
	Front	0.665	0.035	0.070	0.770
	Rear	0.729	0.031	0.636	1.396
	Right	0.125	-	-	0.125
	Left	0.347	0.056	0.317	0.720

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.116	0.133
	Bottom	0.375	-	-	0.375
	Front	0.680	0.035	0.058	0.773
	Rear	0.746	0.031	0.328	1.105
	Right	0.125	-	-	0.125
	Left	0.344	0.056	0.056	0.456

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.116	0.133
	Bottom	0.987	-	-	0.987
	Front	0.989	0.035	0.058	1.082
	Rear	0.873	0.031	0.328	1.232
	Right	-	-	-	-
	Left	0.486	0.056	0.056	0.598

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.116	0.133
	Bottom	0.407	-	-	0.407
	Front	0.705	0.035	0.058	0.798
	Rear	0.759	0.031	0.328	1.118
	Right	0.134	-	-	0.134
	Left	0.363	0.056	0.056	0.475

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.116	0.133
	Bottom	0.511	-	-	0.511
	Front	0.500	0.035	0.058	0.593
	Rear	0.490	0.031	0.328	0.849
	Right	-	-	-	-
	Left	0.332	0.056	0.056	0.444

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.116	0.133
	Bottom	0.917	-	-	0.917
	Front	0.956	0.035	0.058	1.049
	Rear	0.862	0.031	0.328	1.221
	Right	-	-	-	-
	Left	0.421	0.056	0.056	0.533

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.116	0.133
	Bottom	0.242	-	-	0.242
	Front	0.424	0.035	0.058	0.517
	Rear	0.458	0.031	0.328	0.817
	Right	0.158	-	-	0.158
	Left	0.084	0.056	0.056	0.196

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.116	0.133
	Bottom	0.132	-	-	0.132
	Front	0.236	0.035	0.058	0.329
	Rear	0.271	0.031	0.328	0.630
	Right	0.061	-	-	0.061
	Left	0.114	0.056	0.056	0.226

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.116	0.133
	Bottom	0.375	-	-	0.375
	Front	0.665	0.035	0.058	0.758
	Rear	0.729	0.031	0.328	1.088
	Right	0.125	-	-	0.125
	Left	0.347	0.056	0.056	0.403

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.152	0.169
	Bottom	0.375	-	-	0.375
	Front	0.680	0.035	0.016	0.731
	Rear	0.746	0.031	0.181	0.958
	Right	0.125	-	-	0.125
	Left	0.344	0.056	0.016	0.416

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.152	0.169
	Bottom	0.987	-	-	0.987
	Front	0.989	0.035	0.016	1.040
	Rear	0.873	0.031	0.181	1.085
	Right	-	-	-	-
	Left	0.486	0.056	0.016	0.558

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.152	0.169
	Bottom	0.407	-	-	0.407
	Front	0.705	0.035	0.016	0.756
	Rear	0.759	0.031	0.181	0.971
	Right	0.134	-	-	0.134
	Left	0.363	0.056	0.016	0.435

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.152	0.169
	Bottom	0.511	-	-	0.511
	Front	0.500	0.035	0.016	0.551
	Rear	0.490	0.031	0.181	0.702
	Right	-	-	-	-
	Left	0.332	0.056	0.016	0.404

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.152	0.169
	Bottom	0.917	-	-	0.917
	Front	0.956	0.035	0.016	1.007
	Rear	0.862	0.031	0.181	1.074
	Right	-	-	-	-
	Left	0.421	0.056	0.016	0.493

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.152	0.169
	Bottom	0.242	-	-	0.242
	Front	0.424	0.035	0.016	0.475
	Rear	0.458	0.031	0.181	0.670
	Right	0.158	-	-	0.158
	Left	0.084	0.056	0.016	0.156

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.152	0.169
	Bottom	0.132	-	-	0.132
	Front	0.236	0.035	0.016	0.287
	Rear	0.271	0.031	0.181	0.483
	Right	0.061	-	-	0.061
	Left	0.114	0.056	0.016	0.186

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.152	0.169
	Bottom	0.375	-	-	0.375
	Front	0.665	0.035	0.016	0.716
	Rear	0.729	0.031	0.181	0.941
	Right	0.125	-	-	0.125
	Left	0.347	0.056	0.016	0.419

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.209	0.226
	Bottom	0.375	-	-	0.375
	Front	0.680	0.035	0.089	0.804
	Rear	0.746	0.031	0.586	1.363
	Right	0.125	-	-	0.125
	Left	0.344	0.056	0.279	0.679

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.209	0.226
	Bottom	0.987	-	-	0.987
	Front	0.989	0.035	0.089	1.113
	Rear	0.873	0.031	0.586	1.490
	Right	-	-	-	-
	Left	0.486	0.056	0.279	0.821

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.209	0.226
	Bottom	0.407	-	-	0.407
	Front	0.705	0.035	0.089	0.829
	Rear	0.759	0.031	0.586	1.376
	Right	0.134	-	-	0.134
	Left	0.363	0.056	0.279	0.698

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.209	0.226
	Bottom	0.511	-	-	0.511
	Front	0.500	0.035	0.089	0.624
	Rear	0.490	0.031	0.586	1.107
	Right	-	-	-	-
	Left	0.332	0.056	0.279	0.667

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.209	0.226
	Bottom	0.917	-	-	0.917
	Front	0.956	0.035	0.089	1.080
	Rear	0.862	0.031	0.586	1.479
	Right	-	-	-	-
	Left	0.421	0.056	0.279	0.756

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.209	0.226
	Bottom	0.242	-	-	0.242
	Front	0.424	0.035	0.089	0.548
	Rear	0.458	0.031	0.586	1.075
	Right	0.158	-	-	0.158
	Left	0.084	0.056	0.279	0.419

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.209	0.226
	Bottom	0.132	-	-	0.132
	Front	0.236	0.035	0.089	0.360
	Rear	0.271	0.031	0.586	0.888
	Right	0.061	-	-	0.061
	Left	0.114	0.056	0.279	0.449

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.209	0.226
	Bottom	0.375	-	-	0.375
	Front	0.665	0.035	0.089	0.789
	Rear	0.729	0.031	0.586	1.346
	Right	0.125	-	-	0.125
	Left	0.347	0.056	0.279	0.403

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.177	0.194
	Bottom	0.375	-	-	0.375
	Front	0.680	0.035	0.075	0.790
	Rear	0.746	0.031	0.527	1.304
	Right	0.125	-	-	0.125
	Left	0.344	0.056	0.338	0.738

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.177	0.194
	Bottom	0.987	-	-	0.987
	Front	0.989	0.035	0.075	1.099
	Rear	0.873	0.031	0.527	1.431
	Right	-	-	-	-
	Left	0.486	0.056	0.338	0.880

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.177	0.194
	Bottom	0.407	-	-	0.407
	Front	0.705	0.035	0.075	0.815
	Rear	0.759	0.031	0.527	1.317
	Right	0.134	-	-	0.134
	Left	0.363	0.056	0.338	0.757

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.177	0.194
	Bottom	0.511	-	-	0.511
	Front	0.500	0.035	0.075	0.610
	Rear	0.490	0.031	0.527	1.048
	Right	-	-	-	-
	Left	0.332	0.056	0.338	0.726

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.177	0.194
	Bottom	0.917	-	-	0.917
	Front	0.956	0.035	0.075	1.066
	Rear	0.862	0.031	0.527	1.420
	Right	-	-	-	-
	Left	0.421	0.056	0.338	0.815

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.177	0.194
	Bottom	0.242	-	-	0.242
	Front	0.424	0.035	0.075	0.534
	Rear	0.458	0.031	0.527	1.016
	Right	0.158	-	-	0.158
	Left	0.084	0.056	0.338	0.478

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.177	0.194
	Bottom	0.132	-	-	0.132
	Front	0.236	0.035	0.075	0.346
	Rear	0.271	0.031	0.527	0.829
	Right	0.061	-	-	0.061
	Left	0.114	0.056	0.338	0.508

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	3	1+2+3
Hotspot SAR	Top	-	0.017	0.177	0.194
	Bottom	0.375	-	-	0.375
	Front	0.665	0.035	0.075	0.775
	Rear	0.729	0.031	0.527	1.287
	Right	0.125	-	-	0.125
	Left	0.347	0.056	0.338	0.741

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.027	0.116	0.143
	Bottom	-	-	-
	Front	0.107	0.058	0.165
	Rear	0.104	0.328	0.432
	Right	-	-	-
	Left	0.111	0.056	0.167

Simul Tx	Configuration	2.4G W-LAN Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.027	0.152	0.179
	Bottom	-	-	-
	Front	0.107	0.016	0.123
	Rear	0.104	0.181	0.285
	Right	-	-	-
	Left	0.111	0.016	0.127

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.017	0.101	0.118
	Bottom	-	-	-
	Front	0.035	0.040	0.075
	Rear	0.031	0.532	0.563
	Right	-	-	-
	Left	0.056	0.254	0.310

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.1 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.017	0.060	0.077
	Bottom	-	-	-
	Front	0.035	0.070	0.105
	Rear	0.031	0.636	0.667
	Right	-	-	-
	Left	0.056	0.317	0.373

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.017	0.116	0.133
	Bottom	-	-	-
	Front	0.035	0.058	0.093
	Rear	0.031	0.328	0.359
	Right	-	-	-
	Left	0.056	0.056	0.112

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN Ant.2 SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.017	0.152	0.169
	Bottom	-	-	-
	Front	0.035	0.016	0.051
	Rear	0.031	0.181	0.212
	Right	-	-	-
	Left	0.056	0.016	0.072

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.2G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.017	0.209	0.226
	Bottom	-	-	-
	Front	0.035	0.089	0.124
	Rear	0.031	0.586	0.617
	Right	-	-	-
	Left	0.056	0.279	0.335

Simul Tx	Configuration	Bluetooth Ant.1 SAR (W/kg)	5.8G W-LAN MIMO SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	0.017	0.177	0.194
	Bottom	-	-	-
	Front	0.035	0.075	0.110
	Rear	0.031	0.527	0.558
	Right	-	-	-
	Left	0.056	0.338	0.394

Simul Tx	Configuration	GPRS 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.017	0.017
	Bottom	0.375	-	0.375
	Front	0.680	0.035	0.715
	Rear	0.746	0.031	0.777
	Right	0.125	-	0.125
	Left	0.344	0.056	0.400

Simul Tx	Configuration	GPRS 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.017	0.017
	Bottom	0.987	-	0.987
	Front	0.989	0.035	1.024
	Rear	0.873	0.031	0.904
	Right	-	-	-
	Left	0.486	0.056	0.542

Simul Tx	Configuration	WCDMA 850 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.017	0.017
	Bottom	0.407	-	0.407
	Front	0.705	0.035	0.740
	Rear	0.759	0.031	0.790
	Right	0.134	-	0.134
	Left	0.363	0.056	0.419

Simul Tx	Configuration	WCDMA 1700 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.017	0.017
	Bottom	0.511	-	0.511
	Front	0.500	0.035	0.535
	Rear	0.490	0.031	0.521
	Right	-	-	-
	Left	0.332	0.056	0.388

Simul Tx	Configuration	WCDMA 1900 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.017	0.017
	Bottom	0.917	-	0.917
	Front	0.956	0.035	0.991
	Rear	0.862	0.031	0.893
	Right	-	-	-
	Left	0.421	0.056	0.477

Simul Tx	Configuration	LTE Band 17 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.017	0.017
	Bottom	0.242	-	0.242
	Front	0.424	0.035	0.459
	Rear	0.458	0.031	0.489
	Right	0.158	-	0.158
	Left	0.084	0.056	0.140

Simul Tx	Configuration	LTE Band 13 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.017	0.017
	Bottom	0.132	-	0.132
	Front	0.236	0.035	0.271
	Rear	0.271	0.031	0.302
	Right	0.061	-	0.061
	Left	0.114	0.056	0.170

Simul Tx	Configuration	LTE Band 5 SAR (W/kg)	Bluetooth SAR (W/kg)	Σ SAR (W/kg)
		1	2	1+2
Hotspot SAR	Top	-	0.017	0.017
	Bottom	0.375	-	0.375
	Front	0.665	0.035	0.700
	Rear	0.729	0.031	0.760
	Right	0.125	-	0.125
	Left	0.347	0.056	0.403