17. External Photos


Front View of the DUT





Rear View of the DUT



This report shall not be reproduced except in full, without the written approval of UL CCS.











18. Antenna Locations & Separation Distances





Antonno	Mada	Dand		
Antenna	Mode	Band		
①	CDMA	1X BC0 Tx, Rx		
	CDMA	1X BC1 Tx, Rx		
	CDMA	EVDO BC0 2 nd Rx		
	CDMA	EVDO BC0 2 nd Rx		
	GSM	GSM850 Tx, Rx		
	GSM	GSM900 Tx, Rx		
	GSM	GSM1800 Tx, Rx		
	GSM	GSM1900 Tx, Rx		
	W-CDMA	B2 2 nd Rx		
2	LTE	B13 Tx, Rx		
	CDMA	EVDO BC1 Tx		
	W-CDMA	B2 Tx		
3	LTE	B13 2 nd Rx		
4	CDMA	EVDO BC1 Rx		
	W-CDMA	B2 Rx		
(5)	Bluetooth	2.4GHz		
	Wi-Fi	2.4GHz		
	Wi-Fi	5GHz		
6	CDMA	EVDO BC0 Tx, Rx		
	GPS	1575.42MHz		


Antennas	Physical Separation Distance (mm)						
	Ant ①	Ant ②	Ant ③	Ant ④	Ant ⑤	Ant ⑥	
Ant ①		4.5 mm	41.5 mm	103 mm	110 mm	90 mm	
Ant ②	4.5 mm		20 mm	87.5 mm	105 mm	100 mm	
Ant ③	41.5 mm	20 mm		21.5 mm	39 mm	45 mm	
Ant ④	103 mm	87.5 mm	21.5 mm		5 mm	31.4 mm	
Ant ⑤	110 mm	105 mm	39 mm	5 mm		5.5 mm	
Ant ⑥	90 mm	100 mm	45 mm	31.4 mm	5.5 mm		


19. Setup Photos






ENICIA STREET, FREMONT, CA 94538, USA TEL: (510) 771-1000 FAX: (510) 661-This report shall not be reproduced except in full, without the written approval of UL CCS.






Right Hand Side Touch



Right Hand Side Touch (with Wireless Charging Battery Cover)




Right Hand Side Tilt (15°)



Right Hand Side Tilt (15°) (with Wireless Charging Battery Cover)



Body & Hotspot - Rear with 10 mm Separation




Body & Hotspot - Rear with 10 mm Separation (with Wireless Charging Battery Cover)




Body - Rear with 10 mm Separation (with Headset)




Body & Hotspot - Front with 10 mm Separation




Hotspot - Edge 1 with 10 mm Separation




Hotspot – Edge 1 with 10 mm Separation (with Wireless Charge)



Hotspot - Edge 2 with 10 mm Separation







Hotspot - Edge 4 with 10 mm Separation



END OF REPORT

TEL: (510) 771-1000 This report shall not be reproduced except in full, without the written approval of UL CCS.