

200
210
220
230
240
250
260
270
280
290
300



0 mm 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

12 11 10 9 8 7 6




200
210
220
230
240
250
260
270
280
290
300

0 mm 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

12 11 10 9 8 7 6


200
210
220
230
240
250
260
270
280
290
300



LG-D1L V2/F
PCWS 1 W/C

0 mm 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150


12 11 10 9 8 7 6



200
210
220
230
240
250
260
270
280
290
300

0 mm 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150

12 11 10 9 8 7 6



F
N3
Dc6

VS930

VS930_A_120426

VS930_A_120426

111209C

VS930_A_120430

VS930_A_120426





Li-Ion Battery 3.8 V

CAUTION

- Do not expose to high temperature. (140°F/60°C)
- Do not disassemble.
- Do not allow metal objects to contact or short circuit the battery terminals.
- Do not incinerate or expose to fire.
- To dispose of properly,
Recycling number 1-800-822-8837

PRECAUCION

- No la exponga a altas temperaturas. 60°C(140°F)
- No la desarme.
- No deje objetos metálicos en contacto o corto circuito las baterías terminales.
- No la incinere o exponga al fuego.
- se deshaga apropiadamente.
- El número de reciclaje 1-800-822-8837

EAC61878602 AAC

DC120309 (D)

Cell made in Japan. Manufactured in China.

230 240 250 260 270 280 290 300

0 mm 10 20 30 40 50 60 70 80 90 100 1



Li-Ion Battery 3.8 V
BL-53QH Typ. 2750 mAh / 8.2 Wh
Min. 2500 mAh / 8.0 Wh



230
240
250
260
270
280
290
300

0 mm 10 20 30 40 50 60 70 80 90 100 110

