

Date: 2012. Aug.10

Federal Communications Commission Authorization and Evaluation Division 7435 Oakland Mills Road Columbia, MD 21046

ATTN: OET Dept.

Reference: Original Application FCC ID: ZNFVS930 Applicant: LG Electronics MobileComm USA, Inc.

## **Dear Examiner**

We, LG Electronics MobileComm USA, Inc., hereby declare that the model VS930 has the following frequency scanning plan:

The following will be programmed at the factory to only operate and actively scan on these specific channels, where it can initiate transmissions and act as a master device for the 2.4 GHz band:

Channels 1-11, 2412-2462Mhz 802.11b mode

Channels 1-11, 2412-2462Mhz 802.11g mode

Channels 1-11, 2412-2462Mhz 802.11n mode (20Mhz Bandwidth)

The following channels will be programmed at the factory to passively scan and will only listen and cannot send a probe/beacon request to initiate communication on these specific channels. Ad-hoc mode is always disabled and this device cannot operate as an Access Point on these passive channels: Channels 36-48, 5180 & 5240Mhz 802.11a mode Channels 36-48, 5180 & 5240Mhz 802.11n mode (20MHz channel) Channels 38-46, 5190 & 5230Mhz 802.11n mode (40MHz channel) Channels 52-64, 5260 & 5320Mhz 802.11a mode (20MHz channel) Channels 54-62, 5270 & 5310Mhz 802.11n mode (40MHz channel) Channels 100-140, 5500 & 5700Mhz 802.11a mode Channels 100-140, 5500 & 5700Mhz 802.11n mode (20MHz channel) Channels 102-134, 5510 & 5670Mhz 802.11n mode (40MHz channel) Channels 149-165, 5745 & 5825Mhz 802.11a mode Channels 149-165, 5745 & 5825Mhz 802.11n mode (20MHz channel) Channels 151-159, 5755 & 5795Mhz 802.11n mode (40MHz channel)

This device does not act as an access point on the non-DFS legacy frequencies (5.15 - 5.25 MHz)

This device meets the FCC 15.202 requirements as a Client Device.

This client device does not have software configuration control to operate in different modes (active scanning in some and passive scanning in others) in different bands (devices with multiple equipment

classes or those that operate on non-DFS frequencies) or modular operation which configures the modes of operations through software.

On DFS channels, the WLAN subsystem operates under the control of an AP at all times. The client SW and associated drivers will not initiate any transmissions on DFS frequencies without initiation by a master. This includes restriction on transmission for beacons and supports for ad-hoc and peer-to-peer modes. This device SW is set in non-volatile memory. Only LG engineer can access this SW because this SW is cryptographic code that can be accessed through LG internal SW complier. Therefore this device will not allow the user settings to select any non-US frequency and will not be accessible and can't be changed by the end user or by host configuration setting.

If you have any questions regarding this application, please feel free to contact me.

Sincerely,

Jacop Cho Director

topsho

On behalf of LG Electronics Mobilecomm U.S.A.,Inc