

Report No.: SZEM161000916605

Page: 1 of 96

Appendix B

Test Data for SZEM161000916605RG



Report No.: SZEM161000916605

Page

Page: 2 of 96

CONTENT

			•
1	EFFE	CTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA	4
2	PEAK	-TO-AVERAGE RATIO	5
	2.1 F	For WCDMA	6
	2.1.1	Test Band = WCDMA 1900	
	2.1.2	Test Band = WCDMA 1700	
	2.1.3	Test Band = WCDMA 850	
3	MODU	JLATION CHARACTERISTICS	24
	3.1 F	For WCDMA	24
	3.1.1	Test Band = WCDMA 1900	24
	3.1.2	Test Band = WCDMA 1700	26
	3.1.3	Test Band = WCDMA 850	
4	BAND	WIDTH	30
	4.1 F	For WCDMA	
	4.1.1	Test Band = WCDMA 1900	31
	4.1.2	Test Band = WCDMA 1700	
	4.1.3	Test Band = WCDMA 850	
5	BAND	EDGES COMPLIANCE	49
	5.1 F	For WCDMA	49
	5.1.1	Test Band = WCDMA 1900	
	5.1.2	Test Band = WCDMA 1700	53
	5.1.3	Test Band = WCDMA 850	57
6	SPUR	IOUS EMISSION AT ANTENNA TERMINAL	61
	6.1 F	For WCDMA	61
	6.1.1	Test Band = WCDMA 1900	61
	6.1.2	Test Band = WCDMA 1700	
	6.1.3	Test Band = WCDMA 850	
7	FIELD	STRENGTH OF SPURIOUS RADIATION	85
	7.1 F	For WCDMA	85
	7.1.1	Test Band = WCDMA 1900	85



Report No.: SZEM161000916605

Page: 3 of 96

	7.1.2	? Test Band = WCDMAband 1700	86
	7.1.3	3 Test Band = WCDMAband 850	87
8	FRE	QUENCY STABILITY	.88
	8.1	FREQUENCY ERROR VS. VOLTAGE	88
	8.2	FREQUENCY ERROR VS. TEMPERATURE	91



Report No.: SZEM161000916605

Page: 4 of 96

1 Effective (Isotropic) Radiated Power Output Data

Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	EIRP[dB]	Limit[dBm]	Verdict
	UMTS/TM1	LCH	23.76	25.99	33	PASS
		MCH	23.83	26.06	33	PASS
\\\CD\\\\\		HCH	23.30	25.53	33	PASS
WCDMA1900	UMTS/TM2	LCH	21.73	23.96	33	PASS
		MCH	21.81	24.04	33	PASS
		HCH	21.26	23.49	33	PASS
		LCH	23.26	24.92	30	PASS
	UMTS/TM1	MCH	23.22	24.88	30	PASS
WCDMA1700		HCH	23.09	24.75	30	PASS
WCDIVIA 1700	UMTS/TM2	LCH	21.21	22.87	30	PASS
		MCH	21.24	22.90	30	PASS
		HCH	21.11	22.77	30	PASS

Note:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

EIRP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBi]

b: SGP=Signal Generator Level

c: RBW > emission bandwidth, VBW > 3 x RBW.

Detector: RMS

Test Band	Test Mode	Test Channel	Measured[dB]	ERP[dB]	Limit[dBm]	Verdict
	UMTS/TM1	LCH	23.61	23.72	38.45	PASS
		MCH	23.59	23.70	38.45	PASS
WCDMA850		HCH	23.56	23.67	38.45	PASS
W CDIVIA650	UMTS/TM2	LCH	21.57	21.68	38.45	PASS
		MCH	21.45	21.56	38.45	PASS
		HCH	21.49	21.60	38.45	PASS

Note:

a: For getting the ERP (Efficient Radiated Power) in substitution method, the following formula should be taken to calculate it,

ERP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBd]

b: SGP=Signal Generator Level

c: RBW > emission bandwidth, VBW > 3 x RBW.

Detector: RMS



Report No.: SZEM161000916605

Page: 5 of 96

2 Peak-to-Average Ratio

Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	Limit [dB]	Verdict
	UMTS/TM1	LCH	2.26	13	PASS
		MCH	2.75	13	PASS
WCDMA1900		HCH	2.67	13	PASS
W CDIVIA 1900		LCH	3.65	13	PASS
	UMTS/TM2	MCH	3.88	13	PASS
		HCH	3.65	13	PASS
		LCH	2.81	13	PASS
	UMTS/TM1	MCH	2.78	13	PASS
WCDMA1700		HCH	2.81	13	PASS
W CDIVIA 1700		LCH	3.94	13	PASS
	UMTS/TM2	MCH	3.83	13	PASS
		HCH	4.09	13	PASS
		LCH	2.70	13	PASS
	UMTS/TM1	MCH	2.70	13	PASS
WCDMA850		HCH	2.55	13	PASS PASS PASS PASS PASS PASS PASS PASS
VV CDIVIA030	UMTS/TM2	LCH	3.74	13	PASS
		MCH	3.54	13	PASS
		HCH	3.88	13	PASS



Report No.: SZEM161000916605

Page: 6 of 96


Part II - Test Plots

2.1 For WCDMA

2.1.1 Test Band = WCDMA 1900

2.1.1.1 Test Mode = UMTS/TM1

2.1.1.1.1 Test Channel = LCH




Date: 8.DEC.2016 14:54:48



Report No.: SZEM161000916605

Page: 7 of 96

2.1.1.1.2 Test Channel = MCH




Date: 8.DEC.2016 14:55:31



Report No.: SZEM161000916605

Page: 8 of 96

2.1.1.1.3 Test Channel = HCH



Date: 8.DEC.2016 14:56:22




Report No.: SZEM161000916605

Page: 9 of 96

2.1.1.2 Test Mode = UMTS/TM2

2.1.1.2.1 Test Channel = LCH




Date: 8.DEC.2016 14:57:45



Report No.: SZEM161000916605

Page: 10 of 96

2.1.1.2.2 Test Channel = MCH



Date: 8.DEC.2016 14:56:44



Report No.: SZEM161000916605

Page: 11 of 96

2.1.1.2.3 Test Channel = HCH



Date: 8.DEC.2016 14:56:22




Report No.: SZEM161000916605

Page: 12 of 96

2.1.2 Test Band = WCDMA 1700

2.1.2.1 Test Mode = UMTS/TM1

2.1.2.1.1 Test Channel = LCH




Date: 8.DEC.2016 15:00:44



Report No.: SZEM161000916605

Page: 13 of 96

2.1.2.1.2 Test Channel = MCH




Date: 8.DEC.2016 15:01:04



Report No.: SZEM161000916605

Page: 14 of 96

2.1.2.1.3 Test Channel = HCH



Date: 8.DEC.2016 15:01:36




Report No.: SZEM161000916605

Page: 15 of 96

2.1.2.2 Test Mode = UMTS/TM2

2.1.2.2.1 Test Channel = LCH




Date: 8.DEC.2016 15:00:20



Report No.: SZEM161000916605

Page: 16 of 96

2.1.2.2.2 Test Channel = MCH



Date: 8.DEC.2016 14:59:58



Report No.: SZEM161000916605

Page: 17 of 96

2.1.2.2.3 Test Channel = HCH



Date: 8.DEC.2016 14:59:31




Report No.: SZEM161000916605

Page: 18 of 96

2.1.3 Test Band = WCDMA 850

2.1.3.1 Test Mode = UMTS/TM1

2.1.3.1.1 Test Channel = LCH




Date: 8.DEC.2016 15:06:28



Report No.: SZEM161000916605

Page: 19 of 96

2.1.3.1.2 Test Channel = MCH




Date: 8.DEC.2016 15:06:54



Report No.: SZEM161000916605

Page: 20 of 96

2.1.3.1.3 Test Channel = HCH



Date: 8.DEC.2016 15:07:22




Report No.: SZEM161000916605

Page: 21 of 96

2.1.3.2 Test Mode = UMTS/TM2

2.1.3.2.1 Test Channel = LCH




Date: 8.DEC.2016 15:06:07



Report No.: SZEM161000916605

Page: 22 of 96

2.1.3.2.2 Test Channel = MCH



Date: 8.DEC.2016 15:05:42



Report No.: SZEM161000916605

Page: 23 of 96

2.1.3.2.3 Test Channel = HCH



Date: 8.DEC.2016 15:05:08



Report No.: SZEM161000916605

Page: 24 of 96

3 Modulation Characteristics


Part I - Test Plots

3.1 For WCDMA

3.1.1 Test Band = WCDMA 1900

3.1.1.1 Test Mode = UMTS/TM1

3.1.1.1.1 Test Channel = MCH






Report No.: SZEM161000916605

Page: 25 of 96

3.1.1.2 Test Mode = UMTS/TM2

3.1.1.2.1 Test Channel = MCH






Report No.: SZEM161000916605

Page: 26 of 96

3.1.2 Test Band = WCDMA 1700

3.1.2.1 Test Mode = UMTS /TM1

3.1.2.1.1 Test Channel = MCH






Report No.: SZEM161000916605

Page: 27 of 96

3.1.2.2 Test Mode = UMTS /TM2

3.1.2.2.1 Test Channel = MCH






Report No.: SZEM161000916605

Page: 28 of 96

3.1.3 Test Band = WCDMA 850

3.1.3.1 Test Mode = UMTS /TM1

3.1.3.1.1 Test Channel = MCH






Report No.: SZEM161000916605

Page: 29 of 96

3.1.3.2 Test Mode = UMTS /TM2

3.1.3.2.1 Test Channel = MCH





Report No.: SZEM161000916605

Page: 30 of 96

4 Bandwidth

Part I - Test Results

Test Band	Test Mode	Test Channel	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
	UMTS/TM1	LCH	4.21	4.88	PASS
		MCH	4.21	4.88	PASS
\\\CD\\\A4000		HCH	4.19	4.87	PASS
WCDMA1900		LCH	4.21	4.91	PASS
	UMTS/TM2	MCH	4.21	4.91	PASS
		HCH	4.20	4.90	PASS
		LCH	4.21	4.84	PASS
	UMTS/TM1	MCH	4.22	4.86	PASS
\\(CD\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		HCH	4.21	4.85	PASS
WCDMA1700		LCH	4.20	4.90	PASS
	UMTS/TM2	MCH	4.21	4.90	PASS
		HCH	4.21	4.90	PASS
		LCH	4.20	4.86	PASS
	UMTS/TM1	MCH	4.22	4.89	PASS
MODMANCO		HCH	4.20	4.86	PASS PASS PASS PASS PASS PASS PASS PASS
WCDMA850		LCH	4.22	4.91	PASS
		MCH	4.22	4.91	PASS
		HCH	4.22	4.91	PASS



Report No.: SZEM161000916605


Page: 31 of 96

4.1 For WCDMA

4.1.1 Test Band = WCDMA 1900

4.1.1.1 Test Mode = UMTS/TM1

4.1.1.1.1 Test Channel = LCH




Date: 8.DEC.2016 14:15:37



Report No.: SZEM161000916605

Page: 32 of 96




Date: 8.DEC.2016 14:13:13



Report No.: SZEM161000916605

Page: 33 of 96



Date: 8.DEC.2016 14:17:17




Report No.: SZEM161000916605

Page: 34 of 96

4.1.1.2 Test Mode = UMTS/TM2

4.1.1.2.1 Test Channel = LCH




Date: 2.DEC.2016 10:56:55



Report No.: SZEM161000916605

Page: 35 of 96




Date: 2.DEC.2016 10:59:26



Report No.: SZEM161000916605

Page: 36 of 96



Date: 2.DEC.2016 11:01:55




Report No.: SZEM161000916605

Page: 37 of 96

4.1.2 Test Band = WCDMA 1700

4.1.2.1 Test Mode = UMTS/TM1

4.1.2.1.1 Test Channel = LCH




Date: 8.DEC.2016 14:26:50



Report No.: SZEM161000916605

Page: 38 of 96




Date: 8.DEC.2016 14:28:32



Report No.: SZEM161000916605

Page: 39 of 96

4.1.2.1.3 Test Channel = HCH



Date: 8.DEC.2016 14:29:53




Report No.: SZEM161000916605

Page: 40 of 96

4.1.2.2 Test Mode = UMTS/TM2

4.1.2.2.1 Test Channel = LCH




Date: 2.DEC.2016 11:16:21



Report No.: SZEM161000916605

Page: 41 of 96

4.1.2.2.2 Test Channel = MCH




Date: 2.DEC.2016 11:13:42



Report No.: SZEM161000916605

Page: 42 of 96



Date: 2.DEC.2016 11:11:42




Report No.: SZEM161000916605

Page: 43 of 96

4.1.3 Test Band = WCDMA 850

4.1.3.1 Test Mode = UMTS/TM1

4.1.3.1.1 Test Channel = LCH




Date: 8.DEC.2016 14:34:28



Report No.: SZEM161000916605

Page: 44 of 96




Date: 8.DEC.2016 14:35:47



Report No.: SZEM161000916605

Page: 45 of 96

4.1.3.1.3 Test Channel = HCH



Date: 8.DEC.2016 14:37:30




Report No.: SZEM161000916605

Page: 46 of 96

4.1.3.2 Test Mode = UMTS/TM2

4.1.3.2.1 Test Channel = LCH




Date: 2.DEC.2016 11:18:46



Report No.: SZEM161000916605

Page: 47 of 96

4.1.3.2.2 Test Channel = MCH




Date: 2.DEC.2016 11:20:33



Report No.: SZEM161000916605

Page: 48 of 96



Date: 2.DEC.2016 11:22:43



Report No.: SZEM161000916605

Page: 49 of 96

5 Band Edges Compliance


Part I - Test Plots

5.1 For WCDMA

5.1.1 Test Band = WCDMA 1900

5.1.1.1 Test Mode = UMTS/TM1

5.1.1.1.1 Test Channel = LCH




Date: 8.DEC.2016 14:53:25



Report No.: SZEM161000916605

Page: 50 of 96

5.1.1.1.2 Test Channel = HCH



Date: 8.DEC.2016 14:52:27




Report No.: SZEM161000916605

Page: 51 of 96

5.1.1.2 Test Mode =UMTS/TM2

5.1.1.2.1 Test Channel = LCH




Date: 8.DEC.2016 14:50:54



Report No.: SZEM161000916605

Page: 52 of 96

5.1.1.2.2 Test Channel = HCH



Date: 8.DEC.2016 14:51:52




Report No.: SZEM161000916605

Page: 53 of 96

5.1.2 Test Band = WCDMA 1700

5.1.2.1 Test Mode = UMTS/TM1

5.1.2.1.1 Test Channel = LCH




Date: 8.DEC.2016 14:48:18



Report No.: SZEM161000916605

Page: 54 of 96

5.1.2.1.2 Test Channel = HCH



Date: 8.DEC.2016 14:48:52




Report No.: SZEM161000916605

Page: 55 of 96

5.1.2.2 Test Mode = UMTS/TM2

5.1.2.2.1 Test Channel = LCH




Date: 8.DEC.2016 14:47:44



Report No.: SZEM161000916605

Page: 56 of 96

5.1.2.2.2 Test Channel = HCH



Date: 8.DEC.2016 14:47:04




Report No.: SZEM161000916605

Page: 57 of 96

5.1.3 Test Band = WCDMA 850

5.1.3.1 Test Mode = UMTS/TM1

5.1.3.1.1 Test Channel = LCH




Date: 8.DEC.2016 14:44:28



Report No.: SZEM161000916605

Page: 58 of 96

5.1.3.1.2 Test Channel = HCH



Date: 8.DEC.2016 14:45:01




Report No.: SZEM161000916605

Page: 59 of 96

5.1.3.2 Test Mode = UMTS/TM2

5.1.3.2.1 Test Channel = LCH




Date: 8.DEC.2016 14:43:51



Report No.: SZEM161000916605

Page: 60 of 96

5.1.3.2.2 Test Channel = HCH



Date: 8.DEC.2016 14:42:41



Report No.: SZEM161000916605

Page: 61 of 96

6 Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k * (Span / RBW)" with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


Part I - Test Plots

6.1 For WCDMA

6.1.1 Test Band = WCDMA 1900

6.1.1.1 Test Mode = UMTS/TM1

6.1.1.1.1 Test Channel = LCH




Date: 8.DEC.2016 20:19:55



Report No.: SZEM161000916605

Page: 62 of 96




Date: 8.DEC.2016 20:17:37



Report No.: SZEM161000916605

Page: 63 of 96




Date: 8.DEC.2016 20:17:59



Report No.: SZEM161000916605

Page: 64 of 96

6.1.1.1.2 Test Channel = MCH




Date: 8.DEC.2016 20:19:26



Report No.: SZEM161000916605

Page: 65 of 96




Date: 8.DEC.2016 20:17:04



Report No.: SZEM161000916605

Page: 66 of 96




Date: 8.DEC.2016 20:18:20



Report No.: SZEM161000916605

Page: 67 of 96

6.1.1.1.3 Test Channel = HCH




Date: 8.DEC.2016 20:18:57



Report No.: SZEM161000916605

Page: 68 of 96




Date: 8.DEC.2016 20:16:30



Report No.: SZEM161000916605

Page: 69 of 96



Date: 8.DEC.2016 20:18:34




Report No.: SZEM161000916605

Page: 70 of 96

6.1.2 Test Band = WCDMA 1700

6.1.2.1 Test Mode = UMTS/TM1

6.1.2.1.1 Test Channel = LCH




Date: 8.DEC.2016 20:09:22



Report No.: SZEM161000916605

Page: 71 of 96




Date: 8.DEC.2016 20:11:19



Report No.: SZEM161000916605

Page: 72 of 96




Date: 8.DEC.2016 20:13:59



Report No.: SZEM161000916605

Page: 73 of 96

6.1.2.1.2 Test Channel = MCH




Date: 8.DEC.2016 20:10:23



Report No.: SZEM161000916605

Page: 74 of 96




Date: 8.DEC.2016 20:12:04



Report No.: SZEM161000916605

Page: 75 of 96




Date: 8.DEC.2016 20:13:25



Report No.: SZEM161000916605

Page: 76 of 96

6.1.2.1.3 Test Channel = HCH




Date: 8.DEC.2016 20:10:52



Report No.: SZEM161000916605

Page: 77 of 96




Date: 8.DEC.2016 20:12:27



Report No.: SZEM161000916605

Page: 78 of 96



Date: 8.DEC.2016 20:12:51




Report No.: SZEM161000916605

Page: 79 of 96

6.1.3 Test Band = WCDMA 850

6.1.3.1 Test Mode = UMTS/TM1

6.1.3.1.1 Test Channel = LCH




Date: 2.DEC.2016 11:26:25



Report No.: SZEM161000916605

Page: 80 of 96




Date: 2.DEC.2016 11:34:36



Report No.: SZEM161000916605

Page: 81 of 96

6.1.3.1.2 Test Channel = MCH




Date: 2.DEC.2016 11:29:04



Report No.: SZEM161000916605

Page: 82 of 96




Date: 2.DEC.2016 11:36:42



Report No.: SZEM161000916605

Page: 83 of 96

6.1.3.1.3 Test Channel = HCH




Date: 2.DEC.2016 11:30:50



Report No.: SZEM161000916605

Page: 84 of 96



Date: 2.DEC.2016 11:37:52



Report No.: SZEM161000916605

Page: 85 of 96

7 Field Strength of Spurious Radiation

Part I - Test Plots

7.1 For WCDMA

7.1.1 Test Band = WCDMA 1900

7.1.1.1 Test Mode = UMTS/TM1

7.1.1.1.1 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
3702.975	-65.08	-13.00	52.08	Vertical	
7409.437	-64.62	-13.00	51.62	Vertical	
10646.437	-63.82	-13.00	50.82	Vertical	
3702.975	-57.20	-13.00	44.20	Horizontal	
7409.437	-63.85	-13.00	50.85	Horizontal	
10644.975	-63.86	-13.00	50.86	Horizontal	

7.1.1.1.2 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
3757.575	-66.87	-13.00	53.87	Vertical
6950.700	-65.55	-13.00	52.55	Vertical
10649.362	-63.77	-13.00	50.77	Vertical
3758.062	-60.60	-13.00	47.60	Horizontal
7520.100	-64.36	-13.00	51.36	Horizontal
10644.975	-63.91	-13.00	50.91	Horizontal

7.1.1.1.3 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization			
3813.150	-66.78	-13.00	53.78	Vertical			
6961.425	-65.50	-13.00	52.50	Vertical			
10624.987	-63.93	-13.00	50.93	Vertical			
3813.150	-62.78	-13.00	49.78	Horizontal			
7630.275	-64.18	-13.00	51.18	Horizontal			
10611.337	-63.93	-13.00	50.93	Horizontal			



Report No.: SZEM161000916605

Page: 86 of 96

7.1.2 Test Band = WCDMAband 1700

7.1.2.1 Test Mode = UMTS/TM1

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
2112.000	-48.36	-13.00	35.36	Vertical	
4838.362	-67.16	-13.00	54.16	Vertical	
10637.175	-63.89	-13.00	50.89	Vertical	
2113.000	-54.41	-13.00	41.41	Horizontal	
5135.737	-66.12	-13.00	53.12	Horizontal	
10622.062	-63.82	-13.00	50.82	Horizontal	

7.1.2.1.1 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
2132.500	-51.54	-13.00	38.54	Vertical	
6930.225	-65.21	-13.00	52.21	Vertical	
10643.512	-63.93	-13.00	50.93	Vertical	
2132.500	-55.60	-13.00	42.60	Horizontal	
6930.225	-64.16	-13.00	51.16	Horizontal	
10646.437	-63.85	-13.00	50.85	Horizontal	

7.1.2.1.2 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
2153.500	-51.06	-13.00	38.06	Vertical	
6282.825	-66.05	-13.00	53.05	Vertical	
10625.475	-63.93	-13.00	50.93	Vertical	
2152.000	-54.70	-13.00	41.70	Horizontal	
7010.175	-63.60	-13.00	50.60	Horizontal	
10617.675	-63.87	-13.00	50.87	Horizontal	



Report No.: SZEM161000916605

Page: 87 of 96

7.1.3 Test Band = WCDMAband 850

7.1.3.1 Test Mode = UMTS/TM1

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
1654.000	-62.26	-13.00	49.26	Vertical	
4136.850	-65.04	-13.00	52.04	Vertical	
9284.850	-64.47	-13.00	51.47	Vertical	
1654.000	-60.30	-13.00	47.30	Horizontal	
3301.275	-64.50	-13.00	51.50	Horizontal	
4136.362	-58.78	-13.00	45.78	Horizontal	

7.1.3.1.1 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
1671.500	-61.55	-13.00	48.55	Vertical	
4178.287	-61.87	-13.00	48.87	Vertical	
10648.387	-63.92	-13.00	50.92	Vertical	
1671.500	-59.42	-13.00	46.42	Horizontal	
4178.287	-53.76	-13.00	40.76	Horizontal	
9240.000	-64.44	-13.00	51.44	Horizontal	

7.1.3.1.2 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
1695.000	-60.74	-13.00	47.74	Vertical	
4237.275	-62.41	-13.00	49.41	Vertical	
9243.900	-64.44	-13.00	51.44	Vertical	
1695.000	-58.02	-13.00	45.02	Horizontal	
4237.275	-54.02	-13.00	41.02	Horizontal	
9265.350	-64.39	-13.00	51.39	Horizontal	

NOTE:

1) The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Report No.: SZEM161000916605

Page: 88 of 96

8 Frequency Stability

8.1 Frequency Error VS. Voltage

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				VL	1.25	0.00067	PASS
		LCH	TN	VN	-0.38	-0.00021	PASS
				VH	3.02	0.00163	PASS
				VL	1.83	0.00097	PASS
	UMTS/TM1	MCH	TN	VN	0.75	0.00040	PASS
				VH	-1.32	-0.00070	PASS
		НСН	TN	VL	1.62	0.00085	PASS
MCDMA				VN	-2.64	-0.00138	PASS
1900				VH	-4.34	-0.00228	PASS
1900		LCH	TN	VL	-5.53	-0.00299	PASS
				VN	-6.24	-0.00337	PASS
				VH	-3.48	-0.00188	PASS
				VL	-5.23	-0.00278	PASS
	UMTS/TM2	MCH	TN	VN	-2.12	-0.00113	PASS
				VH	-6.24	-0.00332	PASS
				VL	1.33	0.00070	PASS
		HCH	TN	VN	-4.73	-0.00248	PASS
				VH	-6.11	-0.00320	PASS



Report No.: SZEM161000916605

Page: 89 of 96

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				VL	-4.15	-0.00242	PASS
		LCH	TN	VN	-1.58	-0.00092	PASS
				VH	2.32	0.00135	PASS
				VL	-3.34	-0.00193	PASS
	UMTS/TM1	MCH	TN	VN	0.55	0.00032	PASS
				VH	-2.65	-0.00153	PASS
				VL	1.72	0.00098	PASS
		HCH	TN	VN	-4.61	-0.00263	PASS
WCDMA				VH	2.45	0.00140	PASS
1700			TN	VL	-4.03	-0.00235	PASS
		LCH		VN	-2.65	-0.00155	PASS
				VH	-1.05	-0.00061	PASS
				VL	-3.20	-0.00185	PASS
	UMTS/TM2	MCH	TN	VN	-2.89	-0.00167	PASS
				VH	-6.28	-0.00362	PASS
		НСН		VL	2.81	0.00160	PASS
			TN	VN	-3.07	-0.00175	PASS
				VH	-4.29	-0.00245	PASS



Report No.: SZEM161000916605

Page: 90 of 96

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				VL	-4.38	-0.00530	PASS
		LCH	TN	VN	-0.25	-0.00030	PASS
				VH	1.32	0.00160	PASS
				VL	-3.83	-0.00458	PASS
	UMTS/TM1	MCH	TN	VN	-2.34	-0.00280	PASS
				VH	-1.42	-0.00170	PASS
		НСН	TN	VL	-2.45	-0.00289	PASS
				VN	-4.60	-0.00543	PASS
WCDMA				VH	2.77	0.00327	PASS
850			TN	VL	-4.63	-0.00560	PASS
		LCH		VN	-5.35	-0.00647	PASS
				VH	-2.09	-0.00253	PASS
				VL	-4.38	-0.00524	PASS
	UMTS/TM2	MCH	TN	VN	-1.69	-0.00202	PASS
				VH	-5.72	-0.00684	PASS
				VL	2.31	0.00273	PASS
		HCH	TN	VN	-3.18	-0.00376	PASS
				VH	-4.23	-0.00500	PASS



Report No.: SZEM161000916605

Page: 91 of 96

8.2 Frequency Error VS. Temperature

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				-30	-3.72	-0.00201	PASS
				-20	1.60	0.00086	PASS
				-10	-3.47	-0.00187	PASS
				0	-2.62	-0.00141	PASS
		LCH	VN	10	1.36	0.00073	PASS
				20	-4.80	-0.00259	PASS
				30	1.68	0.00091	PASS
				40	-0.44	-0.00024	PASS
				50	-6.24	-0.00337	PASS
	UMTS/TM1			-30	-2.50	-2.50 -0.00133	PASS
				-20	-5.72 -0.00304	PASS	
			VN	-10	-1.89	-0.00101	PASS
WCDMA				0	-3.32	-0.00177	PASS
1900		MCH V		10	1.35	0.00072	PASS
1900				20	-2.92	-0.00155	PASS
				30	1.62	0.00086	PASS
				40	0.63	0.00034	PASS
				50	-2.35	-0.00125	PASS
				-30	-0.14	-0.00007	PASS
				-20	-3.62	-0.00190	PASS
				-10	2.54	0.00133	PASS
				0	-3.22	-0.00169	PASS
		НСН	VN	10	1.54	0.00081	PASS
				20	-2.58	-0.00135	PASS
				30	3.60	0.00189	PASS
				40	-0.73	-0.00038	PASS
				50	-4.33	-0.00227	PASS



Report No.: SZEM161000916605

Page: 92 of 96

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				-30	-2.59	-0.00140	PASS
				-20	1.26	0.00068	PASS
				-10	-4.97	-0.00268	PASS
				0	0.88	0.00048	PASS
		LCH	VN	10	-5.35 -0.0	-0.00289	PASS
				20	-4.11	-0.00222	PASS
				30	-3.96	-0.00214	PASS
				40	-5.31	-0.00287	PASS
				50	-2.74	-0.00148	PASS
	UMTS/TM2			-30	-1.98	-0.00105	PASS
		мсн	VN	-20	1.29	0.00069	PASS
				-10	-4.34	-0.00231	PASS
WCDMA				0	1.76	0.00094	PASS
1900				10	-5.40	-0.00287	PASS
1900				20	-3.33	-0.00177	PASS
				30	-2.13	-0.00113	PASS
				40	-3.08	-0.00164	PASS
				50	-2.50	-0.00133	PASS
				-30	-3.25	-0.00170	PASS
				-20	-6.14	-0.00322	PASS
				-10	-3.73	-0.00196	PASS
				0	-5.84	-0.00306	PASS
		HCH	VN	10	1.07	0.00056	PASS
				20	-2.03	-0.00106	PASS
				30	-3.12	-0.00164	PASS
				40	-2.84	-0.00149	PASS
				50	-4.17	-0.00219	PASS



Report No.: SZEM161000916605

Page: 93 of 96

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				-30	-5.43	-0.00317	PASS
				-20	-4.25	-0.00248	PASS
				-10	1.58	0.00092	PASS
				0	-3.45	-0.00201	PASS
		LCH	VN	10	-1.18	-0.00069	PASS
				20	1.28	0.00075	PASS
				30	-3.89	-0.00227	PASS
				40	-5.30	-0.00310	PASS
				50	-4.04	-0.00236	PASS
	UMTS/TM1			-30	-2.92	-0.00169	PASS
			VN	-20	1.58	0.00091	PASS
		мсн		-10	-2.43	-0.00140	PASS
WCDMA				0	4.34	0.00250	PASS
1700				10	-2.25	-0.00130	PASS
1700				20	-4.59	-0.00265	PASS
				30	-3.07	-0.00177	PASS
				40	-4.13	-0.00238	PASS
				50	-2.11	-0.00122	PASS
				-30	-5.35	-0.00305	PASS
				-20	-3.13	-0.00179	PASS
				-10	1.85	0.00106	PASS
				0	-6.37	-0.00363	PASS
		НСН	VN	10	-3.18	-0.00181	PASS
				20	-4.16	-0.00237	PASS
				30	1.51	0.00086	PASS
				40	-2.92	-0.00167	PASS
				50	-4.24	-0.00242	PASS



Report No.: SZEM161000916605

Page: 94 of 96

					ı ugu		
Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				-30	-5.15	-0.00301	PASS
				-20	-4.23	-0.00247	PASS
				-10	1.08	0.00063	PASS
				0	-3.47	-0.00203	PASS
		LCH	VN	10	-2.71	-0.00158	PASS
				20	-4.68	-0.00273	PASS
				30	1.82	0.00106	PASS
				40	-3.26	-0.00190	PASS
				50	-6.31	-0.00368	PASS
				-30	-4.42	-0.00255	PASS
	UMTS/TM2	мсн	VN	-20	-2.33	-0.00134	PASS
				-10	-4.54	-0.00262	PASS
WCDMA				0	1.89	0.00109	PASS
1700				10	-5.25	-0.00303	PASS
1700				20	-3.15	-0.00182	PASS
				30	-3.07	-0.00177	PASS
				40	1.13	0.00065	PASS
				50	-6.54	-0.00377	PASS
				-30	-3.45	-0.00197	PASS
				-20	2.32	0.00132	PASS
				-10	1.45	0.00083	PASS
				0	-5.30	-0.00302	PASS
		HCH	VN	10	-5.51	-0.00314	PASS
				20	-4.23	-0.00241	PASS
				30	-2.37	-0.00135	PASS
				40	-1.42	-0.00081	PASS
				50	-5.26	-0.00300	PASS



Report No.: SZEM161000916605

Page: 95 of 96

				1 ago. 50 01 00				
Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
				-30	-4.23	-0.00512	PASS	
				-20	1.38	0.00167	PASS	
				-10	0.32	0.00039	PASS	
				0	-4.94	-0.00598	PASS	
		LCH	VN	10	1.45	0.00175	PASS	
				20	-3.24	-0.00392	PASS	
				30	-5.32	-0.00644	PASS	
				40	-1.35	-0.00163	PASS	
				50	0.53	0.00064 0.00160 -0.00662	PASS	
				-30	1.34	0.00160	PASS	
			VN	-20	-5.54	-0.00662	PASS	
		1 MCH		-10	2.01	0.00240	PASS	
WCDMA				0	3.21	0.00384	PASS	
850	UMTS/TM1			10	-0.43	-0.00051	PASS	
030				20	1.65	0.00197	PASS	
				30	4.22	0.00504	PASS	
				40	-3.08	-0.00368	PASS	
				50	2.47	0.00295	PASS	
	ŀ			-30	3.22	0.00380	PASS	
				-20	-4.08	-0.00482	PASS	
				-10	2.34	0.00276	PASS	
				0	1.77	0.00209	PASS	
		HCH	VN	10	3.06	0.00361	PASS	
				20	-4.28	-0.00506	PASS	
				30	1.45	0.00171	PASS	
				40	-2.34	-0.00276	PASS	
				50	-5.75	-0.00679	PASS	



Report No.: SZEM161000916605

Page: 96 of 96

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				-30	-3.31	-0.00401	PASS
				-20	2.08	0.00252	PASS
				-10	1.07	0.00129	PASS
				0	1.86	0.00225	PASS
		LCH	VN	10	-2.76	-0.00334	PASS
				20	2.37	0.00287	PASS
				30	-1.12	-0.00136	PASS
				40	-4.22	-0.00511	PASS
				50	-6.45	-0.00780	PASS
	UMTS/TM2			-30	2.84		PASS
				-20	-2.33		PASS
		МСН	VN	-10	-4.26	-0.00509	PASS
WCDMA				0	-2.08	-0.00249	PASS
850				10	1.53	0.00183	PASS
000				20	-3.44	-0.00411	PASS
				30	2.22	0.00265	PASS
				40	-3.12	-0.00373	PASS
				50	-5.32	-0.00636	PASS
				-30	0.43	0.00051	PASS
				-20	-2.55	-0.00301	PASS
				-10	1.05	0.00124	PASS
				0	-3.23	-0.00382	PASS
		HCH	VN	10	1.44	0.00170	PASS
				20	-0.22	-0.00026	PASS
				30	-4.05	-0.00478	PASS
				40	1.85	0.00219	PASS
				50	-3.06	-0.00361	PASS

The End