

FCC RF Exposure Report

FCC ID : ZQ6-AP6234A

Equipment : Wifi Dual Band + BT combo module

Model No. : AP6234A, AP6234AL

Brand Name : Ampak

Applicant : Ampak Technology Inc

Address : No.1 Jen Al Road, Hsinchu Industrial Park,

Hukou, Hsinchu, Taiwan, 30352

Standard : 47 CFR FCC Part 2.1091

Received Date : May 21, 2014

Tested Date : May 21 ~ Jun. 04, 2014

We, International Certification Corp., would like to declare that the tested sample has been evaluated and in compliance with the requirement of the above standards. The test results contained in this report refer exclusively to the product. It may be duplicated completely for legal use with the approval of the applicant. It shall not be reproduced except in full without the written approval of our laboratory.

Approved & Reviewed by:

Gary Chang / Manager

Iac-MRA

TAF

Testing Laboratory

Report No.: FA440102-07 Report Version: Rev. 01 Page : 1 of 6



Table of Contents

1	GENERAL DESCRIPTION	4
	Information	
2	MPE EVALUATION OF MOBILE DEVICES	5
	LIMITS FOR GENERAL POPULATION/UNCONTROLLED EXPOSURE	
	MPE EVALUATION RESULTS	
3	TEST LABORATORY INFORMATION	6



Release Record

Report No.	Version	Description	Issued Date
FA440102-07	Rev. 01	Initial issue	Jun. 16, 2014

Report No.: FA440102-07 Page: 3 of 6



1 General Description

1.1 Information

This report is prepared for FCC class II change.

This report is issued as a duplicate report to original ICC report no. FR440102AC. The modification is adding SAW filter for 2.4G RF part, so only the 2.4G related tests will be re-evaluated. It this test report, all test items has been re-tested and only its data was recorded in the following sections.

Report No.: FA440102-07 Page: 4 of 6



2 MPE EVALUATION OF MOBILE DEVICES

Human exposure to RF emissions from mobile devices (47 CFR §2.1091) may be evaluated based on the MPE limits adopted by the FCC for electric and magnetic field strength and/or power density, as appropriate, since exposures are assumed to occur at distances of 20 cm or more from persons.

2.1 LIMITS FOR GENERAL POPULATION/UNCONTROLLED EXPOSURE

Frequency Range (MHz)	Power Density (mW /cm²)	Averaging Time (minutes)		
300~1500	F/1500	30		
1500~100000	1.0	30		

2.2 MPE EVALUATION FORMULA

$$Pd = \frac{Pt}{4*Pi*R^2}$$

Where

Pd= Power density in mW/cm²

Pt= EIRP in mW Pi= 3.1416

R= Measurement distance

2.3 MPE EVALUATION RESULTS

Modulation	Frequency Range (MHz)	Maximum Conducted Power (dBm)	Antenna Gain (dBi)	Distance (cm)	Power Density (mW/cm²)	Limit (mW/cm²)
BT EDR	2402~2480	7.34	2	20	0.002	1
BT LE	2402~2480	4.54	2	20	0.001	1
	2412~2462	18.92	2	20	0.025	1
	5180~5240	16.92	3	20	0.020	1
WLAN	5260~5320	17.09	3	20	0.020	1
	5500~5700	15.55	3	20	0.014	1
	5745~5825	15.34	3	20	0.014	1

Report No.: FA440102-07 Page: 5 of 6



3 Test laboratory information

Established in 2012, ICC provides foremost EMC & RF Testing and advisory consultation services by our skilled engineers and technicians. Our services employ a wide variety of advanced edge test equipment and one of the widest certification extents in the business.

International Certification Corp, it is our definitive objective is to institute long term, trust-based associations with our clients. The expectation we set up with our clients is based on outstanding service, practical expertise and devotion to a certified value structure. Our passion is to grant our clients with best EMC / RF services by oriented knowledgeable and accommodating staff.

Our Test sites are located at Linkou District and Kwei Shan Hsiang. Location map can be found on our website http://www.icertifi.com.tw.

Linkou Kwei Shan

Tel: 886-2-2601-1640 Tel: 886-3-271-8666

No. 30-2, Ding Fwu Tsuen, Lin Kou District, New Taipei
City, Taiwan, R.O.C.

No. 3-1, Lane 6, Wen San 3rd St., Kwei Shan
Hsiang, Tao Yuan Hsien 333, Taiwan, R.O.C.

If you have any suggestion, please feel free to contact us as below information

Tel: 886-3-271-8666 Fax: 886-3-318-0155

Email: ICC_Service@icertifi.com.tw

==END==

Report No.: FA440102-07 Page: 6 of 6