

Test Report No.50349171 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 50349171 001 Appendix D)

Contents


Spurious Emissions, Bandedge for 1DH5	2
Spurious Emissions, Bandedge for 3DH5	14
Spurious Emissions, TX Mode, 9kHz-30MHz	26
Spurious Emissions, TX Mode, 30MHz-1GHz	28
Spurious Emissions, TX Mode, 1GHz-26.5GHz	30
Spurious Emissions, AC Mains	42

Spurious Emissions, Bandedge for 1DH5


2402MHz




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2374.90	53.18	15.90	37.28	74.00	-20.82	275	17	Peak	Horizontal
2 *	2402.00	107.37	70.00	37.37	74.00	33.37	275	17	Peak	Horizontal
3	2837.11	54.57	16.55	38.02	74.00	-19.43	275	17	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2363.10	52.28	15.03	37.25	74.00	-21.72	382	40	Peak	Vertical
2 *	2402.00	100.83	63.46	37.37	74.00	26.83	382	40	Peak	Vertical
3	2707.31	54.70	16.89	37.81	74.00	-19.30	382	40	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.03	39.92	2.62	37.30	54.00	-14.08	275	17	Average	Horizontal
2 *	2402.00	106.84	69.47	37.37	54.00	52.84	275	17	Average	Horizontal
3	2499.86	41.61	4.03	37.58	54.00	-12.39	275	17	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2354.49	39.78	2.56	37.22	54.00	-14.22	382	40	Average	Vertical
2 *	2402.00	100.25	62.88	37.37	54.00	46.25	382	40	Average	Vertical
3	2666.54	45.63	7.80	37.83	54.00	-8.37	382	40	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.17	52.65	15.33	37.32	74.00	-21.35	376	24	Peak	Horizontal
2 *	2441.00	106.64	69.15	37.49	74.00	32.64	376	24	Peak	Horizontal
3	2772.09	54.58	16.70	37.88	74.00	-19.42	376	24	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2374.31	52.30	15.02	37.28	74.00	-21.70	362	287	Peak	Vertical
2 *	2441.00	101.07	63.58	37.49	74.00	27.07	362	287	Peak	Vertical
3	2666.48	54.98	17.15	37.83	74.00	-19.02	362	287	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.06	39.77	2.44	37.33	54.00	-14.23	376	24	Average	Horizontal
2 *	2441.00	106.18	68.69	37.49	54.00	52.18	376	24	Average	Horizontal
3	2499.74	43.59	6.01	37.58	54.00	-10.41	376	24	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2376.20	39.71	2.42	37.29	54.00	-14.29	362	287	Average	Vertical
2 *	2441.00	100.61	63.12	37.49	54.00	46.61	362	287	Average	Vertical
3	2666.48	43.74	5.91	37.83	54.00	-10.26	362	287	Average	Vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2366.05	53.56	16.31	37.25	74.00	-20.44	361	30	Peak	Horizontal
2 *	2480.00	106.12	68.56	37.56	74.00	32.12	361	30	Peak	Horizontal
3	2833.57	55.15	17.13	38.02	74.00	-18.85	361	30	Peak	Horizontal




Date: 2020-04-24

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2363.81	52.39	15.14	37.25	74.00	-21.61	281	265	Peak	Vertical
2 *	2480.00	100.52	62.96	37.56	74.00	26.52	281	265	Peak	Vertical
3	2716.86	54.25	16.43	37.82	74.00	-19.75	281	265	Peak	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2359.91	39.87	2.63	37.24	54.00	-14.13	361	30	Average	Horizontal
2 *	2480.00	105.64	68.08	37.56	54.00	51.64	361	30	Average	Horizontal
3	2499.74	43.63	6.05	37.58	54.00	-10.37	361	30	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.82	39.77	2.45	37.32	54.00	-14.23	281	265	Average	Vertical
2 *	2480.00	100.07	62.51	37.56	54.00	46.07	281	265	Average	Vertical
3	2499.86	41.81	4.23	37.58	54.00	-12.19	281	265	Average	Vertical

Spurious Emissions, Bandedge for 3DH5


2402MHz




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2328.64	53.02	15.88	37.14	74.00	-20.98	276	18	Peak	Horizontal
2 *	2402.00	107.73	70.36	37.37	74.00	33.73	276	18	Peak	Horizontal
3	2566.77	54.70	16.82	37.88	74.00	-19.30	276	18	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2355.31	52.33	15.11	37.22	74.00	-21.67	383	42	Peak	Vertical
2 *	2402.00	101.16	63.79	37.37	74.00	27.16	383	42	Peak	Vertical
3	2666.83	56.01	18.18	37.83	74.00	-17.99	383	42	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2364.52	39.72	2.47	37.25	54.00	-14.28	276	18	Average	Horizontal
2 *	2402.00	103.57	66.20	37.37	54.00	49.57	276	18	Average	Horizontal
3	2499.74	42.08	4.50	37.58	54.00	-11.92	276	18	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.94	39.80	2.47	37.33	54.00	-14.20	383	42	Average	Vertical
2 *	2402.00	97.02	59.65	37.37	54.00	43.02	383	42	Average	Vertical
3	2666.48	45.84	8.01	37.83	54.00	-8.16	383	42	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2322.51	52.73	15.61	37.12	74.00	-21.27	268	22	Peak	Horizontal
2 *	2441.00	107.50	70.01	37.49	74.00	33.50	268	22	Peak	Horizontal
3	2666.95	55.04	17.21	37.83	74.00	-18.96	268	22	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2364.52	52.75	15.50	37.25	74.00	-21.25	317	261	Peak	Vertical
2 *	2441.00	101.37	63.88	37.49	74.00	27.37	317	261	Peak	Vertical
3	2787.66	54.67	16.77	37.90	74.00	-19.33	317	261	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2366.76	39.87	2.61	37.26	54.00	-14.13	268	22	Average	Horizontal
2 *	2441.00	103.60	66.11	37.49	54.00	49.60	268	22	Average	Horizontal
3	2858.94	41.47	3.36	38.11	54.00	-12.53	268	22	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.34	39.78	2.46	37.32	54.00	-14.22	317	261	Average	Vertical
2 *	2441.00	97.32	59.83	37.49	54.00	43.32	317	261	Average	Vertical
3	2499.86	42.12	4.54	37.58	54.00	-11.88	317	261	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2364.75	52.17	14.92	37.25	74.00	-21.83	362	29	Peak	Horizontal
2 *	2480.00	106.87	69.31	37.56	74.00	32.87	362	29	Peak	Horizontal
3	2740.82	54.70	16.86	37.84	74.00	-19.30	362	29	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2370.53	52.44	15.17	37.27	74.00	-21.56	281	265	Peak	Vertical
2 *	2480.00	101.95	64.39	37.56	74.00	27.95	281	265	Peak	Vertical
3	2729.02	54.90	17.07	37.83	74.00	-19.10	281	265	Peak	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.93	39.88	2.56	37.32	54.00	-14.12	362	29	Average	Horizontal
2 *	2480.00	102.90	65.34	37.56	54.00	48.90	362	29	Average	Horizontal
3	2499.86	42.84	5.26	37.58	54.00	-11.16	362	29	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2358.50	39.67	2.43	37.24	54.00	-14.33	281	265	Average	Vertical
2 *	2480.00	97.79	60.23	37.56	54.00	43.79	281	265	Average	Vertical
3	2499.86	41.63	4.05	37.58	54.00	-12.37	281	265	Average	Vertical

Spurious Emissions, TX Mode, 9kHz-30MHz


2402MHz, 1DH5



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit	cm	deg		
			Factor						
				dB/m	dBuV/m				
1	0.01	83.87	4.61	79.26	127.92	-44.05	100	49 QP	vertical
2	0.03	72.55	1.25	71.30	119.00	-46.45	100	344 QP	vertical
3	0.04	66.15	-0.65	66.80	114.92	-48.77	100	278 QP	vertical
4	0.07	61.67	-1.14	62.81	111.15	-49.48	100	70 QP	vertical
5	0.09	57.85	-2.21	60.06	108.20	-50.35	100	241 QP	vertical
6	0.12	55.28	-3.02	58.30	106.28	-51.00	100	186 QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.27	64.16	12.69	51.47	99.09	-34.93	100	139 QP		vertical
2	1.95	50.88	12.12	38.76	69.50	-18.62	100	55 QP		vertical
3	8.65	50.62	12.73	37.89	69.50	-18.88	100	185 QP		vertical
4	15.42	49.82	12.17	37.65	69.50	-19.68	100	121 QP		vertical
5	21.58	48.54	12.59	35.95	69.50	-20.96	100	348 QP		vertical
6	28.90	50.26	13.25	37.01	69.50	-19.24	100	106 QP		vertical

Spurious Emissions, TX Mode, 30MHz-1GHz


2402MHz, 1DH5



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	174.14	25.77	33.43	-7.66	43.50	-17.73	200	140	QP	horizontal
2	218.18	26.32	35.93	-9.61	46.00	-19.68	100	283	QP	horizontal
3	575.33	27.93	29.69	-1.76	46.00	-18.07	234	0	QP	horizontal
4	672.92	29.79	30.15	-0.36	46.00	-16.21	100	283	QP	horizontal
5	756.34	31.24	30.00	1.24	46.00	-14.76	100	32	QP	horizontal
6	843.64	31.87	29.53	2.34	46.00	-14.13	400	158	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	37.86	24.79	33.04	-8.25	40.00	-15.21	100	184	QP	vertical
2	159.59	23.47	30.94	-7.47	43.50	-20.03	100	270	QP	vertical
3	542.84	27.31	29.84	-2.53	46.00	-18.69	400	28	QP	vertical
4	645.56	29.46	30.06	-0.60	46.00	-16.54	200	119	QP	vertical
5	763.13	30.71	29.35	1.36	46.00	-15.29	320	360	QP	vertical
6	884.57	32.12	29.21	2.91	46.00	-13.88	400	7	QP	vertical

Spurious Emissions, TX Mode, 1GHz-26.5GHz

2402MHz, 1DH5




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-25


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	38.95	49.15	-10.20	74.00	-35.05	400	20	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7206.00	44.24	51.89	-7.65	74.00	-29.76	300	62	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-25


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.00	39.64	49.70	-10.06	74.00	-34.36	400	218	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.00	39.04	49.10	-10.06	74.00	-34.96	300	94	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-25


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	39.25	49.01	-9.76	74.00	-34.75	400	152	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	40.01	49.77	-9.76	74.00	-33.99	300	100	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-25


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	39.93	50.13	-10.20	74.00	-34.07	200	294	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	38.72	48.92	-10.20	74.00	-35.28	388	25	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-25


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.00	40.74	50.80	-10.06	74.00	-33.26	100	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.00	39.59	49.65	-10.06	74.00	-34.41	100	321	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	39.22	48.98	-9.76	74.00	-34.78	400	207	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	39.42	49.18	-9.76	74.00	-34.58	309	360	Peak	vertical

Spurious Emissions, AC Mains

2402MHz, 1DH5




TUV Rheinland Taiwan Ltd(New Taipei City Branch).
 No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
 Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Read Freq	Read Level	Factor	Over Level	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dB			
1	0.151	30.22	10.11	40.33	-25.63	QP	line1	
2	0.151	8.81	10.11	18.92	-37.04	Average	line1	
3	0.204	34.74	10.11	44.85	-18.58	QP	line1	
4	0.204	30.21	10.11	40.32	-13.11	Average	line1	
5	0.338	22.44	10.11	32.55	-26.70	QP	line1	
6	0.338	20.61	10.11	30.72	-18.53	Average	line1	
7	2.701	14.24	10.18	24.42	-31.58	QP	line1	
8	2.701	1.34	10.18	11.52	-34.48	Average	line1	
9	11.350	21.91	10.40	32.31	-27.69	QP	line1	
10	11.350	12.37	10.40	22.77	-27.23	Average	line1	
11	20.643	27.12	10.56	37.68	-22.32	QP	line1	
12	20.643	20.62	10.56	31.18	-18.82	Average	line1	



Trace: 1

	Read	Over					
Freq	Level	Factor	Level	Limit	Remark	Pol/Phase	Note
MHz	dBuV	dB	dBuV	dB			
1	0.151	29.32	10.11	39.43	-26.53	QP	neutral
2	0.151	8.72	10.11	18.83	-37.13	Average	neutral
3	0.203	34.59	10.11	44.70	-18.77	QP	neutral
4	0.203	30.41	10.11	40.52	-12.95	Average	neutral
5	0.338	22.73	10.10	32.83	-26.42	QP	neutral
6	0.338	20.99	10.10	31.09	-18.16	Average	neutral
7	2.715	16.74	10.17	26.91	-29.09	QP	neutral
8	2.715	6.05	10.17	16.22	-29.78	Average	neutral
9	11.350	22.15	10.40	32.55	-27.45	QP	neutral
10	11.350	12.58	10.40	22.98	-27.02	Average	neutral
11	20.643	26.60	10.58	37.18	-22.82	QP	neutral
12	20.643	18.25	10.58	28.83	-21.17	Average	neutral