

Test Report No.50349169 001

Appendix D: Radiated Spurious Emission Data

(File: 50349169 001 Appendix D)

Contents


Spurious Emissions, Bandedge, Band 1	2
Spurious Emissions, TX Mode, 9kHz-30MHz, Band 1.....	38
Spurious Emissions, TX Mode, 30MHz-1GHz, Band 1	40
Spurious Emissions, TX Mode, 1GHz-40GHz, Band 1	42
Spurious Emissions, Bandedge, Band 2	60
Spurious Emissions, TX Mode, 9kHz-30MHz, Band 2.....	96
Spurious Emissions, TX Mode, 30MHz-1GHz, Band 2.....	98
Spurious Emissions, TX Mode, 1GHz-40GHz, Band 2	100
Spurious Emissions, Bandedge, Band 3	118
Spurious Emissions, TX Mode, 9kHz-30MHz, Band 3.....	162
Spurious Emissions, TX Mode, 30MHz-1GHz, Band 3.....	164
Spurious Emissions, TX Mode, 1GHz-40GHz, Band 3	166
Spurious Emissions, Bandedge, Band 4	188
Spurious Emissions, TX Mode, 9kHz-30MHz, Band 4.....	224
Spurious Emissions, TX Mode, 30MHz-1GHz, Band 4.....	226
Spurious Emissions, TX Mode, 1GHz-40GHz, Band 4	228
Spurious Emissions, AC Mains	246

Spurious Emissions, Bandedge, Band 1


5180MHz, 802.11a Mode




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5147.50	73.48	30.93	42.55	74.00	-0.52	320	330	Peak	Horizontal
2 *	5180.00	112.77	70.07	42.70	74.00	38.77	320	330	Peak	Horizontal
3	5402.00	57.22	13.98	43.24	74.00	-16.78	320	330	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.50	62.80	20.27	42.53	74.00	-11.20	367	246	Peak	Vertical
2 *	5180.00	110.64	67.94	42.70	74.00	36.64	367	246	Peak	Vertical
3	5409.50	56.36	13.14	43.22	74.00	-17.64	367	246	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.50	52.32	9.76	42.56	54.00	-1.68	320	330	Average	Horizontal
2 *	5180.00	102.50	59.80	42.70	54.00	48.50	320	330	Average	Horizontal
3	5403.50	45.27	2.03	43.24	54.00	-8.73	320	330	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.50	47.91	5.35	42.56	54.00	-6.09	367	246	Average	Vertical
2 *	5180.00	101.32	58.62	42.70	54.00	47.32	367	246	Average	Vertical
3	5401.00	44.13	0.88	43.25	54.00	-9.87	367	246	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




Date: 2020-05-18

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	71.52	28.96	42.56	74.00	-2.48	290	353	Peak	Horizontal
2 *	5200.00	112.98	70.18	42.80	74.00	38.98	100	296	Peak	Horizontal
3	5352.00	57.59	14.48	43.11	74.00	-16.41	100	296	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.50	69.07	26.51	42.56	74.00	-4.93	347	88	Peak	Vertical
2 *	5200.00	111.46	68.66	42.80	74.00	37.46	347	232	Peak	Vertical
3	5379.50	57.26	14.06	43.20	74.00	-16.74	347	232	Peak	Vertical



Date: 2020-05-18

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.00	51.02	8.46	42.56	54.00	-2.98	290	353	Average	Horizontal
2 *	5200.00	104.27	61.47	42.80	54.00	50.27	100	296	Average	Horizontal
3	5424.00	45.59	2.42	43.17	54.00	-8.41	100	296	Average	Horizontal




Date: 2020-05-18


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	50.44	7.88	42.56	54.00	-3.56	347	88	Average	Vertical
2 *	5200.00	103.04	60.24	42.80	54.00	49.04	347	232	Average	Vertical
3	5424.00	45.14	1.97	43.17	54.00	-8.86	347	232	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5143.00	56.06	13.54	42.52	74.00	-17.94	345	357	Peak	Horizontal
2 *	5240.00	115.02	72.03	42.99	74.00	41.02	345	357	Peak	Horizontal
3	5355.00	57.86	14.73	43.13	74.00	-16.14	345	357	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5095.00	56.57	14.28	42.29	74.00	-17.43	362	232	Peak	Vertical
2 *	5240.00	113.38	70.39	42.99	74.00	39.38	362	232	Peak	Vertical
3	5389.50	57.46	14.24	43.22	74.00	-16.54	362	232	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.00	44.21	1.66	42.55	54.00	-9.79	345	357	Average	Horizontal
2 *	5240.00	105.77	62.78	42.99	54.00	51.77	345	357	Average	Horizontal
3	5388.50	45.20	1.98	43.22	54.00	-8.80	345	357	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	44.63	2.07	42.56	54.00	-9.37	362	232	Average	Vertical
2 *	5240.00	103.86	60.87	42.99	54.00	49.86	362	232	Average	Vertical
3	5388.00	44.97	1.75	43.22	54.00	-9.03	362	232	Average	Vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.50	66.66	24.11	42.55	74.00	-7.34	270	295	Peak	Horizontal
2 *	5210.00	102.46	59.62	42.84	74.00	28.46	350	329	Peak	Horizontal
3	5368.00	57.89	14.72	43.17	74.00	-16.11	350	329	Peak	Horizontal




Date: 2020-04-18

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.00	63.79	21.26	42.53	74.00	-10.21	398	248	Peak	Vertical
2 *	5210.00	99.37	56.53	42.84	74.00	25.37	333	269	Peak	Vertical
3	5380.50	57.82	14.62	43.20	74.00	-16.18	333	269	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5148.50	53.27	10.72	42.55	54.00	-0.73	270	295	Average	Horizontal
2 *	5210.00	92.61	49.77	42.84	54.00	38.61	350	329	Average	Horizontal
3	5350.00	46.71	3.60	43.11	54.00	-7.29	350	329	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.50	52.92	10.36	42.56	54.00	-1.08	398	248	Average	Vertical
2 *	5210.00	89.59	46.75	42.84	54.00	35.59	333	269	Average	Vertical
3	5370.00	45.56	2.39	43.17	54.00	-8.44	333	269	Average	Vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.00	73.61	31.14	42.47	74.00	-0.39	106	295	Peak	Horizontal
2 *	5180.00	112.93	70.37	42.56	74.00	38.93	104	295	Peak	Horizontal
3	5407.00	57.28	14.25	43.03	74.00	-16.72	104	295	Peak	Horizontal




Date: 2020-04-16

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.00	73.32	30.85	42.47	74.00	-0.68	370	114	Peak	Vertical
2 *	5180.00	111.64	69.08	42.56	74.00	37.64	365	114	Peak	Vertical
3	5376.50	56.99	14.07	42.92	74.00	-17.01	365	114	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	53.35	10.88	42.47	54.00	-0.65	104	295	Average	Horizontal
2 *	5180.00	103.70	61.14	42.56	54.00	49.70	104	295	Average	Horizontal
3	5403.50	44.50	1.49	43.01	54.00	-9.50	104	295	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.00	52.87	10.40	42.47	54.00	-1.13	370	114	Average	Vertical
2 *	5180.00	102.14	59.58	42.56	54.00	48.14	365	114	Average	Vertical
3	5402.50	44.90	1.90	43.00	54.00	-9.10	365	114	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5138.25	70.64	28.13	42.51	74.00	-3.36	288	359	Peak	Horizontal
2 *	5200.00	112.44	69.62	42.82	74.00	38.44	365	297	Peak	Horizontal
3	5411.75	57.33	14.08	43.25	74.00	-16.67	365	297	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5150.00	70.31	27.74	42.57	74.00	-3.69	340	236	Peak	Vertical
2 *	5200.00	110.14	67.32	42.82	74.00	36.14	396	216	Peak	Vertical
3	5417.75	56.85	13.61	43.24	74.00	-17.15	396	216	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.75	52.08	9.51	42.57	54.00	-1.92	288	359	Average	Horizontal
2 *	5200.00	102.59	59.77	42.82	54.00	48.59	365	297	Average	Horizontal
3	5351.25	45.14	1.99	43.15	54.00	-8.86	365	297	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.00	51.16	8.59	42.57	54.00	-2.84	340	236	Average	Vertical
2 *	5200.00	100.44	57.62	42.82	54.00	46.44	396	216	Average	Vertical
3	5424.75	44.70	1.49	43.21	54.00	-9.30	396	216	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5098.50	57.13	14.81	42.32	74.00	-16.87	100	304	Peak	Horizontal
2 *	5240.00	112.39	69.38	43.01	74.00	38.39	100	304	Peak	Horizontal
3	5388.00	58.24	14.98	43.26	74.00	-15.76	100	304	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5083.25	55.97	13.73	42.24	74.00	-18.03	366	222	Peak	Vertical
2 *	5240.00	110.81	67.80	43.01	74.00	36.81	366	222	Peak	Vertical
3	5389.75	56.33	13.07	43.26	74.00	-17.67	366	222	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.25	43.98	1.43	42.55	54.00	-10.02	100	304	Average	Horizontal
2 *	5240.00	103.26	60.25	43.01	54.00	49.26	100	304	Average	Horizontal
3	5390.50	46.59	3.33	43.26	54.00	-7.41	100	304	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.25	43.50	0.93	42.57	54.00	-10.50	366	222	Average	Vertical
2 *	5240.00	101.74	58.73	43.01	54.00	47.74	366	222	Average	Vertical
3	5389.25	44.21	0.95	43.26	54.00	-9.79	366	222	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




Date: 2020-04-18


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5148.50	68.26	25.71	42.55	74.00	-5.74	113	300	Peak	Horizontal
2 *	5190.00	106.48	63.73	42.75	74.00	32.48	113	300	Peak	Horizontal
3	5365.00	56.82	13.67	43.15	74.00	-17.18	113	300	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.50	65.05	22.49	42.56	74.00	-8.95	328	245	Peak	Vertical
2 *	5190.00	102.75	60.00	42.75	74.00	28.75	328	245	Peak	Vertical
3	5376.00	56.30	13.12	43.18	74.00	-17.70	328	245	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5148.50	52.73	10.18	42.55	54.00	-1.27	113	300	Average	Horizontal
2 *	5190.00	96.39	53.64	42.75	54.00	42.39	113	300	Average	Horizontal
3	5353.50	44.23	1.10	43.13	54.00	-9.77	113	300	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.50	52.32	9.76	42.56	54.00	-1.68	328	245	Average	Vertical
2 *	5190.00	92.49	49.74	42.75	54.00	38.49	328	245	Average	Vertical
3	5397.50	43.63	0.39	43.24	54.00	-10.37	328	245	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.50	63.41	20.88	42.53	74.00	-10.59	342	329	Peak	Horizontal
2 *	5230.00	107.49	64.55	42.94	74.00	33.49	100	309	Peak	Horizontal
3	5389.50	57.19	13.97	43.22	74.00	-16.81	100	309	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.00	60.56	18.03	42.53	74.00	-13.44	391	217	Peak	Vertical
2 *	5230.00	106.39	63.45	42.94	74.00	32.39	391	217	Peak	Vertical
3	5436.75	57.19	14.06	43.13	74.00	-16.81	391	217	Peak	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.75	48.73	6.17	42.56	54.00	-5.27	342	329	Average	Horizontal
2 *	5230.00	98.36	55.42	42.94	54.00	44.36	100	309	Average	Horizontal
3	5377.75	45.45	2.26	43.19	54.00	-8.55	100	309	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.25	45.30	2.77	42.53	54.00	-8.70	391	217	Average	Vertical
2 *	5230.00	96.73	53.79	42.94	54.00	42.73	391	217	Average	Vertical
3	5353.00	44.63	1.50	43.13	54.00	-9.37	391	217	Average	Vertical

Spurious Emissions, TX Mode, 9kHz-30MHz, Band 1


5180MHz, 802.11an20 Mode



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	82.40	4.87	77.53	125.95	-43.55	100	243	QP	vertical
2	0.03	71.98	1.23	70.75	118.05	-46.07	100	320	QP	vertical
3	0.07	62.56	0.02	62.54	110.87	-48.31	100	161	QP	vertical
4	0.09	58.79	-1.73	60.52	108.60	-49.81	100	9	QP	vertical
5	0.11	56.64	-2.01	58.65	106.74	-50.10	100	178	QP	vertical
6	0.14	53.52	-3.43	56.95	104.69	-51.17	100	278	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.24	64.08	11.72	52.36	100.12	-36.04	100	44 QP		vertical
2	2.74	50.43	12.09	38.34	69.50	-19.07	100	196 QP		vertical
3	12.13	50.74	13.43	37.31	69.50	-18.76	100	25 QP		vertical
4	18.02	50.01	13.18	36.83	69.50	-19.49	100	191 QP		vertical
5	22.26	48.21	12.42	35.79	69.50	-21.29	100	186 QP		vertical
6	28.24	47.97	12.36	35.61	69.50	-21.53	100	332 QP		vertical

Spurious Emissions, TX Mode, 30MHz-1GHz, Band 1


5180MHz, 802.11an20 Mode



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	57.16	31.48	39.38	-7.90	40.00	-8.52	400	134	QP	horizontal
2	202.56	27.74	37.57	-9.83	43.50	-15.76	200	275	QP	horizontal
3	339.14	25.98	31.67	-5.69	46.00	-20.02	100	153	QP	horizontal
4	603.85	28.75	29.94	-1.19	46.00	-17.25	200	68	QP	horizontal
5	722.10	30.47	29.93	0.54	46.00	-15.53	164	360	QP	horizontal
6	874.77	33.20	30.41	2.79	46.00	-12.80	300	256	QP	horizontal



Date: 2020-04-28


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	30.78	33.56	42.69	-9.13	40.00	-6.44	200	119	QP	vertical
2	48.33	33.40	40.90	-7.50	40.00	-6.60	100	149	QP	vertical
3	126.52	25.27	34.80	-9.53	43.50	-18.23	100	134	QP	vertical
4	189.95	24.75	34.45	-9.70	43.50	-18.75	100	304	QP	vertical
5	635.86	29.13	29.84	-0.71	46.00	-16.87	200	0	QP	vertical
6	683.59	29.89	30.01	-0.12	46.00	-16.11	400	178	QP	vertical

Spurious Emissions, TX Mode, 1GHz-40GHz, Band 1


5180MHz, 802.11a Mode



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	10360.00	62.69	66.50	-3.81	68.20	-5.51	100	225	Peak	horizontal




Date: 2020-04-21

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.00	60.68	64.49	-3.81	68.20	-7.52	389	66	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-05-18


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	60.07	63.79	-3.72	68.20	-8.13	204	231	Peak	horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	60.60	64.32	-3.72	68.20	-7.60	400	65	Peak	vertical	



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	61.44	65.08	-3.64	68.20	-6.76	400	140	Peak	horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	54.07	57.71	-3.64	68.20	-14.13	300	72	Peak	vertical	



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10420.00	47.18	50.88	-3.70	68.20	-21.02	100	234	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10420.00	52.29	55.99	-3.70	68.20	-15.91	362	267	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	10360.00	62.67	66.48	-3.81	68.20	-5.53	100	228	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.00	54.43	58.24	-3.81	68.20	-13.77	277	274	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	10400.00	62.80	66.52	-3.72	68.20	-5.40	100	229	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	55.84	59.56	-3.72	68.20	-12.36	190	88	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	61.93	65.57	-3.64	68.20	-6.27	100	298	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	54.63	58.27	-3.64	68.20	-13.57	315	270	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10380.00	55.98	59.75	-3.77	68.20	-12.22	100	224	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10380.00	52.50	56.27	-3.77	68.20	-15.70	298	270	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10460.00	57.47	61.14	-3.67	68.20	-10.73	100	300	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10460.00	52.65	56.32	-3.67	68.20	-15.55	320	273	Peak	vertical

Spurious Emissions, Bandedge, Band 2


5260MHz, 802.11a Mode




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.00	57.25	14.72	42.53	74.00	-16.75	294	336	Peak	Horizontal
2 *	5260.00	114.59	71.53	43.06	74.00	40.59	294	336	Peak	Horizontal
3	5355.50	56.88	13.75	43.13	74.00	-17.12	294	336	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5133.50	56.34	13.87	42.47	74.00	-17.66	359	122	Peak	Vertical
2 *	5260.00	111.91	68.85	43.06	74.00	37.91	359	122	Peak	Vertical
3	5452.00	57.80	14.71	43.09	74.00	-16.20	359	122	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5112.50	44.58	2.20	42.38	54.00	-9.42	294	336	Average	Horizontal
2 *	5260.00	104.23	61.17	43.06	54.00	50.23	294	336	Average	Horizontal
3	5408.00	45.15	1.92	43.23	54.00	-8.85	294	336	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.50	44.00	1.45	42.55	54.00	-10.00	359	122	Average	Vertical
2 *	5260.00	102.90	59.84	43.06	54.00	48.90	359	122	Average	Vertical
3	5407.50	44.78	1.55	43.23	54.00	-9.22	359	122	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5083.50	56.79	14.55	42.24	74.00	-17.21	304	358	Peak	Horizontal
2 *	5300.00	114.00	70.83	43.17	74.00	40.00	304	358	Peak	Horizontal
3	5353.00	64.76	21.63	43.13	74.00	-9.24	300	345	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5141.00	56.53	14.02	42.51	74.00	-17.47	354	227	Peak	Vertical
2 *	5300.00	111.87	68.70	43.17	74.00	37.87	354	227	Peak	Vertical
3	5351.50	63.68	20.57	43.11	74.00	-10.32	354	88	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5086.50	44.08	1.82	42.26	54.00	-9.92	304	358	Average	Horizontal
2 *	5300.00	105.46	62.29	43.17	54.00	51.46	304	358	Average	Horizontal
3 !	5350.50	50.07	6.96	43.11	54.00	-3.93	300	345	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5000.00	44.64	2.70	41.94	54.00	-9.36	354	227	Average	Vertical
2 *	5300.00	103.26	60.09	43.17	54.00	49.26	354	227	Average	Vertical
3 !	5351.00	48.76	5.65	43.11	54.00	-5.24	356	88	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5035.00	56.43	14.39	42.04	74.00	-17.57	302	358	Peak	Horizontal
2 *	5320.00	115.50	72.35	43.15	74.00	41.50	302	358	Peak	Horizontal
3 !	5353.00	72.15	29.02	43.13	74.00	-1.85	285	344	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5112.50	56.36	13.98	42.38	74.00	-17.64	370	231	Peak	Vertical
2 *	5320.00	111.47	68.32	43.15	74.00	37.47	370	231	Peak	Vertical
3	5351.50	67.67	24.56	43.11	74.00	-6.33	370	234	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5137.00	43.86	1.36	42.50	54.00	-10.14	302	358	Average	Horizontal
2 *	5320.00	105.56	62.41	43.15	54.00	51.56	302	358	Average	Horizontal
3 !	5351.00	52.83	9.72	43.11	54.00	-1.17	285	344	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5122.50	43.85	1.42	42.43	54.00	-10.15	370	231	Average	Vertical
2 *	5320.00	101.95	58.80	43.15	54.00	47.95	370	231	Average	Vertical
3 !	5350.50	50.24	7.13	43.11	54.00	-3.76	370	234	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5128.25	57.38	14.93	42.45	74.00	-16.62	100	313	Peak	Horizontal
2 *	5290.00	103.25	60.10	43.15	74.00	29.25	100	313	Peak	Horizontal
3 !	5351.75	73.13	30.02	43.11	74.00	-0.87	100	296	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.25	57.27	14.73	42.54	74.00	-16.73	380	218	Peak	Vertical
2 *	5290.00	102.00	58.85	43.15	74.00	28.00	380	218	Peak	Vertical
3	5354.00	67.10	23.97	43.13	74.00	-6.90	391	232	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.75	45.96	3.43	42.53	54.00	-8.04	100	314	Average	Horizontal
2 *	5290.00	93.81	50.66	43.15	54.00	39.81	100	314	Average	Horizontal
3 !	5350.00	53.16	10.05	43.11	54.00	-0.84	100	296	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.25	45.08	2.54	42.54	54.00	-8.92	380	218	Average	Vertical
2 *	5290.00	91.45	48.30	43.15	54.00	37.45	380	218	Average	Vertical
3 !	5360.00	50.49	7.35	43.14	54.00	-3.51	391	232	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




Date: 2020-04-20


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.50	56.58	14.02	42.56	74.00	-17.42	100	317	Peak	Horizontal
2 *	5260.00	111.42	68.36	43.06	74.00	37.42	100	317	Peak	Horizontal
3	5411.25	58.08	14.86	43.22	74.00	-15.92	100	317	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5132.75	57.56	15.09	42.47	74.00	-16.44	383	216	Peak	Vertical
2 *	5260.00	110.63	67.57	43.06	74.00	36.63	383	216	Peak	Vertical
3	5366.25	57.25	14.09	43.16	74.00	-16.75	383	216	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.75	43.92	1.39	42.53	54.00	-10.08	100	317	Average	Horizontal
2 *	5260.00	102.56	59.50	43.06	54.00	48.56	100	317	Average	Horizontal
3	5410.25	45.35	2.13	43.22	54.00	-8.65	100	317	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.00	43.51	0.95	42.56	54.00	-10.49	383	216	Average	Vertical
2 *	5260.00	101.57	58.51	43.06	54.00	47.57	383	216	Average	Vertical
3	5406.50	44.16	0.93	43.23	54.00	-9.84	383	216	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5113.00	56.76	14.38	42.38	74.00	-17.24	100	308	Peak	Horizontal
2 *	5300.00	112.06	68.89	43.17	74.00	38.06	100	308	Peak	Horizontal
3	5351.25	67.18	24.07	43.11	74.00	-6.82	100	318	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.75	56.00	13.45	42.55	74.00	-18.00	359	360	Peak	Vertical
2 *	5300.00	108.52	65.35	43.17	74.00	34.52	359	360	Peak	Vertical
3	5371.25	60.53	17.36	43.17	74.00	-13.47	298	226	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.00	43.60	1.05	42.55	54.00	-10.40	100	308	Average	Horizontal
2 *	5300.00	102.29	59.12	43.17	54.00	48.29	100	308	Average	Horizontal
3 !	5350.00	49.11	6.00	43.11	54.00	-4.89	100	318	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.75	43.42	0.87	42.55	54.00	-10.58	359	360	Average	Vertical
2 *	5299.00	99.26	56.09	43.17	54.00	45.26	359	360	Average	Vertical
3	5381.25	46.28	3.08	43.20	54.00	-7.72	298	226	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.00	55.79	13.34	42.45	74.00	-18.21	290	344	Peak	Horizontal
2 *	5320.00	114.39	71.69	42.70	74.00	40.39	290	344	Peak	Horizontal
3 !	5351.50	70.06	27.21	42.85	74.00	-3.94	287	342	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4969.50	55.43	13.18	42.25	74.00	-18.57	357	235	Peak	Vertical
2 *	5320.00	110.77	68.07	42.70	74.00	36.77	357	235	Peak	Vertical
3 !	5356.50	69.71	26.85	42.86	74.00	-4.29	357	120	Peak	Vertical



Date: 2020-04-16


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5141.00	43.60	1.18	42.42	54.00	-10.40	290	344	Average	Horizontal
2 *	5320.00	103.82	61.12	42.70	54.00	49.82	290	344	Average	Horizontal
3 !	5350.00	52.99	10.14	42.85	54.00	-1.01	287	342	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5106.50	43.39	1.13	42.26	54.00	-10.61	357	235	Average	Vertical
2 *	5320.00	101.52	58.82	42.70	54.00	47.52	357	235	Average	Vertical
3 !	5351.00	50.15	7.30	42.85	54.00	-3.85	357	120	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




Date: 2020-04-20


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5113.75	56.32	13.93	42.39	74.00	-17.68	100	302	Peak	Horizontal
2 *	5270.00	107.75	64.66	43.09	74.00	33.75	100	302	Peak	Horizontal
3	5351.50	64.67	21.56	43.11	74.00	-9.33	100	300	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.25	56.23	13.68	42.55	74.00	-17.77	386	360	Peak	Vertical
2 *	5270.00	104.27	61.18	43.09	74.00	30.27	386	360	Peak	Vertical
3	5354.25	58.15	15.02	43.13	74.00	-15.85	386	360	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.50	44.28	1.73	42.55	54.00	-9.72	100	302	Average	Horizontal
2 *	5270.00	99.72	56.63	43.09	54.00	45.72	100	302	Average	Horizontal
3 !	5350.25	48.10	4.99	43.11	54.00	-5.90	100	300	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5131.25	44.07	1.60	42.47	54.00	-9.93	386	360	Average	Vertical
2 *	5270.00	95.56	52.47	43.09	54.00	41.56	386	360	Average	Vertical
3	5356.00	44.88	1.75	43.13	54.00	-9.12	386	360	Average	Vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5127.00	57.07	14.62	42.45	74.00	-16.93	100	304	Peak	Horizontal
2 *	5310.00	107.38	64.22	43.16	74.00	33.38	100	304	Peak	Horizontal
3 !	5352.00	71.63	28.52	43.11	74.00	-2.37	100	304	Peak	Horizontal




Date: 2020-04-18

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5122.00	56.36	13.93	42.43	74.00	-17.64	363	245	Peak	Vertical
2 *	5310.00	105.31	62.15	43.16	74.00	31.31	363	245	Peak	Vertical
3	5351.50	65.56	22.45	43.11	74.00	-8.44	363	245	Peak	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.50	43.62	1.09	42.53	54.00	-10.38	100	304	Average	Horizontal
2 *	5310.00	97.00	53.84	43.16	54.00	43.00	100	304	Average	Horizontal
3 !	5350.50	52.37	9.26	43.11	54.00	-1.63	100	304	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.50	43.35	0.79	42.56	54.00	-10.65	363	245	Average	Vertical
2 *	5310.00	94.74	51.58	43.16	54.00	40.74	363	245	Average	Vertical
3 !	5350.00	50.23	7.12	43.11	54.00	-3.77	363	245	Average	Vertical

Spurious Emissions, TX Mode, 9kHz-30MHz, Band 2


5290MHz, 802.11ac80 Mode



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	85.15	6.11	79.04	127.74	-42.59	100	357	QP	vertical
2	0.02	74.46	2.46	72.00	120.35	-45.89	100	173	QP	vertical
3	0.05	66.03	0.27	65.76	114.12	-48.09	100	101	QP	vertical
4	0.07	61.18	-0.88	62.06	110.38	-49.20	100	7	QP	vertical
5	0.11	56.62	-2.10	58.72	106.83	-50.21	100	265	QP	vertical
6	0.13	54.84	-2.50	57.34	105.12	-50.28	100	96	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.25	65.19	13.36	51.83	99.49	-34.30	100	318	QP	vertical
2	1.70	52.09	13.00	39.09	62.75	-10.66	100	361	QP	vertical
3	7.20	50.33	12.03	38.30	69.50	-19.17	100	348	QP	vertical
4	12.52	50.25	12.89	37.36	69.50	-19.25	100	104	QP	vertical
5	17.86	49.06	12.18	36.88	69.50	-20.44	100	12	QP	vertical
6	24.15	47.41	12.65	34.76	69.50	-22.09	100	355	QP	vertical

Spurious Emissions, TX Mode, 30MHz-1GHz, Band 2


5290MHz, 802.11ac80 Mode



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	50.18	22.17	29.63	-7.46	40.00	-17.83	400	197	QP	horizontal
2	202.27	27.01	36.84	-9.83	43.50	-16.49	100	190	QP	horizontal
3	440.70	26.18	30.08	-3.90	46.00	-19.82	300	131	QP	horizontal
4	614.04	28.01	28.92	-0.91	46.00	-17.99	234	0	QP	horizontal
5	735.48	30.17	29.35	0.82	46.00	-15.83	300	354	QP	horizontal
6	820.07	31.37	29.26	2.11	46.00	-14.63	400	91	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	35.34	24.72	33.40	-8.68	40.00	-15.28	100	42	QP	vertical
2	167.55	22.10	29.32	-7.22	43.50	-21.40	197	360	QP	vertical
3	401.03	25.08	29.76	-4.68	46.00	-20.92	300	295	QP	vertical
4	531.10	27.69	30.36	-2.67	46.00	-18.31	400	234	QP	vertical
5	691.25	29.36	29.33	0.03	46.00	-16.64	100	66	QP	vertical
6	835.20	31.33	29.03	2.30	46.00	-14.67	201	0	QP	vertical

Spurious Emissions, TX Mode, 1GHz-40GHz, Band 2


5260MHz, 802.11a Mode



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	61.64	65.20	-3.56	68.20	-6.56	333	132	Peak	horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	58.37	61.93	-3.56	68.20	-9.83	377	69	Peak	vertical	



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	60.60	63.90	-3.30	68.20	-7.60	100	280	Peak	horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	58.15	61.45	-3.30	68.20	-10.05	292	94	Peak	vertical	




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-05-18


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	47.70	50.91	-3.21	54.00	-6.30	111	283	Average	horizontal	
2	10640.00	60.85	64.06	-3.21	74.00	-13.15	111	283	Peak	horizontal	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	10640.00	48.71	51.92	-3.21	54.00	-5.29	400	261	Average	vertical	
2	10640.00	55.37	58.58	-3.21	74.00	-18.63	400	261	Peak	vertical	



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10580.00	42.23	45.59	-3.36	54.00	-11.77	100	318	Average	horizontal
2	10580.00	51.94	55.30	-3.36	68.20	-16.26	100	318	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	10580.00	48.03	51.39	-3.36	54.00	-5.97	232	89	Average	vertical
2	10580.00	52.16	55.52	-3.36	68.20	-16.04	232	89	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	60.95	64.51	-3.56	68.20	-7.25	102	297	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	53.09	56.65	-3.56	68.20	-15.11	334	271	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	60.91	64.21	-3.30	68.20	-7.29	100	297	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	57.77	61.07	-3.30	68.20	-10.43	400	66	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	47.00	50.21	-3.21	54.00	-7.00	103	298	Average	horizontal
2	10640.00	60.71	63.92	-3.21	74.00	-13.29	103	298	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	44.48	47.69	-3.21	54.00	-9.52	193	299	Average	vertical
2	10640.00	56.61	59.82	-3.21	74.00	-17.39	398	66	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-21

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10540.00	56.75	60.25	-3.50	68.20	-11.45	100	297	Peak	horizontal




Date: 2020-04-22


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10540.00	52.34	55.84	-3.50	68.20	-15.86	299	281	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	53.23	56.49	-3.26	74.00	-20.77	100	312	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	51.74	55.00	-3.26	74.00	-22.26	199	298	Peak	vertical

Spurious Emissions, Bandedge, Band 3


5500MHz, 802.11a Mode




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.00	65.04	21.92	43.12	74.00	-8.96	372	328	Peak	Horizontal
2 !	5465.50	66.31	23.18	43.13	68.20	-1.89	372	328	Peak	Horizontal
3 *	5500.00	112.11	68.88	43.23	68.20	43.91	328	321	Peak	Horizontal
4	5811.00	58.03	14.56	43.47	68.20	-10.17	328	321	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.00	61.83	18.71	43.12	74.00	-12.17	327	80	Peak	Vertical
2	5462.00	61.83	18.71	43.12	68.20	-6.37	327	80	Peak	Vertical
3 *	5500.00	109.58	66.35	43.23	68.20	41.38	327	217	Peak	Vertical
4	5797.00	57.79	14.34	43.45	68.20	-10.41	327	217	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5460.00	49.73	6.61	43.12	54.00	-4.27	372	328	Average	Horizontal
2 *	5500.00	102.67	59.44	43.23	54.00	48.67	378	321	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	47.11	3.99	43.12	54.00	-6.89	327	80	Average	Vertical
2 *	5500.00	100.67	57.44	43.23	54.00	46.67	327	217	Average	Vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5426.00	58.34	15.17	43.17	74.00	-15.66	320	334	Peak	Horizontal
2	5466.50	56.59	13.46	43.13	68.20	-11.61	320	334	Peak	Horizontal
3 *	5580.00	114.10	70.95	43.15	68.20	45.90	320	350	Peak	Horizontal
4	5820.50	57.90	14.43	43.47	68.20	-10.30	320	350	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5418.50	57.21	14.01	43.20	74.00	-16.79	304	215	Peak	Vertical
2	5461.50	56.08	12.96	43.12	68.20	-12.12	304	215	Peak	Vertical
3 *	5580.00	110.54	67.39	43.15	68.20	42.34	304	215	Peak	Vertical
4	5833.00	57.71	14.23	43.48	68.20	-10.49	304	215	Peak	Vertical