



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5431.00	45.85	2.69	43.16	54.00	-8.15	320	334	Average	Horizontal
2 *	5580.00	104.82	61.67	43.15	54.00	50.82	320	350	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5429.00	44.06	0.91	43.15	54.00	-9.94	304	215	Average	Vertical
2 *	5580.00	101.65	58.50	43.15	54.00	47.65	304	215	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBUV/m	dBuV	dB/m	dBUV/m	dB	cm	deg		
1	5417.50	57.34	14.14	43.20	74.00	-16.66	308	1	Peak	Horizontal
2	5466.50	56.90	13.77	43.13	68.20	-11.30	308	1	Peak	Horizontal
3 *	5700.00	112.81	69.43	43.38	68.20	44.61	308	1	Peak	Horizontal
4 !	5725.50	66.78	23.43	43.35	68.20	-1.42	306	357	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5333.50	57.65	14.52	43.13	74.00	-16.35	375	216	Peak	Vertical
2	5465.50	57.26	14.13	43.13	68.20	-10.94	375	216	Peak	Vertical
3 *	5700.00	109.92	66.54	43.38	68.20	41.72	375	216	Peak	Vertical
4 !	5728.00	64.95	21.61	43.34	68.20	-3.25	318	222	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5401.00	44.15	0.90	43.25	54.00	-9.85	308	1	Average	Horizontal
2 *	5700.00	103.64	60.26	43.38	54.00	49.64	308	1	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5389.00	44.14	0.92	43.22	54.00	-9.86	375	216	Average	Vertical
2 *	5700.00	100.35	56.97	43.38	54.00	46.35	375	216	Average	Vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5443.00	64.55	21.35	43.20	74.00	-9.45	305	345	Peak	Horizontal
2 !	5468.00	67.02	23.81	43.21	68.20	-1.18	305	345	Peak	Horizontal
3 *	5530.00	100.30	57.10	43.20	68.20	32.10	400	295	Peak	Horizontal
4	5818.50	57.86	14.20	43.66	68.20	-10.34	400	295	Peak	Horizontal




Date: 2020-04-17

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5453.50	61.04	17.81	43.23	74.00	-12.96	284	60	Peak	Vertical
2	5464.00	62.07	18.85	43.22	68.20	-6.13	284	60	Peak	Vertical
3 *	5530.00	99.54	56.34	43.20	68.20	31.34	298	230	Peak	Vertical
4	5832.00	57.73	14.04	43.69	68.20	-10.47	298	230	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5455.00	53.10	9.87	43.23	54.00	-0.90	305	345	Average	Horizontal
2 *	5530.00	91.45	48.25	43.20	54.00	37.45	400	295	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5458.50	49.36	6.14	43.22	54.00	-4.64	284	60	Average	Vertical
2 *	5530.00	90.68	47.48	43.20	54.00	36.68	298	230	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




Date: 2020-04-20


	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit	cm	deg		
			dBuV	dB/m	dBuV/m	dB			
1	5438.75	59.23	16.06	43.17	74.00	-14.77	351	320 Peak	Horizontal
2	5465.50	59.89	16.71	43.18	68.20	-8.31	351	320 Peak	Horizontal
3 *	5610.00	102.69	59.49	43.20	68.20	34.49	276	311 Peak	Horizontal
4	5743.75	58.86	15.48	43.38	68.20	-9.34	369	311 Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5447.50	59.66	16.52	43.14	74.00	-14.34	301	224	Peak	Vertical
2	5469.75	58.46	15.27	43.19	68.20	-9.74	301	224	Peak	Vertical
3 *	5610.00	100.96	57.76	43.20	68.20	32.76	318	224	Peak	Vertical
4	5843.25	57.73	14.19	43.54	68.20	-10.47	318	224	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.00	46.56	3.41	43.15	54.00	-7.44	276	311	Average	Horizontal
2 *	5610.00	93.12	49.92	43.20	54.00	39.12	276	311	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.50	46.61	3.45	43.16	54.00	-7.39	301	224	Average	Vertical
2 *	5610.00	91.25	48.05	43.20	54.00	37.25	318	224	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit	cm	deg		
			Factor						
			dB/m	dBuV/m	dB				
1	5456.50	61.23	18.00	43.23	74.00	-12.77	391	333 Peak	Horizontal
2 !	5467.00	67.34	24.12	43.22	68.20	-0.86	394	333 Peak	Horizontal
3 *	5500.00	112.64	69.46	43.18	68.20	44.44	391	333 Peak	Horizontal
4	5741.00	57.79	14.25	43.54	68.20	-10.41	391	333 Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.50	58.10	14.88	43.22	74.00	-15.90	333	233	Peak	Vertical
2 !	5466.00	66.60	23.38	43.22	68.20	-1.60	333	250	Peak	Vertical
3 *	5500.00	107.86	64.68	43.18	68.20	39.66	333	233	Peak	Vertical
4	5809.00	57.19	13.56	43.63	68.20	-11.01	333	233	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5458.50	49.26	6.04	43.22	54.00	-4.74	394	333	Average	Horizontal
2 *	5500.00	103.03	59.85	43.18	68.20	34.83	391	333	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	45.50	2.28	43.22	54.00	-8.50	333	233	Average	Vertical
2 *	5500.00	98.63	55.45	43.18	54.00	44.63	333	233	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5449.25	57.04	13.90	43.14	74.00	-16.96	372	312	Peak	Horizontal
2	5467.50	56.57	13.38	43.19	68.20	-11.63	372	312	Peak	Horizontal
3 *	5580.00	111.58	68.38	43.20	68.20	43.38	372	312	Peak	Horizontal
4	5794.50	57.04	13.55	43.49	68.20	-11.16	372	312	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5435.75	56.95	13.77	43.18	74.00	-17.05	354	218	Peak	Vertical
2	5465.50	57.62	14.44	43.18	68.20	-10.58	354	218	Peak	Vertical
3 *	5580.00	110.48	67.28	43.20	68.20	42.28	354	218	Peak	Vertical
4	5830.75	57.92	14.39	43.53	68.20	-10.28	354	218	Peak	Vertical



Date: 2020-04-20


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5433.75	44.35	1.16	43.19	54.00	-9.65	372	312	Average	Horizontal
2 *	5580.00	101.87	58.67	43.20	54.00	47.87	372	312	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5429.75	44.52	1.32	43.20	54.00	-9.48	354	218	Average	Vertical
2 *	5580.00	100.47	57.27	43.20	54.00	46.47	354	218	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5190.00	57.14	14.55	42.59	74.00	-16.86	355	289	Peak	Horizontal
2	5466.50	56.46	13.24	43.22	68.20	-11.74	355	289	Peak	Horizontal
3 *	5700.00	107.58	64.15	43.43	68.20	39.38	355	289	Peak	Horizontal
4	5726.50	61.82	18.32	43.50	68.20	-6.38	292	349	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5433.50	56.85	13.70	43.15	74.00	-17.15	280	349	Peak	Horizontal
2	5466.00	56.41	13.19	43.22	68.20	-11.79	280	349	Peak	Horizontal
3 *	5700.00	110.40	66.97	43.43	68.20	42.20	280	349	Peak	Horizontal
4 !	5728.50	67.36	23.85	43.51	68.20	-0.84	292	349	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.00	43.95	0.73	43.22	54.00	-10.05	355	289	Average	Horizontal
2 *	5700.00	98.18	54.75	43.43	54.00	44.18	355	289	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5432.00	43.80	0.65	43.15	54.00	-10.20	280	349	Average	Horizontal
2 *	5700.00	100.79	57.36	43.43	54.00	46.79	280	349	Average	Horizontal




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5455.50	59.23	16.00	43.23	74.00	-14.77	300	294	Peak	Horizontal
2 !	5468.00	66.97	23.76	43.21	68.20	-1.23	300	294	Peak	Horizontal
3 *	5510.00	106.79	63.60	43.19	68.20	38.59	300	344	Peak	Horizontal
4	5809.50	58.42	14.78	43.64	68.20	-9.78	300	344	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5445.00	59.91	16.70	43.21	74.00	-14.09	336	248	Peak	Vertical
2 !	5466.50	63.88	20.66	43.22	68.20	-4.32	336	248	Peak	Vertical
3 *	5510.00	105.10	61.91	43.19	68.20	36.90	332	230	Peak	Vertical
4	5842.50	57.74	14.01	43.73	68.20	-10.46	332	230	Peak	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5458.50	49.33	6.11	43.22	54.00	-4.67	300	294	Average	Horizontal
2 *	5510.00	98.01	54.82	43.19	54.00	44.01	300	344	Average	Horizontal




Date: 2020-04-17

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5460.00	48.12	4.90	43.22	54.00	-5.88	336	248	Average	Vertical
2 *	5510.00	96.29	53.10	43.19	54.00	42.29	332	230	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2020-04-20


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5218.50	57.72	14.82	42.90	74.00	-16.28	325	312	Peak	Horizontal
2 !	5468.75	66.47	23.28	43.19	68.20	-1.73	325	312	Peak	Horizontal
3 *	5550.00	108.70	65.58	43.12	68.20	40.50	325	312	Peak	Horizontal
4	5808.50	57.58	14.07	43.51	68.20	-10.62	325	312	Peak	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5395.00	57.66	14.38	43.28	74.00	-16.34	341	217	Peak	Vertical
2	5468.75	56.75	13.56	43.19	68.20	-11.45	341	217	Peak	Vertical
3 *	5550.00	106.46	63.34	43.12	68.20	38.26	341	217	Peak	Vertical
4	5834.25	57.57	14.04	43.53	68.20	-10.63	341	217	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.75	45.70	2.54	43.16	54.00	-8.30	325	312	Average	Horizontal
2 *	5550.00	99.02	55.90	43.12	54.00	45.02	325	312	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.00	44.96	1.81	43.15	54.00	-9.04	341	217	Average	Vertical
2 *	5550.00	97.27	54.15	43.12	54.00	43.27	341	217	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit	cm	deg		
			Factor						
			dB/m	dBuV/m	dB				
1	5170.00	56.97	14.44	42.53	74.00	-17.03	312	359 Peak	Horizontal
2	5463.50	55.72	12.50	43.22	68.20	-12.48	312	359 Peak	Horizontal
3 *	5670.00	109.59	66.24	43.35	68.20	41.39	312	359 Peak	Horizontal
4 !	5725.50	67.27	23.77	43.50	68.20	-0.93	308	352 Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5401.50	56.50	13.50	43.00	74.00	-17.50	384	236	Peak	Vertical
2	5463.50	56.40	13.18	43.22	68.20	-11.80	384	236	Peak	Vertical
3 *	5670.00	106.33	62.98	43.35	68.20	38.13	384	236	Peak	Vertical
4	5728.00	62.07	18.56	43.51	68.20	-6.13	333	249	Peak	Vertical



Date: 2020-04-17

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5394.50	44.25	1.27	42.98	54.00	-9.75	312	359	Average	Horizontal
2 *	5670.00	100.06	56.71	43.35	54.00	46.06	312	359	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5429.50	44.30	1.16	43.14	54.00	-9.70	384	236	Average	Vertical
2 *	5670.00	96.25	52.90	43.35	54.00	42.25	384	236	Average	Vertical

Spurious Emissions, TX Mode, 9kHz-30MHz, Band 3


5700MHz, 802.11an20 Mode



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	83.12	3.55	79.57	128.18	-45.06	100	46	QP	vertical
2	0.03	72.84	1.79	71.05	118.57	-45.73	100	76	QP	vertical
3	0.07	62.97	0.16	62.81	111.14	-48.17	100	188	QP	vertical
4	0.09	58.61	-1.45	60.06	108.20	-49.59	100	81	QP	vertical
5	0.12	55.43	-2.92	58.35	106.35	-50.92	100	107	QP	vertical
6	0.14	53.62	-3.09	56.71	104.44	-50.82	100	2	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.25	64.68	12.76	51.92	99.59	-34.91	100	64	QP	vertical
2	2.36	51.02	12.49	38.53	69.50	-18.48	100	168	QP	vertical
3	9.15	50.22	12.47	37.75	69.50	-19.28	100	52	QP	vertical
4	17.99	49.71	12.87	36.84	69.50	-19.79	100	218	QP	vertical
5	21.69	49.38	13.45	35.93	69.50	-20.12	100	154	QP	vertical
6	28.69	48.24	11.67	36.57	69.50	-21.26	100	337	QP	vertical

Spurious Emissions, TX Mode, 30MHz-1GHz, Band 3


5700MHz, 802.11an20 Mode



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	55.12	21.87	29.54	-7.67	40.00	-18.13	100	180	QP	horizontal
2	205.38	26.15	36.00	-9.85	43.50	-17.35	100	299	QP	horizontal
3	250.00	25.67	33.75	-8.08	46.00	-20.33	100	280	QP	horizontal
4	561.66	28.12	30.19	-2.07	46.00	-17.88	100	259	QP	horizontal
5	623.93	28.43	29.23	-0.80	46.00	-17.57	193	360	QP	horizontal
6	793.00	30.59	28.97	1.62	46.00	-15.41	200	356	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	31.07	25.02	34.13	-9.11	40.00	-14.98	100	139	QP	vertical
2	47.65	23.55	31.08	-7.53	40.00	-16.45	100	279	QP	vertical
3	200.04	21.93	31.77	-9.84	43.50	-21.57	100	163	QP	vertical
4	511.61	26.65	29.59	-2.94	46.00	-19.35	100	71	QP	vertical
5	554.58	27.30	29.59	-2.29	46.00	-18.70	100	310	QP	vertical
6	774.48	30.87	29.39	1.48	46.00	-15.13	100	185	QP	vertical

Spurious Emissions, TX Mode, 1GHz-40GHz, Band 3


5500MHz, 802.11a Mode



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	42.11	44.92	-2.81	54.00	-11.89	100	315	Average	horizontal
2	11000.00	51.75	54.56	-2.81	74.00	-22.25	100	315	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	11000.00	49.25	52.06	-2.81	54.00	-4.75	280	92	Average	vertical
2	11000.00	53.09	55.90	-2.81	74.00	-20.91	280	92	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	44.48	46.90	-2.42	54.00	-9.52	378	214	Average	horizontal
2	11160.00	50.36	52.78	-2.42	74.00	-23.64	378	214	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	11160.00	50.66	53.08	-2.42	54.00	-3.34	245	88	Average	vertical
2	11160.00	55.45	57.87	-2.42	74.00	-18.55	245	88	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	47.28	49.12	-1.84	74.00	-26.72	100	31	Peak	horizontal	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	46.84	48.68	-1.84	54.00	-7.16	309	128	Average	vertical	
2	11400.00	51.38	53.22	-1.84	74.00	-22.62	309	128	Peak	vertical	




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-21


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11060.00	47.85	50.51	-2.66	74.00	-26.15	400	213	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	11060.00	49.94	52.60	-2.66	54.00	-4.06	191	90	Average	vertical
2	11060.00	53.18	55.84	-2.66	74.00	-20.82	191	90	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	44.75	47.02	-2.27	74.00	-29.25	400	222	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	47.72	49.99	-2.27	54.00	-6.28	197	89	Average	vertical
2	11220.00	51.61	53.88	-2.27	74.00	-22.39	197	89	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-21


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	42.34	45.15	-2.81	54.00	-11.66	100	265	Average	horizontal
2	11000.00	53.47	56.28	-2.81	74.00	-20.53	100	265	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	11000.00	48.24	51.05	-2.81	54.00	-5.76	301	122	Average	vertical
2	11000.00	52.62	55.43	-2.81	74.00	-21.38	301	122	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	40.58	43.00	-2.42	54.00	-13.42	100	297	Average	horizontal
2	11160.00	54.19	56.61	-2.42	74.00	-19.81	100	297	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	11160.00	49.38	51.80	-2.42	54.00	-4.62	244	93	Average	vertical
2	11160.00	53.40	55.82	-2.42	74.00	-20.60	244	93	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	38.15	39.99	-1.84	54.00	-15.85	100	290	Average	horizontal
2	11400.00	51.67	53.51	-1.84	74.00	-22.33	100	290	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	46.04	47.88	-1.84	54.00	-7.96	267	93	Average	vertical
2	11400.00	51.40	53.24	-1.84	74.00	-22.60	267	93	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-22


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	46.11	48.87	-2.76	74.00	-27.89	400	150	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	11020.00	48.95	51.71	-2.76	54.00	-5.05	257	93	Average	vertical
2	11020.00	52.46	55.22	-2.76	74.00	-21.54	257	93	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-22


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.00	47.68	50.25	-2.57	74.00	-26.32	200	307	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	11100.00	49.21	51.78	-2.57	54.00	-4.79	280	94	Average	vertical
2	11100.00	52.69	55.26	-2.57	74.00	-21.31	280	94	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11340.00	44.67	46.66	-1.99	74.00	-29.33	300	131	Peak	horizontal



Date: 2020-04-22


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11340.00	46.86	48.85	-1.99	54.00	-7.14	263	92	Average	vertical
2	11340.00	51.26	53.25	-1.99	74.00	-22.74	263	92	Peak	vertical

Spurious Emissions, Bandedge, Band 4


5745MHz, 802.11a Mode




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5485.75	56.70	13.51	43.19	68.20	-11.50	334	360	Peak	horizontal
2	5698.75	62.58	19.21	43.37	104.28	-41.70	100	360	Peak	horizontal
3	5708.25	65.24	21.87	43.37	107.51	-42.27	100	321	Peak	horizontal
4	5724.90	67.70	24.35	43.35	121.97	-54.27	100	312	Peak	horizontal
5	5745.00	107.74	64.41	43.33	122.20	-14.46	100	281	Peak	horizontal
6	5850.50	57.13	13.63	43.50	121.06	-63.93	200	321	Peak	horizontal
7	5866.00	57.66	14.05	43.61	107.72	-50.06	400	56	Peak	horizontal
8	5894.25	57.46	13.66	43.80	90.92	-33.46	300	130	Peak	horizontal
9	5992.25	58.96	14.78	44.18	68.20	-9.24	300	82	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5515.00	57.19	14.01	43.18	68.20	-11.01	100	114	Peak	vertical
2	5696.25	58.17	14.82	43.35	102.44	-44.27	400	27	Peak	vertical
3	5713.50	59.75	16.39	43.36	108.98	-49.23	400	204	Peak	vertical
4	5724.80	62.22	18.87	43.35	121.74	-59.52	368	360	Peak	vertical
5	5745.00	104.66	61.33	43.33	122.20	-17.54	300	211	Peak	vertical
6	5850.50	56.68	13.18	43.50	121.06	-64.38	400	247	Peak	vertical
7	5855.75	56.96	13.43	43.53	110.59	-53.63	171	360	Peak	vertical
8	5909.50	58.37	14.49	43.88	79.64	-21.27	200	290	Peak	vertical
9	5970.50	58.40	14.27	44.13	68.20	-9.80	300	191	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	98.62	55.29	43.33	54.00	44.62	100	281	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	96.09	52.76	43.33	54.00	42.09	300	211	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5634.00	57.43	14.40	43.03	68.20	-10.77	300	330	Peak	horizontal
2	5687.75	56.28	13.01	43.27	96.17	-39.89	200	212	Peak	horizontal
3	5707.75	57.33	13.96	43.37	107.37	-50.04	100	304	Peak	horizontal
4	5722.00	56.85	13.49	43.36	115.36	-58.51	400	312	Peak	horizontal
5	5785.00	109.00	65.58	43.42	122.20	-13.20	300	316	Peak	horizontal
6	5852.50	58.02	14.51	43.51	116.50	-58.48	100	300	Peak	horizontal
7	5863.25	58.48	14.89	43.59	108.49	-50.01	300	296	Peak	horizontal
8	5895.25	57.66	13.86	43.80	90.18	-32.52	100	260	Peak	horizontal
9	5999.75	59.46	15.25	44.21	68.20	-8.74	300	73	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5605.00	56.83	13.65	43.18	68.20	-11.37	300	270	Peak	vertical
2	5651.00	56.62	13.67	42.95	68.94	-12.32	400	302	Peak	vertical
3	5704.75	56.47	13.09	43.38	106.53	-50.06	383	360	Peak	vertical
4	5724.50	56.53	13.18	43.35	121.06	-64.53	395	360	Peak	vertical
5	5785.00	104.56	61.14	43.42	122.20	-17.64	400	250	Peak	vertical
6	5854.00	56.64	13.12	43.52	113.08	-56.44	300	54	Peak	vertical
7	5869.75	57.10	13.47	43.63	106.67	-49.57	200	36	Peak	vertical
8	5903.00	58.10	14.25	43.85	84.44	-26.34	279	0	Peak	vertical
9	5997.75	58.27	14.06	44.21	68.20	-9.93	200	7	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5785.00	101.01	57.59	43.42	54.00	47.01	300	316	Average	Horizontal




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5785.00	98.16	54.74	43.42	54.00	44.16	400	250 Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5543.00	57.05	13.96	43.09	68.20	-11.15	200	27	Peak	horizontal
2	5687.75	57.11	13.84	43.27	96.17	-39.06	100	245	Peak	horizontal
3	5702.50	56.58	13.21	43.37	105.90	-49.32	400	49	Peak	horizontal
4	5724.50	56.24	12.89	43.35	121.06	-64.82	100	4	Peak	horizontal
5	5825.00	107.97	64.49	43.48	122.20	-14.23	100	348	Peak	horizontal
6	5850.75	67.47	23.97	43.50	120.49	-53.02	100	319	Peak	horizontal
7	5855.75	68.33	24.80	43.53	110.59	-42.26	300	300	Peak	horizontal
8	5876.50	62.42	18.74	43.68	104.09	-41.67	100	268	Peak	horizontal
9	5991.25	59.30	15.12	44.18	68.20	-8.90	300	76	Peak	horizontal



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase		
Freq	Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5520.75	56.99	13.82	43.17	68.20	-11.21	300	133 Peak	vertical
2	5672.00	57.51	14.37	43.14	84.52	-27.01	331	360 Peak	vertical
3	5710.75	56.49	13.12	43.37	108.21	-51.72	392	360 Peak	vertical
4	5723.00	55.32	11.97	43.35	117.64	-62.32	400	1 Peak	vertical
5	5825.00	103.97	60.49	43.48	122.20	-18.23	400	255 Peak	vertical
6	5850.25	62.62	19.12	43.50	121.63	-59.01	300	198 Peak	vertical
7	5855.25	60.66	17.13	43.53	110.73	-50.07	400	87 Peak	vertical
8	5878.00	57.71	14.02	43.69	102.97	-45.26	400	352 Peak	vertical
9	5970.75	58.26	14.13	44.13	68.20	-9.94	400	0 Peak	vertical




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	99.37	55.89	43.48	54.00	45.37	100	348 Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	96.39	52.91	43.48	54.00	42.39	400	255	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5629.25	57.51	14.46	43.05	68.20	-10.69	364	360	Peak	horizontal
2	5692.25	65.69	22.37	43.32	99.49	-33.80	400	283	Peak	horizontal
3	5718.00	70.81	27.45	43.36	110.24	-39.43	400	310	Peak	horizontal
4	5721.50	69.76	26.40	43.36	114.22	-44.46	100	340	Peak	horizontal
5	5775.00	101.98	58.59	43.39	122.20	-20.22	300	329	Peak	horizontal
6	5850.50	60.41	16.91	43.50	121.06	-60.65	100	300	Peak	horizontal
7	5859.00	61.68	18.13	43.55	109.68	-48.00	280	0	Peak	horizontal
8	5899.00	58.54	14.72	43.82	87.40	-28.86	136	360	Peak	horizontal
9	5939.25	58.34	14.32	44.02	68.20	-9.86	300	288	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5569.00	57.62	14.50	43.12	68.20	-10.58	100	197	Peak	vertical
2	5698.75	63.31	19.94	43.37	104.28	-40.97	400	242	Peak	vertical
3	5718.75	66.48	23.12	43.36	110.45	-43.97	400	187	Peak	vertical
4	5721.00	65.62	22.26	43.36	113.08	-47.46	300	113	Peak	vertical
5	5775.00	98.51	55.12	43.39	122.20	-23.69	300	124	Peak	vertical
6	5850.75	61.41	17.91	43.50	120.49	-59.08	400	244	Peak	vertical
7	5855.00	58.38	14.85	43.53	110.80	-52.42	300	248	Peak	vertical
8	5918.00	57.49	13.57	43.92	73.36	-15.87	400	360	Peak	vertical
9	5995.25	57.97	13.77	44.20	68.20	-10.23	100	85	Peak	vertical



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase			
Freq	Level	Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5775.00	94.49	51.10	43.39	54.00	40.49	300	329	Average	Horizontal




Date: 2020-04-21


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5775.00	90.81	47.42	43.39	54.00	36.81	300	124	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5479.00	57.60	14.43	43.17	68.20	-10.60	100	68	Peak	horizontal
2	5698.25	65.23	21.86	43.37	103.91	-38.68	100	311	Peak	horizontal
3	5719.75	73.96	30.60	43.36	110.73	-36.77	100	297	Peak	horizontal
4	5724.50	77.76	34.41	43.35	121.06	-43.30	100	0	Peak	horizontal
5	5745.00	110.98	67.65	43.33	122.20	-11.22	100	301	Peak	horizontal
6	5854.75	57.18	13.65	43.53	111.37	-54.19	334	360	Peak	horizontal
7	5865.50	57.55	13.95	43.60	107.86	-50.31	300	162	Peak	horizontal
8	5895.75	58.02	14.22	43.80	89.81	-31.79	300	160	Peak	horizontal
9	5963.50	58.31	14.20	44.11	68.20	-9.89	199	360	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5529.75	57.12	13.99	43.13	68.20	-11.08	400	125	Peak	vertical
2	5694.50	62.52	19.18	43.34	101.15	-38.63	400	274	Peak	vertical
3	5720.00	75.41	32.05	43.36	110.80	-35.39	300	74	Peak	vertical
4	5720.00	75.41	32.05	43.36	110.80	-35.39	300	74	Peak	vertical
5	5745.00	108.18	64.85	43.33	122.20	-14.02	300	253	Peak	vertical
6	5852.50	56.84	13.33	43.51	116.50	-59.66	200	276	Peak	vertical
7	5861.25	56.72	13.15	43.57	109.05	-52.33	400	360	Peak	vertical
8	5920.75	58.18	14.25	43.93	71.33	-13.15	300	311	Peak	vertical
9	5935.75	58.27	14.27	44.00	68.20	-9.93	200	141	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	103.18	59.85	43.33	54.00	49.18	100	301	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	100.29	56.96	43.33	54.00	46.29	300	253	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit	cm	deg		
			dBuV	dB/m	dBuV/m	dB			
1	5500.00	57.31	14.08	43.23	68.20	-10.89	200	14 Peak	horizontal
2	5693.75	56.85	13.52	43.33	100.59	-43.74	102	360 Peak	horizontal
3	5718.00	61.00	17.64	43.36	110.24	-49.24	300	278 Peak	horizontal
4	5721.75	63.92	20.56	43.36	114.79	-50.87	279	0 Peak	horizontal
5	5785.00	111.48	68.06	43.42	122.20	-10.72	300	320 Peak	horizontal
6	5852.50	59.85	16.34	43.51	116.50	-56.65	162	360 Peak	horizontal
7	5856.25	59.06	15.52	43.54	110.45	-51.39	100	344 Peak	horizontal
8	5876.25	57.66	13.98	43.68	104.27	-46.61	100	242 Peak	horizontal
9	5990.50	58.22	14.04	44.18	68.20	-9.98	400	102 Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5574.75	56.92	13.78	43.14	68.20	-11.28	200	334	Peak	vertical
2	5665.00	56.78	13.70	43.08	79.33	-22.55	245	0	Peak	vertical
3	5719.50	59.57	16.21	43.36	110.66	-51.09	0	0	Peak	vertical
4	5722.00	60.68	17.32	43.36	115.36	-54.68	300	248	Peak	vertical
5	5785.00	107.32	63.90	43.42	122.20	-14.88	300	124	Peak	vertical
6	5852.00	57.26	13.75	43.51	117.64	-60.38	311	360	Peak	vertical
7	5868.50	57.01	13.39	43.62	107.02	-50.01	300	276	Peak	vertical
8	5877.00	57.41	13.73	43.68	103.71	-46.30	200	47	Peak	vertical
9	5983.00	58.20	14.03	44.17	68.20	-10.00	300	124	Peak	vertical




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase			
Freq	Level	Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5785.00	102.46	59.04	43.42	54.00	48.46	300	320	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5785.00	98.89	55.47	43.42	54.00	44.89	300	124	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5580.50	57.53	14.38	43.15	68.20	-10.67	100	190	Peak	horizontal
2	5670.00	56.45	13.33	43.12	83.04	-26.59	300	29	Peak	horizontal
3	5704.75	56.41	13.03	43.38	106.53	-50.12	106	360	Peak	horizontal
4	5720.50	55.98	12.62	43.36	111.94	-55.96	151	360	Peak	horizontal
5	5825.00	111.49	68.01	43.48	122.20	-10.71	100	294	Peak	horizontal
6	5850.50	70.84	27.34	43.50	121.06	-50.22	200	351	Peak	horizontal
7	5858.75	68.04	24.49	43.55	109.75	-41.71	100	292	Peak	horizontal
8	5875.50	63.13	19.46	43.67	104.83	-41.70	100	297	Peak	horizontal
9	5970.50	58.74	14.61	44.13	68.20	-9.46	100	274	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5605.75	57.56	14.38	43.18	68.20	-10.64	300	104	Peak	vertical
2	5688.25	56.09	12.81	43.28	96.53	-40.44	334	360	Peak	vertical
3	5709.25	56.01	12.64	43.37	107.79	-51.78	100	287	Peak	vertical
4	5720.75	56.18	12.82	43.36	112.51	-56.33	300	259	Peak	vertical
5	5825.00	107.61	64.13	43.48	122.20	-14.59	400	253	Peak	vertical
6	5850.00	68.07	24.57	43.50	122.20	-54.13	400	124	Peak	vertical
7	5858.50	66.35	22.80	43.55	109.82	-43.47	400	248	Peak	vertical
8	5880.75	61.02	17.32	43.70	100.93	-39.91	400	250	Peak	vertical
9	5994.25	58.48	14.28	44.20	68.20	-9.72	300	98	Peak	vertical




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase			
Freq	Level	Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5825.00	102.97	59.49	43.48	54.00	48.97	100	294	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	100.32	56.84	43.48	54.00	46.32	400	253	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit	cm	deg		
			dBuV	dB/m	dBuV/m	dB			
1	5648.75	59.79	16.84	42.95	68.20	-8.41	400	301 Peak	horizontal
2	5699.25	73.63	30.26	43.37	104.65	-31.02	400	332 Peak	horizontal
3	5720.00	80.18	36.82	43.36	110.80	-30.62	119	360 Peak	horizontal
4	5721.75	81.14	37.78	43.36	114.79	-33.65	101	360 Peak	horizontal
5	5755.00	108.80	65.47	43.33	122.20	-13.40	100	319 Peak	horizontal
6	5854.25	59.33	15.80	43.53	112.51	-53.18	101	360 Peak	horizontal
7	5860.25	59.35	15.79	43.56	109.33	-49.98	191	360 Peak	horizontal
8	5875.00	57.79	14.13	43.66	105.20	-47.41	123	360 Peak	horizontal
9	5931.00	58.25	14.27	43.98	68.20	-9.95	341	360 Peak	horizontal



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase		
Freq	Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.50	56.88	13.94	42.94	68.20	-11.32	400	53 Peak	vertical
2	5687.00	70.15	26.88	43.27	95.61	-25.46	400	238 Peak	vertical
3	5719.50	74.50	31.14	43.36	110.66	-36.16	400	67 Peak	vertical
4	5724.00	77.76	34.41	43.35	119.92	-42.16	400	264 Peak	vertical
5	5755.00	105.49	62.16	43.33	122.20	-16.71	300	122 Peak	vertical
6	5853.25	59.96	16.44	43.52	114.79	-54.83	400	240 Peak	vertical
7	5865.00	57.53	13.93	43.60	108.00	-50.47	200	246 Peak	vertical
8	5902.00	56.97	13.12	43.85	85.18	-28.21	400	35 Peak	vertical
9	5996.50	57.55	13.35	44.20	68.20	-10.65	207	0 Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5755.00	101.18	57.85	43.33	54.00	47.18	100	319	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5755.00	97.26	53.93	43.33	54.00	43.26	300	122	Average	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5577.50	57.66	14.52	43.14	68.20	-10.54	300	162	Peak	horizontal
2	5699.50	62.73	19.35	43.38	104.83	-42.10	200	321	Peak	horizontal
3	5718.25	66.61	23.25	43.36	110.31	-43.70	100	360	Peak	horizontal
4	5723.00	66.55	23.20	43.35	117.64	-51.09	100	0	Peak	horizontal
5	5795.00	108.97	65.53	43.44	122.20	-13.23	300	314	Peak	horizontal
6	5850.50	68.43	24.93	43.50	121.06	-52.63	300	298	Peak	horizontal
7	5857.50	66.87	23.33	43.54	110.10	-43.23	357	360	Peak	horizontal
8	5881.75	63.20	19.49	43.71	100.19	-36.99	216	0	Peak	horizontal
9	5990.50	58.07	13.89	44.18	68.20	-10.13	300	88	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5511.00	56.76	13.56	43.20	68.20	-11.44	145	360	Peak	vertical
2	5699.75	60.01	16.63	43.38	105.02	-45.01	300	247	Peak	vertical
3	5719.25	62.69	19.33	43.36	110.59	-47.90	300	245	Peak	vertical
4	5722.25	63.14	19.78	43.36	115.93	-52.79	400	257	Peak	vertical
5	5795.00	104.99	61.55	43.44	122.20	-17.21	298	0	Peak	vertical
6	5850.75	64.74	21.24	43.50	120.49	-55.75	300	249	Peak	vertical
7	5856.00	63.52	19.98	43.54	110.52	-47.00	400	255	Peak	vertical
8	5876.75	61.89	18.21	43.68	103.90	-42.01	300	249	Peak	vertical
9	5943.25	58.93	14.89	44.04	68.20	-9.27	300	227	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5795.00	101.77	58.33	43.44	54.00	47.77	300	314	Average	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5795.00	97.00	53.56	43.44	54.00	43.00	298	0	Average	vertical

Spurious Emissions, TX Mode, 9kHz-30MHz, Band 4


5745MHz, 802.11an20 Mode



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit				
			Factor						
1	0.01	82.83	3.77	79.06	127.76	-44.93	100	334 QP	vertical
2	0.03	73.29	1.89	71.40	119.18	-45.89	100	360 QP	vertical
3	0.05	64.24	-0.47	64.71	113.20	-48.96	100	58 QP	vertical
4	0.08	60.34	-1.19	61.53	109.82	-49.48	100	0 QP	vertical
5	0.10	57.99	-1.81	59.80	108.01	-50.02	100	32 QP	vertical
6	0.12	55.46	-2.84	58.30	106.28	-50.82	100	260 QP	vertical



Date: 2020-04-28


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.26	64.57	12.92	51.65	99.29	-34.72	100	262	QP	vertical
2	1.76	51.85	12.84	39.01	69.50	-17.65	100	57	QP	vertical
3	6.11	50.19	11.84	38.35	69.50	-19.31	100	353	QP	vertical
4	13.17	50.49	13.05	37.44	69.50	-19.01	100	204	QP	vertical
5	18.44	49.59	12.92	36.67	69.50	-19.91	100	256	QP	vertical
6	23.73	47.61	12.54	35.07	69.50	-21.89	100	260	QP	vertical

Spurious Emissions, TX Mode, 30MHz-1GHz, Band 4


5745MHz, 802.11an20 Mode



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenhiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	148.73	22.32	29.99	-7.67	43.50	-21.18	200	326	QP	horizontal
2	203.73	27.59	37.43	-9.84	43.50	-15.91	100	278	QP	horizontal
3	563.21	27.27	29.29	-2.02	46.00	-18.73	200	160	QP	horizontal
4	694.45	28.55	28.46	0.09	46.00	-17.45	100	360	QP	horizontal
5	755.95	30.41	29.17	1.24	46.00	-15.59	200	64	QP	horizontal
6	825.11	31.24	29.06	2.18	46.00	-14.76	100	67	QP	horizontal



Date: 2020-04-28


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	31.16	24.42	33.53	-9.11	40.00	-15.58	100	173	QP	vertical
2	140.68	22.02	29.85	-7.83	43.50	-21.48	200	346	QP	vertical
3	202.56	22.53	32.36	-9.83	43.50	-20.97	100	86	QP	vertical
4	543.03	26.73	29.26	-2.53	46.00	-19.27	200	24	QP	vertical
5	693.48	30.13	30.06	0.07	46.00	-15.87	192	360	QP	vertical
6	835.88	32.22	29.92	2.30	46.00	-13.78	200	226	QP	vertical

Spurious Emissions, TX Mode, 1GHz-40GHz, Band 4


5745MHz, 802.11a Mode



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	45.04	46.76	-1.72	74.00	-28.96	100	294	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	44.74	46.46	-1.72	74.00	-29.26	300	125	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-21


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	45.75	47.27	-1.52	74.00	-28.25	100	286	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	47.56	49.08	-1.52	74.00	-26.44	300	95	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	45.42	46.78	-1.36	74.00	-28.58	100	266	Peak	horizontal




Date: 2020-04-21

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	46.41	47.77	-1.36	74.00	-27.59	400	119	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-21


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.00	44.17	45.74	-1.57	74.00	-29.83	400	197	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.00	47.24	48.81	-1.57	74.00	-26.76	300	99	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	37.84	39.56	-1.72	54.00	-16.16	100	290	Average	horizontal
2	11490.00	51.75	53.47	-1.72	74.00	-22.25	100	290	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	41.19	42.91	-1.72	54.00	-12.81	109	53	Average	vertical
2	11490.00	48.24	49.96	-1.72	74.00	-25.76	109	53	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-21


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	45.57	47.09	-1.52	74.00	-28.43	200	25	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	46.08	47.60	-1.52	74.00	-27.92	400	260	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	46.35	47.71	-1.36	74.00	-27.65	100	316	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	45.96	47.32	-1.36	74.00	-28.04	200	249	Peak	vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



Date: 2020-04-22


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	44.00	45.67	-1.67	74.00	-30.00	400	224	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	47.54	49.21	-1.67	74.00	-26.46	300	122	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	45.26	46.72	-1.46	74.00	-28.74	100	344	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	47.07	48.53	-1.46	74.00	-26.93	400	112	Peak	vertical

Spurious Emissions, AC Mains

5180MHz, 802.11an20 Mode




TUV Rheinland Taiwan Ltd(New Taipei City Branch).
 No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
 Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Read	Over					
Freq	Level	Factor	Level	Limit	Remark	Pol/Phase	
MHz	dBuV	dB	dBuV	dB			
1	0.151	30.38	10.11	40.49	-25.47	QP	line1
2	0.151	6.75	10.11	16.86	-39.10	Average	line1
3	0.204	34.77	10.11	44.88	-18.55	QP	line1
4	0.204	30.27	10.11	40.38	-13.05	Average	line1
5	0.343	22.30	10.11	32.41	-26.72	QP	line1
6	0.343	19.37	10.11	29.48	-19.65	Average	line1
7	2.701	14.01	10.18	24.19	-31.81	QP	line1
8	2.701	3.50	10.18	13.68	-32.32	Average	line1
9	11.350	24.13	10.40	34.53	-25.47	QP	line1
10	11.350	13.22	10.40	23.62	-26.38	Average	line1
11	28.971	25.04	10.61	35.65	-24.35	QP	line1
12	28.971	9.93	10.61	20.54	-29.46	Average	line1



Trace: 1

	Read	Over					
Freq	Level	Factor	Level	Limit	Remark	Pol/Phase	Note
MHz	dBuV	dB	dBuV	dB			
1	0.151	29.28	10.11	39.39	-26.57	QP	neutral
2	0.151	6.76	10.11	16.87	-39.09	Average	neutral
3	0.204	34.75	10.11	44.86	-18.57	QP	neutral
4	0.204	29.20	10.11	39.31	-14.12	Average	neutral
5	0.340	22.78	10.10	32.88	-26.33	QP	neutral
6	0.340	20.31	10.10	30.41	-18.80	Average	neutral
7	2.715	16.83	10.17	27.00	-29.00	QP	neutral
8	2.715	3.15	10.17	13.32	-32.68	Average	neutral
9	11.350	23.70	10.40	34.10	-25.90	QP	neutral
10	11.350	16.15	10.40	26.55	-23.45	Average	neutral
11	20.643	25.39	10.58	35.97	-24.03	QP	neutral
12	20.643	16.37	10.58	26.95	-23.05	Average	neutral