



Technical info non print.

Client:
Penclie

Item:
quickguide wireless

Product name:
Penclie Mouse R2/D2

fi lnamn:
QG-wireless.pdf

Technical info:
dye-cut marks found in cyan layer.
corners must match those found in QG-wireless-cover.pdf
Bind: stapled

Printing:
70g writing paper

Colours



pantone warm red C



100%black

	approved by:
	date:

Contact:
Planeta Design
grev magnigatan 6, 3tr

Contact person:
Sandra planeta

tel:
0046 (0)8 666 00 52
email: sandra@planetadesign.se

————— = dicect (do not print)

Pencllic Mouse R2™ Quickguide

EN Quickguide

2

EN

Welcome to the quick guide. Penclíc Mouse™ combines ergonomically sound design with modern mouse technology to bring you unparalleled precision, comfort and efficiency.

Mouse setup

Remove plastic film from the installed battery, then set the mouse power switch on the bottom of the mouse to ON. The wireless connection activates automatically.

How to use your Penclíc Mouse™

1. Hold Penclíc Mouse™ like a pen, the bottom part acts like a traditional mouse.
2. Let your forearm and your hand rest on a surface, while keeping your shoulders relaxed.
3. The pen part can be adjusted to suit specific grips. Fixate the bottom part with one hand and rotate the pen to the preferred angle with the other.

- 1 Left click
- 2 Right click
- 3 Middle click
- 4 Backward click
- 5 Forward click
- 6 Scroll wheel
- 7 On-off switch



Troubleshooting

www.Penclíc.se/troubleshooting

- Connect to another computer.
- Cursor movement may be effected by very glossy surfaces.
- Check the battery.
-
- When the battery needs charging the LED on the mouse will show red. When the battery is fully charged a green light will be displayed.

Technical specifications

The supported platforms for Penlic Mouse™ are all operating systems that support HID 1.1. These include Windows XP or later, Mac OSX version 10.1 or later and most Linux/BSD flavors. No extra software/driver installation is needed.

- Operates on almost any surface without any pad or tablet.
- Implements a 5-button and scroll wheel.
- AAA 1.2V NiMH Recharging battery (Everyday use last approximately 3 months before charging is needed).

- Charging via USB.
- LR 03/AAA/1.5V Alkaline None rechargeable battery can be used. **NOTE:** do not recharge.
- Energy saving mode starts after 10 min, press a button to start.
- Wireless reach, minimum 5 metres.
- Dpi setting 800-1200-1600-2400.

NOTE: the dpi setting can be changed by holding in the left and right button at the same time for 3 sec, the cursor will move faster for each setting. It will rotate around from 800-2400 and then go back to low 800. Once the power is shut of the dpi setting will return to its default setting, 1200 dpi.

Measurements:

Height: 140 mm, Base: 44.1 x 20 mm.
Weight: 41 g

Technical support

Should you require additional technical support with your Penlic Mouse™, please use our Web site for further information or contact our support group through e-mail.

Call Technical Support during business hours, central European time plus one hour.

Contact:

0046 8 544 98 995
email: contact@penlic.se



PenClic Technology AB
Vendevägen. 90 / 182 32 DANDERYD
contact@penclic.se / www.penclic.se
tel: 0046 8 544 98 995



FCC WARNING

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE 1: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

IC WARNING

This device complies with Industry Canada RSS-210 standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Under Industry Canada regulations, this radio transmitter may only operate using an antenna of PCB and maximum 0dBi gain approved for the transmitter by Industry Canada. To reduce potential radio interference to other users, the antenna type and its gain should be so chosen that the equivalent isotropically radiated power (e.i.r.p.) is not more than that necessary for successful communication.

This radio transmitter (IC:9999A-R2) has been approved by Industry Canada to operate with the antenna types listed below with the maximum permissible gain and required antenna impedance for each antenna type indicated. Antenna types not included in this list, having a gain greater than the maximum gain indicated for that type, are strictly prohibited for use with this device.

No.	Antenna Type	Gain	Impedance
1	PCB	0 dBi	50ohm