

Report No: CCISE191000401

FCC SAR REPORT

Applicant:	b mobile HK Limited			
Address of Applicant:	Flat 18; 14/F Block 1; Golden Industrial Building;16-26 Kwai Tak Street; Kwai Chung; New Territories; Hong Kong			
Equipment Under Test (E	EUT)			
Product Name:	Mobile Phone			
Model No.:	K380			
Trade mark:	Bmobile			
FCC ID:	ZSW-10-027			
Applicable standards:	FCC 47 CFR Part 2.1093			
Date of Test:	19 Oct., 2019~24 Oct., 2019			
Test Result:	Maximum Reported1-g SAR (W/kg) Head: 0.638 W/kg Body: 0.936 W/kg			

Authorized Signature:



Bruce Zhang Laboratory Manager

This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product and does not permit the use of the CCISproduct certification mark. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery orfalsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



2 Version

Version No.	Date	Description
00	28 Oct., 2019	Original

Prepared by:

Huhen Cai Report Clerk Date:

28 Oct., 2019

28 Oct., 2019

Reviewed by:

Janet Wei Date:

Project Engineer

Project No.: CCISE1910004

CCIS

Report No: CCISE191000401

3		Contents	
1	C		1
2	v	/ERSION	2
3		CONTENTS	
4	-	SAR RESULTS SUMMARY	-
- 5			
J	5.1	CLIENT INFORMATION	
	5.2	GENERAL DESCRIPTION OF EUT	
	5.3	MAXIMUM RF OUTPUT POWER	7
	5.4	Environment of Test Site	
~	5.5	Test Location	
6			
	6.1 6.2	INTRODUCTION	
7	•	RF EXPOSURE LIMITS	
•	7.1		
	7.2	CONTROLLED ENVIRONMENT	
	7.3	RF Exposure Limits	
8	S	AR MEASUREMENT SYSTEM	
	8.1	E-FIELD PROBE	
	8.2 8.3	DATA ACQUISITION ELECTRONICS (DAE) ROBOT	
	8.4	NOBOT	
	8.5	LIGHT BEAM UNIT	
	8.6 8.7	Phantom Device Holder	
	o.7 8.8	Device Holder Data storage and Evaluation	
	8.9	TEST EQUIPMENT LIST	
9	Т	ISSUE SIMULATING LIQUIDS	. 18
10	S	SAR SYSTEM VERIFICATION	.21
11	E	EUT TESTING POSITION	.23
	11.1		
	11.2		
	11.3 11.4		
	11.5		
12	2 N	IEASUREMENT PROCEDURES	.26
	12.1		-
	12.2		
	12.3 12.4		
	12.5		
	12.6		
13	s C	CONDUCTED RF OUTPUT POWER	. 29
	13.1		
	13.2		
14		SAR TEST RESULTS SUMMARY	
	14.1		
	14.2 14.3		-
	14.4		
	14.5		
	14.6 14.7		
	14.7		30

Project No.: CCISE1910004



Report No: CCISE191000401

15	REFERENCE	.39
APP	ENDIX A: PLOTS OF SAR SYSTEM CHECK	.40
APP	ENDIX B: PLOTS OF SAR TEST DATA	.45
APP	ENDIX C: SYSTEM CALIBRATION CERTIFICATE	.50



4 SAR Results Summary

The maximum results of Specific Absorption Rate (SAR) found during test as bellows:

inglieet i tepented etd		/		
Exposure Position	Frequency Band	Reported 1-g SAR (W/kg)	Equipment Class	Highest Reported 1-g SAR (W/kg)
Head	GSM 850	0.638	PCE	0.638
	GSM 1900	0.145	FUE	0.030
Body	GSM 850	0.936	PCE	0.936
(10 mm Gap)	GSM 1900	0.138	FCE	0.930

<Highest Reported standalone SAR Summary>

<Highest Reported simultaneous SAR Summary>

Exposure Position	Frequency Band	Reported 1-g SAR (W/kg)	Equipment Class	Highest Reported Simultaneous Transmission 1-g SAR (W/kg)
Back	GPRS 850 3Slots	0.936	PCE	1.101
	Bluetooth	0.165	DSS	1.101

Note:

1. The highest simultaneous transmission is scalar summation of Reported standalone SAR per FCCKDB 690783 D01 v01r03, and scalar SAR summation of all possible simultaneous transmission scenarios are< 1.6W/kg.

2. This device is compliance with Specific Absorption Rate (SAR) for general population/uncontrolled exposure limits (1.6 W/kg) specified in FCC 47 CFR part 2 (2.1093) and ANSI/IEEE C95.1-2005, and had been tested in accordance with the measurement methods and procedures specified in IEEE 1528-2013.



5 General Information

5.1 Client Information

Applicant:	b mobile HK Limited
Address of Applicant:	Flat 18; 14/F Block 1; Golden Industrial Building;16-26 Kwai Tak Street; Kwai Chung; New Territories; Hong Kong
Manufacturer:	b mobile HK Limited
Address of Manufacturer:	Flat 18; 14/F Block 1; Golden Industrial Building;16-26 Kwai Tak Street; Kwai Chung; New Territories; Hong Kong

5.2 General Description of EUT

Product Name:	Mobile Phone	
Model No.:	K380	
Hardware Version:	Bmobile_K380_HW_V1.0	
Software Version:	Bmobile_K380_SW_V01	
Category of device	Portable device	
Operation Frequency:	GSM850: 824.2 ~ 848.8 MHz PCS1900: 1850.2 ~ 1909.8 MHz Bluetooth: 2402 MHz ~ 2480 MHz	
Modulation technology:	GSM/GPRS:GMSK Bluetooth: GFSK/π/4DQPSK/8DPSK	
Antenna Type:	Internal Antenna	
Antenna Gain:	GSM 850: -1.30 dBi PCS 1900: -1.40 dBi Bluetooth: -1.30 dBi	
GPRS Class:	GPRS Class: 12	
Dimensions (L*W*H):	112mm (L)× 49mm (W)× 13mm (H)	
Accessories information:	Adapter: Input: AC100-240V, 50/60Hz, 0.15A Output: DC 5.0V, 500mA	Battery: Rechargeable Li-ion Battery 3.7V/600mAh Headset: Support headset



5.3 Maximum RF Output Power

Mode	Average Power (dBm)		
Wode	GSM 850	GSM 1900	
GSM (Voice)	32.58	30.06	
GPRS (1TX Slot)	32.52	30.04	
GPRS (2TX Slots)	30.88	27.92	
GPRS (3TX Slots)	29.42	26.40	
GPRS (4TX Slots)	27.88	24.88	

Bluetooth Average Power (dBm)			
Mode/Band	1 Mbps(GFSK)	2 Mbps(π/4DQPSK)	3 Mbps (8DPSK)
Bluetooth 2.4 GHz	6.45	8.46	8.86

5.4 Environment of Test Site

Temperature:	18°C ~25°C
Humidity:	35%~75% RH
Atmospheric Pressure:	1010 mbar

5.5 Test Location

Shenzhen Zhongjian Nanfang Testing Co., Ltd. Address: No.B-C, 1/F., Building 2, Laodong No.2 Industrial Park, Xixiang Road, Bao'an District, Shenzhen, Guangdong, China Tel: +86-755-23118282 Fax: +86-755-23116366, E-mail:info@ccis-cb.com



Report No: CCISE191000401

6 Introduction

6.1 Introduction

SAR is related to the rate at which energy is absorbed per unit mass in an object exposed to a radio field. The SAR distribution in a biological body is complicated and is usually carried out by experimental techniques or numerical modeling. The standard recommends limits for two tiers of groups, occupational/controlled and general population/uncontrolled, based on a person's awareness and ability to exercise control over his or her exposure. In general, occupational/controlled exposure limits are higher than the limits for general population/uncontrolled.

6.2 SAR Definition

The SAR definition is the time derivative (rate) of the incremental energy (dW) absorbed by (dissipated in) an incremental mass (dm) contained in a volume element (dv) of a given density (ρ). The equation description is as below:

$$SAR = \frac{d}{dt} \left(\frac{dU}{dm} \right) = \frac{d}{dt} \left(\frac{dU}{\rho dv} \right)$$

SAR is expressed in units of Watts per kilogram (W/kg) SAR measurement can be either related to the temperature elevation in tissue by

$$SAR = C\left(\frac{\delta T}{\delta t}\right)$$

Where: C is the specific heat capacity, δT is the temperature rise and δt is the exposure duration, or related to the electrical field in the tissue by

$$SAR = \frac{\sigma \cdot E^2}{\rho}$$

Where: σ is the conductivity of the tissue, ρ is the mass density of the tissue and E is the RMS electrical field strength. However for evaluating SAR of low power transmitter, electrical field measurement is typically applied.



7 RF Exposure Limits

7.1 Uncontrolled Environment

Uncontrolled Environments are defined as locations where there is the exposure of in dividuals who have no knowledge or control of their exposure. The general population/uncontrolled exposure limits are applicable to situations in which the general public may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Members of the general public would come under this category when exposure is not employment-related; for example, in the case of a wireless transmitter that exposes persons in its vicinity.

7.2 Controlled Environment

Controlled Environments are defined as locations where there is exposure that may be in curred by persons who are aware of the potential for exposure, (i.e. as a result of employment or occupation). In general, occupational/controlled exposure limits are applicable to situations in which persons are exposed as a consequence of their employment, who have been made fully aware of the potential for exposure and can exercise control over their exposure. This exposure category is also applicable when the exposure is of a transient nature due to incidental passage through a location where the exposure levels may be higher than the general population/uncontrolled limits, but the exposed person is fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

7.3 RF Exposure Limits

SAR Human Exposure \$	Specified in ANSI/IEEE C95.1-1992 and Health Canada Safet	v Code 6
Oran Indinian Exposure (opeenied in Anomiete over 1992 and nearth canada bare	, couc o

HUM								
	UNCONTROLLED ENVIRONMENT	CONTROLLED ENVIRONMENT						
	General Population (W/kg) or (mW/g)	Occupational (W/kg) or (mW/g)						
SPATIAL PEAK SAR Brain	1.6	8.0						
SPATIAL AVERAGE SAR Whole Body	0.08	0.4						
SPATIAL PEAK SAR Hands, Feet, Ankles, Wrists	4.0	20						

Note:

- 1. The Spatial Peak value of the SAR averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube)and over the appropriate averaging time.
- 2. The Spatial Average value of the SAR averaged over the whole body.
- 3. The Spatial Peak value of the SAR averaged over any 10 grams of tissue (defined as a tissue volume in the shape of acube) and over the appropriate averaging time.



8 SAR Measurement System




Fig.8.1 SPEAG DASY System Configurations

The DASY system for performance compliance tests is illustrated above graphically. This system consists of the following items:

- > A standard high precision 6-axis robot with controller, a teach pendant and software
- A data acquisition electronic (DAE) attached to the robot arm extension
- > A dosimetric probe equipped with an optical surface detector system
- > The electro-optical converter (EOC) performs the conversion between optical and electrical signals
- A measurement server performs the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- A probe alignment unit which improves the accuracy of the probe positioning
- A computer operating Windows XP
- DASY software
- Remove control with teach pendant and additional circuitry for robot safety such as warming lamps, etc.
- The SAM twin phantom
- A device holder
- Tissue simulating liquid
- Dipole for evaluating the proper functioning of the system

Component details are described in the following sub-sections.



8.1 E-Field Probe

The SAR measurement is conducted with the dosimetric probe (manufactured by SPEAG). The probe is specially designed and calibrated for use in liquid with high permittivity. The dosimetric probe has special calibration in liquid at different frequency. This probe has a built in optical surface detection system to prevent from collision with phantom.

E-Field Probe Specification

<ex3dv4 probe=""></ex3dv4>

Construction	Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)	
Frequency	10MHz to 6 GHz; Linearity: ± 0.2 dB	
Directivity	\pm 0.3 dB in HSL (rotation around probe axis)	
	\pm 0.5 dB in tissue material (rotation normal to probe axis)	
Dynamic Range	10 μ W/g to 100 mW/g; Linearity: ± 0.2 dB (noise: typically < 1 μ W/g)	
Dimensions	Overall length: 330 mm (Tip: 20mm)	
	Tip diameter: 2.5 mm (Body: 12mm)	
	Typical distance from probe tip to dipole	
	centers: 1 mm	
		Fig.8.2 Photo of E-Field Probe

> E-Field Probe Calibration

Each probe needs to be calibrated according to a dosimetric assessment procedure with accuracy better than $\pm 10\%$. The spherical isotropy shall be evaluated and within ± 0.25 dB. The sensitivity parameters (Norm X, Norm Y and Norm Z), the diode compression parameter (DCP) and the conversion factor (ConvF) of the probe are tested. The calibration data can be referred to appendix E of this report.

8.2 Data Acquisition Electronics (DAE)

The Data acquisition electronics (DAE) consists of a highly sensitive electrometer-grade preamplifier with auto-zeroing, a channel and gainswitching multiplexer, a fast 16 bit AD-converter and a command decoder and control logic unit. Transmission to the measurement server is accomplished through an optical downlink for data and status information as well as an optical uplink for commands and the clock. The input impedance of the DAE is 200 MOhm; the inputs are symmetrical and floating. Common mode rejection is above 80 dB.




Fig. 8.3 Photo of DAE





8.3 Robot

The SPEAG DASY system uses the high precision robots (DASY5: TX60XL) type from Stäubli SA (France). For the 6-axis controller system, the robot controller version (DASY5: CS8c) from Stäublis used. The Stäublirobot series have many features that are important for our application:

- High precision (repeatability 0.02 mm)
- High reliability (industrial design)
- Low maintenance costs (virtually maintenance free due to direct drive gears; no belt drives)
- Jerk-free straight movements
- Low ELF interference (motor control fields shielded via the closed metallic construction shields)



Fig. 8.4 Photo of Robot

8.4 Measurement Server

The measurement server is based on a PC/104 CPU board with CPU (DASY 5: 400MHz, Intel Celeron), chipdisk (DASY5: 128 MB), RAM (DASY5: 128 MB). The necessary circuits for communication with the DAE electronic box, as well as the 16 bit AD converter system for optical detection and digital I/O interface are contained on the DASY I/O board, which is directly connected to the PC/104 bus of the CPU board.

The measurement server performs all the real-time data evaluation for field measurements and surface detection, controls robot movements and handles safety operations.



Fig. 8.5 Photo of Server for DASY5

8.5 Light Beam Unit

The light beam switch allows automatic "tooling" of the probe. During the process, the actual position of the probe tip with respect to the robot arm is measured, as well as the probe length and the horizontal probe offset. The software then corrects all movements, such that the robot coordinates are valid for the probe tip.

The repeatability of this process is better than0.1 mm. If a position has been taught with an aligned probe, the same position will be reached with another aligned probe within 0.1 mm, even if the other probe has different dimensions. During probe rotations, the probe tip will keep its actual position.



Fig. 8.6 Photo of Light Beam



8.6 Phantom

<SAM Twin Phantom>

Shell Thickness	2 ± 0.2 mm; Center ear point: 6 ± 0.2 mm	
Filling Volume Dimensions	Approx. 25 liters Length: 1000mm; Width: 500mm; Height: adjustable feet	CTT, TO
Measurement Areas	Left Head, Right Head, Flat phantom	Fig. 8.7Photo of SAM Twin Phantom

The bottom plate contains three pair of bolts for locking the device holder. The device holder positions are adjusted to the standard measurement positions in the three sections. A white cover is provided to tap the phantom during off-periods to prevent water evaporation and changes in the liquid parameters. On the phantom top, three reference markers are provided to identify the phantom position with respect to the robot.

<ELI4 Phantom>

The ELI4 phantom is intended for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30MHz to 6 GHz. ELI4 is fully compatible with the latest draft of the standard IEC 62209-2 and all known tissue simulating liquids.

ELI4 has been optimized regarding its performance and can be integrated into a SPEAG standard phantom table. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points The phantom can be used with the following tissue simulating liquids:

- Water-sugar based liquids can be left permanently in the phantom. Always cover the liquid if the system is not in use; otherwise the parameters will change due to water evaporation.
- DGBE based liquids should be used with care. As DGBE is a softener for most plastics, the liquid should be taken out of the phantom and the phantom should be dried when the system is not in use (desirable at least once a week).
- Do not use other organic solvents without previously testing the phantom resistiveness.



Fig.8.8 Photo of ELI4 Phantom



8.7 Device Holder

<Device Holder for SAM Twin Phantom>

The SAR in the phantom is approximately inversely proportional to the square of the distance between the source and the liquid surface. For a source at 5 mm distance, a positioning uncertainty of \pm 0.5 mm would produce a SAR uncertainty of \pm 20 %. Accurate device positioning is therefore crucial for accurate and repeatable measurements. The positions in which the devices must be measured are defined by the standards. The DASY device holder is designed to cope with different positions given in the standard. It has two scales for the device rotation (with respect to the body axis) and the device inclination (with respect to the line between the ear reference points). The rotation center for both scales is the ear reference point (ERP). Thus the device needs no repositioning when changing the angles.

The DASY device holder is constructed of low-low POM material having the following dielectric parameters: relative permittivity $\varepsilon = 3$ and loss tangent $\delta = 0.02$. The amount of dielectric material has been reduced in the closest vicinity of the device, since measurements have suggested that the influence of the clamp on the test results could thus be lowered.



Fig. 8.9Photo of Device Holder



8.8 Data storage and Evaluation

Data Storage

The DASY software stores the assessed data from the data acquisition electronics as raw data (in microvolt readings from the probe sensors), together with all the necessary software parameters for the data evaluation (probe calibration data, liquid parameters and device frequency and modulation data) in measurement files. The post-processing software evaluates the desired unit and format for output each time the data is visualized or exported. This allows verifications of the complete software setup even after the measurement and allows correction of erroneous parameter settings. For example, if a measurement has been performed with an incorrect crest factor parameter in the device setup, the parameter can be corrected afterwards and the data can be reevaluated.

The measured data can be visualized or exported in different units or formats, depending on the selected probe type (e.g., [V/m], [mW/g]). Some of these units are not available in certain situations or give meaningless results, e.g., a SAR-output in a non-lose media, will always be zero. Raw data can also be exported to perform the evaluation with other software packages.

Data Evaluation

The DASY post-processing software (SEMCAD) automatically executes the following procedures to calculate the field units from the microvolt readings at the probe connector. The parameters used in the evaluation are stored in the configuration modules of the software:

Probe Parameters:	- Sensitivity - Conversion - Diode compression point	Norm _i , a _{i0} , a _{i1} , a _{i2} ConvF _i dcp _i
Device Parameters:	- Frequency	f
	- Crest	cf
Media Parameters:	- Conductivity	σ
	- Density	ρ

These parameters must be set correctly in the software. They can be found in the component documents or they can be imported into the software from the configuration files issued for the DASY components. In the direct measuring mode of the multi-meter option, the parameters of the actual system setup are used. In the scan visualization and export modes, the parameters stored in the corresponding document files are used.

The first step of the evaluation is a linearization of the filtered input signal to account for the compression characteristics of the detector diode. The compensation depends on the input signal, the diode type and the DC-transmission factor from the diode to the evaluation electronics. If the exciting field is pulsed, the crest factor of the signal must be known to correctly compensate for peak power.



The formula for each channel can be given as:

$$V_i = U_i + U_i^2 \cdot \frac{cf}{dcp_i}$$

With

$$V_i$$
 = compensated signal of channel i, (i = x, y, z)
 U_i = input signal of channel i, (i = x, y, z)

cf = crest factor of exciting field (DASY parameter)

dcpⁱ= diode compression point (DASY parameter)

From the compensated input signals, the primary field data for each channel can be evaluated:

E- Field Probes:
$$E_i = \sqrt{\frac{v_i}{Norm \cdot ConvF}}$$

H-Field Probes: $H_i = \sqrt{V_i} \cdot \frac{a_{i0} + a_{i1}f + a_{i2}f^2}{f}$

With

ith $V_i = \text{compensated signal of channel i, (i = x, y, z)}$ $\text{Norm}_i = \text{senor sensitivity of channel i, (i = x, y, z), } \mu V/ (V/m)^2$ ConvF = sensitivity enhancement in solution $a_{ij} = \text{sensor sensitivity factors for H-field probes}$ f = carrier frequency (GHz) $E_i = \text{electric field strength of channel i in V/m}$ Hi = magnetic field strength of channel i in A/m

The RSS value of the field components gives the total field strength (Hermitian magnitude):

$$E_{tot} = \sqrt{E_x^2 + E_y^2 + E_z^2}$$

The primary field data are used to calculate the derived field units.

$$\mathsf{SAR} = E_{tot}^2 \cdot \frac{\sigma}{\rho \cdot 1000}$$

With

SAR = local specific absorption rate in mW/g

E_{tot}= total field strength in V/m

 σ = conductivity in (mho/m) or (Siemens/m)

 ρ = equipment tissue density in g/cm³

Note that the density is set to 1, to account for actual head tissue density rather than the density of the tissue simulating liquid.



8.9 Test Equipment List

Manufacture		Medel	C/N	Cal. Information		
Manufacturer	Equipment Description	Model	S/N	Last Cal.	Due Date	
SPEAG	835MHz System Validation Kit	D835V2	4d154	06.11.2019	06.10.2022	
SPEAG	1900MHz System Validation Kit	D1900V2	5d175	06.11.2019	06.10.2022	
SPEAG	Data Acquisition Electronics	DAE4	1373	08.09.2019	08.08.2020	
SPEAG	Dosimetric E-Field Probe	EX3DV4	3924	08.30.2019	08.29.2020	
SPEAG	DASY 52 Measurement Software	DASY 52	Version: 52.8.8.1222	N.C.R	N.C.R	
SPEAG	DASY 52 File Conversion Software	SEMCAD X	Version: 14.6.10 (7331)	N.C.R	N.C.R	
SPEAG	Phantom	Twin Phantom	1765	N.C.R	N.C.R	
SPEAG	Phantom	ELI V5.0	1208	N.C.R	N.C.R	
SPEAG	Phone Positioner	N/A	N/A	N.C.R	N.C.R	
Stäubli	Robot	TX60L	F13/5P6VB1/A/01	N.C.R	N.C.R	
R&S	Universal Radio Communication Tester	CMU200	113097	03.18.2019	03.17.2020	
HP	Network Analyzer	8753D	3410A06291	07.22.2019	07.21.2020	
Agilent	Spectrum Analyzer	ESRP7	101070	03.18.2019	03.17.2020	
R&S	Spectrum Analyzer	FSP30	101454	03.18.2019	03.17.2020	
R&S	Signal Generator	N5182A	MY49060014	11.07.2018	11.06.2019	
Huber Suhner	RF Cable	SUCOFLEX	12341	See N	Note 3	
Huber Suhner	RF Cable	SUCOFLEX	17268	See N	Note 3	
Huber Suhner	RF Cable	SUCOFLEX	2080	See N	Note 3	
Weinschel	Attenuator	23-3-34	BL5513	See Note 3		
Anritsu	Directional Coupler	MP654A	100217491	See Note 3		
SPEAG	Dielectric Assessment Kit	3.5 Probe	1119	See N	Note 4	
SPEAG	DAK Measurement Software	DAK	Version: DAK 3.5	N.(C.R	
Mini-circuits	Low Noise Amplifier	Power amplifier	LNA-00500200- 2515	See N	Note 5	

Note:

1. The calibration certificate of DASY can be referred to appendix C of this report.

2. Referring to KDB 865664 D01v01r04, the dipole calibration interval can be extended to 3 years with justification. The dipoles are also not physically damaged, or repaired during the interval.

3. The Insertion Loss calibration of Dual Directional Coupler and Attenuator were characterized via the network analyzer and compensated during system check.

- 4. The dielectric probe kit was calibrated via the network analyzer, with the specified procedure (calibrated in pure water) and calibration kit (standard) short circuit, before the dielectric measurement. The specific procedure and calibration kit are provided by Speag.
- 5. In system check we need to monitor the level on the spectrum analyzer, and adjust the power amplifier level to have precise power level to the dipole; the measured SAR will be normalized to 1 W input power according to the ratio of 1 W to the input power to the dipole. For system check, the calibration of the power amplifier is deemed not critically required for correct measurement; the spectrum analyzer is critical and we do have calibration for it

6. Attenuator insertion loss is calibrated by the network Analyzer, which the calibration is valid, before system check.

7. N.C.R means No Calibration Requirement.



9 Tissue Simulating Liquids

For the measurement of the field distribution inside the SAM phantom with DASY, the phantom must be filled with around 25 liters of homogeneous body tissue simulating liquid. For head SAR testing, the liquid height from the ear reference point (ERP) of the phantom to the liquid top surface is larger than 15 cm, which is shown in Fig. 9.1, for body SAR testing, the liquid height from the center of the flat phantom to liquid top surface is larger than 15 cm, which is shown in Fig. 9.2.




Fig. 9.1 Photo of Liquid Height for Head SAR (850MHz) (depth>15cm)




Fig. 9.3 Photo of Liquid Height for Head SAR (1900MHz) (depth>15cm)




Fig. 9.2 Photo of Liquid Height for Body SAR of ELI V5.0 (850MHz) (depth>15cm)




Fig. 9.4 Photo of Liquid Height for Body SAR of ELI V5.0 (1900MHz) (depth>15cm)



The relative permittivity and conductivity of the tissue material should be within±5% of the values given in the table below recommended by the FCC OET 65supplement C and RSS 102 Issue 5.

Target Frequency	He	ad	Bo	dy
(MHz)	٤r	σ(S/m)	٤r	σ(S/m)
150	52.3	0.76	61.9	0.80
300	45.3	0.87	58.2	0.92
450	43.5	0.87	56.7	0.94
835	41.5	0.90	55.2	0.97
900	41.5	0.97	55.0	1.05
915	41.5	0.98	55.0	1.06
1450	40.5	1.20	54.0	1.30
1610	40.3	1.29	53.8	1.40
1800-2000	40.0	1.40	53.3	1.52
2450	39.2	1.80	52.7	1.95
3000	38.5	2.40	52.0	2.73
5800	35.3	5.27	48.2	6.00

(ϵr = relative permittivity, σ = conductivity and ρ = 1000 kg/m³)



The dielectric parameters of liquids were verified prior to the SAR evaluation using a Speag Dielectric Probe Kit and an Agilent Network Analyzer.

Frequency (MHz)	Liquid Type	Liquid Temp. (℃)	Conductivity (σ)	Permittivity (εr)	Conductivity Target(σ)	Permittivity Target(εr)	Delta (σ)%	Delta (εr)%	Limit (%)	Date (mm/dd/yy)
835	Head	22.4	0.92	41.98	0.9	41.5	2.22	1.16	±5	10.19.2019
1900	Head	22.3	1.43	39.62	1.4	40.0	2.14	-0.95	±5	10.23.2019
835	Body	22.7	0.96	54.72	0.97	55.2	-1.03	-0.87	±5	10.24.2019
1900	Body	22.4	1.55	52.50	1.52	53.3	1.97	-1.50	±5	10.22.2019

The following table shows the measuring results for simulating liquid.



10 SAR System Verification

Each DASY system is equipped with one or more system validation kits. These units, together with the predefined measurement procedures within the DASY software, enable the user to conduct the system performance check and system validation. System validation kit includes a dipole, tripod holder to fix it underneath the flat phantom and a corresponding distance holder.

> Purpose of System Performance check

The system performance check verifies that the system operates within its specifications. System and operator errors can be detected and corrected. It is recommended that the system performance check be performed prior to any usage of the system in order to guarantee reproducible results. The system performance check uses normal SAR measurements in a simplified setup with a well characterized source. This setup was selected to give a high sensitivity to all parameters that might fail or vary over time. The system check does not intend to replace the calibration of the components, but indicates situations where the system uncertainty is exceeded due to drift or failure.

System Setup

In the simplified setup for system evaluation, the EUT is replaced by a calibrated dipole and the power source is replaced by a continuous wave that comes from a signal generator. The calibrated dipole must be placed beneath the flat phantom section of the SAM twin phantom with the correct distance holder. The distance holder should touch the phantom surface with a light pressure at the reference marking and be oriented parallel to the long side of the phantom. The equipment setup is shown below:




Fig.10.1 System Verification Setup Diagram



Fig.10.2 Photo of Dipole setup



> System Verification Results

Comparing to the original SAR value provided by SPEAG, the verification data should be within its specification of 10%. The table as below indicates the system performance check can meet the variation criterion and the plots can be referred to Appendix C of this report.

Date (mm/dd/yy)	Frequency (MHz)	Liquid Type	Power fed onto dipole (mW)	Measured 1g SAR (W/kg)	Normalized to 1W 1g SAR (W/kg)	1W Target 1g SAR (W/kg)	Deviation (%)
10.19.2019	835	Head	80	0.779	9.74	9.49	2.63
10.23.2019	1900	Head	40	1.60	40.0	39.4	1.52
10.24.2019	835	Body	80	0.788	9.85	9.57	2.93
10.22.2019	1900	Body	40	1.63	40.75	40.5	0.62



11 EUT Testing Position

This EUT was tested in six different positions. They are right cheek/right tilted/left cheek/left tilted for head, Front/Back Side of the EUT with phantom 10 mm gap, as illustrated below, please refer to Appendix B for the test setup photos.

11.1 Handset Reference Points

- The vertical centreline passes through two points on the front side of the handset the midpoint of the width w_t of the handset at the level of the acoustic output, and the midpoint of the width w_b of the bottom of the handset.
- The horizontal line is perpendicular to the vertical centreline and passes the center of the acoustic output. The horizontal line is also tangential to the handset at point A.
- The two lines intersect at point A. Note that for many handsets, point A coincides with the center of the acoustic output; however, the acoustic output may be located elsewhere on the horizontal line. Also note that the vertical centreline is not necessarily parallel to the front face of the handset, especially for clamshell handsets, handsets with flip covers, and other irregularly shaped handsets.



Fig.11.1 Illustration for Front, Back and Side of SAM Phantom




Fig. 11.2Illustration for Handset Vertical and Horizontal Reference Lines



LE



11.2 Positioning for Cheek / Touch

- To position the device with the vertical center line of the body of the device and the horizontal line crossing the center piece in a plane parallel to the sagittal plane of the phantom. While maintaining the device in this plane, align the vertical center line with the reference plane containing the three ear and mouth reference point (M: Mouth, RE: Right Ear and LE: Left Ear) and align the center of the ear piece with the line RE-LE.
- To move the device towards the phantom with the ear piece aligned with the line LE-RE until the phone touched the ear. While maintaining the device in the reference plane and maintaining the phone contact with the ear, move the bottom of the phone until any point on the front side is in contact with the cheek of the phantom or until contact with the ear is lost (see below figure)



Fig. 11.3 Illustration for Cheek Position

11.3 Positioning for Ear / 15º Tilt

- To position the device in the "cheek" position described above.
- While maintaining the device the reference plane described above and pivoting against the ear, moves it outward away from the mouth by an angle of 15 degrees or until contact with the ear is lost (see figure below).

Fig.11.4 Illustration for Tilted Position





11.4 SAR Evaluations near the Mouth/Jaw Regions of the SAM Phantom

Antennas located near the bottom of a phone may require SAR measurements around the mouth and jaw regions of the SAM head phantom. This typically applies to clam-shell style phones that are generally longer in the unfolded normal use positions or to certain older style long rectangular phones.

Under these circumstances, the following procedures apply, adopted from the FCC guidance on SAR handsets document FCC KDB Publication 648474 D04v01r03. The SAR required in these regions of SAM should be measured using a flat phantom. The phone should be positioned with a separation distance of4 mm between the ear reference point (ERP) and the outer surface of the flat phantom shell. While maintaining this distance at the ERP location, the low (bottom) edge of the phone should be lowered from the phantom to establish the same separation distance between the peak SAR locations identified by the truncated partial SAR distribution measured with the SAM phantom. The distance from the peak SAR location to the phone is determined by the straight line passing perpendicularly through the phantom surface. When it is not feasible to maintain 4 mm separation at the ERP while also establishing the required separation at the ERP. The phone should not be tilted to the left or right while placed in this inclined position to the flat phantom.

11.5 Body Worn Accessory Configurations

- > To position the device parallel to the phantom surface with either keypad up or down.
- > To adjust the device parallel to the flat phantom.
- To adjust the distance between the device surface and the flat phantom to 10 mm or holster surface and the flat phantom to 0 mm.




Fig.11.5 Illustration for Body Worn Position



12 Measurement Procedures

The measurement procedures are as bellows:

<Conducted power measurement>

- For WWAN power measurement, use base station simulator to configure EUT WWAN transition in conducted connection with RF cable, at maximum power in each supported wireless interface and frequency band.
- Read the WWAN RF power level from the base station simulator.
- For WLAN/BT power measurement, use engineering software to configure EUT WLAN/BT continuously transmission, at maximum RF power in each supported wireless interface and frequency band.
- Connect EUT RF port through RF cable to the power meter or spectrum analyzer, and measure WLAN/BT output power.

<Conducted power measurement>

- Use base station simulator to configure EUT WWAN transmission in radiated connection, and engineering software to configure EUT WLAN/BT continuously transmission, at maximum RF power, in the highest power channel.
- Place the EUT in positions as Appendix B demonstrates.
- > Set scan area, grid size and other setting on the DASY software.
- > Measure SAR results for the highest power channel on each testing position.
- Find out the largest SAR result on these testing positions of each band.
- Measure SAR results for other channels in worst SAR testing position if the Reported SAR or highest power channel is larger than 0.8 W/kg.

According to the test standard, the recommended procedure for assessing the peak spatial-average SAR value consists of the following steps:

- Power reference measurement
- Area scan
- Zoom scan
- Power drift measurement

12.1 Spatial Peak SAR Evaluation

The procedure for spatial peak SAR evaluation has been implemented according to the test standard. It can be conducted for 1g and 10g, as well as for user-specific masses. The DASY software includes all numerical procedures necessary to evaluate the spatial peak SAR value.

The base for the evaluation is a "cube" measurement. The measured volume must include the 1g and 10 g cubes with the highest averaged SAR values. For that purpose, the center of the measured volume is aligned to the interpolated peak SAR value of a previously performed area scan.

The entire evaluation of the spatial peak values is performed within the post-processing engine (SEMCAD). The system always gives the maximum values for 1g and 10g cubes. The algorithm to find the cube with highest averaged SAR is divided into the following stages:

- Extraction of the measured data (grid and values) from the Zoom Scan.
- Calculation of the SAR value at every measurement point based on all stored data (A/D values and measurement parameters).
- ➢ Generation of a high-resolution mesh within the measured volume.
- > Interpolation of all measured values form the measurement grid to the high-resolution grid
- Extrapolation of the entire 3-D field distribution to the phantom surface over the distance from sensor to surface
- Calculation of the averaged SAR within masses of 1g and 10g.





12.2 Power Reference Measurement

The Power Reference Measurement and Power Drift Measurement are for monitoring the power drift of the device under test in the batch process. The minimum distance of probe sensors to surface determines the closest measurement point to phantom surface. This distance cannot be smaller than the distance of sensor calibration points to probe tip as defined in the probe properties.

12.3 Area & Zoom Scan Procedures

First Area Scan is used to locate the approximate location(s) of the local peak SAR value(s). The measurement grid within an Area Scan is defined by the grid extent, grid step size and grid offset. Next, in order to determine the EM field distribution in a three-dimensional spatial extension, Zoom Scan is required. The Zoom Scan is performed around the highest E-field value to determine the averaged SAR-distribution over 10g. Area scan and zoom scan resolution setting follows KDB 865664 D01v01r04 quoted below.

			≤3 GHz	> 3 GHz	
Maximum distance fro (geometric center of pr			$5 \pm 1 \mathrm{mm}$	$\% \cdot \delta \cdot \ln(2) \pm 0.5 \ mm$	
Maximum probe angle from probe axis to phantom surface normal at the measurement location			30° ± 1°	20°±1°	
			$ \leq 2 \text{ GHz:} \leq 15 \text{ mm} \\ 2 - 3 \text{ GHz:} \leq 12 \text{ mm} $	$\begin{array}{l} 3-4 \text{ GHz} : \leq 12 \text{ mm} \\ 4-6 \text{ GHz} : \leq 10 \text{ mm} \end{array}$	
Maximum area scan sp	atial resol	ation: Δx _{Area} , Δy _{Area}	When the x or y dimension of measurement plane orientation the measurement resolution of x or y dimension of the test of measurement point on the test	on, is smaller than the above must be ≤ the corresponding levice with at least one	
Maximum zoom scan spatial resolution: $\Delta x_{Zoom} \Delta y_{Zoom}$			≤ 2 GHz: ≤ 8 mm 2 - 3 GHz: ≤ 5 mm	3 – 4 GHz: ≤ 5 mm [*] 4 – 6 GHz: ≤ 4 mm [*]	
	uniform grid: Δz _{Zoen} (n)		≤5 mm	$\begin{array}{l} 3-4 \ \mathrm{GHz:} \leq 4 \ \mathrm{mm} \\ 4-5 \ \mathrm{GHz:} \leq 3 \ \mathrm{mm} \\ 5-6 \ \mathrm{GHz:} \leq 2 \ \mathrm{mm} \end{array}$	
Maximum zoom scan spatial resolution, normal to phantom surface	graded	$\Delta z_{2com}(1)$: between 1 st two points closest to phantom surface	$\leq 4\mathrm{mm}$	$\begin{array}{l} 3-4 \text{ GHz:} \leq 3 \text{ mm} \\ 4-5 \text{ GHz:} \leq 2.5 \text{ mm} \\ 5-6 \text{ GHz:} \leq 2 \text{ mm} \end{array}$	
	grid Δz _{2.com} (n>1); between subsequent points		$\leq 1.5 \cdot \Delta z_{2oon}(n-1)$		
Minimum zoom scan volume	x, y, z		≥ 30 mm	3 – 4 GHz: ≥ 28 mm 4 – 5 GHz: ≥ 25 mm 5 – 6 GHz: ≥ 22 mm	



12.4 Volume Scan Procedures

The volume scan is used for assess overlapping SAR distributions for antennas transmitting in different frequency bands. It is equivalent to an oversized zoom scan used in standalone measurements. The measurement volume will be used to enclose all the simultaneous transmitting antennas. For antennas transmitting simultaneously in different frequency bands, the volume scan is measured separately in each frequency band. In order to sum correctly to compute the 1g aggregate SAR, the EUT remain in the same test position for all measurements and all volume scan use the same spatial resolution and grid spacing. When all volume scan were completed, the software, SEMCAD post-processor scan combine and subsequently superpose these measurement data to calculating the multiband SAR.

12.5 SAR Averaged Methods

In DASY, the interpolation and extrapolation are both based on the modified Quadratic Shepard's method. The interpolation scheme combines a least-square fitted function method and a weighted average method which are the two basic types of computational interpolation and approximation.

Extrapolation routines are used to obtain SAR values between the lowest measurement points and the inner phantom surface. The extrapolation distance is determined by the surface detection distance and the probe sensor offset. The uncertainty increases with the extrapolation distance. To keep the uncertainty within 1% for the 1g and 10g cubes, the extrapolation distance should not be larger than 5 mm.

12.6 Power Drift Monitoring

All SAR testing is under the EUT install full charged battery and transmit maximum output power. In DASY measurement software, the power reference measurement and power drift measurement procedures are used for monitoring the power drift of EUT during SAR test. Both these procedures measure the field at a specified reference position before and after the SAR testing. The software will calculate the field difference in dB. If the power drifts more than 5%, the SAR will be retested.



13 Conducted RF Output Power

13.1 GSM Conducted Power

Band: GSM 850	Burst A	Burst Average Power (dBm) Frame-Average Pow					
Channel	128 190 251 128 190 251						
Frequency (MHz)	824.2	836.6	848.8				
GSM (GMSK, Voice)	32.15	32.58	32.56	23.12	23.55	23.53	
GPRS (GMSK, 1 TX slot)	32.02	32.42	32.52	22.99	23.39	23.49	
GPRS (GMSK, 2 TX slots)	30.38	30.63	30.88	24.36	24.61	24.86	
GPRS (GMSK, 3 TX slots)	28.96	29.22	29.42	24.70	24.96	25.16	
GPRS (GMSK, 4 TX slots)	27.34	27.61	27.88	24.33	24.60	24.87	
Remark:							
 The frame-averaged power calculated method are sho The duty cycle "x" of differ 1 TX slot is 1/8, 2 TX slots Based on the calculation for Frame-averaged power = So, Frame-averaged power (2) Frame-averaged power (2) Frame-averaged power (2) Frame-averaged power (2) Frame-averaged power (2) Frame-averaged power (2) Frame-averaged power (2) Scheme was used in EGP 	own as below arent time slots is 2/8, 3 TX formula: Burst averag TX slot) = Be TX slots) = E TX slots) = E TX slots) = E TX slots) = E used in GPRS	s as below: slots is 3/8 an ed power + 10 urst averaged Burst average Burst average Burst average Conducted p	d 4 TX slots is 0 1og (x) power (1 TX d power (2 TX d power (3 TX d power (4 TX ower measure	s 4/8 slot)– 9.03 (slots)– 6.02 (slots)– 4.26 (slots) – 3.01 ements and S	AR testing, M	CS5 coding	

Note:

- 1. For Head SAR testing, GSM Voice mode should be evaluated, therefore the EUT was set in GSM 850 Voice mode.
- 2. For Body worn SAR testing, GSM Voice and GPRS mode should be evaluated, therefore the EUT was set in GSM 850 Voice mode and GPRS 3 TX slots mode due to the highest frame-averaged power.
- 3. Per KDB447498 D01v06, the maximum output power channel is used for SAR testing and for further SAR test reduction.
- 4. The EUT do not support DTM and VoIP function.



Band: GSM 1900	Burst Average Power (dBm)			Frame-Average Power(dBm)			
Channel							
Frequency (MHz) 1850.2 1880.0 1909.8 1850.2 1880.0 19							
GSM (GMSK, Voice) 29.94 29.97 30.06 20.91 20.94 21.0							
GPRS (GMSK, 1 TX slot)	29.92	29.96	30.04	20.89	20.93	21.01	
GPRS (GMSK, 2 TX slots)	27.92	27.79	27.80	21.9	21.77	21.78	
GPRS (GMSK, 3 TX slots)	26.14	26.33	26.40	21.88	22.07	22.14	
GPRS (GMSK, 4 TX slots)	24.56	24.85	24.88	21.55	21.84	21.87	
Remark:							
 The frame-averaged power calculated method are sho The duty cycle "x" of diffe 1 TX slot is 1/8, 2 TX slots Based on the calculation f Frame-averaged power = So, Frame-averaged power (1 Frame-averaged power (2 Frame-averaged power (3 Frame-averaged power (4 2. CS1 coding scheme was scheme was used in EGP averaged power (4 TX slot) 	own as below rent time slots formula: Burst average TX slot) = Bu TX slots) = E TX slots) = E TX slots) = E TX slots) = E TX slots) = E RS conducted	s as below: slots is 3/8 an ed power + 10 urst averaged Burst averaged Burst averaged Burst averaged Conducted p d power meas	d 4 TX slots is 0 1og (x) power (1 TX s d power (2 TX d power (3 TX d power (4 TX ower measure surements and	s 4/8 (slot) – 9.03 (slots) – 6.02 (slots) – 4.26 (slots) – 3.01 ements and S d SAR testing	AR testing, M	CS5 coding	

Note:

- 1. For Head SAR testing, GSM Voice mode should be evaluated, therefore the EUT was set in GSM 1900 Voice mode.
- For Body worn SAR testing, GSM Voice and GPRS mode should be evaluated, therefore the EUT was set in GSM 1900 Voice mode and GPRS 3 TX slots mode due to the highest frame-averaged power.
- 3. Per KDB447498 D01v06, the maximum output power channel is used for SAR testing and for further SAR test reduction.
- 4. The EUT do not support DTM and VoIP function.



13.2 Bluetooth Conducted Power

Average Power (dBm)(Bluetooth)						
Channel	Frequency (MHz)	GFSK	π/4-DQPSK	8DPSK		
CH 01	2402	6.45	7.24	7.21		
CH 39	2441	7.78	8.46	8.86		
CH 78	2480	6.68	7.18	7.33		

Note:

1. Per KDB 447498 D01v06, the 1-g SAR test exclusion thresholds for 100 MHz to 6 GHz at *test separation distances* ≤50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/ (min. test separation distance, mm)] $\cdot [\sqrt{f(GHz)}] \le 3.0$ for 1-g SAR, where

- f(GHz) is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation
- The result is rounded to one decimal place for comparison

	The recard		accilla place lei	companeon			
	Channel	Frequency (GHz)	Max. tune-up Power (dBm)	Max. Power (mW)	Test distance (mm)	Result	exclusion thresholds for 1-g SAR
	CH 39	2.441	9	7.94	5	2.48	3.0
'							

2. The max. tune-up power was provided by manufacturer, base on the result of note 1, RF exposure evaluation is not required.

3. The output power of all data rate were pre-scan, just the worst case of all mode were shown in report.

4. When the minimum test separation distance is < 5 mm, a distance of 5 mm according is applied to determine SAR test exclusion.



14 SAR Test Results Summary

14.1 Standalone Head SAR Data

GSM Head SAR

Plot No.	Band/Mode	Test Position	CH.	Freq. (MHz)	Ave. Power (dBm)	Power Drift (dB)	Tune-Up Limit (dBm)	Meas. SAR _{1g} (W/kg)	Scaling Factor	Reported SAR _{1g} (W/kg)
	GSM850/Voice	Right Cheek	190	836.6	32.58	-0.07	33.00	0.568	1.102	0.626
	GSM850/Voice	Right Tilted	190	836.6	32.58	0.19	33.00	0.314	1.102	0.346
1	GSM850/Voice	Left Cheek	190	836.6	32.58	-0.13	33.00	0.579	1.102	0.638
	GSM850/Voice	Left Tilted	190	836.6	32.58	0.04	33.00	0.328	1.102	0.361
2	GSM1900/Voice	Right Cheek	810	1909.8	30.06	0.14	30.50	0.131	1.107	0.145
	GSM1900/Voice	Right Tilted	810	1909.8	30.06	0.03	30.50	0.067	1.107	0.074
	GSM1900/Voice	Left Cheek	810	1909.8	30.06	-0.27	30.50	0.091	1.107	0.101
	GSM1900/Voice	Left Tilted	810	1909.8	30.06	0.11	30.50	0.043	1.107	0.048
Ui	ANSI / IEEE C95.1 – SAFETY LIMIT Spatial Peak Uncontrolled Exposure/General Population						1.6 W/kg Average	ı (mW/g) d over 1g		

Note:

1. Per KDB 447498 D01v06, for each exposure position, if the highest output power channel Reported SAR ≤0.8W/kg, other channels SAR testing is not necessary.

- 2. Per KDB 865664 D01v01r04, for each frequency band, repeated SAR measurement is required when the measured SAR is ≥0.8W/kg.
- 3. According to KDB 865664 D02v01r02, SAR plot is required for the highest measured SAR in each exposure configuration, wireless mode and frequency band combination.

14.2 Standalone Body SAR

GSM Body SAR

Plot No.	Band/Mode	Test Position	CH.	Freq. (MHz)	Ave. Power (dBm)	Power Drift (dB)	Tune-Up Limit (dBm)	Meas. SAR _{1g} (W/kg)	Scaling Factor	Reported SAR _{1g} (W/kg)
	GSM850/Voice	Front	190	836.6	32.58	0.02	33.00	0.441	1.102	0.486
	GSM850/Voice	Back	190	836.6	32.58	0.07	33.00	0.589	1.102	0.649
	GPRS850/3Slots	Front	251	848.8	29.42	-0.11	29.50	0.755	1.019	0.769
3	GPRS850/3Slots	Back	251	848.8	29.42	0.14	29.50	0.919	1.019	0.936
	GPRS850/3Slots	Back	251	848.8	29.42	-0.10	29.50	0.907	1.019	0.924
	GPRS850/3Slots	Back	128	824.2	28.96	-0.01	29.00	0.698	1.009	0.704
	GPRS850/3Slots	Back	190	836.6	29.22	0.07	29.50	0.809	1.067	0.863
	GSM1900/Voice	Front	810	1909.8	30.06	-0.16	30.50	0.101	1.107	0.112
	GSM1900/Voice	Back	810	1909.8	30.06	0.01	30.50	0.124	1.107	0.137
	GPRS1900/3Slots	Front	810	1909.8	26.40	-0.18	26.50	0.113	1.023	0.116
4	GPRS1900/3Slots	Back	810	1909.8	26.40	-0.08	26.50	0.135	1.023	0.138
U	ANSI / IEEE C95.1 – SAFETY LIMIT Spatial Peak Uncontrolled Exposure/General Population						1.6 W/kg Averaged	ı (mW/g) d over 1g		

Note:

- 1. Body-worn SAR testing was performed at 10mm separation, and this distance is determined by the handset manufacturer that there will be body-worn accessories that users may acquire at the time of equipment certification, to enable users to purchase aftermarket body-worn accessories with the required minimum separation.
- 2. Body-worn exposure conditions are intended to voice call operations, therefore GSM voice call is selected to be tested.
- 3. Per KDB 648474 D04v01r03, when the *Reported* SAR for a body-worn accessory measured without a headset connected to the handset is ≤ 1.2 W/kg, SAR testing with a headset connected to the handset is not required.
- 4. Per KDB 865664 D01v01r04, for each frequency band, repeated SAR measurement is required when the measured SAR is ≥0.8W/kg.
- 5. According to KDB 865664 D02v01r02, SAR plot is required for the highest measured SAR in each exposure configuration, wireless mode and frequency band combination.
- 6. Highlight part of test data means repeated test.

Telephone: +86 (0) 755 23118282 Fax: +86 (0) 755 23116366, E-mail:info@ccis-cb.com



14.3 Repeated SAR measurement

Rand/Mada Tast Desition			Freq		Measured SAR (W/kg)			
Band/ Mode	Test Position	CH.	CH. Freq. (MHz)		1 st Rep	beated	2 nd Re	peated
		· · · · · · · · · · · · · · · · · · ·	Original	Value	Ratio	Value	Ratio	
GPRS850/3Slots	Back	251	848.8	0.919	0.907	1.01	/	/
	EE C95.1 – SAFETY Spatial Peak Exposure/General		ion			W/kg (m ^v raged ov	• /	

Note:

^{1.} Per KDB 865664 D01v01r04, for each frequency band, repeated SAR measurement is required only when the measured SAR is ≥0.8W/kg

^{2.} Per KDB 865664 D01v01r04, if the ratio of *original* and *repeated* is ≤ 1.2and the measured SAR <1.45W/kg, only one repeated measurement is required.



14.4 Multi-Band Simultaneous Transmission Considerations

> Simultaneous Transmission Capabilities

According to FCC KDB Publication 447498 D01v06, transmitters are considered to be transmitting simultaneously when there is overlapping transmission, with the exception of transmissions during network hand-offs with maximum hand-off duration less than 30 seconds. Possible transmission paths for the EUT are shown in below Figure and are color-coded to indicate communication modes which share the same path. Modes which share the same transmission path cannot transmit simultaneously with one another.



> Simultaneous Transmission Procedures

This device contains transmitters that may operate simultaneously. Therefore simultaneous transmission analysis is required. Per FCC KDB 447498 D01v06, simultaneous transmission SAR test exclusion may be applied when the sum of the 1-g SAR for all the simultaneous transmitting antennas in a specific a physical test configuration is \leq 1.6 W/kg. When standalone SAR is not required to be measured, per FCC KDB 447498 D01v06 4.3.2), the following equation must be used to estimate the standalone 1g SAR for simultaneous transmission assessment involving that transmitter.

Estimated SAR =
$$\frac{\sqrt{f(GHz)}}{7.5}$$

Max. power of channel, mW

Min.Separation Distance, mm

Mode	Max. tune-up	Exposure Position	Head	Body
wode	Power (dBm)	Test Distance (mm)	0	10
Bluetooth	9.0	Estimated SAR (W/kg)	0.330	0.165

Note:

1. When the minimum *test separation distance* is < 5 mm, a distance of 5 mm according is applied to determine estimated SAR.

Multi-Band simultaneous Transmission Consideration

	Position	Applicable Combination
Simultaneous Transmission	Head	WWAN (Voice) + Bluetooth
Consideration	Body	WWAN (Voice) + Bluetooth

Note:

- 1. The Report SAR summation is calculated based on the same configuration and test position.
- 2. Per KDB 447498 D01v06, simultaneous transmission SAR is compliant if,
 - i. Scalar SAR summation < 1.6W/kg.
 - ii. SPLSR = $(SAR_1 + SAR_2)^{1.5} / (min. separation distance, mm)$, and the peak separation distance is determined from the square root of $[(x_1-x_2)^2 + (y_1-y_2)^2 + (z_1-z_2)^2]$, where (x_1, y_1, z_1) and (x_2, y_2, z_2) are the coordinates of the extrapolated peak SAR locations in the zoom scan If SPLSR ≤ 0.04 , simultaneously transmission SAR measurement is not necessary
 - iii. Simultaneously transmission SAR measurement, and the Reported multi-band SAR < 1.6W/kg



14.5 SAR Simultaneous Transmission Analysis

> Head Simultaneous Transmission

WWAN Mode	Position	WWAN SAR _{1g} (W/kg)	Bluetooth Estimated SAR _{1g} (W/ kg)	ΣSAR (W/kg)
	Right Cheek	0.626	0.330	0.956
GSM850	Right Tilted	0.346	0.330	0.676
00101000	Left Cheek	0.638	0.330	0.968
	Left Tilted	0.361	0.330	0.691

WWAN Mode	Position	WWAN SAR _{1g} (W/kg)	Bluetooth Estimated SAR _{1g} (W/kg)	ΣSAR (W/kg)
	Right Cheek	0.145	0.330	0.475
GSM	Right Tilted	0.074	0.330	0.404
1900	Left Cheek	0.101	0.330	0.431
	Left Tilted	0.048	0.330	0.378

Body worn Simultaneous Transmission

WWAN Mode	Position	WWAN SAR _{1g} (W/kg)	Bluetooth Estimated SAR _{1g} (W/ kg)	ΣSAR (W/kg)
GSM850	Front	0.769	0.165	0.934
6310000	Back	0.936	0.165	1.101

WWAN Mode	Position	WWAN SAR _{1g} (W/kg)	Bluetooth Estimated SAR _{1g} (W/ kg)	ΣSAR (W/kg)
GSM	Front	0.116	0.165	0.281
1900	Back	0.138	0.165	0.303

> Simultaneous Transmission Conclusion

The above numerical summed SAR results for all the case simultaneous transmission conditions were below the SAR limit. Therefore, the above analysis is sufficient to determine that simultaneous transmission cases will not exceed the SAR limit and therefore no measured volumetric simultaneous SAR summation is required per FCC KDB Publication 447498 D01v06.



14.6 Measurement Uncertainty

The component of uncertainly may generally be categorized according to the methods used to evaluate them. The evaluation of uncertainly by the statistical analysis of a series of observations is termed a Type A evaluation of uncertainty. The evaluation of uncertainty by means other than the statistical analysis of a series of observation is termed a Type B evaluation of uncertainty. Each component of uncertainty, however evaluated, is represented by an estimated standard deviation, termed standard uncertainty, which is determined by the positive square root of the estimated variance.

A Type A evaluation of standard uncertainty may be based on any valid statistical method for treating data. This includes calculating the standard deviation of the mean of a series of independent observations; using the method of least squares to fit a curve to the data in order to estimate the parameter of the curve and their standard deviations; or carrying out an analysis of variance in order to identify and quantify random effects in certain kinds of measurement.

A Type B evaluation of standard uncertainty is typically based on scientific judgment using all of the relevant information available. These may include previous measurement data, experience, and knowledge of the behavior and properties of relevant materials and instruments, manufacture's specification, data provided in calibration reports and uncertainties assigned to reference data taken from handbooks. Broadly speaking, the uncertainty is either obtained from an outdoor source or obtained from an assumed distribution, such as the normal distribution, rectangular or triangular distributions indicated in below Table.

Uncertainty Distributions	Normal	Rectangular	Triangular	U-Shape
Multi-plying Factor	1/k(b)	1/√3	1/√6	1/√2

Standard Uncertainty for Assumed Distribution

The combined standard uncertainty of the measurement result represents the estimated standard deviation of the result. It is obtained by combining the individual standard uncertainties of both Type A and Type B evaluation using the usual "root-sum-squares" (RSS) methods of combining standard deviations by taking the positive square root of the estimated variances.

Expanded uncertainty is a measure of uncertainty that defines an interval about the measurement result within which the measured value is confidently believed to lie. It is obtained by multiplying the combined standard uncertainty by a coverage factor. Typically, the coverage factor ranges from 2 to 3. Using a coverage factor allows the true value of a measured quantity to be specified with a defined probability within the specified uncertainty range. For purpose of this document, a coverage factor two is used, which corresponds to confidence interval of about 95 %. The DASY uncertainty Budget is shown in the following tables.



Uncertainty Component	Section	Uncert. Value	Prob. Dist.	Div.	(C _i) (1 g)	(C _i) (10 g)	Std. Unc. (1 g)	Std. Unc. (10 g)	Vi
Measurement System	I	I				1 ()/			
Probe Calibration	E.2.1	±7.4%	Ν	1	1	1	±7.4%	±7.4%	∞
Axial Isotropy	E.2.2	±1.2%	R	$\sqrt{3}$	0.7	0.7	±0.49%	±0.49%	8
Hemispherical Isotropy	E.2.2	±3.2%	R	√3	0.7	0.7	±1.29%	±1.29%	∞
Boundary Effects	E.2.3	±1.0%	R	√3	1	1	±0.58%	±0.58%	∞
Linearity	E.2.4	±0.9%	R	√3	1	1	±0.52%	±0.52%	∞
System Detection Limits	E.2.5	±0.25%	R	$\sqrt{3}$	1	1	±0.14%	±0.14%	∞
Readout Electronics	E.2.6	±0.3%	N	1	1	1	±0.3%	±0.3%	∞
Response Time	E.2.7	±0.8%	R	$\sqrt{3}$	1	1	±0.46%	±0.46%	∞
Integration Time	E.2.8	±2.6%	R	√3	1	1	±1.5%	±1.5%	∞
RF Ambient Noise	E.6.1	±3.0%	R	$\sqrt{3}$	1	1	±1.73%	±1.73%	∞
RF Ambient Reflections	E.6.1	±3.0%	R	$\sqrt{3}$	1	1	±1.73%	±1.73%	∞
Probe positioner mechanical tolerances	E.6.2	±0.4%	R	$\sqrt{3}$	1	1	±0.23%	±0.23%	∞
Probe positioning tolerance with respect to the phantom shell surface	E.6.3	±2.9%	R	√3	1	1	±1.67%	±1.67%	∞
Interpolation, extrapolation, and integration algorithm For max. SAR Evaluation.	E.5	±1.0%	R	√3	1	1	±0.58%	±0.58%	∞
Test Sample Related									
Device Positioning	E.4.2	±4.6%	N	1	1	1	±4.6%	±4.6%	M-1
Device Holder	E.4.1	±5.2%	N	1	1	1	±5.2%	±5.2%	M-1
Power Drift	6.6.2	±5.0%	R	√3	1	1	±2.89%	±2.89%	∞
Phantom and Setup									
Phantom Uncertainty	E.3.1	±4.0%	R	$\sqrt{3}$	1	1	±2.31%	±2.31%	8
Liquid conductivity (measured value)	E.3.3	±3.51%	Ν	1	0.78	0.71	±2.74%	±2.49%	М
Liquid dielectric constant (measured value)	E.3.3	±3.4%	N	1	0.23	0.26	±0.78%	±0.88%	М
Liquid Conductivity - Temperature Uncertainty	E.3.4	±1.6%	R	√3	0.78	0.71	±0.72%	±0.66%	∞
Liquid Dielectric Constant - Temperature Uncertainty	E.3.4	±0.9%	R	√3	0.23	0.26	±0.12%	±0.14%	∞
	bined Stand	lard Uncerta	ainty (RS	S)	·		±11.61%	±11.55%	
Expanded U	ncertainty (95% Confid	ence Lev	vel, k = 2)			±23.23%	±23.10%	

Uncertainty Budget for frequency range 300 MHz to 3 GHz according to IEEE1528-2013



14.7 Measurement Conclusion

The SAR evaluation indicates that the EUT complies with the RF radiation exposure limits of the FCC and Industry Canada, with respect to all parameters subject to this test. These measurements were taken to simulate the RF effects of RF exposure under worst-case conditions. Precise laboratory measures were taken to assure repeatability of the tests. The results and statements relate only to the item(s) tested. Please note that the absorption and distribution of electromagnetic energy in the body are very complex phenomena that depend on the mass, shape, and size of the body, the orientation of the body with respect to the field vectors, and the electrical properties of both the body and the environment. Other variables that may play a substantial role in possible biological effects are those that characterize the environment (e.g. ambient temperature, air velocity, relative humidity, and body insulation) and those that characterize the individual (e.g. age, gender, activity level, debilitation, or disease). Because various factors may interact with one another to vary the specific biological outcome of an exposure to electromagnetic fields, any protection guide should consider maximal amplification of biological effects as a result of field-body interactions, environmental conditions, and physiological variables.



15 Reference

- [1]. FCC 47 CFR Part 2 "Frequency Allocations and Radio Treaty Matters; General Rules and Regulations"
- [2]. ANSI/IEEE Std. C95.1-2005, "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz", September 1992
- [3]. IEEE Std. 1528-2013, "Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", September2013
- [4]. SPEAG DASY52 System Handbook
- [5]. FCC KDB 447498 D01 v06, "RF EXPOSURE PROCEDURES AND EQUIPMENT AUTHORIZATION POLICIES FOR MOBILE AND PORTABLE DEVICES", October 2015
- [6]. FCC KDB 648474 D04 v01r03, "SAR EVALUATION CONSIDERATIONS FOR WIRELESS HANDSETS", October 2015
- [7]. FCC KDB 941225 D03 v01, "Recommended SAR Test Reduction Procedures for GSM / GPRS /EDGE", December 2008
- [8]. FCC KDB 941225 D06 v02r01, "SAR EVALUATION PROCEDURES FOR PORTABLE DEVICES WITH WIRELESS ROUTER CAPABILITIES", October 2015
- [9]. FCC KDB 865664 D01 v01r04, "SAR MEASUREMENT REQUIREMENTS FOR 100 MHz TO 6 GHz", August2015



Appendix A: Plots of SAR System Check



Date/Time: 10.19.2019 08:07:24

DUT: Dipole 835 MHz; Type: D835V2; Serial: SN:4d154

Communication System: UID 0, CW (0); Frequency: 835 MHz; Duty Cycle: 1:1 Medium parameters used: f = 835 MHz; σ = 0.922 S/m; ϵ_r = 41.984; ρ = 1000 kg/m³ Phantom section: Flat Section

DASY5 Configuration:

- Probe: EX3DV4 SN3924; ConvF(9.67, 9.67, 9.67); Calibrated: 08.30.2019;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1373; Calibrated: 08.09.2019
- Phantom: SAM 5.0; Type: QD000P40CD; Serial: TP:1765
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

System Performance Check at Frequency 835 MHz Head Tissue/d=15mm, Pin=80 mW, dist=2.0mm (EX-Probe)/Area Scan (41x131x1): Interpolated grid: dx=1.500 mm, dy=1.500 mm

Maximum value of SAR (interpolated) = 1.09 W/kg


System Performance Check at Frequency 835 MHz Head Tissue/d=15mm, Pin=80 mW, dist=2.0mm (EX-Probe)/Zoom Scan (7x7x7) (5x5x7)/Cube 0:

Measurement grid: dx=8mm, dy=8mm, dz=5mmReference Value = 32.64 V/m; Power Drift = -0.06 dB

Peak SAR (extrapolated) = 1.17 W/kg

SAR(1 g) = 0.779 W/kg; SAR(10 g) = 0.524 W/kg

Maximum value of SAR (measured) = 1.03 W/kg





Date/Time: 10.23.2019 08:06:54

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d175

Communication System: UID 0, CW (0); Frequency: 1900 MHz; Duty Cycle: 1:1 Medium parameters used: f = 1900 MHz; σ = 1.425 S/m; ϵ_r = 39.624; ρ = 1000 kg/m³ Phantom section: Flat Section

DASY5 Configuration:

- Probe: EX3DV4 SN3924; ConvF(8.17, 8.17, 8.17); Calibrated: 08.30.2019;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1373; Calibrated: 08.09.2019
- Phantom: SAM 5.0; Type: QD000P40CD; Serial: TP:1765
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

System Performance Check at Frequency 1900MHz Head Tissue/d=10mm, Pin=40 mW, dist=2.0mm (EX-Probe)/Area Scan (41x51x1): Interpolated grid: dx=1.500 mm, dy=1.500 mm

Maximum value of SAR (interpolated) = 2.56 W/kg


System Performance Check at Frequency 1900MHz Head Tissue/d=10mm, Pin=40 mW, dist=2.0mm (EX-Probe)/Zoom Scan (7x7x7) (5x5x7)/Cube 0:

Measurement grid: dx=8mm, dy=8mm, dz=5mmReference Value = 42.36 V/m; Power Drift = -0.07 dB

Peak SAR (extrapolated) = 3.34 W/kg

SAR(1 g) = 1.6 W/kg; SAR(10 g) = 0.834 W/kg

Maximum value of SAR (measured) = 2.39 W/kg





Date/Time: 10.24.2019 08:05:29

DUT: Dipole 835 MHz; Type: D835V2; Serial: SN:4d154

Communication System: UID 0, CW (0); Frequency: 835 MHz; Duty Cycle: 1:1 Medium parameters used (interpolated): f = 835 MHz; σ = 0.958 S/m; ϵ_r = 54.721; ρ = 1000 kg/m³ Phantom section: Flat Section

DASY5 Configuration:


- Probe: EX3DV4 SN3924; ConvF(9.72, 9.72, 9.72); Calibrated: 08.30.2019;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1373; Calibrated: 08.09.2019
- Phantom: ELI v5.0; Type: QDOVA002AA; Serial: TP:1208
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

System Performance Check at Frequency 835 MHz Body Tissue/d=15mm, Pin=80 mW, dist=2.0mm (EX-Probe)/Area Scan (41x131x1): Interpolated grid: dx=1.500 mm, dy=1.500 mm

Maximum value of SAR (interpolated) = 1.17 W/kg

System Performance Check at Frequency 835 MHz Body Tissue/d=15mm, Pin=80 mW, dist=2.0mm (EX-Probe)/Zoom Scan (7x7x7) (5x5x7)/Cube 0:

Measurement grid: dx=8mm, dy=8mm, dz=5mmReference Value = 33.14 V/m; Power Drift = 0.08 dB Peak SAR (extrapolated) = 1.23 W/kg **SAR(1 g) = 0.788 W/kg; SAR(10 g) = 0.523 W/kg** Maximum value of SAR (measured) = 1.09 W/kg







Date/Time: 10.22.2019 18:04:22

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: SN:5d175

Communication System: UID 0, CW (0); Frequency: 1900 MHz; Duty Cycle: 1:1 Medium parameters used: f = 1900 MHz; σ = 1.552 S/m; ϵ_r = 52.498; ρ = 1000 kg/m³ Phantom section: Flat Section

DASY5 Configuration:

- Probe: EX3DV4 SN3924; ConvF(7.83, 7.83, 7.83); Calibrated: 08.30.2019;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1373; Calibrated: 08.09.2019
- Phantom: ELI v5.0; Type: QDOVA002AA; Serial: TP:1208
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

System Performance Check at Frequency 1900MHz Body Tissue/d=10mm, Pin=40 mW, dist=2.0mm (EX-Probe)/Area Scan (41x51x1): Interpolated grid:

dx=1.500 mm, dy=1.500 mm Maximum value of SAR (interpolated) = 2.65 W/kg


System Performance Check at Frequency 1900MHz Body Tissue/d=10mm, Pin=40 mW, dist=2.0mm (EX-Probe)/Zoom Scan (7x7x7) (5x5x7)/Cube 0:

Measurement grid: dx=8mm, dy=8mm, dz=5mmReference Value = 40.62 V/m; Power Drift = -0.07 dB

Peak SAR (extrapolated) = 3.39 W/kg

SAR(1 g) = 1.63 W/kg; SAR(10 g) = 0.827 W/kg

Maximum value of SAR (measured) = 2.42 W/kg





Appendix B: Plots of SAR Test Data



Date/Time: 10.19.2019 12:03:55

DUT: Mobile Phone; Type: K380; Serial: 1#

Communication System: UID 0, GSM (0); Frequency: 836.6 MHz; Duty Cycle: 1:8.30042 Medium parameters used (interpolated): f = 836.6 MHz; $\sigma = 0.922$ S/m; $\epsilon_r = 41.984$; $\rho = 1000$ kg/m³ Phantom section: Left Section

DASY5 Configuration:


- Probe: EX3DV4 SN3924; ConvF(9.67, 9.67, 9.67); Calibrated: 08.30.2019;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1373; Calibrated: 08.09.2019
- Phantom: SAM 5.0; Type: QD000P40CD; Serial: TP:1765
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

GSM 850 Left Cheek/Middle Channel/Zoom Scan (5x5x7)/Cube 0: Measurement

grid: dx=8mm, dy=8mm, dz=5mm Reference Value = 9.201 V/m; Power Drift = -0.13 dB Peak SAR (extrapolated) = 0.883 W/kg SAR(1 g) = 0.579 W/kg; SAR(10 g) = 0.384 W/kg Maximum value of SAR (measured) = 0.773 W/kg

GSM 850 Left Cheek/Middle Channel/Area Scan (31x61x1): Interpolated grid:

dx=1.500 mm, dy=1.500 mm Maximum value of SAR (interpolated) = 0.810 W/kg





Date/Time: 10.23.2019 19:52:58

DUT: Mobile Phone; Type: K380; Serial: 1#

Communication System: UID 0, GSM (0); Frequency: 1909.8 MHz; Duty Cycle: 1:8.30042 Medium parameters used: f = 1909.8 MHz; σ = 1.425 S/m; ϵ_r = 39.624; ρ = 1000 kg/m³ Phantom section: Right Section

DASY5 Configuration:

- Probe: EX3DV4 SN3924; ConvF(8.17, 8.17, 8.17); Calibrated: 08.30.2019;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1373; Calibrated: 08.09.2019
- Phantom: SAM 5.0; Type: QD000P40CD; Serial: TP:1765
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)


GSM 1900 Right Cheek/High Channel/Area Scan (31x61x1): Interpolated grid:

dx=1.500 mm, dy=1.500 mm Maximum value of SAR (interpolated) = 0.198 W/kg

GSM 1900 Right Cheek/High Channel/Zoom Scan (5x5x7)/Cube 0: Measurement

grid: dx=8mm, dy=8mm, dz=5mm Reference Value = 1.930 V/m; Power Drift = 0.14 dB Peak SAR (extrapolated) = 0.236 W/kg SAR(1 g) = 0.131 W/kg; SAR(10 g) = 0.069 W/kg

Maximum value of SAR (measured) = 0.198 W/kg



e e



Date/Time: 10.24.2019 09:14:19

DUT: Mobile Phone; Type: K380; Serial: 1#

Communication System: UID 0, GPRS(3 Slots) (0); Frequency: 848.8 MHz; Duty Cycle: 1:2.77971 Medium parameters used (interpolated): f = 848.8 MHz; $\sigma = 0.967$ S/m; $\epsilon_r = 54.631$; $\rho = 1000$ kg/m³ Phantom section: Flat Section

DASY5 Configuration:


- Probe: EX3DV4 SN3924; ConvF(9.72, 9.72, 9.72); Calibrated: 08.30.2019;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1373; Calibrated: 08.09.2019
- Phantom: ELI v5.0; Type: QDOVA002AA; Serial: TP:1208
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

GPRS 850 3Slots Body Back/High Channel/Zoom Scan (5x5x7)/Cube 0:

Measurement grid: dx=8mm, dy=8mm, dz=5mmReference Value = 35.38 V/m; Power Drift = 0.14 dB Peak SAR (extrapolated) = 1.34 W/kg SAR(1 g) = 0.919 W/kg; SAR(10 g) = 0.643 W/kg Maximum value of SAR (measured) = 1.17 W/kg

GPRS 850 3Slots Body Back/High Channel/Area Scan (31x51x1): Interpolated

grid: dx=1.500 mm, dy=1.500 mm Maximum value of SAR (interpolated) = 1.19 W/kg





Date/Time: 10.22.2019 19:12:20

DUT: Mobile Phone; Type: K380; Serial: 1#

Communication System: UID 0, GPRS(3 Slots) (0); Frequency: 1909.8 MHz; Duty Cycle: 1:2.77971 Medium parameters used: f = 1909.8 MHz; σ = 1.552 S/m; ϵ_r = 52.498; ρ = 1000 kg/m³ Phantom section: Flat Section

DASY5 Configuration:


- Probe: EX3DV4 SN3924; ConvF(7.83, 7.83, 7.83); Calibrated: 08.30.2019;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1373; Calibrated: 08.09.2019
- Phantom: ELI v5.0; Type: QDOVA002AA; Serial: TP:1208
- Measurement SW: DASY52, Version 52.8 (8); SEMCAD X Version 14.6.10 (7331)

GPRS 1900 3Slots Body Back/High Channel/Zoom Scan (5x5x7)/Cube 0:

Measurement grid: dx=8mm, dy=8mm, dz=5mmReference Value = 11.00 V/m; Power Drift = -0.08 dB Peak SAR (extrapolated) = 0.241 W/kg SAR(1 g) = 0.135 W/kg; SAR(10 g) = 0.075 W/kg Maximum value of SAR (measured) = 0.200 W/kg

GPRS 1900 3Slots Body Back/High Channel/Area Scan (31x51x1): Interpolated

grid: dx=1.500 mm, dy=1.500 mm Maximum value of SAR (interpolated) = 0.216 W/kg





Appendix C: System Calibration Certificate



Calibration information for E-field probes

Add: No.51 Xuevua		e a g N LABORATORY et, Beijing, 100191, China	校准 CALIBRATI CNAS L05
Tel: +86-10-623046 E-mail: cttl@chinatt	33-2512 Fax: +86	-10-62304633-2504	01110 200
Client CCIS	S	Certificate No: Z19-6	50260
CALIBRATION CE	RTIFICATE		E E E E
Dbject	EX3DV4	- SN:3924	D. In Cal
alibration Procedure(s)			
	FF-Z11-0		
	Calibratio	on Procedures for Dosimetric E-field Probes	
alibration date:	August 3	0, 2019	
ages and are part of the ce Il calibrations have been umidity<70%. alibration Equipment used	conducted in th	e closed laboratory facility: environment t	emperature(22±3)℃ and
II calibrations have been umidity<70%. alibration Equipment used	conducted in th (M&TE critical for		emperature(22±3)℃ and Scheduled Calibration
I calibrations have been umidity<70%. alibration Equipment used rimary Standards	conducted in th (M&TE critical for	calibration)	
I calibrations have been imidity<70%. alibration Equipment used imary Standards Power Meter NRP2	Conducted in th (M&TE critical for ID # (calibration) Cal Date(Calibrated by, Certificate No.)	Scheduled Calibration
I calibrations have been imidity<70%. alibration Equipment used imary Standards Power Meter NRP2 Power sensor NRP-Z91	Conducted in th (M&TE critical for ID # (101919	calibration) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05125)	Scheduled Calibration Jun-20
I calibrations have been midity<70%. alibration Equipment used imary Standards Power Meter NRP2 Power sensor NRP-Z91 Power sensor NRP-Z91	Conducted in th (M&TE critical for ID # (101919 101547	calibration) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125)	Scheduled Calibration Jun-20 Jun-20
alibrations have been midity<70%. alibration Equipment used imary Standards Power Meter NRP2 Power sensor NRP-Z91 Power sensor NRP-Z91 Reference10dBAttenuator	Conducted in th (M&TE critical for ID # (101919 101547 101548	calibration) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125)	Scheduled Calibration Jun-20 Jun-20 Jun-20 Feb-20
I calibrations have been midity<70%. alibration Equipment used imary Standards Power Meter NRP2 Power sensor NRP-Z91 Power sensor NRP-Z91 Reference10dBAttenuator Reference20dBAttenuator	conducted in th (M&TE critical for ID # (101919 101547 101548 18N50W-10dB 18N50W-20dB	calibration) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 09-Feb-18(CTTL, No.J18X01133) 09-Feb-18(CTTL, No.J18X01132)	Scheduled Calibration Jun-20 Jun-20 Jun-20 Feb-20 Feb-20
I calibrations have been imidity<70%. alibration Equipment used imary Standards Power Meter NRP2 Power sensor NRP-Z91 Power sensor NRP-Z91 Reference10dBAttenuator Reference20dBAttenuator Reference Probe EX3DV4	conducted in th (M&TE critical for ID # (101919 101547 101548 18N50W-10dB 18N50W-20dB	calibration) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 09-Feb-18(CTTL, No.J18X01133) 09-Feb-18(CTTL, No.J18X01132) 24-May-19(SPEAG,No.EX3-7307_May19)	Scheduled Calibration Jun-20 Jun-20 Jun-20 Feb-20 Feb-20 May-20
I calibrations have been umidity<70%. alibration Equipment used imary Standards Power Meter NRP2 Power sensor NRP-Z91 Power sensor NRP-Z91 Reference10dBAttenuator Reference20dBAttenuator Reference Probe EX3DV4 DAE4	conducted in th (M&TE critical for ID # (101919 101547 101548 18N50W-10dB 18N50W-20dB SN 7307	calibration) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 09-Feb-18(CTTL, No.J18X01133) 09-Feb-18(CTTL, No.J18X01132) 24-May-19(SPEAG,No.EX3-7307_May19) 06-Feb-19(SPEAG, No.DAE4-1331_Feb19)	Scheduled Calibration Jun-20 Jun-20 Jun-20 Feb-20 Feb-20 May-20
Il calibrations have been umidity<70%. alibration Equipment used rimary Standards Power Meter NRP2 Power sensor NRP-Z91 Power sensor NRP-Z91 Reference10dBAttenuator Reference20dBAttenuator Reference Probe EX3DV4 DAE4 DAE4	conducted in th (M&TE critical for ID # (101919 101547 101548 18N50W-10dB 18N50W-20dB SN 7307 SN 1331	calibration) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 09-Feb-18(CTTL, No.J18X01133) 09-Feb-18(CTTL, No.J18X01132) 24-May-19(SPEAG,No.EX3-7307_May19) 06-Feb-19(SPEAG, No.DAE4-1331_Feb19) 07-Dec-18(SPEAG, No.DAE4-917_Dec18)	Scheduled Calibration Jun-20 Jun-20 Jun-20 Feb-20 Feb-20 May-20 Feb-20
Il calibrations have been umidity<70%. alibration Equipment used rimary Standards Power Meter NRP2 Power sensor NRP-Z91 Power sensor NRP-Z91 Reference10dBAttenuator Reference20dBAttenuator Reference Probe EX3DV4 DAE4 DAE4 Secondary Standards	conducted in th (M&TE critical for ID # (101919 101547 101548 18N50W-10dB 18N50W-20dB SN 7307 SN 1331 SN 917 ID #	calibration) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 09-Feb-18(CTTL, No.J18X01133) 09-Feb-18(CTTL, No.J18X01132) 24-May-19(SPEAG,No.EX3-7307_May19) 06-Feb-19(SPEAG, No.DAE4-1331_Feb19)	Scheduled Calibration Jun-20 Jun-20 Jun-20 Feb-20 Feb-20 May-20 Feb -20 Dec -19
Il calibrations have been umidity<70%. alibration Equipment used rimary Standards Power Meter NRP2 Power sensor NRP-Z91 Power sensor NRP-Z91 Reference10dBAttenuator Reference20dBAttenuator Reference Probe EX3DV4 DAE4 DAE4 Secondary Standards SignalGeneratorMG3700A	conducted in th (M&TE critical for ID # (101919 101547 101548 18N50W-10dB 18N50W-20dB SN 7307 SN 1331 SN 917 ID #	calibration) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 09-Feb-18(CTTL, No.J18X01133) 09-Feb-18(CTTL, No.J18X01132) 24-May-19(SPEAG,No.EX3-7307_May19) 06-Feb-19(SPEAG, No.DAE4-1331_Feb19) 07-Dec-18(SPEAG, No.DAE4-917_Dec18) Cal Date(Calibrated by, Certificate No.)	Scheduled Calibration Jun-20 Jun-20 Feb-20 Feb-20 May-20 Feb -20 Dec -19 Scheduled Calibration Jun-20
Il calibrations have been umidity<70%. alibration Equipment used rimary Standards Power Meter NRP2 Power sensor NRP-Z91 Power sensor NRP-Z91 Reference10dBAttenuator Reference20dBAttenuator Reference Probe EX3DV4 DAE4 DAE4 DAE4 Secondary Standards SignalGeneratorMG3700A Network Analyzer E5071C	conducted in th (M&TE critical for ID # (101919 101547 101548 18N50W-10dB 18N50W-20dB SN 7307 SN 1331 SN 917 ID # 6201052605	calibration) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 09-Feb-18(CTTL, No.J19X05125) 09-Feb-18(CTTL, No.J18X01133) 09-Feb-18(CTTL, No.J18X01132) 24-May-19(SPEAG,No.EX3-7307_May19) 06-Feb-19(SPEAG, No.DAE4-1331_Feb19) 07-Dec-18(SPEAG, No.DAE4-917_Dec18) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05127)	Scheduled Calibration Jun-20 Jun-20 Jun-20 Feb-20 Feb-20 May-20 Feb -20 Dec -19 Scheduled Calibration Jun-20 Jan -20
Il calibrations have been umidity<70%. alibration Equipment used rimary Standards Power Meter NRP2 Power sensor NRP-Z91 Power sensor NRP-Z91 Reference10dBAttenuator Reference20dBAttenuator Reference20dBAttenuator Reference Probe EX3DV4 DAE4 DAE4 Secondary Standards SignalGeneratorMG3700A Network Analyzer E5071C	conducted in th (M&TE critical for ID # (0) 101919 101547 101548 18N50W-10dB 18N50W-20dB SN 7307 SN 1331 SN 917 ID # 6201052605 MY46110673	calibration) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 09-Feb-18(CTTL, No.J18X01133) 09-Feb-18(CTTL, No.J18X01132) 24-May-19(SPEAG,No.EX3-7307_May19) 06-Feb-19(SPEAG, No.DAE4-1331_Feb19) 07-Dec-18(SPEAG, No.DAE4-917_Dec18) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05127) 24-Jan-19 (CTTL, No.J19X00547)	Scheduled Calibration Jun-20 Jun-20 Feb-20 Feb-20 May-20 Feb -20 Dec -19 Scheduled Calibration Jun-20
Il calibrations have been umidity<70%. Calibration Equipment used rimary Standards Power Meter NRP2 Power sensor NRP-Z91 Power sensor NRP-Z91 Reference10dBAttenuator Reference20dBAttenuator Reference Probe EX3DV4 DAE4 DAE4 DAE4 Secondary Standards SignalGeneratorMG3700A Network Analyzer E5071C	conducted in th (M&TE critical for ID # (101919 101547 101548 18N50W-10dB 18N50W-20dB SN 7307 SN 1331 SN 917 ID # 6201052605 MY46110673 Name	calibration) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 18-Jun-19 (CTTL, No.J19X05125) 09-Feb-18(CTTL, No.J18X01133) 09-Feb-18(CTTL, No.J18X01132) 24-May-19(SPEAG,No.EX3-7307_May19) 06-Feb-19(SPEAG, No.DAE4-1331_Feb19) 07-Dec-18(SPEAG, No.DAE4-917_Dec18) Cal Date(Calibrated by, Certificate No.) 18-Jun-19 (CTTL, No.J19X05127) 24-Jan-19 (CTTL, No.J19X00547) Function	Scheduled Calibration Jun-20 Jun-20 Jun-20 Feb-20 Feb-20 May-20 Feb -20 Dec -19 Scheduled Calibration Jun-20 Jan -20

Certificate No: Z19-60260

Page 1 of 11





 Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China

 Tel: +86-10-62304633-2512
 Fax: +86-10-62304633-2504

 E-mail: cttl@chinattl.com
 <u>Http://www.chinattl.cn</u>

Glossary:

tissue simulating liquid
sensitivity in free space
sensitivity in TSL / NORMx,y,z
diode compression point
crest factor (1/duty_cycle) of the RF signal
modulation dependent linearization parameters
Φ rotation around probe axis
θ rotation around an axis that is in the plane normal to probe axis (at measurement center), i θ=0 is normal to probe axis

Connector Angle information used in DASY system to align probe sensor X to the robot coordinate system Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010

d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Methods Applied and Interpretation of Parameters:

- NORMx, y,z: Assessed for E-field polarization θ=0 (f≤900MHz in TEM-cell; f>1800MHz; waveguide). NORMx, y,z are only intermediate values, i.e., the uncertainties of NORMx, y,z does not effect the E²-field uncertainty inside TSL (see below ConvF).
- NORM(f)x,y,z = NORMx,y,z* frequency_response (see Frequency Response Chart). This
 linearization is implemented in DASY4 software versions later than 4.2. The uncertainty of the
 frequency response is included in the stated uncertainty of ConvF.
- DCPx, y, z: DCP are numerical linearization parameters assessed based on the data of power sweep (no uncertainty required). DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics.
- Ax,y,z; Bx,y,z; Cx,y,z; VRx,y,z:A,B,C are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for f≤800MHz) and inside waveguide using analytical field distributions based on power measurements for f >800MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty valued are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORMx,y,z* ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from±50MHz to±100MHz.
- Spherical isotropy (3D deviation from isotropy): in a field of low gradients realized using a flat
 phantom exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the
 probe tip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the NORMx (no uncertainty required).

Certificate No: Z19-60260

Page 2 of 11





 Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China

 Tel: +86-10-62304633-2512
 Fax: +86-10-62304633-2504

 E-mail: cttl@chinattl.com
 Http://www.chinattl.cn

Probe EX3DV4

SN: 3924

Calibrated: August 30, 2019

Calibrated for DASY/EASY Systems

(Note: non-compatible with DASY2 system!)

Certificate No: Z19-60260

Page 3 of 11





DASY/EASY – Parameters of Probe: EX3DV4 – SN: 3924

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm(µV/(V/m)2)^	0.50	0.42	0.67	±10.0%
DCP(mV) ^B	101.3	100.5	100.2	

Modulation Calibration Parameters

UID	Communication System Name		A dB	B dBõV	C	D dB	VR mV	Unc ^E (k=2)
0	CW	X	0.0	0.0	1.0	0.00	181.3	±2.3%
		Y	0.0	0.0	1.0		161.5	
		Z	0.0	0.0	1.0		206.8	

The reported uncertainty of measurement is stated as the standard uncertainty of Measurement multiplied by the coverage factor k=2, which for a normal distribution Corresponds to a coverage probability of approximately 95%.

^A The uncertainties of Norm X, Y, Z do not affect the E²-field uncertainty inside TSL (see Page 5 and Page 6).
^B Numerical linearization parameter: uncertainty not required.

^E Uncertainly is determined using the max, deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: Z19-60260

Page 4 of 11





DASY/EASY - Parameters of Probe: EX3DV4 - SN: 3924

f [MHz] ^c	Relative Permittivity ^F	Conductivity (S/m) ^F	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unct. (k=2)
750	41.9	0.89	10.07	10.07	10.07	0.40	0.80	±12.1%
835	41.5	0.90	9.67	9.67	9.67	0.16	1.34	±12.1%
900	41.5	0.97	9.69	9.69	9.69	0.20	1.20	±12.1%
1750	40.1	1.37	8.40	8.40	8.40	0.22	1.07	±12.1%
1900	40.0	1.40	8.17	8.17	8.17	0.28	0.97	±12.1%
2300	39.5	1.67	7.85	7.85	7.85	0.46	0.76	±12.1%
2450	39.2	1.80	7.54	7.54	7.54	0.51	0.75	±12.1%
2600	39.0	1.96	7.30	7.30	7.30	0.60	0.69	±12.1%
5250	35.9	4.71	5.48	5.48	5.48	0.40	1.40	±13.3%
5600	35.5	5.07	4.86	4.86	4.86	0.40	1.40	±13.3%
5750	35.4	5.22	4.98	4.98	4.98	0.45	1.40	±13.3%

Calibration Parameter Determined in Head Tissue Simulating Media

^c Frequency validity above 300 MHz of ±100MHz only applies for DASY v4.4 and higher (Page 2), else It is restricted to ±50MHz. The uncertainty is the RSS of ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 64, 128, 150 and 220 MHz respectively. Above 5 GHz frequency validity can be extended to ± 110 MHz.

^F At frequency below 3 GHz, the validity of tissue parameters (ϵ and σ) can be relaxed to ±10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ϵ and σ) is restricted to ±5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters. ^G Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ± 1% for frequencies below 3 GHz and below ± 2% for the frequencies between 3-6 GHz at any distance larger than half the probe tip diameter from the boundary.

Certificate No: Z19-60260

Page 5 of 11





DASY/EASY – Parameters of Probe: EX3DV4 – SN: 3924

f [MHz] ^c	Relative Permittivity ^F	Conductivity (S/m) ^F	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unct. (k=2)
750	55.5	0.96	10.07	10.07	10.07	0.17	1.40	±12.1%
835	55.2	0.97	9.72	9.72	9.72	0.19	1.34	±12.1%
900	55.0	1.05	9.75	9.75	9.75	0.24	1.14	±12.1%
1750	53.4	1.49	8.12	8.12	8.12	0.23	1.06	±12.1%
1900	53.3	1.52	7.83	7.83	7.83	0.23	1.08	±12.1%
2300	52.9	1.81	7.66	7.66	7.66	0.49	0.88	±12.1%
2450	52.7	1.95	7.51	7.51	7.51	0.56	0.80	±12.1%
2600	52.5	2.16	7.26	7.26	7.26	0.64	0.71	±12.1%
5250	48.9	5.36	4.90	4.90	4.90	0.40	1.70	±13.3%
5600	48.5	5.77	4.28	4.28	4.28	0.50	1.30	±13.3%
5750	48.3	5.94	4.32	4.32	4.32	0.55	1.50	±13.3%

Calibration Parameter Determined in Body Tissue Simulating Media


^c Frequency validity above 300 MHz of ±100MHz only applies for DASY v4.4 and higher (Page 2), else it is restricted to ±50MHz. The uncertainty is the RSS of ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 64, 128, 150 and 220 MHz respectively. Above 5 GHz frequency validity can be extended to ± 110 MHz.

FAt frequency below 3 GHz, the validity of tissue parameters (ε and σ) can be relaxed to ±10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ε and σ) is restricted to ±5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.
^G Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ± 1% for frequencies below 3 GHz and below ± 2% for the frequencies between 3-6 GHz at any distance larger than half the probe tip diameter from the boundary.

Certificate No: Z19-60260

Page 6 of 11






Uncertainty of Frequency Response of E-field: ±7.4% (k=2)

Certificate No: Z19-60260

Page 7 of 11







Certificate No: Z19-60260

Page 8 of 11










Deviation from Isotropy in Liquid



Certificate No: Z19-60260

Page 10 of 11





DASY/EASY - Parameters of Probe: EX3DV4 - SN: 3924

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (°)	159.7
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disable
Probe Overall Length	337mm
Probe Body Diameter	10mm
Tip Length	9mm
Tip Diameter	2.5mm
Probe Tip to Sensor X Calibration Point	1mm
Probe Tip to Sensor Y Calibration Point	1mm
Probe Tip to Sensor Z Calibration Point	1mm
Recommended Measurement Distance from Surface	1.4mm

Certificate No: Z19-60260

Page 11 of 11



Calibration information for Dipole

Tel: +86-10-623046 E-mail: cttl@chinat	ti.com http://	www.chinattl.cn	
Client CCIS	internit internit	and the second	9-60175
CALIBRATION C	ERTIFICAT	E	
Object	D835V	2 - SN: 4d154	
Calibration Procedure(s)	10.520.0000000	-003-01 tion Procedures for dipole validation kits	
Calibration date:	June 11		
All calibrations have been	conducted in	the closed laboratory facility: environment	temnerature/22+317 and
humidity<70%. Calibration Equipment used		Cal Date(Calibrated by, Certificate No.)	Scheduled Calibration
humidity<70%. Calibration Equipment used Primary Standards	(M&TE critical fo	or calibration)	
humidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4	(M&TE critical fo ID # 106277 104291 SN 7514	or calibration) Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18(SPEAG,No.EX3-7514_Aug18)	Scheduled Calibration Aug-19 Aug-19 Aug-19
humidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S	(M&TE critical fo ID # 106277 104291	or calibration) Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862)	Scheduled Calibration Aug-19 Aug-19 Aug-19
humidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4	(M&TE critical fo ID # 106277 104291 SN 7514	or calibration) Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18(SPEAG,No.EX3-7514_Aug18)	Scheduled Calibration Aug-19 Aug-19 Aug-19
humidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4 DAE4 Secondary Standards Signal Generator E4438C	(M&TE critical fe ID # 106277 104291 SN 7514 SN 1556 ID # MY49071430	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18 (SPEAG,No.EX3-7514_Aug18) 20-Aug-18 (SPEAG,No.DAE4-1556_Aug18) Cal Date(Calibrated by, Certificate No.) 23-Jan-19 (CTTL, No.J19X00336)	Scheduled Calibration Aug-19 Aug-19 Aug-19 Aug-19 Scheduled Calibration Jan-20
humidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4 DAE4 Secondary Standards	(M&TE critical fo ID # 106277 104291 SN 7514 SN 1556 ID #	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18 (SPEAG,No.EX3-7514_Aug18) 20-Aug-18 (SPEAG,No.DAE4-1556_Aug18) Cal Date(Calibrated by, Certificate No.)	Scheduled Calibration Aug-19 Aug-19 Aug-19 Aug-19 Scheduled Calibration
humidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4 DAE4 Secondary Standards Signal Generator E4438C NetworkAnalyzer E5071C	(M&TE critical fe ID # 106277 104291 SN 7514 SN 1556 ID # MY49071430	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18 (SPEAG,No.EX3-7514_Aug18) 20-Aug-18 (SPEAG,No.DAE4-1556_Aug18) Cal Date(Calibrated by, Certificate No.) 23-Jan-19 (CTTL, No.J19X00336)	Scheduled Calibration Aug-19 Aug-19 Aug-19 Aug-19 Scheduled Calibration Jan-20
humidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4 DAE4 Secondary Standards Signal Generator E4438C NetworkAnalyzer E5071C	(M&TE critical fe ID # 106277 104291 SN 7514 SN 1556 ID # MY49071430 MY46110673	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18 (SPEAG,No.EX3-7514_Aug18) 20-Aug-18 (SPEAG,No.DAE4-1556_Aug18) Cal Date(Calibrated by, Certificate No.) 23-Jan-19 (CTTL, No.J19X00336) 24-Jan-19 (CTTL, No.J19X00547)	Scheduled Calibration Aug-19 Aug-19 Aug-19 Aug-19 Scheduled Calibration Jan-20 Jan-20
humidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4 DAE4 Secondary Standards Signal Generator E4438C	(M&TE critical fe ID # 106277 104291 SN 7514 SN 1556 ID # MY49071430 MY46110673 Name	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18 (SPEAG,No.EX3-7514_Aug18) 20-Aug-18(SPEAG,No.DAE4-1556_Aug18) Cal Date(Calibrated by, Certificate No.) 23-Jan-19 (CTTL, No.J19X00336) 24-Jan-19 (CTTL, No.J19X00547) Function	Scheduled Calibration Aug-19 Aug-19 Aug-19 Aug-19 Scheduled Calibration Jan-20 Jan-20

Certificate No: Z19-60175

Page 1 of 8





Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China Tel: +86-10-62304633-2079 Fax: +86-10-62304633-2504 E-mail: cttl@chinattl.com http://www.chinattl.cn

Glossary:

TSL	tissue simulating liquid
ConvF	sensitivity in TSL / NORMx,y,z
N/A	not applicable or not measured

Calibration is Performed According to the Following Standards:

a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013

а

- b) IEC 62209-1, "Measurement procedure for assessment of specific absorption rate of human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices- Part 1: Device used next to the ear (Frequency range of 300MHz to 6GHz)", July 2016
- c) IEC 62209-2, "Procedure to measure the Specific Absorption Rate (SAR) For wireless communication devices used in close proximity to the human body (frequency range of 30MHz to 6GHz)", March 2010
- d) KDB865664, SAR Measurement Requirements for 100 MHz to 6 GHz

Additional Documentation:

e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.


The reported uncertainty of measurement is stated as the standard uncertainty of Measurement multiplied by the coverage factor k=2, which for a normal distribution Corresponds to a coverage probability of approximately 95%.

Certificate No: Z19-60175

Page 2 of 8







 Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China

 Tel: +86-10-62304633-2079
 Fnx: +86-10-62304633-2504

 E-mail: ettl@chinattl.com
 http://www.chinattl.en

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY52	52.10.2.1504
Extrapolation	Advanced Extrapolation	
Phantom	Triple Flat Phantom 5.1C	
Distance Dipole Center - TSL	15 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	835 MHz ± 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	41.5	0.90 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	41.1 ± 6 %	0.89 mho/m ± 6 %
Head TSL temperature change during test	<1.0 °C		

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.35 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	9.49 W/kg ± 18.8 % (k=2)
SAR averaged over 10 cm3 (10 g) of Head TSL	Condition	
SAR measured	250 mW input power	1.57 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	6.33 W/kg ± 18.7 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	55.2	0.97 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	55.0 ± 6 %	0.97 mho/m ± 6 %
Body TSL temperature change during test	<1.0 °C		

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	2.40 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	9.57 W /kg ± 18.8 % (k=2)
SAR averaged over 10 cm3 (10 g) of Body TSL	Condition	
SAR measured	250 mW input power	1.58 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	6.31 W/kg ± 18.7 % (k=2)

Certificate No: Z19-60175

Page 3 of 8





Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China Tel: +86-10-62304633-2079 Fax: +86-10-62304633-2504 E-mail: ettl@chinattl.com http://www.chinattl.cn

Appendix (Additional assessments outside the scope of CNAS L0570)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	51.9Ω- 3.09jΩ	
Return Loss	- 29.0dB	

Antenna Parameters with Body TSL

Impedance, transformed to feed point	47.3Ω- 4.87jΩ	
Return Loss	- 24.9dB	

General Antenna Parameters and Design

77 ns	
4	2// hs

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard. No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
manandarda by	SPEAG

Certificate No: Z19-60175

Page 4 of 8





Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China Tel: +86-10-62304633-2079 Fax: +86-10-62304633-2504 E-mail: ettl@chinattl.com http://www.chinattl.cn

DASY5 Validation Report for Head TSL Test Laboratory: CTTL, Beijing, China

Date: 06.11.2019


DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN: 4d154 Communication System: UID 0, CW; Frequency: 835 MHz; Duty Cycle: 1:1 Medium parameters used: f = 835 MHz; σ = 0.886 S/m; ε_r = 41.12; ρ = 1000 kg/m3 Phantom section: Right Section

DASY5 Configuration:

- Probe: EX3DV4 SN7514; ConvF(9.09, 9.09, 9.09) @ 835 MHz; Calibrated: 8/27/2018
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1556; Calibrated: 8/20/2018
- Phantom: MFP_V5.1C ; Type: QD 000 P51CA; Serial: 1062
- Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

Dipole Calibration/Zoom Scan (7x7x7) (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 58.27 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 3.45 W/kg SAR(1 g) = 2.35 W/kg; SAR(10 g) = 1.57 W/kg Maximum value of SAR (measured) = 3.09 W/kg



0 dB = 3.09 W/kg = 4.90 dBW/kg

Certificate No: Z19-60175


Page 5 of 8





Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China Tel: +86-10-62304633-2079 Fax: +86-10-62304633-2504 E-mail: cttl@chinattl.com http://www.chinattl.cn

Impedance Measurement Plot for Head TSL



Certificate No: Z19-60175

Page 6 of 8





 Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China


 Tel: +86-10-62304633-2079
 Fax: +86-10-62304633-2504

 E-mail: cttl@chinattl.com
 http://www.chinattl.cn

- Probe: EX3DV4 SN7514; ConvF(9.47, 9.47, 9.47) @ 835 MHz; Calibrated: 8/27/2018
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1556; Calibrated: 8/20/2018
- Phantom: MFP_V5.1C; Type: QD 000 P51CA; Serial: 1062
- Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

Dipole Calibration/Zoom Scan (7x7x7) (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 53.93 V/m; Power Drift = -0.01 dB Peak SAR (extrapolated) = 3.67 W/kg

SAR(1 g) = 2.4 W/kg; SAR(10 g) = 1.58 W/kg Maximum value of SAR (measured) = 3.23 W/kg



Certificate No: Z19-60175

Page 7 of 8






 Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China

 Tel: +86-10-62304633-2079
 Fax: +86-10-62304633-2504

 E-mail: ettl@chinattl.com
 http://www.chinattl.cn

Impedance Measurement Plot for Body TSL



Certificate No: Z19-60175

Page 8 of 8



Add: No.51 Xueyua Tel: +86-10-623046		86-10-62304633-2504	CNAS L0570
E-mail: cttl@chinatt	l.com http://v	www.chinattl.en	
Client CCIS			-60176
CALIBRATION CE	ERTIFICAT	E	
Object	D1900V	/2 - SN: 5d175	
Calibration Procedure(s)	FF-Z11-	003-01	
		tion Procedures for dipole validation kits	
Calibration date:	June 11	. 2019	
numidity<70%. Calibration Equipment used		the closed laboratory facility: environment to or calibration)	temperature(22±3)°C and
humidity<70%. Calibration Equipment used Primary Standards	(M&TE critical fo	or calibration) Cal Date(Calibrated by, Certificate No.)	Scheduled Calibration
numidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2	(M&TE critical fo ID # 106277	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862)	Scheduled Calibration Aug-19
numidity<70%. Calibration Equipment used Primary Standards	(M&TE critical fo ID # 106277 104291	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862)	Scheduled Calibration Aug-19 Aug-19
humidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S	(M&TE critical fo ID # 106277	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862)	Scheduled Calibration Aug-19
humidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4	(M&TE critical fo ID # 106277 104291 SN 7514	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18(SPEAG,No.EX3-7514_Aug18)	Scheduled Calibration Aug-19 Aug-19 Aug-19
numidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4 DAE4 Secondary Standards Signal Generator E4438C	(M&TE critical fo ID # 106277 104291 SN 7514 SN 1556	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18 (SPEAG,No.EX3-7514_Aug18) 20-Aug-18 (SPEAG,No.DAE4-1556_Aug18)	Scheduled Calibration Aug-19 Aug-19 Aug-19 Aug-19 Aug-19
humidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4 DAE4 Secondary Standards	(M&TE critical fo ID # 106277 104291 SN 7514 SN 1556 ID #	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18 (CTTL, No.J18X06862) 27-Aug-18 (SPEAG,No.EX3-7514_Aug18) 20-Aug-18 (SPEAG,No.DAE4-1556_Aug18) Cal Date(Calibrated by, Certificate No.)	Scheduled Calibration Aug-19 Aug-19 Aug-19 Aug-19 Scheduled Calibration
humidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4 DAE4 Secondary Standards Signal Generator E4438C	(M&TE critical fo ID # 106277 104291 SN 7514 SN 1556 ID # MY49071430 MY46110673	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18 (SPEAG,No.EX3-7514_Aug18) 20-Aug-18 (SPEAG,No.DAE4-1556_Aug18) Cal Date(Calibrated by, Certificate No.) 23-Jan-19 (CTTL, No.J19X00336) 24-Jan-19 (CTTL, No.J19X00547)	Scheduled Calibration Aug-19 Aug-19 Aug-19 Aug-19 Scheduled Calibration Jan-20 Jan-20
numidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4 DAE4 Secondary Standards Signal Generator E4438C NetworkAnalyzer E5071C	(M&TE critical fo ID # 106277 104291 SN 7514 SN 1556 ID # MY49071430 MY46110673 Name	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18 (SPEAG,No.EX3-7514_Aug18) 20-Aug-18 (SPEAG,No.DAE4-1556_Aug18) Cal Date(Calibrated by, Certificate No.) 23-Jan-19 (CTTL, No.J19X00336) 24-Jan-19 (CTTL, No.J19X00547) Function	Scheduled Calibration Aug-19 Aug-19 Aug-19 Aug-19 Scheduled Calibration Jan-20
numidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4 DAE4 Secondary Standards Signal Generator E4438C NetworkAnalyzer E5071C	(M&TE critical fo ID # 106277 104291 SN 7514 SN 1556 ID # MY49071430 MY46110673	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18 (SPEAG,No.EX3-7514_Aug18) 20-Aug-18 (SPEAG,No.DAE4-1556_Aug18) Cal Date(Calibrated by, Certificate No.) 23-Jan-19 (CTTL, No.J19X00336) 24-Jan-19 (CTTL, No.J19X00547)	Scheduled Calibration Aug-19 Aug-19 Aug-19 Aug-19 Scheduled Calibration Jan-20 Jan-20
humidity<70%. Calibration Equipment used Primary Standards Power Meter NRP2 Power sensor NRP8S Reference Probe EX3DV4 DAE4 Secondary Standards Signal Generator E4438C	(M&TE critical fo ID # 106277 104291 SN 7514 SN 1556 ID # MY49071430 MY46110673 Name	Cal Date(Calibrated by, Certificate No.) 20-Aug-18 (CTTL, No.J18X06862) 20-Aug-18 (CTTL, No.J18X06862) 27-Aug-18 (SPEAG,No.EX3-7514_Aug18) 20-Aug-18 (SPEAG,No.DAE4-1556_Aug18) Cal Date(Calibrated by, Certificate No.) 23-Jan-19 (CTTL, No.J19X00336) 24-Jan-19 (CTTL, No.J19X00547) Function	Scheduled Calibration Aug-19 Aug-19 Aug-19 Aug-19 Scheduled Calibration Jan-20 Jan-20

Certificate No: Z19-60176

Page 1 of 8





Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China Tel: +86-10-62304633-2079 Fax: +86-10-62304633-2504 E-mail: cttl@chinattl.com http://www.chinattl.cn

lossary:

TSL	tissue simulating liquid
ConvF	sensitivity in TSL / NORMx,y,z
N/A	not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Measurement procedure for assessment of specific absorption rate of human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices- Part 1: Device used next to the ear (Frequency range of 300MHz to 6GHz)", July 2016
- c) IEC 62209-2, "Procedure to measure the Specific Absorption Rate (SAR) For wireless communication devices used in close proximity to the human body (frequency range of 30MHz to 6GHz)", March 2010
- d) KDB865664, SAR Measurement Requirements for 100 MHz to 6 GHz

Additional Documentation:

e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end
 of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed
 point exactly below the center marking of the flat phantom section, with the arms oriented
 parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole
 positioned under the liquid filled phantom. The impedance stated is transformed from the
 measurement at the SMA connector to the feed point. The Return Loss ensures low
 reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- · SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of Measurement multiplied by the coverage factor k=2, which for a normal distribution Corresponds to a coverage probability of approximately 95%.

Certificate No: Z19-60176

Page 2 of 8





 Add: No.51 Xueyuan Rond, Haidian District, Beijing, 100191, China

 Tel: +86-10-62304633-2079
 Fux: +86-10-62304633-2504

 E-mail: cttl@chinattl.com
 http://www.chinattl.cn

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY52	52.10.2.1504
Extrapolation	Advanced Extrapolation	
Phantom	Triple Flat Phantom 5.1C	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	1900 MHz ± 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	40.0	1.40 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	40.2 ± 6 %	1.39 mho/m ± 6 %
Head TSL temperature change during test	<1.0 °C		

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	9.79 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	39.4 W/kg ± 18.8 % (k=2)
SAR averaged over 10 cm ³ (10 g) of Head TSL	Condition	
SAR measured	250 mW input power	5.07 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	20.4 W/kg ± 18.7 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	53.3	1.52 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	52.2 ± 6 %	1.50 mho/m ± 6 %
Body TSL temperature change during test	<1.0 °C	(1999)	

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	10.1 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	40.5 W/kg ± 18.8 % (k=2)
SAR averaged over 10 cm ³ (10 g) of Body TSL	Condition	
SAR measured	250 mW input power	5.23 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	21.0 W/kg ± 18.7 % (k=2)

Certificate No: Z19-60176

Page 3 of 8





Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China Tel: +86-10-62304633-2079 Fax: +86-10-62304633-2504 E-mail: ettl@chinattl.com http://www.chinattl.cn

Appendix (Additional assessments outside the scope of CNAS L0570)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	51.7Ω+ 5.93jΩ
Return Loss	- 24.3dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	47.8Ω+ 5.24jΩ	
Return Loss	- 24.7dB	

General Antenna Parameters and Design

Electrical Delay (one direction)	1.064 ns	
----------------------------------	----------	--

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard. No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
-----------------	-------

Certificate No: Z19-60176

Page 4 of 8





Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China Tel: +86-10-62304633-2079 Fax: +86-10-62304633-2504 E-mail: ettl@chinattl.com http://www.chinattl.cn

DASY5 Validation Report for Head TSL

Date: 06.10.2019


Test Laboratory: CTTL, Beijing, China **DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN: 5d175** Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1 Medium parameters used: f = 1900 MHz; σ = 1.387 S/m; ε_r = 40.2; ρ = 1000 kg/m3 Phantom section: Center Section

DASY5 Configuration:

- Probe: EX3DV4 SN7514; ConvF(7.73, 7.73, 7.73) @ 1900 MHz; Calibrated: 8/27/2018
- · Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1556; Calibrated: 8/20/2018
- Phantom: MFP_V5.1C; Type: QD 000 P51CA; Serial: 1062
- Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

System Performance Check/Zoom Scan (7x7x7) (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 98.94 V/m; Power Drift = 0.04 dB Peak SAR (extrapolated) = 18.9 W/kg SAR(1 g) = 9.79 W/kg; SAR(10 g) = 5.07 W/kg

Maximum value of SAR (measured) = 15.6 W/kg



0 dB = 15.6 W/kg = 11.93 dBW/kg

Certificate No: Z19-60176

Page 5 of 8






 Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China

 Tel: +86-10-62304633-2079
 Fax: +86-10-62304633-2504

 E-mail: cttl@chinattl.com
 http://www.chinattl.cn

Impedance Measurement Plot for Head TSL



Certificate No: Z19-60176

Page 6 of 8





Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China Tel: +86-10-62304633-2079 Fax: +86-10-62304633-2504 E-mail: ettl@chinattl.com http://www.chinattl.cn

DASY5 Validation Report for Body TSL

Test Laboratory: CTTL, Beijing, China


Date: 06.11.2019

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN: 5d175 Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1 Medium parameters used: f = 1900 MHz; $\sigma = 1.499$ S/m; $\varepsilon_r = 52.18$; $\rho = 1000$ kg/m3 Phantom section: Right Section

DASY5 Configuration:

- Probe: EX3DV4 SN7514; ConvF(7.53, 7.53, 7.53) @ 1900 MHz; Calibrated: 8/27/2018
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1556; Calibrated: 8/20/2018
- Phantom: MFP_V5.1C ; Type: QD 000 P51CA; Serial: 1062
- Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

System Performance Check/Zoom Scan (7x7x7) (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 88.67 V/m; Power Drift = 0.01 dB Peak SAR (extrapolated) = 18.9 W/kg SAR(1 g) = 10.1 W/kg; SAR(10 g) = 5.23 W/kg Maximum value of SAR (measured) = 15.6 W/kg



Certificate No: Z19-60176

Page 7 of 8






 Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China

 Tel: +86-10-62304633-2079
 Fax: +86-10-62304633-2504

 E-mail: cttl@chinattl.com
 http://www.chinattl.cn

Impedance Measurement Plot for Body TSL



Certificate No: Z19-60176

Page 8 of 8

Calibration information for DAE



The DAE unit is a delicate, high precision instrument and requires careful treatment by the user. There are no serviceable parts inside the DAE. Special attention shall be given to the following points:

Battery Exchange: The battery cover of the DAE4 unit is fixed using a screw, over tightening the screw may cause the threads inside the DAE to wear out.

Shipping of the DAE: Before shipping the DAE to SPEAG for calibration, remove the batteries and pack the DAE in an antistatic bag. This antistatic bag shall then be packed into a larger box or container which protects the DAE from impacts during transportation. The package shall be marked to indicate that a fragile instrument is inside.

E-Stop Failures: Touch detection may be malfunctioning due to broken magnets in the E-stop. Rough handling of the E-stop may lead to damage of these magnets. Touch and collision errors are often caused by dust and dirt accumulated in the E-stop. To prevent E-stop failure, the customer shall always mount the probe to the DAE carefully and keep the DAE unit in a non-dusty environment if not used for measurements.

Repair: Minor repairs are performed at no extra cost during the annual calibration. However, SPEAG reserves the right to charge for any repair especially if rough unprofessional handling caused the defect.

DASY Configuration Files: Since the exact values of the DAE input resistances, as measured during the calibration procedure of a DAE unit, are not used by the DASY software, a nominal value of 200 MOhm is given in the corresponding configuration file.

Important Note:

Warranty and calibration is void if the DAE unit is disassembled partly or fully by the Customer.

Important Note:

Never attempt to grease or oil the E-stop assembly. Cleaning and readjusting of the Estop assembly is allowed by certified SPEAG personnel only and is part of the annual calibration procedure.

Important Note:

To prevent damage of the DAE probe connector pins, use great care when installing the probe to the DAE. Carefully connect the probe with the connector notch oriented in the mating position. Avoid any rotational movement of the probe body versus the DAE while turning the locking nut of the connector. The same care shall be used when disconnecting the probe from the DAE.

TN_EH190306AE DAE4.docx

07.03.2019

CCIS

Report No: CCISE191000401

alibration Laborator chmid & Partner Engineering AG sughausstrasse 43, 8004 Zuric		BACEMRA CO S	Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service
ccredited by the Swiss Accredite he Swiss Accreditation Servic lultilateral Agreement for the r	e is one of the signatories	to the EA	No.: SCS 0108
tient CCIS-SZ			DAE4-1373_Aug19
CALIBRATION O	CERTIFICATE		
Object	DAE4 - SD 000 D0	04 BM - SN: 1373	
Calibration procedure(s)	QA CAL-06.v29 Calibration proced	lure for the data acquisition elec	tronics (DAE)
Calibration date:	August 09, 2019		
The measurements and the unc	ertainties with confidence pro	nal standards, which realize the physical un sbability are given on the following pages ar facility: environment temperature $(22 \pm 3)^2$	d are part of the certificate.
The measurements and the unc All calibrations have been condu Calibration Equipment used (M8	ertainties with confidence pro ucted in the closed laboratory LTE critical for calibration)	sbability are given on the following pages an facility: environment temperature $(22 \pm 3)^{24}$	id are part of the cartificate. C and humidity < 70%.
The measurements and the unc All calibrations have been condu Calibration Equipment used (M8 Primary Standards	ertainties with confidence pro	sbability are given on the following pages an	d are part of the certificate.
The measurements and the unc All calibrations have been condu Calibration Equipment used (M8 Primary Standards Keithley Multimeter Type 2001	ertainties with confidence pro incled in the closed laboratory ITE critical for calibration)	chability are given on the following pages an facility: environment temperature (22 ± 3)*4 Cal Date (Certificate No.) 03-Sep-18 (No:23488)	id are part of the certificate. C and humidity < 70%. Scheduled Calibration Sep-19
The measurements and the unc	ertainties with confidence pro ucted in the closed laboratory ITE critical for calibration)	sbability are given on the following pages an facility: environment temperature (22 ± 3)*(Cal Date (Certificate No.) 03-Sep-18 (No:23488) Check Date (in house)	id are part of the certificate. C and humidity < 70%. Scheduled Calibration
The measurements and the unc All calibrations have been condu Calibration Equipment used (M8 Primary Standards Keithley Multimeter Type 2001 Secondary Standards Auto DAE Calibration Unit	ertainties with confidence pro incled in the closed laboratory ITE critical for calibration) ID # SN: 0810278 ID #	cal Date (Certificate No.) 03-Sep-18 (No:23488) Check Date (in house) 07-Jan-19 (in house check)	id are part of the certificate. C and humidity < 70%. Schedulad Calibration Sep-19 Scheduled Check
The measurements and the unc All calibrations have been condu Calibration Equipment used (M8 Primary Standards Keithley Multimeter Type 2001 Secondary Standards	ertainties with confidence pro incled in the closed laboratory ATE critical for calibration) ID # SN: 0810278 ID # SE UWS 053 AA 1001	check Date (in house) 07-Jan-19 (in house check)	Id are part of the certificate. C and humidity < 70%. Scheduled Calibration Sep-19 Scheduled Check In house check: Jan-20 In house check: Jan-20
The measurements and the unc All calibrations have been condi Calibration Equipment used (M8 Primary Standards Keithley Multimeter Type 2001 Secondary Standards Auto DAE Calibration Unit Calibrator Box V2.1	ertainties with confidence pro- inteed in the closed laboratory ATE critical for calibration) ID # SN: 0810278 ID # SE UWS 053 AA 1001 SE UMS 005 AA 1002	25ability are given on the following pages an facility: environment temperature (22 ± 3)*4 Cal Date (Certificate No.) 03-Sep-18 (No:23488) Check Date (in house) 07-Jan-19 (in house check) 07-Jan-19 (in house check)	Id are part of the certificate. C and humidity < 70%. Schedulad Calibration Sep-19 Scheduled Check In house check: Jan-20 In house check: Jan-20 Signature
The measurements and the unc All calibrations have been condu Calibration Equipment used (M8 Primary Standards Keithley Multimeter Type 2001 Secondary Standards Auto DAE Calibration Unit	ertainties with confidence pro inteed in the closed laboratory ATE critical for calibration) ID # SN: 0810278 ID # SE UWS 053 AA 1001 SE UMS 005 AA 1002 Name	Stability are given on the following pages an facility: environment temperature (22 ± 3)*4 Cal Date (Certificate No.) 03-Sep-18 (No:23488) Check Date (In house) 07-Jan-19 (In house check) 07-Jan-19 (In house check) 07-Jan-19 (In house check)	Id are part of the certificate. C and humidity < 70%. Scheduled Calibration Sep-19 Scheduled Check In house check: Jan-20 In house check: Jan-20





Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland

Accredited by the Swiss Accreditation Service (SAS)





Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 0108

Multilateral Agreement for the recognition of calibration certificates

The Swiss Accreditation Service is one of the signatories to the EA

Glossary

DAE Connector angle data acquisition electronics information used in DASY system to align probe sensor X to the robot coordinate system.

Methods Applied and Interpretation of Parameters

- DC Voltage Measurement: Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- Connector angle: The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The following parameters as documented in the Appendix contain technical information as a
 result from the performance test and require no uncertainty.
 - DC Voltage Measurement Linearity: Verification of the Linearity at +10% and -10% of the nominal calibration voltage. Influence of offset voltage is included in this measurement.
 - Common mode sensitivity: Influence of a positive or negative common mode voltage on the differential measurement.
 - Channel separation: Influence of a voltage on the neighbor channels not subject to an input voltage.
 - AD Converter Values with inputs shorted: Values on the internal AD converter corresponding to zero input voltage
 - Input Offset Measurement: Output voltage and statistical results over a large number of zero voltage measurements.
 - Input Offset Current: Typical value for information; Maximum channel input offset current, not considering the input resistance.
 - Input resistance: Typical value for information: DAE input resistance at the connector, during internal auto-zeroing and during measurement.
 - Low Battery Alarm Voltage: Typical value for information. Below this voltage, a battery alarm signal is generated.
 - Power consumption: Typical value for information. Supply currents in various operating modes.

Certificate No: DAE4-1373_Aug19

Page 2 of 5



DC Voltage Measurement

A/D - Converter Resc	lution nominal			
High Range:	1LSB =	6.1μV ,	full range =	-100+300 mV
Low Range:	1LSB =	61nV ,	full range =	-1+3mV
DASY measurement	parameters: Aut	o Zero Time: 3	sec; Measuring	time: 3 sec

Calibration Factors	X	Y	Z
High Range	403.900 ± 0.02% (k=2)	403.865 ± 0.02% (k=2)	404.160 ± 0.02% (k=2)
Low Range	3.98780 ± 1.50% (k=2)	4.00905 ± 1.50% (k=2)	4.01338 ± 1.50% (k=2)

Connector Angle

- 1		***************************************
	Connector Angle to be used in DASY system	345.5°±1°

Certificate No: DAE4-1373_Aug19

Page 3 of 5



Appendix (Additional assessments outside the scope of SCS0108)

1. DC Voltage Linearity

High Range	Reading (µV)	Difference (µV)	Error (%)
Channel X + Input	200036.64	-1.49	-0.00
Channel X + Input	20007.66	1.67	0.01
Channel X - Input	-20003.26	2.58	-0.01
Channel Y + Input	200034.92	-3.47	-0.00
Channel Y + Input	20005.00	-0.97	-0.00
Channel Y - Input	-20006.45	-0.51	0.00
Channel Z + Input	200037.03	-1.49	-0.00
Channel Z + Input	20004.07	-1.80	-0.01
Channel Z - Input	-20007.76	-1.72	0.01

Low Range	Reading (μV)	Difference (µV)	Error (%)
Channel X + Input	2001.79	0.32	0.02
Channel X + Input	201.61	0.11	0.05
Channel X - Input	-198.39	0.12	-0.06
Channel Y + Input	2001.55	0.19	0.01
Channel Y + Input	200.46	-0.94	-0.47
Channel Y - Input	-199.08	-0.47	0.24
Channel Z + Input	2001.56	0.26	0.01
Channel Z + Input	199.82	-1.52	-0.76
Channel Z - Input	-200.52	-1.83	0.92

2. Common mode sensitivity

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Common mode Input Voltage (mV)	High Range Average Reading (μV)	Low Range Average Reading (μV)
Channel X	200	8.18	6.30
	- 200	-5.94	-7.46
Channel Y	200	10.49	10.28
	- 200	-12.77	-12.84
Channel Z	200	6.36	6.21
	- 200	-9.67	-10.13

3. Channel separation

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Input Voltage (mV)	Channel X (µV)	Channel Y (µV)	Channel Ζ (μV)
Channel X	200	-	0.96	-5.39
Channel Y	200	8.75	-	1.70
Channel Z	200	9.62	5.88	-

Certificate No: DAE4-1373_Aug19

Page 4 of 5



4. AD-Converter Values with inputs shorted

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	High Range (LSB)	Low Range (LSB)
Channel X	15936	15515
Channel Y	15863	15901
Channel Z	15893	17897

5. Input Offset Measurement

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec Input $10M\Omega$

	Average (μV)	min. Offset (μV)	max. Offset (μV)	Std. Deviation (μV)
Channel X	1.11	0.38	2.16	0.31
Channel Y	0.40	-0.61	1.25	0.33
Channel Z	-1.61	-2.89	-0.27	0.46

6. Input Offset Current

Nominal Input circuitry offset current on all channels: <25fA

7. Input Resistance (Typical values for information)

	Zeroing (kOhm)	Measuring (MOhm)
Channel X	200	200
Channel Y	200	200
Channel Z	200	200

8. Low Battery Alarm Voltage (Typical values for information)

Typical values	Alarm Level (VDC)
Supply (+ Vcc)	+7.9
Supply (- Vcc)	-7.6

9. Power Consumption (Typical values for information)

Typical values	Switched off (mA)	Stand by (mA)	Transmitting (mA)
Supply (+ Vcc)	+0.01	+6	+14
Supply (- Vcc)	-0.01	-8	-9

Certificate No: DAE4-1373_Aug19

Page 5 of 5

-----End of Report-----