

#### 802.11b on channel 11



#### 802.11b on channel 11



# 802.11b on channel 11



802.11b on channel 11




Version.1.2 Page 46 of 56


# 802.11g on channel 01



802.11g on channel 01



802.11g on channel 01



802.11g on channel 01



Version.1.2 Page 47 of 56




# 802.11g on channel 06



802.11g on channel 06



802.11g on channel 06



802.11g on channel 06




Version.1.2 Page 48 of 56


# 802.11g on channel 11



802.11g on channel 11



802.11g on channel 11



802.11g on channel 11




Version.1.2 Page 49 of 56


#### 802.11n20 on channel 01



802.11n20 on channel 01



802.11 n20 on channel 01




802.11 n20 on channel 01




Version.1.2 Page 50 of 56


802.11 n20 on channel 06



802.11 n20 on channel 06



802.11 n20 on channel 06



802.11 n20 on channel 06



Version.1.2 Page 51 of 56


#### 802.11 n20 on channel 11



802.11 n20 on channel 11



802.11 n20 on channel 11



802.11 n20 on channel 11




Version.1.2 Page 52 of 56


#### 802.11n40 on channel 03



#### 802.11n40 on channel 03



802.11n40 on channel 03



802.11n40 on channel 03



Version.1.2 Page 53 of 56


### 802.11n40 on channel 06



802.11 n40 on channel 06



802.11 n40 on channel 06




802.11 n40 on channel 06




Version.1.2 Page 54 of 56


#### 802.11 n40 on channel 9



802.11 n40 on channel 9



802.11 n40 on channel 9



802.11 n40 on channel 9



Version.1.2 Page 55 of 56



#### 7.9 ANTENNA APPLICATION

## 7.9.1 Antenna Requirement

15.203 requirement: For intentional device, according to 15.203: an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

### 7.9.2 Result

The EUT antenna is permanent attached FPCE	3 antenna(Gain:-2dBi)	. It comply with the standard
requirement.		

**END OF REPORT** 

Version.1.2 Page 56 of 56