

APPENDIX REPORT

Project No.	SHT2010016101EW	Radio Specification	Bluetooth EDR
Test sample No.	YPHT20100161009	Model No.	B60 Pro
Start test date	2020/10/14	Finish date	2020/10/14
Temperature	25°C	Humidity	50%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zhuo


Appendix clause	Test item	Result
A	Peak Output Power	PASS
B	20 dB Bandwidth	PASS
C	99% Occupied Bandwidth	PASS
D	Carrier Frequencies Separation	PASS
E	Hopping Channel Number	PASS
F	Dwell Time	PASS
G	Duty Cycle Correction Factor (DCCF)	PASS
H	Band edge and Spurious Emissions(coducted)	PASS

Appendix A: Peak Output Power


Modulation type	Channel	Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
GFSK	00	5.11	5.09	≤ 30.00	Pass
	39	4.68	4.67		
	78	4.17	4.15		
π/4DQPSK	00	4.86	3.94	≤ 21.00	Pass
	39	4.50	3.69		
	78	3.99	3.18		
8DPSK	00	4.92	3.98	≤ 21.00	Pass
	39	4.59	3.72		
	78	4.10	3.23		

Modulation Type: **GFSK**


CH00






CH39




CH78




Modulation Type: $\pi/4$ DQPSK	
CH00	 <p>Spectrum plot for CH00. The plot shows a peak at 2.40206510 GHz with a power level of 4.86 dBm. The plot includes settings for Ref Level (20.00 dBm), Att (30 dB), Offset (1.00 dB), RBW (2 MHz), and Span (5.0 MHz). The plot also shows a peak at 2.40206510 GHz with a power level of 4.86 dBm. The plot includes settings for Ref Level (20.00 dBm), Att (30 dB), Offset (1.00 dB), RBW (2 MHz), and Span (5.0 MHz). The plot also shows a peak at 2.40206510 GHz with a power level of 4.86 dBm. The plot includes settings for Ref Level (20.00 dBm), Att (30 dB), Offset (1.00 dB), RBW (2 MHz), and Span (5.0 MHz).</p>
CH39	 <p>Spectrum plot for CH39. The plot shows a peak at 2.44088420 GHz with a power level of 4.50 dBm. The plot includes settings for Ref Level (20.00 dBm), Att (30 dB), Offset (1.00 dB), RBW (2 MHz), and Span (5.0 MHz). The plot also shows a peak at 2.44088420 GHz with a power level of 4.50 dBm. The plot includes settings for Ref Level (20.00 dBm), Att (30 dB), Offset (1.00 dB), RBW (2 MHz), and Span (5.0 MHz).</p>
CH78	 <p>Spectrum plot for CH78. The plot shows a peak at 2.48011580 GHz with a power level of 3.99 dBm. The plot includes settings for Ref Level (20.00 dBm), Att (30 dB), Offset (1.00 dB), RBW (2 MHz), and Span (5.0 MHz). The plot also shows a peak at 2.48011580 GHz with a power level of 3.99 dBm. The plot includes settings for Ref Level (20.00 dBm), Att (30 dB), Offset (1.00 dB), RBW (2 MHz), and Span (5.0 MHz).</p>

Modulation Type: 8DPSK


CH00



CH39



CH78




Appendix B : 20 dB Bandwidth


Modulation type	Channel	20 dB Bandwidth (kHz)	Limit (kHz)	Result
GFSK	00	927.50	-	Pass
	39	927.50		
	78	927.50		
$\pi/4$ DQPSK	00	1285.00	-	Pass
	39	1285.00		
	78	1285.00		
8DPSK	00	1277.50	-	Pass
	39	1277.50		
	78	1280.00		

Modulation Type: GFSK


CH00



CH39




CH78




Modulation Type: $\pi/4$ DQPSK


CH00



CH39




CH78




Modulation Type: 8DPSK


CH00



CH39



CH78



Appendix C: 99% Occupied Bandwidth

Modulation type	Channel	99% Occupied Bandwidth (MHz)	Limit (MHz)	Result
GFSK	00	0.91	-	Pass
	39	0.91		
	78	0.90		
$\pi/4$ DQPSK	00	1.16	-	Pass
	39	1.17		
	78	1.16		
8DPSK	00	1.16	-	Pass
	39	1.17		
	78	1.16		

Modulation Type: GFSK	
CH00	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 63.1 μs VBW 100 kHz Mode Auto FFT Count 300/300 1Pk View M1[1] 2.48 dBm 2.40216480 GHz 906.593406593 kHz Occ Bw T1 T2 CF 2.402 GHz 1001 pts Span 2.5 MHz Date: 13 OCT 2020 16:31:50 </p>
CH39	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 63.1 μs VBW 100 kHz Mode Auto FFT Count 300/300 1Pk View M1[1] 2.12 dBm 2.44116480 GHz 906.593406593 kHz Occ Bw T1 T2 CF 2.441 GHz 1001 pts Span 2.5 MHz Date: 13 OCT 2020 16:32:42 </p>
CH78	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 63.1 μs VBW 100 kHz Mode Auto FFT Count 300/300 1Pk View M1[1] 1.61 dBm 2.48016480 GHz 904.095904096 kHz Occ Bw T1 T2 CF 2.48 GHz 1001 pts Span 2.5 MHz Date: 13 OCT 2020 16:36:17 </p>

Modulation Type: $\pi/4$ DQPSK	
CH00	<p>CF 2.402 GHz 1001 pts Span 2.5 MHz</p> <p>Date: 13 OCT 2020 16:41:02</p>
CH39	<p>CF 2.441 GHz 1001 pts Span 2.5 MHz</p> <p>Date: 13 OCT 2020 16:43:32</p>
CH78	<p>CF 2.48 GHz 1001 pts Span 2.5 MHz</p> <p>Date: 13 OCT 2020 16:46:57</p>

Modulation Type: 8DPSK	
CH00	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 63.1 μs VBW 100 kHz Mode Auto FFT Count 500/500 1Pk View M1[1] 1.44 dBm 2.40216480 GHz 1.161338661 MHz Occ Bw M1 T2 CF 2.402 GHz 1001 pts Span 2.5 MHz Date: 13 OCT 2010 16:53:35</p>
CH39	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 63.1 μs VBW 100 kHz Mode Auto FFT Count 500/500 1Pk View M1[1] 1.22 dBm 2.44116480 GHz 1.166333666 MHz Occ Bw M1 T2 CF 2.441 GHz 1001 pts Span 2.5 MHz Date: 13 OCT 2010 16:55:52</p>
CH78	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 63.1 μs VBW 100 kHz Mode Auto FFT Count 500/500 1Pk View M1[1] 0.73 dBm 2.48016480 GHz 1.163836164 MHz Occ Bw M1 T2 CF 2.48 GHz 1001 pts Span 2.5 MHz Date: 13 OCT 2010 17:02:10</p>

Appendix D: Carrier Frequencies Separation

Modulation type	Channel	Carrier Frequencies Separation (MHz)	Limit (kHz) *	Result
GFSK	39	1.00	≥927.50	Pass
$\pi/4$ DQPSK	39	1.00	≥856.67	Pass
8DPSK	78	1.00	≥853.33	Pass

Note:

*: GFSK limit = The maximum 20 dB Bandwidth for GFSK modulation on the appendix B.




$\pi/4$ DQPSK limit = $2/3$ * The maximum 20 dB Bandwidth for $\pi/4$ DQPSK modulation on the appendix B.

8DPSK limit = $2/3$ * The maximum 20 dB Bandwidth for 8DPSK modulation on the appendix B

<p style="text-align: center;">GFSK</p>	<p style="text-align: center;">Date: 13 OCT 2020 16:38:51</p>
<p style="text-align: center;">$\pi/4$DQPSK</p>	<p style="text-align: center;">Date: 13 OCT 2020 16:52:26</p>
<p style="text-align: center;">8DPSK</p>	<p style="text-align: center;">Date: 13 OCT 2020 17:04:54</p>

Appendix E: Hopping Channel Number

Modulation type	Channel number	Limit	Result
GFSK	79	≥15.00	Pass
π/4DQPSK	79		
8DPSK	79		


<p>GFSK</p>	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1 ms VBW 300 kHz Mode Auto Sweep</p> <p>1Pk View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>Start 2.4 GHz 691 pts Stop 2.4835 GHz</p> <p>Date: 13 OCT 2020 17:08:17</p>
<p>$\pi/4$DQPSK</p>	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1 ms VBW 300 kHz Mode Auto Sweep</p> <p>1Pk View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>Start 2.4 GHz 691 pts Stop 2.4835 GHz</p> <p>Date: 13 OCT 2020 17:08:49</p>
<p>8DPSK</p>	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1 ms VBW 300 kHz Mode Auto Sweep</p> <p>1Pk View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>Start 2.4 GHz 691 pts Stop 2.4835 GHz</p> <p>Date: 13 OCT 2020 17:08:25</p>

Appendix F: Dwell Time


Modulation type	Packet	Burst Width [ms]	Total Hops[hop*ch]	Dwell time (Second)	Limit (Second)	Result
GFSK	DH1	0.38	315.00	0.12	≤ 0.40	Pass
	DH3	1.63	157.00	0.26		
	DH5	2.88	105.00	0.30		
π/4DQPSK	2DH1	0.39	314.00	0.12	≤ 0.40	Pass
	2DH3	1.64	159.00	0.26		
	2DH5	2.88	101.00	0.29		
8DPSK	3DH1	0.38	314.00	0.12	≤ 0.40	Pass
	3DH3	1.64	158.00	0.26		
	3DH5	2.89	103.00	0.30		

Modulation Type: GFSK	
DH1 Burst width	
DH1 Burst number	
DH3 Burst width	


DH3
Burst number



DH5
Burst width




DH5
Burst number




Modulation Type: $\pi/4$ QPSK


2DH1
Burst width




2DH1
Burst number




2DH3
Burst width




2DH3
Burst number



2DH5
Burst width




2DH5
Burst number




Modulation Type: 8DPSK	
3DH1 Burst width	
3DH1 Burst number	
3DH3 Burst width	


3DH3
Burst number



3DH5
Burst width




3DH5
Burst number




Appendix G: Duty Cycle Correction Factor (DCCF)

DCCF Calculate Formula					
DCCF=20 * Log(duty cycle) = 20 * Log($T_{on\ time} / T_{period}$)					
Modulation type	Test Frequency (MHz)	$T_{on\ time}$ for single burst [ms]	T_{period} [ms]	Burst Quantity	DCCF [dB]
GFSK	2441	2.86	100	2.00	-24.85
$\pi/4$ DQPSK	2441	2.87	100	2.00	-24.82
8DPSK	2441	2.87	100	3.00	-21.30

GFSK



Date: 13.OCT.2020 16:33:04




Date: 13.OCT.2020 16:33:24


T_{on} time for single burst

Burst Quantity

$\pi/4$ DQPSK



Date: 13.OCT.2020 16:51:08




Date: 13.OCT.2020 16:51:18


T_{on} time for single burst

Burst Quantity

8DPSK



Date: 13.OCT.2020 16:56:35






Date: 13.OCT.2020 16:57:10


T_{on} time for single burst

Burst Quantity




Appendix H: Band edge and Spurious Emissions (conducted)

Test Item:	Band edge	Modulation type:	GFSK																																										
<p>CH00 No hopping mode</p>	 <table border="1" data-bbox="686 728 1332 840"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.40218 GHz</td> <td>-4.58 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4 GHz</td> <td>-51.09 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.39 GHz</td> <td>-54.59 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.31 GHz</td> <td>-53.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td>1</td> <td>2.379391 GHz</td> <td>-52.55 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 OCT 2020 16:30:37</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.40218 GHz	-4.58 dBm			M2	1	1	2.4 GHz	-51.09 dBm			M3	1	1	2.39 GHz	-54.59 dBm			M4	1	1	2.31 GHz	-53.75 dBm			M5	1	1	2.379391 GHz	-52.55 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.40218 GHz	-4.58 dBm																																									
M2	1	1	2.4 GHz	-51.09 dBm																																									
M3	1	1	2.39 GHz	-54.59 dBm																																									
M4	1	1	2.31 GHz	-53.75 dBm																																									
M5	1	1	2.379391 GHz	-52.55 dBm																																									
<p>CH00 Hopping mode</p>	 <table border="1" data-bbox="686 1265 1332 1388"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.40287 GHz</td> <td>4.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4 GHz</td> <td>-52.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.39 GHz</td> <td>-53.43 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.31 GHz</td> <td>-55.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td>1</td> <td>2.355623 GHz</td> <td>-52.63 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 OCT 2020 17:08:31</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.40287 GHz	4.24 dBm			M2	1	1	2.4 GHz	-52.96 dBm			M3	1	1	2.39 GHz	-53.43 dBm			M4	1	1	2.31 GHz	-55.13 dBm			M5	1	1	2.355623 GHz	-52.63 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.40287 GHz	4.24 dBm																																									
M2	1	1	2.4 GHz	-52.96 dBm																																									
M3	1	1	2.39 GHz	-53.43 dBm																																									
M4	1	1	2.31 GHz	-55.13 dBm																																									
M5	1	1	2.355623 GHz	-52.63 dBm																																									
<p>CH78 No hopping mode</p>	 <table border="1" data-bbox="686 1825 1332 1937"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.480149 GHz</td> <td>3.86 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4835 GHz</td> <td>-58.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.5 GHz</td> <td>-59.08 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.4870551 GHz</td> <td>-56.65 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 OCT 2020 16:36:39</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.480149 GHz	3.86 dBm			M2	1	1	2.4835 GHz	-58.91 dBm			M3	1	1	2.5 GHz	-59.08 dBm			M4	1	1	2.4870551 GHz	-56.65 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.480149 GHz	3.86 dBm																																									
M2	1	1	2.4835 GHz	-58.91 dBm																																									
M3	1	1	2.5 GHz	-59.08 dBm																																									
M4	1	1	2.4870551 GHz	-56.65 dBm																																									


CH78
Hopping mode






Date: 13 OCT 2020 17:08:45

Test Item:	Band edge	Modulation type:	π/4DQPSK																																																
<p>CH00 No hopping mode</p>	 <table border="1" data-bbox="686 622 1337 728"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.40191 GHz</td> <td>3.43 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4 GHz</td> <td>-48.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.39 GHz</td> <td>-55.47 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.31 GHz</td> <td>-54.66 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td></td> <td>2.39963 GHz</td> <td>-48.61 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 OCT 2020 16:41:54</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.40191 GHz	3.43 dBm			M2	1			2.4 GHz	-48.96 dBm			M3	1			2.39 GHz	-55.47 dBm			M4	1			2.31 GHz	-54.66 dBm			M5	1			2.39963 GHz	-48.61 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.40191 GHz	3.43 dBm																																														
M2	1			2.4 GHz	-48.96 dBm																																														
M3	1			2.39 GHz	-55.47 dBm																																														
M4	1			2.31 GHz	-54.66 dBm																																														
M5	1			2.39963 GHz	-48.61 dBm																																														
<p>CH00 Hopping mode</p>	 <table border="1" data-bbox="686 1169 1337 1184"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.40218 GHz</td> <td>2.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4 GHz</td> <td>-52.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.39 GHz</td> <td>-55.37 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.31 GHz</td> <td>-54.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td></td> <td>2.39963 GHz</td> <td>-51.97 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 OCT 2020 17:10:03</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.40218 GHz	2.24 dBm			M2	1			2.4 GHz	-52.74 dBm			M3	1			2.39 GHz	-55.37 dBm			M4	1			2.31 GHz	-54.48 dBm			M5	1			2.39963 GHz	-51.97 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.40218 GHz	2.24 dBm																																														
M2	1			2.4 GHz	-52.74 dBm																																														
M3	1			2.39 GHz	-55.37 dBm																																														
M4	1			2.31 GHz	-54.48 dBm																																														
M5	1			2.39963 GHz	-51.97 dBm																																														
<p>CH78 No hopping mode</p>	 <table border="1" data-bbox="686 1724 1337 1821"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.479831 GHz</td> <td>3.02 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4835 GHz</td> <td>-57.54 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.5 GHz</td> <td>-58.80 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.4901797 GHz</td> <td>-55.96 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 OCT 2020 16:47:44</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.479831 GHz	3.02 dBm			M2	1			2.4835 GHz	-57.54 dBm			M3	1			2.5 GHz	-58.80 dBm			M4	1			2.4901797 GHz	-55.96 dBm										
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.479831 GHz	3.02 dBm																																														
M2	1			2.4835 GHz	-57.54 dBm																																														
M3	1			2.5 GHz	-58.80 dBm																																														
M4	1			2.4901797 GHz	-55.96 dBm																																														


CH78
Hopping mode






Date: 13 OCT 2020 17:10:17

Test Item:	Band edge	Modulation type:	8DPSK																																										
<p>CH00 No hopping mode</p>	 <p>Marker</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40218 GHz</td> <td>3.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.4 GHz</td> <td>-50.35 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td></td> <td>1</td> <td>2.39 GHz</td> <td>-54.88 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td></td> <td>1</td> <td>2.31 GHz</td> <td>-54.50 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td></td> <td>1</td> <td>2.39963 GHz</td> <td>-48.96 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 OCT 2020 16:54:25</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40218 GHz	3.53 dBm			M2		1	2.4 GHz	-50.35 dBm			M3		1	2.39 GHz	-54.88 dBm			M4		1	2.31 GHz	-54.50 dBm			M5		1	2.39963 GHz	-48.96 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.40218 GHz	3.53 dBm																																									
M2		1	2.4 GHz	-50.35 dBm																																									
M3		1	2.39 GHz	-54.88 dBm																																									
M4		1	2.31 GHz	-54.50 dBm																																									
M5		1	2.39963 GHz	-48.96 dBm																																									
<p>CH00 Hopping mode</p>	 <p>Marker</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40411 GHz</td> <td>1.88 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.4 GHz</td> <td>-52.52 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td></td> <td>1</td> <td>2.39 GHz</td> <td>-55.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td></td> <td>1</td> <td>2.31 GHz</td> <td>-54.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td></td> <td>1</td> <td>2.39963 GHz</td> <td>-51.82 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 OCT 2020 17:08:39</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40411 GHz	1.88 dBm			M2		1	2.4 GHz	-52.52 dBm			M3		1	2.39 GHz	-55.53 dBm			M4		1	2.31 GHz	-54.96 dBm			M5		1	2.39963 GHz	-51.82 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.40411 GHz	1.88 dBm																																									
M2		1	2.4 GHz	-52.52 dBm																																									
M3		1	2.39 GHz	-55.53 dBm																																									
M4		1	2.31 GHz	-54.96 dBm																																									
M5		1	2.39963 GHz	-51.82 dBm																																									
<p>CH78 No hopping mode</p>	 <p>Marker</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.480149 GHz</td> <td>2.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.4835 GHz</td> <td>-58.30 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td></td> <td>1</td> <td>2.5 GHz</td> <td>-57.43 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td></td> <td>1</td> <td>2.4873739 GHz</td> <td>-56.12 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 OCT 2020 17:08:03</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.480149 GHz	2.96 dBm			M2		1	2.4835 GHz	-58.30 dBm			M3		1	2.5 GHz	-57.43 dBm			M4		1	2.4873739 GHz	-56.12 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1		1	2.480149 GHz	2.96 dBm																																									
M2		1	2.4835 GHz	-58.30 dBm																																									
M3		1	2.5 GHz	-57.43 dBm																																									
M4		1	2.4873739 GHz	-56.12 dBm																																									

CH78
Hoppig mode




Date: 13 OCT 2020 17:08:53


Test Item:	Spurious Emission	Modulation type:	GFSK
<p>CH00 Reference level</p>	 <p>Date: 13 OCT 2020 16:30:44</p>		
<p>CH00 30MHz~1000MHz</p>	 <p>Date: 13 OCT 2020 16:31:00</p>		
<p>CH00 1GHz~26GHz</p>	 <p>Date: 13 OCT 2020 16:31:16</p>		

<p>CH39 Reference level</p>	
<p>CH39 30MHz~1000MHz</p>	
<p>CH39 1GHz~26GHz</p>	


CH78
Reference level









CH78
30MHz~1000MHz









CH78
1GHz~26GHz






Test Item:	Spurious Emission	Modulation type:	π/4DQPSK
<p>CH00 Reference level</p>	 <p>Date: 13 OCT 2020 16:42:00</p>		
<p>CH00 30MHz~1000MHz</p>	 <p>Date: 13 OCT 2020 16:42:16</p>		
<p>CH00 1GHz~26GHz</p>	 <p>Date: 13 OCT 2020 16:42:32</p>		

<p>CH39 Reference level</p>	 <p>Date: 13 OCT 2020 16:45:31</p>
<p>CH39 30MHz~1000MHz</p>	 <p>Date: 13 OCT 2020 16:45:45</p>
<p>CH39 1GHz~26GHz</p>	 <p>Date: 13 OCT 2020 16:46:02</p>

<p>CH78 Reference level</p>	 <p>Spectrum Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 IPk Max M1[1] 1.92 dBm 2.4798260 GHz CF 2.48 GHz 691 pts Span 30.0 MHz Date: 14 OCT 2020 10:28:59</p>
<p>CH78 30MHz~1000MHz</p>	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPk Max M1[1] -51.79 dBm 939.7490 MHz D1 -18.080 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 14 OCT 2020 10:29:17</p>
<p>CH78 1GHz~26GHz</p>	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPk Max M1[1] -43.64 dBm 16.419167 GHz D1 -18.080 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 14 OCT 2020 10:29:33</p>

Test Item:	Spurious Emission	Modulation type:	8DPSK
<p>CH00 Reference level</p>	 <p>CF 2.402 GHz 691 pts Span 30.0 MHz</p> <p>Date: 13 OCT 2020 16:54:32</p>		
<p>CH00 30MHz~1000MHz</p>	 <p>Start 30.0 MHz 30001 pts Stop 1.0 GHz</p> <p>Date: 13 OCT 2020 16:54:47</p>		
<p>CH00 1GHz~26GHz</p>	 <p>Start 1.0 GHz 30001 pts Stop 26.0 GHz</p> <p>Date: 13 OCT 2020 16:55:03</p>		

<p>CH39 Reference level</p>	
<p>CH39 30MHz~1000MHz</p>	
<p>CH39 1GHz~26GHz</p>	

<p>CH78 Reference level</p>	 <p>Date: 13 OCT 2020 17:03:10</p>
<p>CH78 30MHz~1000MHz</p>	 <p>Date: 13 OCT 2020 17:03:25</p>
<p>CH78 1GHz~26GHz</p>	 <p>Date: 13 OCT 2020 17:03:41</p>

-----End of Report-----