

Federal Communications Commission Equipment Authorization Division Application Processing Branch 7435 Oakland Mills Road Columbia, MD 21045

18 November 2011

39 Navigator Place Hendra Qld Australia 4011

PO Box 3129 Hendra Qld Australia 4011

> Tel: +61 7 3212 5600 Fax: +61 7 3212 5699

email@mipac.com.au www.mipac.com.au

> ACN 097 111 772 ABN 66 097 111 772

## Subject: Request for Modular Approval

I request modular approval for the certification application of ZT7-CVM-AP. This product complies with the requirements for modular approval as per the checklist below.

Item	Requirement	EUT
1	Have its own RF shielding	Device is equipped with Metal shielding to cover the RF section. Refer to external photos
2	Have buffered modulation/data inputs (if such inputs are provided),	All inputs to the module are buffered through microprocessor inputs
3	Have its own power supply regulation	The transmitter has its own power supply regulation
4	Meet the antenna requirements of Section 15.203	Device is equipped with unique antenna (Reverse SMA) connector. Refer to external photos
5	Be tested in a stand-alone configuration, i.e., the antenna, AC or DC power and data input/output lines must be connected to the module but, the module must not be inside another case during testing	Device was tested as a bare board outside any host for modular approval. Refer to setup photos.
6	Be labeled with its own FCC ID number, and if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module.	Two proposed FCC ID label format is included in the filing. One label is to be placed on the module and the other label is to be placed on the outside of system. Refer to FCC ID label format and location file
7	The modular transmitter is manufactured so that the user cannot influence the operation of the transmitter that will operate outside of the scope of the regulations.	Refer to "User's Manual" Exhibit
8	Address compliance with the Commission's RF exposure limits in Sections 1.1310 and 2.1093. In addition, spread spectrum transmitters operating under Section 15.247 are required to Refer to MPE sections of address RF exposure compliance in accordance test reports with Section 15.247(b)(4).	Transmitter meets MPE calculations of 47 CFR 1.1307(b)(1). Refer to MPE sections of test reports

Sincerely,

Tony Mathison Product Manager