


模板1:



编码规则如下:

MAC: (变量) 由工程提供

注意提示: T8013K项目的HDCP KEY要发给客户自己加密。

SN 编码规则:

Bytes	Content	Value
AA	Factory Code	00~99 (or Character), decided by the operator, if the operator have no requirement, TCL is <b>66</b>
BBB	Operator Code	000~999 (or Character), decided by TCL, PRODEA is <b>109</b>
C	MODEL	0~9, Begin from 0, the first model for the operator is 0, the second is 1, increase in sequence. T8013K is <b>0</b> , T8023K is <b>1</b> .
D	Type of STB	C: 1 OTT: <b>4</b> S/S2: 2 IPTV:5 T/T2: 3
EEEE	Year and Month of product	For example 03/2016, is <b>1603</b>
FF	Batch	Begin from <b>81</b> (sample product), or <b>01</b> (mass product), increase in sequence
GGGGGG	Sequence ID	0000000~9999999, Begin from <b>0000000</b> , increase in sequence

————— 供应商代码: 66

————— 客户代码: 109

————— 机型T8023K: 1

————— 机型类型: 4

————— 生产年月 (2016年3月): 1603

————— 试产批次从81开始编写, 量产从01开始


————— 从0000000开始递增

For example, as the TCL standard, the Serial Number of the first STB we product to T8013K may be **6610914160381000000**. The '0000000' is the Sequence ID which begins from 0000000, and increase in sequence.


All the numbers are decimal.

■ PMS Cool Gray 6

底壳颜色为：喷油哑黑色



模板1:



编码规则如下:

MAC: (变量) 由工程提供

注意提示: T8013K项目的HDCP KEY要发给客户自己加密。

SN 编码规则:

Bytes	Content	Value
AA	Factory Code	00~99 (or Character), decided by the operator, if the operator have no requirement, TCL is 66
BBB	Operator Code	000~999 (or Character), decided by TCL, PRODEA is 109
C	MODEL	0~9, Begin from 0, the first model for the operator is 0, the second is 1, increase in sequence. T8013K is 0, T8023K is 1.
D	Type of STB	C: 1 OTT: 4 S/S2: 2 IPTV:5 T/T2: 3
EEEE	Year and Month of product	For example 03/2016, is 1603
FF	Batch	Begin from 81(sample product), or 01(mass product), increase in sequence
GGGGGG	Sequence ID	0000000~9999999, Begin from 0000000, increase in sequence


- 供应商代码: 66
- 客户代码: 109
- 机型T8023K: 1
- 机型类型: 4
- 生产年月 (2016年3月): 1603
- 试产批次从81开始编写, 量产从01开始
- 从0000000开始递增

For example, as the TCL standard, the Serial Number of the first STB we product to T8013K may be 6610914160381000000. The '000000' is the Sequence ID which begins from 0000000, and increase in sequence.


All the numbers are decimal.

■ PMS Cool Gray 6

底壳颜色为：喷油哑黑色



模板1:



编码规则如下:

MAC: (变量) 由工程提供

注意提示: T8013K项目的HDCP KEY要发给客户自己加密。

SN 编码规则:

Bytes	Content	Value
AA	Factory Code	00~99 (or Character), decided by the operator, if the operator have no requirement, TCL is <b>66</b>
BBB	Operator Code	000~999 (or Character), decided by TCL, PRODEA is <b>109</b>
C	MODEL	0~9, Begin from 0, the first model for the operator is 0, the second is 1, increase in sequence. T8013K is <b>0</b> , T8023K is <b>1</b> .
D	Type of STB	C: 1 OTT: <b>4</b> S/S2: 2 IPTV:5 T/T2: 3
EEEE	Year and Month of product	For example 03/2016, is <b>1603</b>
FF	Batch	Begin from <b>81</b> (sample product), or <b>01</b> (mass product), increase in sequence
GGGGGG	Sequence ID	0000000~9999999, Begin from <b>0000000</b> , increase in sequence

- 供应商代码: 66
- 客户代码: 109
- 机型T8023K: 1
- 机型类型: 4
- 生产年月 (2016年3月): 1603
- 试产批次从81开始编写, 量产从01开始
- 从0000000开始递增

For example, as the TCL standard, the Serial Number of the first STB we product to T8013K may be **6610914160381000000**. The '0000000' is the Sequence ID which begins from 0000000, and increase in sequence.

All the numbers are decimal.

■ PMS Cool Gray 6

底壳颜色为：喷油哑黑色

