



**FCC PART 15C  
TEST REPORT  
No. 2013EEB00281-BT**

**For**  
**Emporia Telecom USA Inc**

**GSM Dual Band Mobile Phone**  
**Model Name: F210d**

**Market Name: TELME F210d**

**With**  
**Hardware Version: F210D\_HW\_V2.0**

**Software Version: F210D\_R026**

**FCC ID: ZVP-F210**

**IC ID: 10262A-F210**

**Issued Date: Jul 30<sup>th</sup>, 2013**

**Test Laboratory:**

**FCC 2.948 Listed: No.310359**

**IC O.A.T.S listed: No.6629C-1**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

TMC Beijing, Telecommunication Metrology Center of Ministry of Industry and Information Technology  
No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191

Tel:+86(0)10-62304633-2678 , Fax:+86(0)10-62304633-2504 Email:welcome@emcite.com. www.emcite.com

## CONTENTS

<b>1. TEST LABORATORY .....</b>	<b>5</b>
1.1. TESTING LOCATION.....	5
1.2. TESTING ENVIRONMENT.....	5
1.3. PROJECT DATA .....	5
1.4. SIGNATURE .....	5
<b>2. CLIENT INFORMATION.....</b>	<b>6</b>
2.1. APPLICANT INFORMATION .....	6
2.2. MANUFACTURER INFORMATION.....	6
<b>3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE) .....</b>	<b>7</b>
3.1. ABOUT EUT .....	7
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST .....	7
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST .....	7
<b>4. REFERENCE DOCUMENTS.....</b>	<b>8</b>
4.1. DOCUMENTS SUPPLIED BY APPLICANT.....	8
4.2. REFERENCE DOCUMENTS FOR TESTING.....	8
<b>5. LABORATORY ENVIRONMENT .....</b>	<b>9</b>
<b>6. SUMMARY OF TEST RESULTS .....</b>	<b>10</b>
6.1. SUMMARY OF TEST RESULTS .....	10
6.2. STATEMENTS .....	10
6.3. TERMS USED IN THE RESULT TABLE .....	10
<b>7. TEST EQUIPMENTS UTILIZED .....</b>	<b>11</b>
<b>ANNEX A: EUT PHOTOGRAPH .....</b>	<b>12</b>
<b>ANNEX B: MEASUREMENT RESULTS.....</b>	<b>14</b>
B.0 ANTENNA REQUIREMENT.....	14
B.1 MAXIMUM PEAK OUTPUT POWER .....	15
B.2 BAND EDGES COMPLIANCE.....	15
B.3 TRANSMITTER SPURIOUS EMISSION .....	16
B.3.1 Transmitter Spurious Emission - Conducted.....	16
B.3.2 Transmitter Spurious Emission - Radiated .....	17
B.4 OCCUPIED 20dB BANDWIDTH .....	19
B.5 TIME OF OCCUPANCY (DWELL TIME).....	19
B.6 NUMBER OF HOPPING CHANNELS .....	20
B.7 CARRIER FREQUENCY SEPARATION.....	20
B.8 AC POWER LINE CONDUCTED EMISSION .....	21
B.9 OCCUPIED BANDWIDTH .....	22

**ANNEX C: TEST FIGURE LIST ..... 23**

FIG. 1 BAND EDGES (GFSK, CH 0, HOPPING ON) .....	23
FIG. 2 BAND EDGES (GFSK, CH 78, HOPPING ON) .....	23
FIG. 3 BAND EDGES ( $\pi/4$ DQPSK, CH 0, HOPPING ON).....	24
FIG. 4 BAND EDGES ( $\pi/4$ DQPSK, CH 78, HOPPING ON).....	24
FIG. 5 BAND EDGES (8DPSK, CH 0, HOPPING ON) .....	25
FIG. 6 BAND EDGES (8DPSK, CH 78, HOPPING ON).....	25
FIG. 7 BAND EDGES (GFSK, CH 0, HOPPING OFF).....	26
FIG. 8 BAND EDGES (GFSK, CH 78, HOPPING OFF).....	26
FIG. 9 BAND EDGES ( $\pi/4$ DQPSK, CH 0, HOPPING OFF) .....	27
FIG. 10 BAND EDGES ( $\pi/4$ DQPSK, CH 78, HOPPING OFF) .....	27
FIG. 11 BAND EDGES (8DPSK, CH 0, HOPPING OFF).....	28
FIG. 12 BAND EDGES (8DPSK, CH 78, HOPPING OFF).....	28
FIG. 13 CONDUCTED SPURIOUS EMISSION (GFSK, CH0, CENTER FREQUENCY).....	29
FIG. 14 CONDUCTED SPURIOUS EMISSION (GFSK, CH0, 30 MHz-3 GHz) .....	29
FIG. 15 CONDUCTED SPURIOUS EMISSION (GFSK, CH0, 3GHz-18 GHz) .....	30
FIG. 16 CONDUCTED SPURIOUS EMISSION (GFSK, CH78, CENTER FREQUENCY).....	30
FIG. 17 CONDUCTED SPURIOUS EMISSION (GFSK, CH78, 30 MHz-3 GHz) .....	31
FIG. 18 CONDUCTED SPURIOUS EMISSION (GFSK, CH78, 3GHz-18 GHz) .....	31
FIG. 19 CONDUCTED SPURIOUS EMISSION ( $\pi/4$ DQPSK, CH0, CENTER FREQUENCY) .....	32
FIG. 20 CONDUCTED SPURIOUS EMISSION ( $\pi/4$ DQPSK, CH0, 30 MHz-3 GHz).....	32
FIG. 21 CONDUCTED SPURIOUS EMISSION ( $\pi/4$ DQPSK, CH0, 3GHz-18 GHz).....	33
FIG. 22 CONDUCTED SPURIOUS EMISSION ( $\pi/4$ DQPSK, CH78, CENTER FREQUENCY) .....	33
FIG. 23 CONDUCTED SPURIOUS EMISSION ( $\pi/4$ DQPSK, CH78, 30 MHz-3 GHz).....	34
FIG. 24 CONDUCTED SPURIOUS EMISSION ( $\pi/4$ DQPSK, CH78, 3GHz-18 GHz).....	34
FIG. 25 CONDUCTED SPURIOUS EMISSION (8DPSK, CH0, CENTER FREQUENCY).....	35
FIG. 26 CONDUCTED SPURIOUS EMISSION (8DPSK, CH0, 30 MHz-3 GHz) .....	35
FIG. 27 CONDUCTED SPURIOUS EMISSION (8DPSK, CH0, 3GHz-18 GHz) .....	36
FIG. 28 CONDUCTED SPURIOUS EMISSION (8DPSK, CH78, CENTER FREQUENCY) .....	36
FIG. 29 CONDUCTED SPURIOUS EMISSION (8DPSK, CH78, 30 MHz-3 GHz) .....	37
FIG. 30 CONDUCTED SPURIOUS EMISSION (8DPSK, CH78, 3GHz-18 GHz) .....	37
FIG. 31 CONDUCTED SPURIOUS EMISSION (ALL CHANNEL, 18 GHz-26 GHz).....	38
FIG. 32 RADIATED SPURIOUS EMISSION (GFSK, CH0, 30 MHz ~1 GHz).....	38
FIG. 33 RADIATED SPURIOUS EMISSION (GFSK, CH0, 1 GHz ~3 GHz).....	39
FIG. 34 RADIATED SPURIOUS EMISSION (GFSK, CH0, 3 GHz ~18 GHz).....	39
FIG. 35 RADIATED SPURIOUS EMISSION (GFSK, CH78, 30 MHz ~1 GHz).....	40
FIG. 36 RADIATED SPURIOUS EMISSION (GFSK, CH78, 1 GHz ~3 GHz).....	40
FIG. 37 RADIATED SPURIOUS EMISSION (GFSK, CH78, 3 GHz ~18 GHz).....	41
FIG. 38 RADIATED SPURIOUS EMISSION ( $\pi/4$ DQPSK, CH0, 30 MHz ~1 GHz) .....	41
FIG. 39 RADIATED SPURIOUS EMISSION ( $\pi/4$ DQPSK, CH0, 1 GHz ~3 GHz) .....	42
FIG. 40 RADIATED SPURIOUS EMISSION ( $\pi/4$ DQPSK, CH0, 3 GHz ~18 GHz) .....	42
FIG. 41 RADIATED SPURIOUS EMISSION ( $\pi/4$ DQPSK, CH78, 30 MHz ~1 GHz) .....	43
FIG. 42 RADIATED SPURIOUS EMISSION ( $\pi/4$ DQPSK, CH78, 1 GHz ~3 GHz) .....	43

FIG. 43 RADIATED SPURIOUS EMISSION ( $\pi/4$ DQPSK, CH78, 3 GHz ~18 GHz) .....	44
FIG. 44 RADIATED SPURIOUS EMISSION (8DPSK, CH0, 30 MHz ~1 GHz) .....	44
FIG. 45 RADIATED SPURIOUS EMISSION (8DPSK, CH0, 1 GHz ~3 GHz) .....	45
FIG. 46 RADIATED SPURIOUS EMISSION (8DPSK, CH0, 3 GHz ~18 GHz) .....	45
FIG. 47 RADIATED SPURIOUS EMISSION (8DPSK, CH78, 30 MHz ~1 GHz) .....	46
FIG. 48 RADIATED SPURIOUS EMISSION (8DPSK, CH78, 1 GHz ~3 GHz) .....	46
FIG. 49 RADIATED SPURIOUS EMISSION (8DPSK, CH78, 3 GHz ~18 GHz) .....	47
FIG. 50 RADIATED SPURIOUS EMISSION (ALL CHANNEL, 18 GHz ~26 GHz) .....	47
FIG. 51 OCCUPIED 20DB BANDWIDTH (GFSK, CH 39) .....	48
FIG. 52 OCCUPIED 20DB BANDWIDTH ( $\pi/4$ DQPSK, CH 39) .....	48
FIG. 53 OCCUPIED 20DB BANDWIDTH (8DPSK, CH 39) .....	49
FIG. 54 TIME OF OCCUPANCY(DWELL TIME) (GFSK, CH39) .....	49
FIG. 55 NUMBER OF TRANSMISSIONS (GFSK, CH39) .....	50
FIG. 56 TIME OF OCCUPANCY(DWELL TIME) ( $\pi/4$ DQPSK, CH39) .....	50
FIG. 57 NUMBER OF TRANSMISSIONS ( $\pi/4$ DQPSK, CH39) .....	51
FIG. 58 TIME OF OCCUPANCY(DWELL TIME) (8DPSK, CH39) .....	51
FIG. 59 NUMBER OF TRANSMISSIONS (8DPSK, CH39) .....	52
FIG. 60 HOPPING CHANNEL CH0~39 (GFSK, CH39) .....	52
FIG. 61 HOPPING CHANNEL CH39~78 (GFSK, CH39) .....	53
FIG. 62 HOPPING CHANNEL CH0~39 ( $\pi/4$ DQPSK, CH39) .....	53
FIG. 63 HOPPING CHANNEL CH39~78 ( $\pi/4$ DQPSK, CH39) .....	54
FIG. 64 HOPPING CHANNEL CH0~39 (8DPSK, CH39) .....	54
FIG. 65 HOPPING CHANNEL CH39~78 (8DPSK, CH39) .....	55
FIG. 66 CARRIER FREQUENCY SEPARATION (GFSK, CH39) .....	55
FIG. 67 CARRIER FREQUENCY SEPARATION ( $\pi/4$ DQPSK, CH39) .....	56
FIG. 68 CARRIER FREQUENCY SEPARATION (8DPSK, CH39) .....	56
FIG. 69 AC POWER LINE CONDUCTED EMISSION (GFSK, CH39) .....	57
FIG. 70 AC POWER LINE CONDUCTED EMISSION ( $\pi/4$ DQPSK, CH39) .....	58
FIG. 71 AC POWER LINE CONDUCTED EMISSION (8DPSK, CH39) .....	59
FIG. 72 OCCUPIED BANDWIDTH (GFSK, CH0) .....	60
FIG. 73 OCCUPIED BANDWIDTH (GFSK, CH39) .....	60
FIG. 74 OCCUPIED BANDWIDTH (GFSK, CH78) .....	61
FIG. 75 OCCUPIED BANDWIDTH ( $\pi/4$ DQPSK, CH0) .....	61
FIG. 76 OCCUPIED BANDWIDTH ( $\pi/4$ DQPSK, CH39) .....	62
FIG. 77 OCCUPIED BANDWIDTH ( $\pi/4$ DQPSK, CH78) .....	62
FIG. 78 OCCUPIED BANDWIDTH (8DPSK, CH0) .....	63
FIG. 79 OCCUPIED BANDWIDTH (8DPSK, CH39) .....	63
FIG. 80 OCCUPIED BANDWIDTH (8DPSK, CH78) .....	64

## 1. Test Laboratory

### 1.1. Testing Location

Company Name: TMC Shenzhen, Telecommunication Metrology Center of MIIT  
Address: No. 12 Building, Shangsha Innovation and Technology Park, Futian District, Shenzhen, P. R. China  
Postal Code: 518048  
Telephone: +86(0)755-33322000  
Fax: +86(0)755-33322001

### 1.2. Testing Environment

Normal Temperature: 15°C~30°C  
Extreme Temperature: -20°C/+55°C  
Relative Humidity: 30%~60%

### 1.3. Project data

Project Leader: Zhang Bojun  
Test Engineer: Tang Weisheng  
Testing Start Date: May 24<sup>th</sup>, 2013  
Testing End Date: Jul 30<sup>th</sup>, 2013

### 1.4. Signature

Tang Weisheng  
(Prepared this test report)

Zhang Bojun  
(Reviewed this test report)

Lu Minniu  
Director of the laboratory  
(Approved this test report)

## **2. Client Information**

### **2.1. Applicant Information**

Company Name: Emporia Telecom USA Inc  
Address /Post: 321 E. Glen Ave  
City: Ridgewood  
Postal Code: 07450  
Country: United States  
Contact Persons: Silva Hoo  
E-mail: foley@emporiatelecom.com  
Telephone: 201-962-5550  
Fax: /

### **2.2. Manufacturer Information**

Company Name: Emporia Telecom USA Inc  
Address /Post: 321 E. Glen Ave  
City: Ridgewood  
Postal Code: 07450  
Country: United States  
Telephone: 201-962-5550  
Fax: /

### **3. Equipment Under Test (EUT) and Ancillary Equipment (AE)**

#### **3.1. About EUT**

Description	GSM Dual Band Mobile Phone
Model Name	F210d
Marketing Name	TELME F210d
Frequency Band	ISM 2400MHz~2480 MHz
Type of Modulation	GFSK/ $\pi/4$ DQPSK/8DPSK
Number of Channels	79
FCC ID	ZVP-F210
IC ID	10262A-F210

Note: Photographs of EUT are shown in ANNEX A of this test report.

#### **3.2. Internal Identification of EUT used during the test**

EUT ID*	SN or IMEI	HW Version	SW Version
EUT1	/	F210D_HW_V2.0	F210D_R026

#### **3.3. Internal Identification of AE used during the test**

AE ID*	Description	Type	SN
AE1	Li-ion Battery	AK-F200 (V1.0)	/

\*AE ID: is used to identify the test accessory in the lab internally.

## 4. Reference Documents

### 4.1. Documents supplied by applicant

EUT feature information is supplied by the applicant or manufacturer, which is the basis of testing.

### 4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part15	FCC CFR 47, Part 15, Subpart C: 15.205 Restricted bands of operation; 15.209 Radiated emission limits, general requirements; 15.247 Operation within the bands 902–928MHz, 2400–2483.5 MHz, and 5725–5850 MHz.	Oct, 2011 Edition
ANSI C63.4	Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz	2003
FCC Public Notice DA 00-705	Filing and Measurement Guidelines for Frequency Hopping Spread Spectrum Systems	March 30, 2000
IC RSS-210	RSS-210 Spectrum Management and Telecommunications Radio Standards Specification - Low-power Licence-exempt Radiocommunication Devices (All Frequency Bands): Category I Equipment	Issue 8 Dec 2010

## 5. Laboratory Environment

**Half-anechoic chamber** (11.20 meters×6.10 meters×5.60 meters) did not exceed following limits:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 2M Ω
Ground system resistance	< 0.5 Ω
Normalized Site Attenuation (NSA)	< ±3.5dB, with 3m of Measuring distance, 30MHz 1000MHz
Uniformity of field strength	Between 0 and 6 dB, from 80MHz to 3000 MHz

**Fully-anechoic chamber** (11.20 meters×6.10 meters×6.60 meters) did not exceed following limits:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 2M Ω
Ground system resistance	< 0.5 Ω
VSWR	Between 0 and 6 dB, from 30MHz to 18 000 MHz

**Conduction Lab** did not exceed following limits:

Temperature	Min.=15 °C, Max.=30 °C
Relative humidity	Min.=30 %, Max.= 60 %
Shielding effectiveness	> 80 dB
Electrical insulation	> 2M Ω
Ground system resistance	< 0.5 Ω

## **6. Summary of Test Results**

### **6.1. Summary of Test Results**

No	Test cases	Sub-clause of Part15C	Sub-clause of IC	Verdict
0	Antenna Requirement	15.203	/	/
1	Maximum Peak Output Power	15.247 (a)	RSS-210 Issue8 A8.4	P
2	Band Edges Compliance	15.247 (d)	RSS-210 Issue8 A8.5	P
3	Transmitter Spurious Emission - Conducted	15.247	RSS-210 Issue8 A8.5	P
4	Transmitter Spurious Emission - Radiated	15.247,15.205,15.209	RSS-210 Issue8 A8.5	P
5	Occupied 20dB bandwidth	15.247(a)	RSS-210 Issue8 A8.1	P
6	Time of Occupancy(Dwell Time)	15.247(a)	RSS-210 Issue8 A8.1	P
7	Number of Hopping Channel	15.247(a)	RSS-210 Issue8 A8.1	P
8	Carrier Frequency Separation	15.247(a)	RSS-210 Issue8 A8.1	P
9	AC Powerline Conducted Emission	15.107,15.207	RSS-Gen Issue3 7.2.4	P
10	Occupied Bandwidth	/	RSS-Gen Issue3 4.6.1	/

### **6.2. Statements**

TMC has evaluated the test cases requested by the applicant/manufacturer as listed in section 6.1 of this report, for the EUT specified in section 3, according to the standards or reference documents listed in section 4.2

### **6.3. Terms used in the result table**

Terms used in Verdict column

P	Pass
NA	Not Available
F	Fail

Abbreviations

AC	Alternating Current
BW	Band Width
ISM	Industrial, Scientific and Medical
RF	Radio Frequency

## **7. Test Equipments Utilized**

### **Conducted test system**

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Vector Signal Analyzer	FSV40	100903	Rohde & Schwarz	2014-04-23
2	Bluetooth Tester	CBT32	100584	Rohde & Schwarz	2014-01-12

### **Radiated emission test system**

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Chamber	FACT5-2.0	4166	ETS-Lindgren	2016-05-29
2	Test Receiver	ESCI	100701	Rohde & Schwarz	2013-08-03
3	Spectrum Analyzer	FSP40	100378	Rohde & Schwarz	2013-12-21
4	BiLog Antenna	VULB9163	9163-330	Schwarzbeck	2014-02-24
5	Dual-Ridge Waveguide Horn Antenna	3164-05	00085724	ETS-Lindgren	2014-02-17
6	Test Receiver	ESCI	100702	Rohde & Schwarz	2013-08-03
7	LISN	ESH2-Z5	100196	Rohde & Schwarz	2014-01-23
8	Signal Generator	SMR40	100541	Rohde & Schwarz	2014-01-10
9	Dual-Ridge Waveguide Horn Antenna	3117	00066577	ETS-Lindgren	2016-04-01

### **Anechoic chamber**

Fully anechoic chamber by ETS-Lindgren.

**ANNEX A: EUT photograph****Pic A-1 Mobile phone****Pic A-2 Mobile phone**



**Pic A-3 Mobile phone**



**Pic A-4 Battery**

## ANNEX B: MEASUREMENT RESULTS

### B.0 Antenna requirement

#### Measurement Limit:

Standard	Requirement
FCC CRF Part 15.203	An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §15.211, §15.213, § 15.217, §15.219, or §15.221. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with §15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.

**Conclusion: The Directional gains of antenna used for transmitting is 1.2 dBi.  
The RF transmitter uses an integrate antenna without connector.**

## B.1 Maximum Peak Output Power

**Measurement Limit:**

Standard	Limit (dBm)
FCC CRF Part 15.247(a) RSS-210 Issue8 A8.4	< 21 (125mW)

**Measurement Results:**

Mode	Test Result (dBm)		
	2402MHz (Ch0)	2441MHz (Ch39)	2480 MHz (Ch78)
GFSK	-1.68	0.20	0.85
$\pi/4$ DQPSK	-2.14	-0.26	0.25
8DPSK	-2.19	-0.29	0.30

**Conclusion: Pass**

## B.2 Band Edges Compliance

**Measurement Limit:**

Standard	Limit (dBc)
FCC 47 CFR Part 15.247 (d) RSS-210 Issue8 A8.5	> 20

**Measurement Result:**

Mode	Channel	Hopping	Test Result	Conclusion
GFSK	0	ON	Fig.1	P
	78	ON	Fig.2	P
$\pi/4$ DQPSK	0	ON	Fig.3	P
	78	ON	Fig.4	P
8DPSK	0	ON	Fig.5	P
	78	ON	Fig.6	P

Mode	Channel	Hopping	Test Result	Conclusion
GFSK	0	OFF	Fig.7	P
	78	OFF	Fig.8	P
$\pi/4$ DQPSK	0	OFF	Fig.9	P
	78	OFF	Fig.10	P
8DPSK	0	OFF	Fig.11	P
	78	OFF	Fig.12	P

See ANNEX C for test graphs.

**Conclusion: Pass**

### B.3 Transmitter Spurious Emission

#### B.3.1 Transmitter Spurious Emission - Conducted

**Measurement Limit:**

Standard	Limit
FCC 47 CFR Part 15.247 (d) RSS-210 Issue8 A8.5	20dB below peak output power in 100 kHz bandwidth

**Measurement Results:**

MODE	Channel	Frequency Range	Test Result	Conclusion
GFSK	0	2.402 GHz	Fig.13	P
		30 MHz-3 GHz	Fig.14	P
		3GHz-18Ghz	Fig.15	P
	78	2.480 GHz	Fig.16	P
		30 MHz-3 GHz	Fig.17	P
		3GHz-18Ghz	Fig.18	P
$\pi/4$ DQPSK	0	2.402 GHz	Fig.19	P
		30 MHz-3 GHz	Fig.20	P
		3GHz-18Ghz	Fig.21	P
	78	2.480 GHz	Fig.22	P
		30 MHz-3 GHz	Fig.23	P
		3GHz-18Ghz	Fig.24	P
8DPSK	0	2.402 GHz	Fig.25	P
		30 MHz-3 GHz	Fig.26	P
		3GHz-18Ghz	Fig.27	P
	78	2.480 GHz	Fig.28	P
		30 MHz-3 GHz	Fig.29	P
		3GHz-12Ghz	Fig.30	P
/	All channel	18GHz-26GHz	Fig.31	P

See ANNEX C for test graphs.

**Conclusion: Pass**

**B.3.2 Transmitter Spurious Emission - Radiated****Measurement Limit:**

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209 RSS-210 Issue8 A8.5	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

**Limit in restricted band:**

Frequency of emission (MHz)	Field strength(µV/m)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

**Test Condition**

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	100KHz/300KHz	5
1000-4000	1MHz/1MHz	15
4000-18000	1MHz/1MHz	40
18000-26500	1MHz/1MHz	20

**Note:** According to the performance evaluation, the radiated emission margin of EUT is over 20dB in the band below 30MHz. Therefore, the measurement starts from 30MHz to tenth harmonic..

**Measurement Results:**

Mode	Channel	Frequency Range	Test Result	Conclusion
GFSK	0	30 MHz ~1 GHz	Fig.32	P
		1 GHz ~ 3 GHz	Fig.33	P
		3 GHz ~ 18 GHz	Fig.34	P
	78	30 MHz ~1 GHz	Fig.35	P
		1 GHz ~ 3 GHz	Fig.36	P
		3 GHz ~ 18 GHz	Fig.37	P
$\pi/4$ DQPSK	0	30 MHz ~1 GHz	Fig.38	P
		1 GHz ~ 3 GHz	Fig.39	P
		3 GHz ~ 18 GHz	Fig.40	P
	78	30 MHz ~1 GHz	Fig.41	P
		1 GHz ~ 3 GHz	Fig.42	P
		3 GHz ~ 18 GHz	Fig.43	P
8DPSK	0	30 MHz ~1 GHz	Fig.44	P
		1 GHz ~ 3 GHz	Fig.45	P
		3 GHz ~ 18 GHz	Fig.46	P
	78	30 MHz ~1 GHz	Fig.47	P
		1 GHz ~ 3 GHz	Fig.48	P
		3 GHz ~ 18 GHz	Fig.49	P
/	All channels	18 GHz~ 26.5 GHz	Fig.50	P

See ANNEX C for test graphs.

Conclusion: Pass

**B.4 Occupied 20dB Bandwidth****Measurement Limit:**

Standard	Limit (kHz)
FCC 47 CFR Part 15.247 (a) RSS-210 Issue8 A8.1	/

**Measurement Result:**

Mode	Channel	Test Result ( MHz)		Conclusion
GFSK	39	Fig.51	1.150	/
$\pi/4$ DQPSK	39	Fig.52	1.295	/
8DPSK	39	Fig.53	1.331	/

See ANNEX C for test graphs.

Conclusion: PASS

**B.5 Time of Occupancy (Dwell Time)****Measurement Limit:**

Standard	Limit
FCC 47 CFR Part 15.247(a) RSS-210 Issue8 A8.1	< 400 ms

**Measurement Results:**

Mode	Channel	Packet	Test Result (ms)			Conclusion
GFSK	39	DH5	Fig.54	Fig.55	175.9	P
$\pi/4$ DQPSK	39	2-DH5	Fig.56	Fig.57	172.2	P
8DPSK	39	3-DH5	Fig.58	Fig.59	164.4	P

See ANNEX C for test graphs.

Conclusion: Pass

## B.6 Number of Hopping Channels

### Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a) RSS-210 Issue8 A8.1	At least 15 non-overlapping channels

### Measurement Results:

Mode	Packet	Test result			Conclusion
GFSK	DH5	Fig.60	Fig.61	79	P
$\pi/4$ DQPSK	2-DH5	Fig.62	Fig.63	79	P
8DPSK	3-DH5	Fig.64	Fig.65	79	P

See ANNEX C for test graphs.

Conclusion: Pass

## B.7 Carrier Frequency Separation

### Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a) RSS-210 Issue8 A8.1	By a minimum of 25 kHz or two-thirds of the 20 dB bandwidth of the hopping channel, whichever is greater

### Measurement Results:

Mode	Channel	Packet	Test result (MHz)		Conclusion
GFSK	39	DH5	Fig.66	1.006	P
$\pi/4$ DQPSK	39	2-DH5	Fig.67	1.006	P
8DPSK	39	3-DH5	Fig.68	1.006	P

See ANNEX C for test graphs.

Conclusion: Pass

## B.8 AC Power line Conducted Emission

### Test Condition:

Voltage (V)	Frequency (Hz)
120	60

### Measurement Result and limit:

BT (Quasi-peak Limit)

Frequency range (MHz)	Quasi-peak Limit (dB $\mu$ V)	Result (dB $\mu$ V)			Conclusion	
		With charger				
		GFSK	$\pi/4$ DQPSK	8DPSK		
0.15 to 0.5	66 o 56	Fig.69	Fig.70	Fig.71	P	
0.5 to 5	56					
5 to 30	60					

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

BT (Average Limit)

Frequency range (MHz)	Average Limit (dB $\mu$ V)	Result (dB $\mu$ V)			Conclusion	
		With charger				
		GFSK	$\pi/4$ DQPSK	8DPSK		
0.15 to 0.5	56 to 46	Fig.69	Fig.70	Fig.71	P	
0.5 to 5	46					
5 to 30	50					

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

See ANNEX C for test graphs.

Conclusion: Pass

**B.9 Occupied Bandwidth****Measurement Limit:**



Standard	Limit
RSS-Gen Issue3 4.6.1	/



**Measurement Result:**



Mode	Channel	Occupied Bandwidth ( MHz)		conclusion
GFSK	0	Fig.72	1.129	/
	39	Fig.73	1.085	/
	78	Fig.74	1.056	/
$\pi/4$ DQPSK	0	Fig.75	1.216	/
	39	Fig.76	1.201	/
	78	Fig.77	1.187	/
8DPSK	0	Fig.78	1.216	/
	39	Fig.79	1.216	/
	78	Fig.80	1.201	/


See ANNEX C for test graphs.

**Conclusion: PASS**


**ANNEX C: TEST FIGURE LIST**

**Fig. 1 Band Edges (GFSK, Ch 0, Hopping ON)**

**Fig. 2 Band Edges (GFSK, Ch 78, Hopping ON)**


**Fig. 3 Band Edges (  $\pi/4$  DQPSK, Ch 0, Hopping ON)**

**Fig. 4 Band Edges (  $\pi/4$  DQPSK, Ch 78, Hopping ON)**




**Fig. 5 Band Edges (8DPSK, Ch 0, Hopping ON)**

**Fig. 6 Band Edges (8DPSK, Ch 78, Hopping ON)**






**Fig. 7 Band Edges (GFSK, Ch 0, Hopping OFF)**




**Fig. 8 Band Edges (GFSK, Ch 78, Hopping OFF)**


**Fig. 9 Band Edges ( $\pi/4$  DQPSK, Ch 0, Hopping OFF)**

**Fig. 10 Band Edges ( $\pi/4$  DQPSK, Ch 78, Hopping OFF)**




**Fig. 11 Band Edges (8DPSK, Ch 0, Hopping OFF)**

**Fig. 12 Band Edges (8DPSK, Ch 78, Hopping OFF)**






**Fig. 13 Conducted Spurious Emission (GFSK, Ch0, Center Frequency)**




**Fig. 14 Conducted Spurious Emission (GFSK, Ch0, 30 MHz-3 GHz)**


**Fig. 15 Conducted Spurious Emission (GFSK, Ch0, 3GHz-18 GHz)**

**Fig. 16 Conducted Spurious Emission (GFSK, Ch78, Center Frequency)**




**Fig. 17 Conducted Spurious Emission (GFSK, Ch78, 30 MHz-3 GHz)**

**Fig. 18 Conducted Spurious Emission (GFSK, Ch78, 3GHz-18 GHz)**






**Fig. 19 Conducted Spurious Emission (  $\pi/4$  DQPSK, Ch0, Center Frequency)**




**Fig. 20 Conducted Spurious Emission (  $\pi/4$  DQPSK, Ch0, 30 MHz-3 GHz)**


**Fig. 21 Conducted Spurious Emission ( $\pi/4$  DQPSK, Ch0, 3GHz-18 GHz)**

**Fig. 22 Conducted Spurious Emission ( $\pi/4$  DQPSK, Ch78, Center Frequency)**




**Fig. 23 Conducted Spurious Emission (  $\pi/4$  DQPSK, Ch78, 30 MHz-3 GHz)**

**Fig. 24 Conducted Spurious Emission (  $\pi/4$  DQPSK, Ch78, 3GHz-18 GHz)**






**Fig. 25 Conducted Spurious Emission (8DPSK, Ch0, Center Frequency)**




**Fig. 26 Conducted Spurious Emission (8DPSK, Ch0, 30 MHz-3 GHz)**


**Fig. 27 Conducted Spurious Emission (8DPSK, Ch0, 3GHz-18 GHz)**

**Fig. 28 Conducted Spurious Emission (8DPSK, Ch78, Center Frequency)**



**Fig. 29 Conducted Spurious Emission (8DPSK, Ch78, 30 MHz-3 GHz)**

**Fig. 30 Conducted Spurious Emission (8DPSK, Ch78, 3GHz-18 GHz)**




**Fig. 31 Conducted Spurious Emission (All channel, 18 GHz-26 GHz)**




**Fig. 32 Radiated Spurious Emission (GFSK, Ch0, 30 MHz ~1 GHz)**




**Fig. 33 Radiated Spurious Emission (GFSK, Ch0, 1 GHz ~3 GHz)**




**Fig. 34 Radiated Spurious Emission (GFSK, Ch0, 3 GHz ~18 GHz)**




**Fig. 35 Radiated Spurious Emission (GFSK, Ch78, 30 MHz ~1 GHz)**




**Fig. 36 Radiated Spurious Emission (GFSK, Ch78, 1 GHz ~3 GHz)**




**Fig. 37 Radiated Spurious Emission (GFSK, Ch78, 3 GHz ~18 GHz)**



**Fig. 38 Radiated Spurious Emission (π/4 DQPSK, Ch0, 30 MHz ~1 GHz)**



**Fig. 39 Radiated Spurious Emission ( $\pi/4$  DQPSK, Ch0, 1 GHz ~3 GHz)**



**Fig. 40 Radiated Spurious Emission ( $\pi/4$  DQPSK, Ch0, 3 GHz ~18 GHz)**




Fig. 41 Radiated Spurious Emission ( $\pi/4$  DQPSK, Ch78, 30 MHz ~1 GHz)







Fig. 42 Radiated Spurious Emission ( $\pi/4$  DQPSK, Ch78, 1 GHz ~3 GHz)




**Fig. 43 Radiated Spurious Emission ( $\pi/4$  DQPSK, Ch78, 3 GHz ~18 GHz)**




**Fig. 44 Radiated Spurious Emission (8DPSK, Ch0, 30 MHz ~1 GHz)**




**Fig. 45 Radiated Spurious Emission (8DPSK, Ch0, 1 GHz ~3 GHz)**




**Fig. 46 Radiated Spurious Emission (8DPSK, Ch0, 3 GHz ~18 GHz)**




**Fig. 47 Radiated Spurious Emission (8DPSK, Ch78, 30 MHz ~1 GHz)**





**Fig. 48 Radiated Spurious Emission (8DPSK, Ch78, 1 GHz ~3 GHz)**






**Fig. 49 Radiated Spurious Emission (8DPSK, Ch78, 3 GHz ~18 GHz)**







**Fig. 50 Radiated Spurious Emission (All channel, 18 GHz ~26 GHz)**




**Fig. 51 Occupied 20dB Bandwidth (GFSK, Ch 39)**

**Fig. 52 Occupied 20dB Bandwidth (π/4 DQPSK, Ch 39)**



**Fig. 53 Occupied 20dB Bandwidth (8DPSK, Ch 39)**

**Fig. 54 Time of Occupancy(Dwell Time) (GFSK, Ch39)**


**Fig. 55 Number of Transmissions (GFSK, Ch39)**

**Fig. 56 Time of Occupancy(Dwell Time) (  $\pi/4$  DQPSK, Ch39)**



**Fig. 57 Number of Transmissions ( $\pi/4$  DQPSK, Ch39)**

**Fig. 58 Time of Occupancy(Dwell Time) (8DPSK, Ch39)**

**Fig. 59 Number of Transmissions (8DPSK, Ch39)****Fig. 60 Hopping channel ch0~39 (GFSK, Ch39)**


**Fig. 61 Hopping channel ch39~78 (GFSK, Ch39)**

**Fig. 62 Hopping channel ch0~39 (π/4 DQPSK, Ch39)**



**Fig. 63 Hopping channel ch39~78 ( $\pi/4$  DQPSK, Ch39)**



**Fig. 64 Hopping channel ch0~39 (8DPSK, Ch39)**




Fig. 65 Hopping channel ch39~78 (8DPSK, Ch39)




Fig. 66 Carrier Frequency Separation (GFSK, Ch39)




Fig. 67 Carrier Frequency Separation ( $\pi/4$  DQPSK, Ch39)

Fig. 68 Carrier Frequency Separation (8DPSK, Ch39)




**Fig. 69 AC Power line Conducted Emission (GFSK, Ch39)**

MEASUREMENT RESULT: " QuasiPeak "

Frequency (MHz)	QuasiPeak (dB $\mu$ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB $\mu$ V)
0.158000	51.0	FLO	L1	10.0	14.6	65.6
0.222000	45.8	FLO	L1	10.0	16.9	62.7
0.234000	44.8	FLO	N	10.0	17.5	62.3
0.350000	40.4	FLO	N	10.1	18.6	59.0
0.422000	46.7	FLO	N	10.1	10.7	57.4
12.486000	11.8	FLO	N	10.5	48.2	60.0

MEASUREMENT RESULT: " Average "

Frequency (MHz)	CAverage (dB $\mu$ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB $\mu$ V)
0.150000	32.2	FLO	L1	10.0	23.8	56.0
0.326000	27.5	FLO	L1	10.0	22.1	49.6
0.422000	36.6	FLO	L1	10.0	10.8	47.4
0.802000	25.8	FLO	L1	10.1	20.2	46.0
1.182000	24.1	FLO	L1	10.0	21.9	46.0
12.486000	6.8	FLO	N	10.5	43.2	50.0




**Fig. 70 AC Power line Conducted Emission (  $\pi/4$  DQPSK, Ch39)**

MEASUREMENT RESULT: " QuasiPeak "

Frequency (MHz)	QuasiPeak (dB $\mu$ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB $\mu$ V)
0.154000	54.6	FLO	N	10.0	11.2	65.8
0.286000	46.9	FLO	N	10.1	13.7	60.6
0.298000	48.1	FLO	N	10.1	12.2	60.3
0.318000	48.3	FLO	N	10.0	11.4	59.8
0.358000	43.2	FLO	N	10.1	15.6	58.8
0.422000	45.7	FLO	N	10.1	11.7	57.4

MEASUREMENT RESULT: " Average "

Frequency (MHz)	CAverage (dB $\mu$ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB $\mu$ V)
0.298000	26.3	FLO	N	10.1	24.0	50.3
0.418000	35.5	FLO	L1	10.0	12.0	47.5
0.506000	22.0	FLO	N	10.1	24.0	46.0
0.590000	24.8	FLO	N	10.1	21.2	46.0
0.790000	25.6	FLO	L1	10.1	20.4	46.0
1.250000	23.6	FLO	L1	10.1	22.4	46.0





**Fig. 71 AC Power line Conducted Emission (8DPSK, Ch39)**



MEASUREMENT RESULT: " QuasiPeak "



Frequency (MHz)	QuasiPeak (dB $\mu$ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB $\mu$ V)
0.166000	57.7	FLO	N	10.1	7.4	65.2
0.174000	57.7	FLO	N	10.1	7.1	64.8
0.186000	56.5	FLO	N	10.1	7.7	64.2
0.238000	54.3	FLO	N	10.0	7.9	62.2
0.250000	54.2	FLO	N	10.1	7.5	61.8
0.334000	50.9	FLO	N	10.0	8.4	59.4


MEASUREMENT RESULT: " Average "


Frequency (MHz)	CAverage (dB $\mu$ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB $\mu$ V)
0.178000	29.0	FLO	N	10.1	25.5	54.6
0.418000	32.4	FLO	L1	10.0	15.1	47.5
0.578000	23.6	FLO	N	10.1	22.4	46.0
0.790000	23.8	FLO	L1	10.1	22.2	46.0
1.242000	21.0	FLO	L1	10.1	25.0	46.0
1.458000	20.6	FLO	L1	10.1	25.4	46.0


**Fig. 72 Occupied Bandwidth (GFSK, Ch0)**

**Fig. 73 Occupied Bandwidth (GFSK, Ch39)**


**Fig. 74 Occupied Bandwidth (GFSK, Ch78)**

**Fig. 75 Occupied Bandwidth ( $\pi/4$  DQPSK, Ch0)**


**Fig. 76 Occupied Bandwidth ( $\pi/4$  DQPSK, Ch39)**

**Fig. 77 Occupied Bandwidth ( $\pi/4$  DQPSK, Ch78)**


**Fig. 78 Occupied Bandwidth (8DPSK, Ch0)**

**Fig. 79 Occupied Bandwidth (8DPSK, Ch39)**



**Fig. 80 Occupied Bandwidth (8DPSK, Ch78)**

\*\*\* END OF REPORT BODY \*\*\*