



The Photos of SAR test

No. 2013EEB00281-SAR

For

Emporia Telecom USA Inc

GSM Dual Band Mobile Phone

Model name: F210d

Marketing name: TELME F210d

With

Hardware Version: F210D_HW_V2.0

Software Version: F210D_R026

FCC ID: ZVP-F210d

IC ID: 10262A-F210d

Issued Date: 2013-07-29



The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.


Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcme@emcite.com. www.emcite.com




Picture 1: front side of the sample _closed



Picture 2: front side of the sample_ open



Picture 3: Left Hand Touch Cheek Position



Picture 4: Left Hand Tilt 15° Position



Picture 5: Right Hand Touch Cheek Position




Picture 6: Right Hand Tilt 15° Position

Test positions for body:

The Body SAR is tested at the following 3 test positions all with the distance =10mm between the EUT and the phantom bottom:



Picture 7: Toward Phantom _closed



Picture 8: Toward Ground _closed



Picture 9: Toward Ground _open