

Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 1 of 29

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART F REQUIREMENT

OF

Product Name: TransferJet SD Memory Card J-01

Brand Name: Toshiba

Model No.: THNST016GBA-D

Model Difference: N/A

FCC ID: **ZVZP42350TJ1**

ER/2014/C0021 **Report No.:**

Jan. 05, 2015 **Issue Date:**

FCC Rule Part: §15.519, Cat: UWB

Toshiba Co., Semiconductor & Storage Prepared for:

2-5-1, Kasama, Sakae-Ku, Yokohama 247-8585,

Japan

SGS Taiwan Ltd.

Electronics & Communication Laboratory Prepared by:

No.134, Wu Kung Road, New Taipei Industrial Park,

Wuku District, New Taipei City, Taiwan 24803





Testing Laboratory 0513

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

f (886-2) 2298-0488

www.tw.sqs.com

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 2 of 29

VERIFICATION OF COMPLIANCE

Applicant: Toshiba Co., Semiconductor & Storage

2-5-1, Kasama, Sakae-Ku, Yokohama 247-8585,

Japan

Product Name: TransferJet SD Memory Card J-01

Brand Name: Toshiba

Model No.: THNST016GBA-D

Model Difference: N/A

FCC ID: ZVZP42350TJ1 File Number: ER/2014/C0021

Date of test: Dec. 12, 2014 ~ Dec. 25, 2014

Date of EUT Received: Dec. 12, 2014

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.4:2009 the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rules Part 15.519.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Marcus	Iseng	Date	Jan. 05, 2015	
	Marcus Tseng	/ Engineer			
Prepared By:	Tiffany Kad	o / Clerk	Date	Jan. 05, 2015	
Approved By:	7	Ch ang	Date	Jan. 05, 2015	
	Jim Chang / S	Supervisor			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 www.tw.sqs.com



Report No.: ER/2014/C0021 **Issue Date: Jan. 05, 2015**

Page: 3 of 29

Version

Version No.	Date	Description
00	Jan. 05, 2015	Initial creation of document

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有规明,此粮告結果僅對测试之樣品負責,同時此樣品僅保留90天。本粮告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2014/C0021 **Issue Date: Jan. 05, 2015**

Page: 4 of 29

Table of Contents

1	GEN	VERAL INFORMATION	6
	1.1	Product Description	6
	1.2	Related Submittal(s) / Grant (s)	7
	1.3	Test Methodology	7
	1.4	Test Facility	7
	1.5	Special Accessories	7
	1.6	Equipment Modifications	7
2	SYS	TEM TEST CONFIGURATION	8
	2.1	EUT Configuration	8
	2.2	EUT Exercise	8
	2.3	Test Procedure	8
	2.4	Configuration of Tested System	9
3	SUM	IMARY OF TEST RESULTS	10
4	DES	CRIPTION OF TEST MODES	10
5	MEA	ASUREMENT UNCERTAINTY	11
6	CON	NDUCTED EMISSION TEST	12
	6.1	Standard Applicable:	12
	6.2	Measurement Equipment Used:	12
	6.3	EUT Setup:	12
	6.4	Test SET-UP (Block Diagram of Configuration)	
	6.5	Measurement Procedure:	13
	6.6	Measurement Result:	13
7	UWI	B Bandwidth	16
	7.1	Standard Applicable:	16
	7.2	Measurement Equipment Used:	16
	7.3	Test Set-up:	16
	7.4	Measurement Procedure:	16
	7.5	Measurement Result:	17
8	Radi	iated Emission and Peak level of the Emission	18
	8.1	Standard Applicable:	18
	8.2	Measurement Equipment Used:	19
	8.3	Test SET-UP:	20
	8.4	Measurement Procedure:	21
	8.5	Measurement Result:	21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有规明,此粮告結果僅對测试之樣品負責,同時此樣品僅保留90天。本粮告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/C0021 **Issue Date: Jan. 05, 2015**

Page: 5 of 29

9	Trans	smitter Timeout	27
	9.1	Standard Applicable	27
	9.2	Measurement Equipment Used:	27
	9.3	Test SET-UP:	27
	9.4	Measurement Procedure:	27
	9.5	Measurement Result:	27
10	ANTI	ENNA REQUIREMENT	29
	10.1	Standard Applicable:	29
	10.2	Antenna Connected Construction:	29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Talwan Ltd.

IN 134 WitkungRoad NewTainei(IndustrialPark WukuDistrict NewTaineiCity Taiwan24803/新 北市 五 股區 新 北 產業園區 五工路 134 號



Report No.: ER/2014/C0021 **Issue Date: Jan. 05, 2015**

Page: 6 of 29

GENERAL INFORMATION

Product Description

General:

Product Name:	TransferJet SD Memory Card J-01
Brand Name:	Toshiba
Model No.:	THNST016GBA-D
Model Difference:	N/A
Hardware Version:	PB7F97U5
Software Version:	TJ1.00
Power Supply:	3.3Vdc

UWB:

1	
Operating Band:	4480MHz
Channel number:	1 channels
Modulation type:	$\pi/2$ shifted BPSK + DSSS
Transmit Power:	-58.87dBm
Antenna Designation:	Printed Circuit Board Antenna (Electric induction field coupler) ,Gain: -4.5dBi

The report applied for UWB.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279 www.tw.sqs.com



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 7 of 29

1.2 **Related Submittal(s) / Grant (s)**

This submittal(s) (test report) is intended for FCC ID: ZVZP42350TJ1 filing to comply with Section 15.519 of the FCC Part 15, Subpart F Rules.

Test Methodology 1.3

Both conducted and radiated testing was performed according to the procedures in ANSI C63.4:2009. Radiated testing was performed at an antenna to EUT distance 3 meters.

1.4 **Test Facility**

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2009. FCC Registration Number: 990257. The address of SGS Taiwan Ltd. Electronics & Communication Laboratory 1F, No.134, Wukung Road New Taipei City TAIWAN 24803, Canada Registration Number: 4620A-5.

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan Township, Taoyuan County, Taiwan which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. FCC Registration Number: 455997. The address of SGS Taiwan Ltd. Electronics & Communication Laboratory 1F, No.134, Wukung Road New Taipei City TAIWAN 24803, IC Registration Number: 4620A-6.

Special Accessories 1.5

There are no special accessories used while test was conducted.

Equipment Modifications 1.6

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 8 of 29

SYSTEM TEST CONFIGURATION

2.1 **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 **EUT Exercise**

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 **Test Procedure**

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. According to the general criterion in Section 7.1 of ANSI C63.4:2009. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz, and the measurement procedure 7.3 in ANSI 63.4:2009 is followed to carry out the test. The CISPR Quasi-Peak and Average detector mode is employed according to §15.107

2.3.2 Radiated Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna. according to the requirements in Section 8 and 13 and of ANSI C63.4:2009.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

> f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 9 of 29

Configuration of Tested System

Fig. 2-1 Radiated / Conducted (Antenna Port)

& AC Power Line Conducted Emission




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	Test Software	N/A	N/A	N/A	N/A	N/A
2.	Notebook	TOSHIBA	PR732GAFP37 A71	N/A	N/A	Shielding

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 10 of 29

SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§15.207	AC Power Line Conducted Emission	Compliant
§15.519(b)	UWB bandwidth	Compliant
\$15.209 \$15.519(c) (d)	Radiated Emission	Compliant
§15.519(e)	Peak level of the Emission	Compliant
§15.519(a) (1)	Transmitter Timeout	Compliant

DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition.

Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.

Test frequency 4480MHz is chosen for full testing.

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) the worst case E2 position was reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/C0021 **Issue Date: Jan. 05, 2015**

Page: 11 of 29

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 1.42 dB
Bandwidth	+/- 123.36 Hz
100 KHz Bandwidth Of Frequency Band Edges	+/- 1.55 dB
Peak Power Density	+/- 1.55 dB
Temperature	+/- 0.8 °C
Humidity	+/- 4.7 %
DC / AC Power Source	DC= +/- 1%, AC=+/- 0.2%

Radiated Spurious Emission:

	30MHz - 180MHz: +/- 3.37dB		
Managamamantamanantainta	180MHz -417MHz: +/- 3.19dB		
Measurement uncertainty (Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB		
(1 oldization : Vertical)	1GHz - 18GHz: +/- 4.04dB		
	18GHz - 40GHz: +/- 4.04dB		

Measurement uncertainty	30MHz - 167MHz: +/- 4.22dB	
	167MHz -500MHz: +/- 3.44dB	
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB	
	1GHz - 18GHz: +/- 4.08dB	
	18GHz - 40GHz: +/- 4.08dB	

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 12 of 29

CONDUCTED EMISSION TEST

6.1 **Standard Applicable:**

According to §15.207 frequency range within 150KHz to 30MHz shall not exceed the Limit table as below.

Frequency range		mits (uV)
MHz	Quasi-peak	Average
0.15 to 0.50	66 to 56	56 to 46
0.50 to 5	56	46
5 to 30	60	50

Note

6.2 **Measurement Equipment Used:**

Conducted Emission Test Site									
EQUIPMENT	EQUIPMENT MFR MODEL SERIAL LAST CALI								
TYPE		NUMBER	NUMBER	CAL.					
EMI Test Receiver	R&S	ESCI7	100760	05/26/2014	05/25/2015				
LISN	Rolf-Heine	NNB-2/16Z	99012	03/26/2014	03/25/2015				
LISN	FCC	FCC-LISN-50/250-25-2-01	04034	03/19/2014	03/18/2015				
Coaxial Cables	N/A	WK CE Cable	N/A	11/26/2014	11/25/2015				

6.3 EUT Setup:

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.4:2009.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

^{1.} The lower limit shall apply at the transition frequencies


^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 13 of 29

6.4 Test SET-UP (Block Diagram of Configuration)



6.5 **Measurement Procedure:**

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

Measurement Result:

The initial step in collecting conducted data is a spectrum analyzer peak scan of the measurement range. Significant peaks are then marked as shown on the following data page, and these signals are then quasi-peaked.

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com



Report No.: ER/2014/C0021 **Issue Date: Jan. 05, 2015**

Page: 14 of 29

Temperature:

Humidity:

24 °C

30.000

AC POWER LINE CONDUCTED EMISSION TEST DATA

Operation Mode:	Operation mode			Test Date:	Dec. 22, 2014
Temperature:	26	Humidity:	60 %	Test By:	Marcus
Model No.:					

Phase:

Power:

L1 AC 120V/60Hz

Site ConductionRoom

Limit: FCC Class B Conduction(QP)

Mode: Operation

0.150

Note:

Conducted Emission File:C0021 Data:#2 Date: 2014/12/22 Time: 下午 05:26:37 80.0 dBuV FCC Class B Conduction(QP) FCC Class B Conduction(AVG)

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dΒ	dBuV	dBuV	dΒ	Detector	Comment
1		0.1540	46.66	0.07	46.73	65.78	-19.05	peak	
2	*	0.1700	49.04	0.07	49.11	64.96	-15.85	peak	
3		0,2140	42.27	0.07	42.34	63.05	-20.71	peak	
4		0.4700	36.14	0.07	36.21	56.51	-20.30	peak	
5		2.1900	28.71	0.11	28.82	56.00	-27.18	peak	
6		13.6580	26.72	0.42	27.14	60.00	-32.86	peak	

(MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

0.5

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the window of the first formation contained hereon reflects the Company's findings at the time of its intervention only and the window of the first formation contained hereon reflects the Company's findings at the time of its intervention only and the window of the first formation contained hereon reflects the Company's findings at the time of its intervention only and the window of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

5

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2014/C0021 **Issue Date: Jan. 05, 2015**


Page: 15 of 29

24 °C Site ConductionRoom Phase: Temperature: AC 120V/60Hz Humidity: 66%

Limit: FCC Class B Conduction(QP) Power:

Mode: Operation

Note:



No.	Mk.	Freq.	Level	Factor	ment	Limit	Over		
		MHz	dBuV	dΒ	dBuV	dBuV	dΒ	Detector	Comment
1	*	0.1660	48.94	0.07	49.01	65.16	-16.15	peak	
2		0.2020	42.47	0.07	42.54	63.53	-20.99	peak	
3		0,2500	37.39	0.07	37.46	61.76	-24.30	peak	
4		0,4740	37.01	0.07	37.08	56.44	-19.36	peak	
5		2.0060	29.51	0.11	29.62	56.00	-26.38	peak	
6		14.4020	26.33	0.44	26.77	60.00	-33.23	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 16 of 29

UWB Bandwidth

Standard Applicable:

According to §15.519 (b) The UWB bandwidth of a device operating under the provisions of this section must be contained between 3100 MHz and 10,600 MHz.

Measurement Equipment Used: 7.2

Conducted Emission Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
Power Meter	Anritsu	ML2495A	1005007	12/20/2014	12/19/2015				
Power Sensor	Anritsu	MA2411B	917032	01/13/2014	01/12/2015				
Spectrum Analyzer	Agilent	E4446A	MY51100003	05/19/2014	05/18/2015				
Spectrum Analyzer	Agilent	E4440A	MY45304525	03/08/2014	03/07/2015				
DC Block	Mini-Circuits	BLK-18-S+	1	02/27/2014	02/26/2015				
Low Loss Cable	HUBER+SUHNER	SUCOFLEX 104PEA	N/A	01/03/2014	01/02/2015				
Attenuator	Mini-Circuit	BW-S10W2+	002	02/27/2014	02/26/2015				
Splitter	Agilent	11636B	N/A	02/27/2014	02/26/2015				

7.3 **Test Set-up:**



7.4 Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum., RBW = 8MHz, VBW = 8MHz, Span: 2GHz, Detector = peak, Sweep = Auto.
- 3. Record the max. Reading as observed from Spectrum.
- 4. Repeat above procedures until all test default channel measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 17 of 29

7.5 Measurement Result:

10dB Bandwidth: 690.890MHz (Limit >500MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

吸公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 18 of 29

Radiated Emission and Peak level of the Emission

Standard Applicable: 8.1

According to §15.519(c), The radiated emissions at or below 960 MHz from a device operating under the provisions of this section shall not exceed the emission levels in § 15.209. The radiated emissions above 960 MHz from a device operating under the provisions of this section shall not exceed the following average limits when measured using a resolution bandwidth of 1 MHz:

Frequency in MHz	EIRP in dBm
960–1610	-75.3 -63.3 -61.3 -41.3
Above 10600	-61.3

§15.519 (d), In addition to the radiated emission limits specified in the table in paragraph (c) of this section, UWB transmitters operating under the provisions of this section shall not exceed the following average limits when measured using a resolution bandwidth of no less than 1 kHz:

Frequency in MHz	EIRP in dBm
1164–1240	- 85.3
1559–1610	- 85.3

§15.519 (e), There is a limit on the peak level of the emissions contained within a 50 MHz bandwidth centered on the frequency at which the highest radiated emission occurs, fM. That limit is 0 dBm EIRP. It is acceptable to employ a different resolution bandwidth, and a correspondingly different peak emission limit, following the procedures described in § 15.521.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

> t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/C0021 **Issue Date: Jan. 05, 2015**

Page: 19 of 29

8.2 **Measurement Equipment Used:**

8.2.1 **Radiated emission:**

966 Chamber									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
EMI Test Receiver	R&S	ESCI7	100760	05/26/2014	05/25/2015				
Spectrum Analyzer	Agilent	E4446A	MY51100003	05/19/2014	05/18/2015				
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	12/22/2014	12/21/2015				
Spectrum Analyzer	R&S	FSV-30	101398	10/07/2014	10/06/2015				
Loop Antenna	ETS.LINDGREN	6502	00148045	07/03/2014	07/02/2015				
Bilog Antenna	SCHWAZBECK	VULB9168	378	05/19/2014	05/18/2015				
Horn antenna	ETS.LINDGREN	3117	123995	05/19/2014	05/18/2015				
Horn Antenna	Schwarzbeck	BBHA9170	184	01/23/2014	01/22/2015				
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/03/2014	01/02/2015				
Pre-Amplifier	Agilent	8447D	2944A07676	01/03/2014	01/02/2015				
Pre-Amplifier	Agilent	8449B	3008A00578	01/03/2014	01/02/2015				
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/24/2014	01/23/2015				
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	02/27/2014	02/26/2015				
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	02/27/2014	02/26/2015				
Attenuator	Mini-Circuit	BW-S10W2+	002	02/27/2014	02/26/2015				
Turn Table	HD	DT420	N/A	N.C.R	N.C.R				
Antenna Tower	HD	MA240-N	240/657	N.C.R	N.C.R				
Controller	HD	HD100	N/A	N.C.R	N.C.R				
Low Loss Cable	Huber Suhner	966_Rx	9	01/03/2014	01/02/2015				
3m Site NSA	SGS	966 chamber	N/A	07/15/2014	07/14/2015				

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 20 of 29


8.3 **Test SET-UP:**

8.3.1 Radiated emission:

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



(B) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 21 of 29

Measurement Procedure:

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 3. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emis-
- 4. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 5. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 6. Repeat above procedures until all default test channel measured were complete.

Measurement Result: 8.5

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sos.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279 f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 22 of 29

Peak level of the Emission Measurement Result

Fundamental Frequency :4488 MHz **Test Date** :2014-12-22 Operation Mode :MAIN Temp./Humi. :23 deg C/61 RH

EUT Pol. :E2 Plane Engineer :Curry

> :VERTICAL Measurement Antenna Pol.

Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
4488.00	F	-58.87	-60.88	9.50	-7.48	-41.30	-17.57
Erra domonat	1 E	.4400 MII-	Toot	Data	_	2014 12 22	

Fundamental Frequency :4488 MHz Test Date :2014-12-22 Operation Mode :MAIN Temp./Humi. :23 deg C/61 RH EUT Pol. :E2 Plane Engineer :Curry

> :HORIZONTAL Measurement Antenna Pol.

Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
4488.00	F	-59.10	-61.12	9.50	-7.48	-41.30	-17.80

EIRP(dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices unterwise stated the less that with the less that the company is the sample(s) tested and such analyse(s) are retained for 50 days only. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

> 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 23 of 29

Radiated Spurious Emission Measurement Result (§15.519)

Fundamental Frequency :4488 MHz **Test Date** :2014-12-22 Operation Mode :TX Temp./Humi. :23 deg C/61 RH

EUT Pol. :E2 Plane Engineer :Curry

> :VERTICAL Measurement Antenna Pol.

Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
997.08	S	-78.18	-77.54	2.76	-3.41	-75.30	-2.88
1205.48	S	-95.52	-95.95	4.21	-3.78	-85.30	-10.22
1591.27	S	-97.35	-98.86	5.85	-4.34	-85.30	-12.05
2365.00	S	-59.83	-60.54	6.03	-5.32	-51.30	-8.53
8976.00	Н	-58.22	-60.55	13.18	-10.85	-41.30	-16.92
13983.00	S	-53.99	-54.73	14.48	-13.75	-51.30	-2.69
25531.00	S	-55.18	-63.59	19.22	-10.81	-41.76	-13.42
39716.50	S	-54.77	-57.04	16.13	-13.86	-41.76	-13.01

EIRP(dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiess other was stated the testins shown in this test report elect only to the sample(s) tested and such as an piets) tested and such as a piet as a Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

> 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 24 of 29

Fundamental Frequency :4488 MHz **Test Date** :2014-12-22

Operation Mode :TX Temp./Humi. :23 deg C/61 RH

EUT Pol. :E2 Plane Engineer :Curry

> : HORIZONTAL Measurement Antenna Pol.

Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
997.56	S	-78.24	-77.57	2.74	-3.41	-75.30	-2.94
1197.90	S	-98.22	-98.61	4.16	-3.77	-85.30	-12.92
1561.83	S	-93.84	-95.47	5.93	-4.30	-85.30	-8.54
1966.00	S	-58.99	-59.16	4.97	-4.80	-53.30	-5.69
8976.00	Н	-57.32	-59.65	13.18	-10.85	-41.30	-16.02
13911.00	S	-54.08	-54.77	14.41	-13.73	-51.30	-2.78
25616.00	S	-55.16	-63.52	19.27	-10.91	-41.76	-13.40
39919.00	S	-50.82	-52.91	15.96	-13.88	-41.76	-9.06

EIRP(dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiess other was stated the testins shown in this test report elect only to the sample(s) tested and such as an piets) tested and such as a piet as a Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 25 of 29

Radiated Spurious Emission Measurement Result (§15.209)

Fundamental Frequency :4488 MHz **Test Date** :2014-12-22

Operation Mode Temp./Humi. :TX :23 deg C/61 RH

EUT Pol. :E2 Plane Engineer :Curry

> :VERTICAL Measurement Antenna Pol.

Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	$dB\mu V/m$	$dB\mu V/m$	dB
33.72	S	Peak	47.20	-13.87	33.33	40.00	-6.67
75.57	S	Peak	42.88	-16.30	26.58	40.00	-13.42
282.96	S	Peak	36.79	-11.56	25.23	46.00	-20.77
456.87	S	Peak	37.42	-8.02	29.40	46.00	-16.60
499.65	S	Peak	37.03	-7.43	29.60	46.00	-16.40
598.23	S	Peak	34.99	-5.33	29.66	46.00	-16.34
2316.00	S	Average	26.01	2.14	28.15	54.00	-25.85
2316.00	S	Peak	48.72	2.14	50.86	74.00	-23.14
14964.00	S	Average	25.55	22.59	48.14	54.00	-5.86
14964.00	S	Peak	36.12	22.59	58.71	74.00	-15.29

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices unterwise stated the less that with the less that the company is the sample(s) tested and such analyse(s) are retained for 50 days only. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 26 of 29

Fundamental Frequency :4488 MHz **Test Date** :2014-12-22

Operation Mode :TX Temp./Humi. :23 deg C/61 RH

EUT Pol. :E2 Plane Engineer :Curry

> :VERTICAL Measurement Antenna Pol.

Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	$dB\mu V/m$	dB
34.65	S	Peak	35.30	-13.87	21.43	40.00	-18.57
188.10	S	Peak	37.64	-14.68	22.96	43.50	-20.54
242.97	S	Peak	40.45	-13.19	27.26	46.00	-18.74
399.21	S	Peak	38.57	-9.09	29.48	46.00	-16.52
455.01	S	Peak	35.94	-8.08	27.86	46.00	-18.14
599.16	S	Peak	38.71	-5.37	33.34	46.00	-12.66
2533.00	S	Average	25.99	2.98	28.97	54.00	-25.03
2533.00	S	Peak	46.34	2.98	49.32	74.00	-24.68
14736.00	S	Average	24.86	22.06	46.92	54.00	-7.08
14736.00	S	Peak	36.14	22.06	58.20	74.00	-15.80

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices unterwise stated the less that with the less that the company is the sample(s) tested and such analyse(s) are retained for 50 days only. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

> 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 27 of 29

Transmitter Timeout

Standard Applicable 9.1

According to §15.519(a) (1), A UWB device operating under the provisions of this section shall transmit only when it is sending information to an associated receiver. The UWB intentional radiator shall cease transmission within 10 seconds unless it receives an acknowledgement from the associated receiver that its transmission is being received. An acknowledgment of reception must continue to be received by the UWB intentional radiator at least every 10 seconds or the UWB device must cease transmitting.

9.2 **Measurement Equipment Used:**

Refer to section 7.2 for details.

9.3 Test SET-UP:

Refer to section 7.3 for details.

Measurement Procedure:

The Transmitter Timeout was measured with a spectrum analyzer connected to the antenna port

9.5 **Measurement Result:**

Note: Refer to next page spectrum analyzer data chart.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 28 of 29

Transmitter Timeout Measurement Result



Marker 1R: The time that the receiver was removed (during data transmitting).

Marker 1: The time that the EUT stopped transmitting.

Transmitter Timeout: 3.25s

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: ER/2014/C0021 Issue Date: Jan. 05, 2015

Page: 29 of 29

10 ANTENNA REQUIREMENT

10.1 Standard Applicable:

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

10.2 Antenna Connected Construction:

Please refer to section 1.1 in this test report, antenna connector complied with the requirements.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices unterwise stated the less that with the less that the company is the sample(s) tested and such analyse(s) are retained for 50 days only. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com