

RF Exposure Report

Project Number: 4336245 Report Number: 4336245EMC03

Proposal Number: 6400 Revision Level: 0

Client: 4iiii Innovations Inc.

Equipment Under Test: Dynamometer Model: Dynamometer FCC ID: ZZNPOD100

Applicable Standards: 47 C.F.R. §§ 2.1091 and 2.1093; FCC KDB 447498 FCC KDB 447498 D01 General RF Exposure Guidance v06

Report issued on: 28 February 2019 Test Result: Compliant

Remarks: This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This document is issued by the Company under its General Conditions of Service accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



TABLE OF CONTENTS

AL INFORMATION	
ENT INFORMATION T LABORATORY VERAL INFORMATION OF EUT RATING MODES AND CONDITIONS	3 3 3
OSURE	4
T RESULT T METHOD GLE TRANSMISSION RF EXPOSURE LEVELS (MW/CM ²)	4
OSURE t Result t Method	



1 General Information

1.1 Client Information

Name:4iiii Innovations Inc.Address:141 2nd Ave EastCity, State, Zip, Country:Cochrane, Alberta, Canada T4C 2B9

1.1 Test Laboratory

Name: SGS North America, Inc. Address: 620 Old Peachtree Road NW, Suite 100 City, State, Zip, Country: Suwanee, GA 30024, USA

Accrediting Body: A2LA Type of lab: Testing Laboratory Certificate Number: 3212.01

1.2 General Information of EUT

Type of Product: Model: Serial Number:	Dynamometer
	2402 – 2480 MHz Bluetooth Low Energy Two Internal PCB Trace Antennas (selectable, both 0dBi)
Rated Voltage: Test Voltage:	
Sample Received Date: Dates of testing:	15 October 2018 15 January 2019

1.3 **Operating Modes and Conditions**

Continuous traffic was generated using test commands. The device was programmed to transmit at low, middle, and high channels. Channel 0, 2402MHz Channel 19, 2440MHz Channel 39, 2480MHz



2 RF Exposure

2.1 Test Result

Test Description	Product Specific Standard	Test Result
RF Exposure	FCC Part 1.1310	Compliant

2.2 Test Method

Using the maximum measured conducted power, the power density was calculated. Maximum antenna gain was assumed for this exercise.

2.3 Single transmission RF Exposure Levels (mW/cm²)

Band of Operation		Conducted Power w/tolerance	Antenna Gain	Cable Loss	Averag	e EIRP	Distance (R)	Power Density EIRP _{Avq} /(4πR²)	FCC	% of Limit	Verdict
Туре	MHz	dBm			dBm	mW	cm	mW/cm ²	mW/cm ²		
Bluetooth LE	2400-2483.5	4.6	0.0	0.0	4.6	3	20	0.001	1.00	0%	Pass