


15. SETUP PHOTOS

RADIATED AND POWERLINE CONDUCTED EMISSIONS MEASUREMENT SETUP	
A photograph showing a white rectangular device on a table in an anechoic chamber. Red metal rods are positioned in front of the device. The walls are lined with black electromagnetic shielding.	A photograph showing the back of the white device on the table. A red antenna structure is visible in the background. Blue markings are on the table surface.
<p>RADIATED FRONT PHOTO (BELOW 1 GHz)</p>	<p>RADIATED BACK PHOTO (BELOW 1 GHz)</p>
A photograph showing the white device on the table, surrounded by black pyramidal electromagnetic absorbers. A red antenna structure is visible in the background.	A photograph showing the back of the white device on the table, surrounded by black pyramidal electromagnetic absorbers. A red antenna structure is visible in the background.
<p>RADIATED FRONT PHOTO (ABOVE 1 GHz)</p>	<p>RADIATED BACK PHOTO (ABOVE 1 GHz)</p>
A close-up photograph of a yellow table surface with a white cable connected to a small device.	A side-view photograph of the yellow table with a white cable connected to a small device. Electronic equipment is visible in the background.
<p>LINE CONDUCTED FRONT PHOTO</p>	<p>LINE CONDUCTED SIDE VIEW PHOTO</p>

**ANTENNA PORT CONDUCTED RF MEASUREMENT SETUP AND
RADIATED RF MEASUREMENT SETUP FOR PORTABLE CONFIGURATION**



ANTENNA PORT CONDUCTED PHOTO



X-AXIS FRONT PHOTO



Y-AXIS FRONT PHOTO



Z-AXIS FRONT PHOTO

DYNAMIC FREQUENCY SELECTION MEASUREMENT SETUP



DFS FRONT PHOTO



DFS BACK PHOTO

END OF REPORT