6 CHANNEL HORIZONTAL



6 CHANNEL VERTICAL



Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

6 CHANNEL DATA

Radiated Emissions

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00205959	3GHz_HP[dB]	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.88156	40.86	PK2	34.2	-28.7	46.36	-	-	74	-27.64	360	100	H
* 7.31442	35.92	PK2	35.8	-23.3	48.42	-	-	74	-25.58	360	100	H
9.73812	32.59	PK2	37.2	-19.3	50.49	-	-	74	-23.51	360	100	H
* 4.86691	41.07	PK2	34.2	-28.6	46.67	-	-	74	-27.33	360	100	V
* 7.30827	43.25	PK2	35.8	-23.4	55.65	-	-	74	-18.35	360	100	V
9.75584	32.5	PK2	37.2	-19.3	50.4	-	-	74	-23.6	360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
PK2 - KDB558074 Method: Maximum Peak

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15C(04)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433

11 CHANNEL HORIZONTAL



11 CHANNEL VERTICAL



Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

11 CHANNEL DATA

Radiated Emissions

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00205959	3GHz_HP[dB]	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.91747	40.61	PK2	34.2	-28.8	46.01	-	-	74	-27.99	360	100	H
* 7.39087	35.39	PK2	35.8	-22.7	48.49	-	-	74	-25.51	360	100	H
9.85564	32.4	PK2	37.4	-19.5	50.3	-	-	74	-23.7	360	100	H
* 4.91879	41.52	PK2	34.2	-28.8	46.92	-	-	74	-27.08	360	100	V
* 7.37967	40.37	PK2	35.8	-22.8	53.37	-	-	74	-20.63	360	100	V
9.84463	31.93	PK2	37.4	-19.5	49.83	-	-	74	-24.17	360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
PK2 - KDB558074 Method: Maximum Peak

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15C(04)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433

26T RU mode (MIMO / Low: 8, Mid: 4, High: 4)

1 CHANNEL HORIZONTAL



1 CHANNEL VERTICAL



Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

1 CHANNEL DATA

Radiated Emissions

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00205959	3GHz_HP[dB]	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.82552	40.39	PK2	34.2	-28.1	46.49	-	-	74	-27.51	0	100	H
7.22711	35.88	PK2	35.8	-23.7	47.98	-	-	74	-26.02	0	100	H
9.64933	32.66	PK2	37.1	-19.5	50.26	-	-	74	-23.74	0	100	H
* 4.83094	39.51	PK2	34.2	-28.2	45.51	-	-	74	-28.49	0	100	V
7.24093	36.53	PK2	35.8	-23.6	48.73	-	-	74	-25.27	0	100	V
9.63884	32.85	PK2	37	-19.6	50.25	-	-	74	-23.75	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
PK2 - KDB558074 Method: Maximum Peak

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15C(04)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433

6 CHANNEL HORIZONTAL



6 CHANNEL VERTICAL



Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

6 CHANNEL DATA

Radiated Emissions

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00205959	3GHz_HP[dB]	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.86725	40.08	PK2	34.2	-28.6	45.68	-	-	74	-28.32	0	100	H
* 7.3102	36.16	PK2	35.8	-23.3	48.66	-	-	74	-25.34	0	100	H
9.74994	32.5	PK2	37.2	-19.3	50.4	-	-	74	-23.6	0	100	H
* 4.87396	40.48	PK2	34.2	-28.7	45.98	-	-	74	-28.02	0	100	V
* 7.31247	37.86	PK2	35.8	-23.4	50.26	-	-	74	-23.74	0	100	V
9.74375	32.55	PK2	37.2	-19.3	50.45	-	-	74	-23.55	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
PK2 - KDB558074 Method: Maximum Peak

11 CHANNEL HORIZONTAL



11 CHANNEL VERTICAL



Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

11 CHANNEL DATA

Radiated Emissions

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00205959	3GHz_HP[dB]	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.92991	38.35	PK2	34.2	-28.8	43.75	-	-	74	-30.25	360	100	H
* 7.37928	35.35	PK2	35.8	-22.8	48.35	-	-	74	-25.65	360	100	H
9.85831	32.18	PK2	37.4	-19.5	50.08	-	-	74	-23.92	360	100	H
* 4.92577	40.4	PK2	34.2	-28.8	45.8	-	-	74	-28.2	360	100	V
* 7.39773	35.54	PK2	35.8	-22.7	48.64	-	-	74	-25.36	360	100	V
9.85631	32.31	PK2	37.4	-19.5	50.21	-	-	74	-23.79	360	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
PK2 - KDB558074 Method: Maximum Peak

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15C(04)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433

11.2. WORST-CASE BELOW 1 GHz

SPURIOUS EMISSIONS 30 TO 1000 MHz

Please refer to the FCC Report DTS 802.11b_g_n WLAN(Report No.: 4789551399-E3)

12. AC POWER LINE CONDUCTED EMISSIONS

LIMITS

FCC §15.207 (a)

Frequency of Emission (MHz)	Conducted Limit (dBuV)	
	Quasi-peak	Average
0.15-0.5	66 to 56 *	56 to 46 *
0.5-5	56	46
5-30	60	50

* Decreases with the logarithm of the frequency.

TEST PROCEDURE

The EUT is placed on a non-conducting table 40 cm from the vertical ground plane and 80 cm above the horizontal ground plane. The EUT is configured in accordance with ANSI C63.10.

The receiver is set to a resolution bandwidth of 9 kHz. Peak detection is used unless otherwise noted as quasi-peak or average.

Line conducted data is recorded for both NEUTRAL and HOT lines.

RESULTS

WORST EMISSIONS

Please refer to the FCC Report DTS 802.11b_g_n WLAN(Report No.: 4789551399-E3)

END OF REPORT