



HCT Co., Ltd.

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA
Tel. +82 31 634 6300 Fax. +82 31 645 6401

<h1 style="margin: 0;">Appendix A:</h1> <h2 style="margin: 0;">Test Setup</h2> <h3 style="margin: 0;">Photo</h3>	<p>FCC ID A3LSMX800</p>
	<p>File No.</p>
	<p>HCT-RF-2112-FC013-P HCT-RF-2112-FC018-P</p>
	<p>HCT-RF-2112-FC014-P HCT-RF-2112-FC019-P</p>
	<p>HCT-RF-2112-FC015-P HCT-RF-2112-FC020-P</p>
	<p>HCT-RF-2112-FC016-P HCT-RF-2112-FC021-P</p> <p>HCT-RF-2112-FC017-P</p>

REVISION HISTORY


The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	December 03, 2021	Initial Release


File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	

1. Radiated Test Setup Photo


Radiated spurious emissions & Restricted Band Edge (Above 1 GHz)




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	



File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	


Radiated spurious emissions (Below 1GHz)




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	



File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	



File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	

WPT Radiated Test Setup Photo for below 30 MHz:



File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	



File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	



File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	


WPT Radiated Test Setup Photo for 30 MHz ~ 1 GHz :




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	



File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	




File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	

2. Conducted Test Setup Photo



File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	

3. DFS Test Setup Photo



File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	

4. AC Power Line Conducted Test Setup Photo



File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	

AC Power Line Conducted Test WPT (S-Pen) Setup Photo



File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	

5. Contention Based Protocol



File No.	HCT-RF-2112-FC013-P	HCT-RF-2112-FC014-P	HCT-RF-2112-FC015-P	HCT-RF-2112-FC016-P	HCT-RF-2112-FC017-P
	HCT-RF-2112-FC018-P	HCT-RF-2112-FC019-P	HCT-RF-2112-FC020-P	HCT-RF-2112-FC021-P	