
Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs FM Ch. 0991
Mkr1 1.649 GHz
Ref 25.5 dBm
Atten 40 dB
-33.89 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.255 GHz
Span 2.49 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs FM Ch. 0991
Mkr1 8.675 GHz
Ref 25.5 dBm
Atten 40 dB
-34.72 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
750.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 6.250 GHz
Span 7.5 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 12.52 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs FM Ch. 0383
Mkr1 1.674 GHz
Ref 25.5 dBm
Atten 40 dB
-33.62 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.255 GHz
Span 2.49 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs FM Ch. 0383
Mkr1 7.938 GHz
Ref 25.5 dBm
Atten 40 dB
-34.19 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
750.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 6.250 GHz
Span 7.5 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 12.52 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs FM Ch. 0799
Mkr1 1.699 GHz
Ref 25.5 dBm
Atten 40 dB
-32.55 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.255 GHz
Span 2.49 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs FM Ch. 0799
Mkr1 7.075 GHz
Ref 25.5 dBm
Atten 40 dB
-34.66 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
750.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 6.250 GHz
Span 7.5 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 12.52 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK A EDGE AMPS C-991
Mkr1 824.000 0 MHz
Ref 25.5 dBm
Atten 40 dB
-33.51 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center 824.000 0 MHz
Span 200 kHz
#Res BW 300 Hz
#VBW 300 Hz
Sweep 2.679 s (601 pts)
Center Freq
824.000000 MHz
Start Freq
823.900000 MHz
Stop Freq
824.100000 MHz
CF Step
20.0000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK A EDGE AMPS C-332
Mkr1 835.000 0 MHz
Ref 25.5 dBm
Atten 40 dB
-30.28 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center 835.000 0 MHz
Span 200 kHz
#Res BW 300 Hz
#VBW 300 Hz
Sweep 2.679 s (601 pts)
Center Freq
835.000000 MHz
Start Freq
834.900000 MHz
Stop Freq
835.100000 MHz
CF Step
20.0000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK A EDGE AMPS C-668
Mkr1 845.000 0 MHz
Ref 25.5 dBm
Atten 40 dB
-31.66 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center Freq
845.000000 MHz
Start Freq
844.900000 MHz
Stop Freq
845.100000 MHz
CF Step
20.0000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 845.000 0 MHz
Span 200 kHz
#Res BW 300 Hz
#VBW 300 Hz
Sweep 2.679 s (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK A' EDGE AMPS C-715
Mkr1 846.500 0 MHz
Ref 25.5 dBm
Atten 40 dB
-41.70 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center Freq
846.500000 MHz
Start Freq
846.400000 MHz
Stop Freq
846.600000 MHz
CF Step
20.0000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 846.500 0 MHz
Span 200 kHz
#Res BW 300 Hz
#VBW 300 Hz
Sweep 2.679 s (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK B EDGE AMPS C-335
Mkr1 835.000 0 MHz
Ref 25.5 dBm
Atten 40 dB
-44.25 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center 835.000 0 MHz
Span 200 kHz
#Res BW 300 Hz
#VBW 300 Hz
Sweep 2.679 s (601 pts)
Center Freq
835.000000 MHz
Start Freq
834.900000 MHz
Stop Freq
835.100000 MHz
CF Step
20.0000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK B EDGE AMPS C-665
Mkr1 845.000 0 MHz
Ref 25.5 dBm
Atten 40 dB
-42.19 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center 845.000 0 MHz
Span 200 kHz
#Res BW 300 Hz
#VBW 300 Hz
Sweep 2.679 s (601 pts)
Center Freq
845.000000 MHz
Start Freq
844.900000 MHz
Stop Freq
845.100000 MHz
CF Step
20.0000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK B' EDGE AMPS C-718
Mkr1 846.500 0 MHz
Ref 25.5 dBm
Atten 40 dB
-32.55 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center 846.500 0 MHz
Span 200 kHz
#Res BW 300 Hz
#VBW 300 Hz
Sweep 2.679 s (601 pts)
Center Freq
846.500000 MHz
Start Freq
846.400000 MHz
Stop Freq
846.600000 MHz
CF Step
20.0000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK B' EDGE AMPS C-799
Mkr1 849.000 0 MHz
Ref 25.5 dBm
Atten 40 dB
-13.98 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center 849.000 0 MHz
Span 200 kHz
#Res BW 300 Hz
#VBW 300 Hz
Sweep 2.679 s (601 pts)
Center Freq
849.000000 MHz
Start Freq
848.900000 MHz
Stop Freq
849.100000 MHz
CF Step
20.0000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs CDMA Ch. 1013
Mkr1 1.649 GHz
Ref 25.5 dBm
Atten 40 dB
-32.81 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.255 GHz
Span 2.49 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs CDMA Ch. 1013
Mkr1 3.300 GHz
Ref 25.5 dBm
Atten 40 dB
-32.75 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
750.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 6.250 GHz
Span 7.5 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 12.52 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs CDMA Ch. 0363
Mkr1 1.674 GHz
Ref 25.5 dBm
Atten 40 dB
-31.34 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs CDMA Ch. 0363
Mkr1 3.338 GHz
Ref 25.5 dBm
Atten 40 dB
-32.56 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
750.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Start 2.500 GHz
Stop 10.000 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 12.52 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs CDMA Ch. 0777
Mkr1 1.695 GHz
Ref 25.5 dBm
Atten 40 dB
-29.43 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs CDMA Ch. 0777
Mkr1 3.400 GHz
Ref 25.5 dBm
Atten 40 dB
-31.75 dBm
Peak
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
750.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Start 2.500 GHz
Stop 10.000 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 12.52 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: A3LSPHN290 Power Out CDMA Ch. 1013
Ref 25.5 dBm
Atten 40 dB
Samp
Log
10
dB/
Offst
1.45
dB
LgAv
100
V1 S2
S3 FS
AA
¤(f):
FTun
Swp
Center 824.70 MHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
824.700000 MHz
Start Freq
819.700000 MHz
Stop Freq
829.700000 MHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: A3LSPHN290 Power Out CDMA Ch. 0363
Ref 25.5 dBm
Atten 40 dB
Samp
Log
10
dB/
Offst
1.45
dB
LgAv
100
V1 S2
S3 FS
AA
¤(f):
FTun
Swp
Start 830.90 MHz
Stop 840.90 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
835.900000 MHz
Start Freq
830.900000 MHz
Stop Freq
840.900000 MHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: A3LSPHN290 Power Out CDMA Ch. 0777
Ref 25.5 dBm
Atten 40 dB
Samp
Log
10
dB/
Offst
1.45
dB
LgAv
100
V1 S2
S3 FS
AA
¤(f):
FTun
Swp
Start 843.31 MHz
Stop 853.31 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
848.310000 MHz
Start Freq
843.310000 MHz
Stop Freq
853.310000 MHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
Ch Freq
835.9 MHz
Trig
Free
Channel Power
Averages: 10
FCC ID: A3LSPHN290 Power Out CDMA Ch. 0363
Ref 25.5 dBm
Atten 40 dB
#Avg
Log
10
dB/
Offst
1.45
dB
Start 834.400 MHz
Stop 837.400 MHz
#Res BW 30 kHz
#VBW 300 kHz
Sweep 9.76 ms (601 pts)
Channel Power
25.54 dBm /2.0000 MHz
Power Spectral Density
-37.47 dBm/Hz
Center Freq
835.900000 MHz
Start Freq
834.400000 MHz
Stop Freq
837.400000 MHz
CF Step
300.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: A3LSPHN290 Band Edge CDMA Ch. 1013
Mkr1 824.000 MHz
Ref 25.5 dBm
Atten 40 dB
-15.708 dBm
Samp
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FS
AA
¤(f):
f>50k
Swp
Center Freq
824.000000 MHz
Start Freq
823.000000 MHz
Stop Freq
825.000000 MHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 824.000 MHz
Span 2 MHz
#Res BW 13 kHz
#VBW 13 kHz
Sweep 45.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 CDMA BLOCK A EDGE C-310
Mkr1 835.000 MHz
Ref 25.5 dBm
Atten 40 dB
-17.122 dBm
Samp
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FS
AA
¤(f):
f>50k
Swp
Center Freq
835.000000 MHz
Start Freq
834.000000 MHz
Stop Freq
836.000000 MHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 835.000 MHz
Span 2 MHz
#Res BW 13 kHz
#VBW 13 kHz
Sweep 45.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 CDMA BLOCK A' EDGE C-690
Mkr1 845.000 MHz
Ref 25.5 dBm
Atten 40 dB
-17.406 dBm
Samp
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FS
AA
¤(f):
f>50k
Swp
Center Freq
845.000000 MHz
Start Freq
844.000000 MHz
Stop Freq
846.000000 MHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 845.000 MHz
Span 2 MHz
#Res BW 13 kHz
#VBW 13 kHz
Sweep 45.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 CDMA BLOCK A' EDGE C-693
Mkr1 846.500 MHz
Ref 25.5 dBm
Atten 40 dB
-21.480 dBm
Samp
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FS
AA
¤(f):
f>50k
Swp
Center Freq
846.500000 MHz
Start Freq
845.500000 MHz
Stop Freq
847.500000 MHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 846.500 MHz
Span 2 MHz
#Res BW 13 kHz
#VBW 13 kHz
Sweep 45.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies

Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 CDMA BLOCK B EDGE C-357
Mkr1 835.000 MHz
Ref 25.5 dBm
Atten 40 dB
-19.949 dBm
Samp
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FS
AA
¤(f):
f>50k
Swp
Center Freq
835.000000 MHz
Start Freq
834.000000 MHz
Stop Freq
836.000000 MHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 835.000 MHz
Span 2 MHz
#Res BW 13 kHz
#VBW 13 kHz
Sweep 45.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 CDMA BLOCK B EDGE C-643
Mkr1 845.000 MHz
Ref 25.5 dBm
Atten 40 dB
-21.534 dBm
Samp
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FS
AA
¤(f):
f>50k
Swp
Center Freq
845.000000 MHz
Start Freq
844.000000 MHz
Stop Freq
846.000000 MHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 845.000 MHz
Span 2 MHz
#Res BW 13 kHz
#VBW 13 kHz
Sweep 45.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 CDMA BLOCK B' EDGE C-740
Mkr1 846.500 MHz
Ref 25.5 dBm
Atten 40 dB
-16.751 dBm
Samp
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FS
AA
¤(f):
f>50k
Swp
Center Freq
846.500000 MHz
Start Freq
845.500000 MHz
Stop Freq
847.500000 MHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 846.500 MHz
Span 2 MHz
#Res BW 13 kHz
#VBW 13 kHz
Sweep 45.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Band Edge CDMA Ch. 0777
Mkr1 849.000 MHz
Ref 25.5 dBm
Atten 40 dB
-13.779 dBm
Samp
Log
10
dB/
Offst
1.45
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FS
AA
¤(f):
f>50k
Swp
Center Freq
849.000000 MHz
Start Freq
848.000000 MHz
Stop Freq
850.000000 MHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 849.000 MHz
Span 2 MHz
#Res BW 13 kHz
#VBW 13 kHz
Sweep 45.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs PCS Ch. 0025
Mkr1 2.450 GHz
Ref 24.5 dBm
Atten 40 dB
-38.36 dBm
Peak
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center 1.255 GHz
Span 2.49 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs PCS Ch. 0025
Mkr1 14.34 GHz
Ref 24.5 dBm
Atten 40 dB
-29.84 dBm
Peak
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 2.50 GHz
Stop 20.00 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 43.76 ms (601 pts)
Center Freq
11.2500000 GHz
Start Freq
2.50000000 GHz
Stop Freq
20.0000000 GHz
CF Step
1.75000000 GHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs PCS Ch. 0600
Mkr1 2.467 GHz
Ref 24.5 dBm
Atten 40 dB
-37.09 dBm
Peak
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
R T
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs PCS Ch. 0600
Mkr1 5.18 GHz
Ref 24.5 dBm
Atten 40 dB
-25.02 dBm
Peak
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center Freq
11.2500000 GHz
Start Freq
2.50000000 GHz
Stop Freq
20.0000000 GHz
CF Step
1.75000000 GHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Start 2.50 GHz
Stop 20.00 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 43.76 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs PCS Ch. 1175
Mkr1 2.039 GHz
Ref 24.5 dBm
Atten 40 dB
-37.42 dBm
Peak
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Center Freq
1.25500000 GHz
Start Freq
9.99999900 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Cond Spurs PCS Ch. 1175
Mkr1 3.81 GHz
Ref 24.5 dBm
Atten 40 dB
-23.01 dBm
Peak
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
M1 S2
S3 FC
AA
¤(f):
FTun
Swp
Start 2.50 GHz
Stop 20.00 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 43.76 ms (601 pts)
Center Freq
11.2500000 GHz
Start Freq
2.50000000 GHz
Stop Freq
20.0000000 GHz
CF Step
1.75000000 GHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: A3LSPHN290 Power Out PCS Ch. 0600
Ref 24.5 dBm
Atten 40 dB
Samp
Log
10
dB/
Offst
2.23
dB
LgAv
100
V1 S2
S3 FS
AA
¤(f):
FTun
Swp
Start 1.875 00 GHz
Stop 1.885 00 GHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
1.88000000 GHz
Start Freq
1.87500000 GHz
Stop Freq
1.88500000 GHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: A3LSPHN290 Power Out PCS Ch. 0025
Ref 24.5 dBm
Atten 40 dB
Samp
Log
10
dB/
Offst
2.23
dB
LgAv
100
V1 S2
S3 FS
AA
¤(f):
FTun
Swp
Start 1.846 25 GHz
Stop 1.856 25 GHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
1.85125000 GHz
Start Freq
1.84625000 GHz
Stop Freq
1.85625000 GHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: A3LSPHN290 Power Out PCS Ch. 1175
Ref 24.5 dBm
Atten 40 dB
Samp
Log
10
dB/
Offst
2.23
dB
LgAv
100
V1 S2
S3 FS
AA
¤(f):
FTun
Swp
Start 1.903 75 GHz
Stop 1.913 75 GHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
1.90875000 GHz
Start Freq
1.90375000 GHz
Stop Freq
1.91375000 GHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R T
Measure
Ch Freq
1.85125 GHz
Trig
Free
Channel Power
Averages: 10
FCC ID: A3LSPHN290 Power Out PCS Ch. 0025
Ref 24.5 dBm
Atten 40 dB
#Avg
Log
10
dB/
Offst
2.23
dB
Start 1.849 750 GHz
Stop 1.852 750 GHz
#Res BW 30 kHz
#VBW 300 kHz
Sweep 9.76 ms (601 pts)
Channel Power
24.54 dBm /2.0000 MHz
Power Spectral Density
-38.47 dBm/Hz
Meas Off
Channel Power
Occupied BW
ACP
Multi Carrier Power
Power Stat CCDF
More
1 of 2
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BAND EDGE PCS CH-25
Mkr1 1.850 000 GHz
Ref 24.5 dBm
Atten 40 dB
-26.786 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center Freq
1.85000000 GHz
Start Freq
1.84900000 GHz
Stop Freq
1.85100000 GHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.850 000 GHz
Span 2 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 8.48 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BAND EDGE PCS CH-1175
Mkr1 1.910 000 GHz
Ref 24.5 dBm
Atten 40 dB
-19.689 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center Freq
1.91000000 GHz
Start Freq
1.90900000 GHz
Stop Freq
1.91100000 GHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.910 000 GHz
Span 2 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 8.48 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
A3LSPHN290 BAND EDGE 4 MHz SPAN PCS CH-25
Ref 24.5 dBm
Atten 40 dB
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center 1.847 000 GHz
Span 4 MHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 1 ms (601 pts)
Center Freq
1.84700000 GHz
Start Freq
1.84500000 GHz
Stop Freq
1.84900000 GHz
CF Step
400.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BAND EDGE 4 MHz SPAN PCS CH-1175
Mkr1 1.911 000 GHz
-17.896 dBm
Ref 24.5 dBm
Atten 40 dB
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
FTun
Swp
Center 1.913 000 GHz
Span 4 MHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 1 ms (601 pts)
Center Freq
1.91300000 GHz
Start Freq
1.91100000 GHz
Stop Freq
1.91500000 GHz
CF Step
400.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: A3LSPHN290 Band Edge PCS Ch. 0025
Mkr1 1.850 000 GHz
Ref 24.5 dBm
Atten 40 dB
-28.471 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FS
AA
¤(f):
f>50k
Swp
Center Freq
1.85000000 GHz
Start Freq
1.84750000 GHz
Stop Freq
1.85250000 GHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Start 1.847 500 GHz
Stop 1.852 500 GHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 21.2 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Trace
A3LSPHN290 BLOCK A EDGE PCS C-275
Mkr1 1.865 000 GHz
Ref 24.5 dBm
Atten 40 dB
-26.254 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Trace
1
2
3
Clear Write
Max Hold
Min Hold
View
Blank
Center 1.865 000 GHz
Span 5 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 21.2 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK B EDGE PCS C-425
Mkr1 1.870 000 GHz
Ref 24.5 dBm
Atten 40 dB
-22.871 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center Freq
1.87000000 GHz
Start Freq
1.86750000 GHz
Stop Freq
1.87250000 GHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.870 000 GHz
Span 5 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 21.2 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK B EDGE PCS C-675
Mkr1 1.885 000 GHz
Ref 24.5 dBm
Atten 40 dB
-21.764 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center Freq
1.88500000 GHz
Start Freq
1.88250000 GHz
Stop Freq
1.88750000 GHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.885 000 GHz
Span 5 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 21.2 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Trace
A3LSPHN290 BLOCK C EDGE PCS C-925
Mkr1 1.895 000 GHz
Ref 24.5 dBm
Atten 40 dB
-19.873 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Trace
1 2 3
Clear Write
Max Hold
Min Hold
View
Blank
Center 1.895 000 GHz
Span 5 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 21.2 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: A3LSPHN290 Band Edge PCS Ch. 1175
Mkr1 1.910 000 GHz
Ref 24.5 dBm
Atten 40 dB
-20.572 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FS
AA
¤(f):
f>50k
Swp
Center Freq
1.91000000 GHz
Start Freq
1.90750000 GHz
Stop Freq
1.91250000 GHz
CF Step
500.000000 kHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Start 1.907 500 GHz
Stop 1.912 500 GHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 21.2 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK D EDGE PCS C-325
Mkr1 1.865 000 GHz
Ref 24.5 dBm
Atten 40 dB
-25.234 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center Freq
1.86500000 GHz
Start Freq
1.86250000 GHz
Stop Freq
1.86750000 GHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.865 000 GHz
Span 5 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 21.2 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK D EDGE PCS C-375
Mkr1 1.870 000 GHz
Ref 24.5 dBm
Atten 40 dB
-25.059 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center Freq
1.87000000 GHz
Start Freq
1.86750000 GHz
Stop Freq
1.87250000 GHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.870 000 GHz
Span 5 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 21.2 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK E EDGE PCS C-725
Mkr1 1.885 000 GHz
Ref 24.5 dBm
Atten 40 dB
-23.855 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center Freq
1.88500000 GHz
Start Freq
1.88250000 GHz
Stop Freq
1.88750000 GHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.885 000 GHz
Span 5 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 21.2 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK E EDGE PCS C-775
Mkr1 1.890 000 GHz
Ref 24.5 dBm
Atten 40 dB
-22.198 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center Freq
1.89000000 GHz
Start Freq
1.88750000 GHz
Stop Freq
1.89250000 GHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.890 000 GHz
Span 5 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 21.2 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK F EDGE PCS C-825
Mkr1 1.890 000 GHz
Ref 24.5 dBm
Atten 40 dB
-22.590 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center Freq
1.89000000 GHz
Start Freq
1.88750000 GHz
Stop Freq
1.89250000 GHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.890 000 GHz
Span 5 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 21.2 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
A3LSPHN290 BLOCK F EDGE PCS C-875
Mkr1 1.895 000 GHz
Ref 24.5 dBm
Atten 40 dB
-19.732 dBm
Samp
Log
10
dB/
Offst
2.23
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FC
AA
¤(f):
f>50k
Swp
Center Freq
1.89500000 GHz
Start Freq
1.89250000 GHz
Stop Freq
1.89750000 GHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.895 000 GHz
Span 5 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 21.2 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
FCC ID: A3LSPHN290 RX
Mkr1 872.6 MHz
Ref -60 dBm
Atten 5 dB Ext PG 25 dB
-108.1 dBm
Peak
Log
10
dB/
DI
-80.0
dBm
1
M1 S2
S3 FC
AA
Start 869 MHz
Stop 894 MHz
#Res BW 100 kHz
VBW 100 kHz
Sweep 3.221 ms (200 pts)
Freq/Channel
Center Freq
881.500000 MHz
Start Freq
869.000000 MHz
Stop Freq
894.000000 MHz
CF Step
2.50000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Scale Type
Log
Lin