



ATTACHMENT D – TEST PLOT(S)

LG ELECTRONICS 1600 x 1200 @ 75 Hz. PCTEST Engineering Lab.
 FCC ID: BEJFB995E LINE A




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	1.872	46.18	56.00	-9.82	33.50	46.00	-12.50
2	1.947	45.77	56.00	-10.23	34.02	46.00	-11.98
3	1.797	43.94	56.00	-12.06	30.77	46.00	-15.23
4	2.026	44.20	56.00	-11.80	32.54	46.00	-13.46
5	.152	51.02	65.80	-14.86	42.89	56.00	-13.11
6	.223	45.93	62.72	-16.79	37.59	52.71	-15.12
7	.373	41.21	58.44	-17.23	32.70	48.45	-15.75
8	2.176	40.30	56.00	-15.70	29.20	46.00	-16.80
9	2.101	41.83	56.00	-14.17	30.83	46.00	-15.17
10	2.325	37.92	56.00	-18.08	26.37	46.00	-19.63

LG ELECTRONICS 1600 x 1200 @ 75 Hz. PCTEST Engineering Lab.
 FCC ID: BEJFB995E LINE B




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	1.872	44.92	56.00	-11.08	32.95	46.00	-13.05
2	2.026	43.84	56.00	-12.16	32.98	46.00	-13.02
3	1.947	46.45	56.00	-9.55	34.04	46.00	-11.96
4	1.797	41.46	56.00	-14.54	30.74	46.00	-15.26
5	2.102	41.89	56.00	-14.11	30.93	46.00	-15.07
6	.223	46.17	62.72	-16.55	38.59	52.74	-14.15
7	2.251	36.97	56.00	-19.03	27.85	46.00	-18.15
8	2.176	39.76	56.00	-16.24	29.21	46.00	-16.79
9	.152	47.92	65.90	-17.98	42.44	56.00	-13.56
10	1.722	38.90	56.00	-17.10	27.49	46.00	-18.51

LG ELECTRONICS 1280 x 1024 @ 85 Hz. PCTEST Engineering Lab.
 FCC ID: BEJFB995E LINE A




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.001	46.67	56.00	-9.33	34.62	46.00	-11.38
2	1.918	48.73	56.00	-7.27	35.59	46.00	-10.41
3	1.838	45.19	56.00	-10.81	31.52	46.00	-14.48
4	2.162	42.47	56.00	-13.53	30.25	46.00	-15.75
5	2.082	43.74	56.00	-12.26	31.48	46.00	-14.52
6	.158	49.61	65.58	-15.97	43.22	55.61	-12.39
7	.238	45.39	62.17	-16.78	36.92	52.17	-15.25
8	1.757	40.50	56.00	-15.50	28.64	46.00	-17.36
9	2.241	39.52	56.00	-16.48	28.52	46.00	-17.48
10	.318	41.33	59.76	-18.43	33.68	49.78	-16.10


LG ELECTRONICS 1280 x 1024 @ 85 Hz. PCTEST Engineering Lab.
 FCC ID: BEJFB995E LINE B



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	1.918	47.74	56.00	-8.26	35.21	46.00	-10.79
2	2.001	45.80	56.00	-10.20	34.68	46.00	-11.32
3	1.838	44.25	56.00	-11.75	30.80	46.00	-15.20
4	2.082	43.10	56.00	-12.90	31.52	46.00	-14.48
5	2.162	41.74	56.00	-14.26	30.10	46.00	-15.90
6	.158	50.20	65.58	-15.38	42.64	55.62	-12.98
7	.372	41.24	58.46	-17.22	28.45	48.43	-19.98
8	.238	45.73	62.17	-16.44	38.31	52.18	-13.87
9	2.241	38.39	56.00	-17.61	29.66	46.00	-16.34
10	1.678	37.60	56.00	-18.40	27.44	46.00	-18.56




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	1.932	45.88	56.00	-10.12	33.19	46.00	-12.81
2	1.884	44.22	56.00	-11.78	32.54	46.00	-13.46
3	1.981	45.11	56.00	-10.89	33.51	46.00	-12.49
4	1.937	45.08	56.00	-10.92	33.40	46.00	-12.60
5	1.835	40.84	56.00	-15.16	30.33	46.00	-15.67
6	1.787	39.38	56.00	-16.62	28.78	46.00	-17.22
7	1.739	37.56	56.00	-18.44	27.05	46.00	-18.95
8	.191	43.79	63.98	-20.19	35.88	54.00	-18.12
9	1.690	35.61	56.00	-20.39	25.64	46.00	-20.36
10	.385	35.24	58.18	-22.94	27.62	48.20	-20.58




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.373	48.62	58.43	-9.81	33.80	48.43	-14.63
2	1.932	44.03	56.00	-11.97	33.06	46.00	-12.94
3	1.884	42.08	56.00	-13.92	31.28	46.00	-14.72
4	1.937	43.67	56.00	-12.33	32.44	46.00	-13.56
5	1.981	43.19	56.00	-12.81	32.16	46.00	-13.84
6	.239	44.68	62.14	-17.46	33.32	52.14	-18.82
7	1.836	39.37	56.00	-16.63	29.50	46.00	-16.50
8	.438	42.68	57.11	-14.43	25.32	47.11	-21.79
9	.407	39.03	57.71	-18.68	19.49	47.74	-28.25
10	.377	45.81	58.35	-12.54	26.46	48.19	-21.73

LG ELECTRONICS 800 x 600 @ 85 Hz. PCTEST Engineering Lab.
 FCC ID: BEJFB995E LINE A




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	1.931	44.19	56.00	-11.81	32.15	46.00	-13.85
2	1.970	43.89	56.00	-12.11	31.88	46.00	-14.12
3	1.894	43.80	56.00	-12.20	31.73	46.00	-14.27
4	1.855	41.91	56.00	-14.09	30.43	46.00	-15.57
5	1.818	40.10	56.00	-15.90	28.57	46.00	-17.43
6	1.973	43.50	56.00	-12.50	31.89	46.00	-14.11
7	1.781	38.20	56.00	-17.80	27.44	46.00	-18.56
8	1.741	37.00	56.00	-19.00	26.15	46.00	-19.85
9	1.704	35.39	56.00	-20.61	25.26	46.00	-20.74
10	.154	44.96	65.80	-20.84	37.34	56.00	-18.66

LG ELECTRONICS 800 x 600 @ 85 Hz. PCTEST Engineering Lab.
 FCC ID: BEJFB995E LINE B




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	1.894	43.18	56.00	-12.82	31.43	46.00	-14.57
2	1.970	43.12	56.00	-12.88	31.57	46.00	-14.43
3	1.931	43.85	56.00	-12.15	31.59	46.00	-14.41
4	1.856	41.63	56.00	-14.37	29.71	46.00	-16.29
5	1.935	43.53	56.00	-12.47	31.58	46.00	-14.42
6	1.817	39.76	56.00	-16.24	28.18	46.00	-17.82
7	1.780	37.62	56.00	-18.38	27.15	46.00	-18.85
8	1.741	36.46	56.00	-19.54	25.54	46.00	-20.46
9	.154	46.05	65.79	-19.74	39.76	56.00	-16.24
10	1.703	34.80	56.00	-21.20	25.02	46.00	-20.98

LG ELECTRONICS 640 x 480 @ 85 Hz. PCTEST Engineering Lab.
 FCC ID: BEJFB995E LINE A



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	1.948	44.29	56.00	-11.71	32.78	46.00	-13.22
2	1.905	44.35	56.00	-11.65	32.67	46.00	-13.33
3	1.991	43.66	56.00	-12.34	32.16	46.00	-13.84
4	1.862	43.27	56.00	-12.73	31.31	46.00	-14.69
5	1.818	41.15	56.00	-14.85	29.52	46.00	-16.48
6	1.775	38.48	56.00	-17.52	27.42	46.00	-18.58
7	1.731	36.65	56.00	-19.35	26.07	46.00	-19.93
8	1.688	35.34	56.00	-20.66	25.26	46.00	-20.74
9	.171	44.62	64.90	-20.28	36.03	54.94	-18.91
10	.214	41.42	63.03	-21.61	33.74	53.03	-19.29

LG ELECTRONICS 640 x 480 @ 85 Hz. PCTEST Engineering Lab.
 FCC ID: BEJFB995E LINE B



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	1.948	43.73	56.00	-12.27	32.19	46.00	-13.81
2	1.991	43.60	56.00	-12.40	31.53	46.00	-14.47
3	1.905	43.74	56.00	-12.26	31.97	46.00	-14.03
4	1.862	42.52	56.00	-13.48	30.85	46.00	-15.15
5	1.818	40.64	56.00	-15.36	28.98	46.00	-17.02
6	1.775	38.10	56.00	-17.90	27.45	46.00	-18.55
7	.171	45.26	64.90	-19.64	38.58	54.94	-16.36
8	1.688	34.85	56.00	-21.15	24.59	46.00	-21.41
9	.301	38.90	60.21	-21.31	31.78	50.22	-18.44
10	1.731	36.19	56.00	-19.81	25.86	46.00	-20.14