

6. PHOTOGRAPHS

6.1. Photos of Powerline Conducted Measurement

Test Mode : PC Input/ D-Sub



Test Mode : A/V、S-Video Input or DVD



FRONT VIEW OF CONDUCTED TEST

Test Mode : PIP




FRONT VIEW OF CONDUCTED TEST



BACK VIEW OF CONDUCTED TEST

6.2. Photos of Radiated Measurement at Open Field Test Site

Test Mode : PC Input/ D-Sub (800*600/85Hz, 54kHz)



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

Test Mode : PC Input/ D-Sub (800*600/85Hz, 54kHz)



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION



SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION


6.3. Photos of Radiated Measurement at Anechoic Chamber

6.3.1. 30MHz to 1000MHz frequency and at 3 meters distance measurement.

Test Mode : PC Input/ D-Sub



Test Mode : A/V 、 S-Video Input or DVD




FRONT VIEW OF RADIATED TEST

Test Mode : PIP



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

6.3.2. 1GHz to 2GHz frequency and at 3 meters distance measurement.

Test Mode : PC Input/ D-Sub (800*600/85Hz, 54kHz)



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST