

11ax_HE40_SU (Band 2A)

A. Low Channel (5 270 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 310 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	13.15	Peak	V	34.00	9.38	56.53	74.00	17.47
*5 350.00	4.88	Average	V	34.00	9.38	48.26	54.00	5.74
*5 408.32	15.86	Peak	V	34.08	9.39	59.33	74.00	14.67
*5 418.78	5.75	Average	V	34.06	9.38	49.19	54.00	4.81
*5 460.00	13.09	Peak	V	34.00	9.50	56.59	74.00	17.41
*5 460.00	4.86	Average	V	34.00	9.50	48.36	54.00	5.64

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_SU (Band 2C)

A. Low Channel (5 510 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	12.77	Peak	V	34.00	9.38	56.15	74.00	17.85
*5 350.00	4.89	Average	V	34.00	9.38	48.27	54.00	5.73
*5 419.01	16.08	Peak	V	34.06	9.38	59.52	74.00	14.48
*5 424.95	5.84	Average	V	34.05	9.38	49.27	54.00	4.73
*5 460.00	13.25	Peak	V	34.00	9.50	56.75	74.00	17.25
*5 460.00	5.20	Average	V	34.00	9.50	48.70	54.00	5.30

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 550 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 670 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 725.00	13.82	Peak	V	34.05	9.79	57.66	68.23	10.57
5 760.70	16.38	Peak	V	34.04	9.76	60.18	68.23	8.05

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_SU (Band 3)

A. Low Channel (5 755 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 635.07	16.31	Peak	V	34.10	9.70	60.11	68.23	8.12
5 668.15	15.69	Peak	V	34.10	9.72	59.51	81.66	22.15
5 701.72	15.49	Peak	V	34.10	9.73	59.32	105.71	46.39
5 723.30	14.55	Peak	V	34.15	9.79	58.49	118.35	59.86

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 795 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 850.94	14.98	Peak	V	34.40	9.93	59.31	120.08	60.77
5 857.49	15.71	Peak	V	34.41	9.90	60.02	110.13	50.11
5 899.24	15.55	Peak	V	34.50	9.87	59.92	87.29	27.37
5 969.87	15.24	Peak	V	34.64	9.96	59.84	68.46	8.62

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_26T (Band 1)

A. Middle Channel (5 210 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	14.21	Peak	V	32.00	8.52	54.73	74.00	19.27
*4 500.00	5.75	Average	V	32.00	8.52	46.27	54.00	7.73
*4 642.70	16.08	Peak	V	32.09	8.62	56.79	74.00	17.21
*4 726.94	6.79	Average	V	32.35	8.74	47.88	54.00	6.12
*5 150.00	12.78	Peak	V	33.60	9.16	55.54	74.00	18.46
*5 150.00	4.77	Average	V	33.60	9.16	47.53	54.00	6.47

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_26T (Band 2A)

A. Middle Channel (5 290 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	13.30	Peak	V	34.00	9.38	56.68	74.00	17.32
*5 350.00	5.24	Average	V	34.00	9.38	48.62	54.00	5.38
*5 395.57	15.63	Peak	V	34.09	9.39	59.11	74.00	14.89
*5 391.49	5.75	Average	V	34.08	9.39	49.22	54.00	4.78
*5 460.00	12.61	Peak	V	34.00	9.50	56.11	74.00	17.89
*5 460.00	4.70	Average	V	34.00	9.50	48.20	54.00	5.80

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_26T (Band 2C)

A. Low Channel (5 530 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	13.80	Peak	V	34.00	9.38	57.18	74.00	16.82
*5 350.00	4.83	Average	V	34.00	9.38	48.21	54.00	5.79
*5 375.81	16.41	Peak	V	34.05	9.40	59.86	74.00	14.14
*5 442.50	5.73	Average	V	34.02	9.45	49.20	54.00	4.80
*5 460.00	14.15	Peak	V	34.00	9.50	57.65	74.00	16.35
*5 460.00	5.11	Average	V	34.00	9.50	48.61	54.00	5.39

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_26T (Band 3)

A. Middle Channel (5 775 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 642.17	16.37	Peak	V	34.10	9.71	60.18	68.23	8.05
5 681.69	16.25	Peak	V	34.10	9.72	60.07	91.68	31.61
5 707.74	15.15	Peak	V	34.12	9.74	59.01	107.39	48.38
5 725.00	16.79	Peak	V	34.15	9.79	60.73	122.23	61.50
5 853.64	14.83	Peak	V	34.41	9.92	59.16	113.93	54.77
5 872.19	16.39	Peak	V	34.44	9.86	60.69	106.01	45.32
5 886.01	16.04	Peak	V	34.47	9.86	60.37	97.08	36.71
5 945.86	16.23	Peak	V	34.59	9.95	60.77	68.23	7.46

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_SU (Band 1)

A. Middle Channel (5 210 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	13.90	Peak	V	32.00	8.52	54.42	74.00	19.58
*4 500.00	5.69	Average	V	32.00	8.52	46.21	54.00	7.79
*4 711.55	16.93	Peak	V	32.32	8.71	57.96	74.00	16.04
*4 716.41	6.53	Average	V	32.33	8.72	47.58	54.00	6.42
*5 150.00	13.46	Peak	V	33.60	9.16	56.22	74.00	17.78
*5 150.00	4.79	Average	V	33.60	9.16	47.55	54.00	6.45

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_SU (Band 2A)

A. Middle Channel (5 290 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	13.61	Peak	V	34.00	9.38	56.99	74.00	17.01
*5 350.00	5.33	Average	V	34.00	9.38	48.71	54.00	5.29
*5 406.28	16.05	Peak	V	34.09	9.39	59.53	74.00	14.47
*5 367.01	5.66	Average	V	34.03	9.39	49.08	54.00	4.92
*5 460.00	12.01	Peak	V	34.00	9.50	55.51	74.00	18.49
*5 460.00	5.42	Average	V	34.00	9.50	48.92	54.00	5.08

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_SU (Band 2C)

A. Low Channel (5 530 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	14.85	Peak	V	34.00	9.38	58.23	74.00	15.77
*5 350.00	4.68	Average	V	34.00	9.38	48.06	54.00	5.94
*5 418.20	16.25	Peak	V	34.06	9.38	59.69	74.00	14.31
*5 442.23	5.71	Average	V	34.02	9.45	49.18	54.00	4.82
*5 460.00	13.32	Peak	V	34.00	9.50	56.82	74.00	17.18
*5 460.00	5.20	Average	V	34.00	9.50	48.70	54.00	5.30

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_SU (Band 3)

A. Middle Channel (5 775 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 646.25	15.85	Peak	V	34.10	9.71	59.66	68.23	8.57
5 694.81	15.69	Peak	V	34.10	9.72	59.51	101.39	41.88
5 700.00	15.34	Peak	V	34.10	9.72	59.16	105.23	46.07
5 723.94	14.29	Peak	V	34.15	9.79	58.23	119.81	61.58
5 853.39	14.51	Peak	V	34.41	9.92	58.84	114.50	55.66
5 870.48	15.28	Peak	V	34.44	9.86	59.58	106.49	46.91
5 893.60	15.31	Peak	V	34.49	9.87	59.67	91.46	31.79
5 968.64	15.62	Peak	V	34.64	9.96	60.22	68.44	8.22

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

Ant. 4

11ax_HE20_26T (Band 1)

A. Low Channel (5 180 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	13.55	Peak	V	32.00	8.52	54.07	74.00	19.93
*4 500.00	5.77	Average	V	32.00	8.52	46.29	54.00	7.71
*4 664.92	17.02	Peak	V	32.16	8.67	57.85	74.00	16.15
*4 714.03	6.64	Average	V	32.33	8.72	47.69	54.00	6.31
*5 150.00	13.50	Peak	V	33.60	9.16	56.26	74.00	17.74
*5 150.00	5.52	Average	V	33.60	9.16	48.28	54.00	5.72

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 220 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 240 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_26T (Band 2A)

A. Low Channel (5 260 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 300 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 320 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	12.96	Peak	V	34.00	9.38	56.34	74.00	17.66
*5 350.00	4.73	Average	V	34.00	9.38	48.11	54.00	5.89
*5 428.93	16.06	Peak	V	34.04	9.39	59.49	74.00	14.51
*5 363.68	5.73	Average	V	34.03	9.39	49.15	54.00	4.85
*5 460.00	12.98	Peak	V	34.00	9.50	56.48	74.00	17.52
*5 460.00	5.27	Average	V	34.00	9.50	48.77	54.00	5.23

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_26T (Band 2C)

A. Low Channel (5 500 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	12.29	Peak	V	34.00	9.38	55.67	74.00	18.33
*5 350.00	5.06	Average	V	34.00	9.38	48.44	54.00	5.56
*5 419.76	15.30	Peak	V	34.06	9.38	58.74	74.00	15.26
*5 438.66	6.04	Average	V	34.02	9.44	49.50	54.00	4.50
*5 460.00	12.99	Peak	V	34.00	9.50	56.49	74.00	17.51
*5 460.00	4.96	Average	V	34.00	9.50	48.46	54.00	5.54

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 580 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 700 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 725.00	13.26	Peak	V	34.05	9.79	57.10	68.23	11.13
5 760.10	15.67	Peak	V	34.04	9.76	59.47	68.23	8.76

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_26T (Band 3)

A. Low Channel (5 745 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 641.19	15.76	Peak	V	34.10	9.70	59.56	68.23	8.67
5 668.30	16.37	Peak	V	34.10	9.72	60.19	81.77	21.58
5 708.08	14.95	Peak	V	34.12	9.74	58.81	107.49	48.68
5 724.76	14.12	Peak	V	34.15	9.79	58.06	121.68	63.62

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 785 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 825 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 852.54	15.09	Peak	V	34.41	9.92	59.42	116.44	57.02
5 873.44	14.91	Peak	V	34.45	9.85	59.21	105.66	46.45
5 882.04	16.09	Peak	V	34.46	9.86	60.41	100.02	39.61
5 934.80	14.88	Peak	V	34.57	9.93	59.38	68.23	8.85

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_SU (Band 1)

A. Low Channel (5 180 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	15.21	Peak	V	32.00	8.52	55.73	74.00	18.27
*4 500.00	5.82	Average	V	32.00	8.52	46.34	54.00	7.66
*4 598.11	16.97	Peak	V	32.00	8.60	57.57	74.00	16.43
*4 722.08	6.45	Average	V	32.34	8.73	47.52	54.00	6.48
*5 150.00	13.52	Peak	V	33.60	9.16	56.28	74.00	17.72
*5 150.00	4.94	Average	V	33.60	9.16	47.70	54.00	6.30

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 220 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 240 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_SU (Band 2A)

A. Low Channel (5 260 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 300 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 320 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	12.34	Peak	V	34.00	9.38	55.72	74.00	18.28
*5 350.00	5.08	Average	V	34.00	9.38	48.46	54.00	5.54
*5 449.68	17.04	Peak	V	34.00	9.48	60.52	74.00	13.48
*5 404.43	5.67	Average	V	34.09	9.39	49.15	54.00	4.85
*5 460.00	15.50	Peak	V	34.00	9.50	59.00	74.00	15.00
*5 460.00	5.47	Average	V	34.00	9.50	48.97	54.00	5.03

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_SU (Band 2C)

A. Low Channel (5 500 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	14.87	Peak	V	34.00	9.38	58.25	74.00	15.75
*5 350.00	4.98	Average	V	34.00	9.38	48.36	54.00	5.64
*5 375.21	16.45	Peak	V	34.05	9.40	59.90	74.00	14.10
*5 420.57	5.63	Average	V	34.06	9.38	49.07	54.00	4.93
*5 460.00	13.92	Peak	V	34.00	9.50	57.42	74.00	16.58
*5 460.00	5.21	Average	V	34.00	9.50	48.71	54.00	5.29

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 580 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 700 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 725.00	14.39	Peak	V	34.05	9.79	58.23	68.23	10.00
5 776.30	16.79	Peak	V	34.11	9.76	60.66	68.23	7.57

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_SU (Band 3)

A. Low Channel (5 745 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 636.24	17.45	Peak	V	34.10	9.70	61.25	68.23	6.98
5 656.69	15.65	Peak	V	34.10	9.71	59.46	73.18	13.72
5 711.95	15.28	Peak	V	34.12	9.75	59.15	108.57	49.42
5 724.33	14.60	Peak	V	34.15	9.79	58.54	120.70	62.16

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 785 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 825 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 851.56	14.67	Peak	V	34.40	9.92	58.99	118.67	59.68
5 867.07	15.56	Peak	V	34.43	9.87	59.86	107.45	47.59
5 884.74	15.26	Peak	V	34.47	9.86	59.59	98.02	38.43
5 926.72	15.82	Peak	V	34.55	9.91	60.28	68.23	7.95

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_26T (Band 1)

A. Low Channel (5 190 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	13.31	Peak	V	32.00	8.52	53.83	74.00	20.17
*4 500.00	5.43	Average	V	32.00	8.52	45.95	54.00	8.05
*4 708.39	16.32	Peak	V	32.32	8.71	57.35	74.00	16.65
*4 728.52	6.43	Average	V	32.36	8.74	47.53	54.00	6.47
*5 150.00	13.83	Peak	V	33.60	9.16	56.59	74.00	17.41
*5 150.00	5.10	Average	V	33.60	9.16	47.86	54.00	6.14

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 230 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_26T (Band 2A)

A. Low Channel (5 270 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 310 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	13.75	Peak	V	34.00	9.38	57.13	74.00	16.87
*5 350.00	4.85	Average	V	34.00	9.38	48.23	54.00	5.77
*5 388.43	15.95	Peak	V	34.08	9.40	59.43	74.00	14.57
*5 387.18	5.97	Average	V	34.07	9.40	49.44	54.00	4.56
*5 460.00	13.01	Peak	V	34.00	9.50	56.51	74.00	17.49
*5 460.00	4.92	Average	V	34.00	9.50	48.42	54.00	5.58

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_26T (Band 2C)

A. Low Channel (5 510 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	12.50	Peak	V	34.00	9.38	55.88	74.00	18.12
*5 350.00	5.07	Average	V	34.00	9.38	48.45	54.00	5.55
*5 435.69	15.57	Peak	V	34.03	9.42	59.02	74.00	14.98
*5 424.62	5.73	Average	V	34.05	9.38	49.16	54.00	4.84
*5 460.00	14.43	Peak	V	34.00	9.50	57.93	74.00	16.07
*5 460.00	4.41	Average	V	34.00	9.50	47.91	54.00	6.09

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 550 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 670 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 725.00	13.41	Peak	V	34.05	9.79	57.25	68.23	10.98
5 760.85	15.96	Peak	V	34.04	9.76	59.76	68.23	8.47

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_26T (Band 3)

A. Low Channel (5 755 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 647.85	16.04	Peak	V	34.10	9.71	59.85	68.23	8.38
5 664.21	16.40	Peak	V	34.10	9.72	60.22	78.74	18.52
5 701.42	16.03	Peak	V	34.10	9.72	59.85	105.63	45.78
5 722.61	15.53	Peak	V	34.15	9.78	59.46	116.78	57.32

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 795 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 853.27	14.37	Peak	V	34.41	9.92	58.70	114.77	56.07
5 872.46	15.46	Peak	V	34.44	9.86	59.76	105.94	46.18
5 921.24	15.71	Peak	V	34.54	9.91	60.16	71.01	10.85
5 931.37	14.91	Peak	V	34.56	9.92	59.39	68.23	8.84

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_SU (Band 1)

A. Low Channel (5 190 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	14.32	Peak	V	32.00	8.52	54.84	74.00	19.16
*4 500.00	5.67	Average	V	32.00	8.52	46.19	54.00	7.81
*4 602.94	16.72	Peak	V	32.01	8.59	57.32	74.00	16.68
*4 707.59	6.76	Average	V	32.32	8.71	47.79	54.00	6.21
*5 150.00	13.49	Peak	V	33.60	9.16	56.25	74.00	17.75
*5 150.00	5.54	Average	V	33.60	9.16	48.30	54.00	5.70

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 230 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_SU (Band 2A)

A. Low Channel (5 270 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 310 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	12.71	Peak	V	34.00	9.38	56.09	74.00	17.91
*5 350.00	4.59	Average	V	34.00	9.38	47.97	54.00	6.03
*5 384.43	15.61	Peak	V	34.07	9.40	59.08	74.00	14.92
*5 379.68	6.01	Average	V	34.06	9.40	49.47	54.00	4.53
*5 460.00	13.68	Peak	V	34.00	9.50	57.18	74.00	16.82
*5 460.00	5.51	Average	V	34.00	9.50	49.01	54.00	4.99

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_SU (Band 2C)

A. Low Channel (5 510 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	13.01	Peak	V	34.00	9.38	56.39	74.00	17.61
*5 350.00	4.99	Average	V	34.00	9.38	48.37	54.00	5.63
*5 391.68	16.26	Peak	V	34.08	9.39	59.73	74.00	14.27
*5 408.96	6.13	Average	V	34.08	9.39	49.60	54.00	4.40
*5 460.00	13.57	Peak	V	34.00	9.50	57.07	74.00	16.93
*5 460.00	6.03	Average	V	34.00	9.50	49.53	54.00	4.47

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 550 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 670 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 725.00	13.60	Peak	V	34.05	9.79	57.44	68.23	10.79
5 761.30	15.94	Peak	V	34.05	9.76	59.75	68.23	8.48

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_SU (Band 3)

A. Low Channel (5 755 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 630.22	16.54	Peak	V	34.10	9.70	60.34	68.23	7.89
5 660.13	15.63	Peak	V	34.10	9.72	59.45	75.72	16.27
5 713.03	16.17	Peak	V	34.13	9.76	60.06	108.88	48.82
5 722.83	13.40	Peak	V	34.15	9.78	57.33	117.28	59.95

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 795 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 851.56	14.61	Peak	V	34.40	9.92	58.93	118.67	59.74
5 859.23	15.10	Peak	V	34.42	9.90	59.42	109.64	50.22
5 901.15	16.13	Peak	V	34.50	9.87	60.50	85.88	25.38
5 954.40	15.30	Peak	V	34.61	9.96	59.87	68.28	8.41

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_26T (Band 1)

A. Middle Channel (5 210 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	13.68	Peak	V	32.00	8.52	54.20	74.00	19.80
*4 500.00	5.74	Average	V	32.00	8.52	46.26	54.00	7.74
*5 029.59	16.96	Peak	V	33.40	9.05	59.41	74.00	14.59
*4 730.93	6.51	Average	V	32.36	8.74	47.61	54.00	6.39
*5 150.00	13.85	Peak	V	33.60	9.16	56.61	74.00	17.39
*5 150.00	5.10	Average	V	33.60	9.16	47.86	54.00	6.14

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_26T (Band 2A)

A. Middle Channel (5 290 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	13.80	Peak	V	34.00	9.38	57.18	74.00	16.82
*5 350.00	4.90	Average	V	34.00	9.38	48.28	54.00	5.72
*5 439.68	16.18	Peak	V	34.02	9.44	59.64	74.00	14.36
*5 380.68	5.80	Average	V	34.06	9.40	49.26	54.00	4.74
*5 460.00	13.87	Peak	V	34.00	9.50	57.37	74.00	16.63
*5 460.00	4.94	Average	V	34.00	9.50	48.44	54.00	5.56

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_26T (Band 2C)

A. Low Channel (5 530 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	14.20	Peak	V	34.00	9.38	57.58	74.00	16.42
*5 350.00	5.23	Average	V	34.00	9.38	48.61	54.00	5.39
*5 425.43	15.76	Peak	V	34.05	9.38	59.19	74.00	14.81
*5 421.11	5.76	Average	V	34.06	9.38	49.20	54.00	4.80
*5 460.00	12.95	Peak	V	34.00	9.50	56.45	74.00	17.55
*5 460.00	4.84	Average	V	34.00	9.50	48.34	54.00	5.66

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_26T (Band 3)

A. Middle Channel (5 775 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 605.71	16.41	Peak	V	34.10	9.63	60.14	68.23	8.09
5 687.00	15.94	Peak	V	34.10	9.72	59.76	95.61	35.85
5 712.81	15.79	Peak	V	34.13	9.76	59.68	108.81	49.13
5 721.54	15.60	Peak	V	34.14	9.78	59.52	114.34	54.82
5 853.76	16.09	Peak	V	34.41	9.92	60.42	113.65	53.23
5 868.79	15.85	Peak	V	34.44	9.87	60.16	106.97	46.81
5 921.24	16.07	Peak	V	34.54	9.91	60.52	71.01	10.49
5 948.03	15.82	Peak	V	34.60	9.96	60.38	68.23	7.85

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_SU (Band 1)

A. Middle Channel (5 210 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	13.79	Peak	V	32.00	8.52	54.31	74.00	19.69
*4 500.00	5.63	Average	V	32.00	8.52	46.15	54.00	7.85
*4 753.47	16.61	Peak	V	32.42	8.77	57.80	74.00	16.20
*4 729.32	6.34	Average	V	32.36	8.74	47.44	54.00	6.56
*5 150.00	14.05	Peak	V	33.60	9.16	56.81	74.00	17.19
*5 150.00	5.30	Average	V	33.60	9.16	48.06	54.00	5.94

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_SU (Band 2A)

A. Middle Channel (5 290 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	12.89	Peak	V	34.00	9.38	56.27	74.00	17.73
*5 350.00	4.64	Average	V	34.00	9.38	48.02	54.00	5.98
*5 358.18	15.94	Peak	V	34.02	9.39	59.35	74.00	14.65
*5 376.93	5.66	Average	V	34.05	9.40	49.11	54.00	4.89
*5 460.00	13.08	Peak	V	34.00	9.50	56.58	74.00	17.42
*5 460.00	5.29	Average	V	34.00	9.50	48.79	54.00	5.21

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_SU (Band 2C)

A. Low Channel (5 530 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	13.55	Peak	V	34.00	9.38	56.93	74.00	17.07
*5 350.00	4.82	Average	V	34.00	9.38	48.20	54.00	5.80
*5 422.19	16.34	Peak	V	34.06	9.38	59.78	74.00	14.22
*5 437.04	5.81	Average	V	34.03	9.43	49.27	54.00	4.73
*5 460.00	14.58	Peak	V	34.00	9.50	58.08	74.00	15.92
*5 460.00	4.95	Average	V	34.00	9.50	48.45	54.00	5.55

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_SU (Band 3)

A. Middle Channel (5 775 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 624.63	16.70	Peak	V	34.10	9.69	60.49	68.23	7.74
5 680.77	16.56	Peak	V	34.10	9.72	60.38	91.00	30.62
5 703.78	15.29	Peak	V	34.11	9.73	59.13	106.29	47.16
5 723.47	14.75	Peak	V	34.15	9.79	58.69	118.74	60.05
5 850.82	14.10	Peak	V	34.40	9.93	58.43	120.36	61.93
5 871.24	14.97	Peak	V	34.44	9.86	59.27	106.28	47.01
5 920.02	15.47	Peak	V	34.54	9.90	59.91	71.91	12.00
5 935.05	15.21	Peak	V	34.57	9.93	59.71	68.23	8.52

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

MIMO(CDD)

Ant. 1 + Ant. 2

11ax_HE20_26T (Band 1)

A. Low Channel (5 180 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	17.17	Peak	V	32.00	8.52	57.69	74.00	16.31
*4 500.00	7.12	Average	V	32.00	8.52	47.64	54.00	6.36
*4 707.60	19.35	Peak	V	32.32	8.71	60.38	74.00	13.62
*4 640.40	8.07	Average	V	32.08	8.61	48.76	54.00	5.24
*5 150.00	16.67	Peak	V	33.60	9.16	59.43	74.00	14.57
*5 150.00	7.14	Average	V	33.60	9.16	49.90	54.00	4.10

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 220 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 240 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_26T (Band 2A)

A. Low Channel (5 260 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 300 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 320 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	15.98	Peak	V	34.00	9.38	59.36	74.00	14.64
*5 350.00	7.20	Average	V	34.00	9.38	50.58	54.00	3.42
*5 383.89	18.18	Peak	V	34.07	9.40	61.65	74.00	12.35
*5 395.89	7.83	Average	V	34.09	9.39	51.31	54.00	2.69
*5 460.00	17.54	Peak	V	34.00	9.50	61.04	74.00	12.96
*5 460.00	7.09	Average	V	34.00	9.50	50.59	54.00	3.41

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_26T (Band 2C)

A. Low Channel (5 500 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	17.26	Peak	V	34.00	9.38	60.64	74.00	13.36
*5 350.00	6.65	Average	V	34.00	9.38	50.03	54.00	3.97
*5 445.92	18.85	Peak	V	34.01	9.47	62.33	74.00	11.67
*5 437.67	8.03	Average	V	34.02	9.43	51.48	54.00	2.52
*5 460.00	15.80	Peak	V	34.00	9.50	59.30	74.00	14.70
*5 460.00	7.15	Average	V	34.00	9.50	50.65	54.00	3.35

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 580 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 700 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 725.00	15.36	Peak	V	34.05	9.79	59.20	68.23	9.03
5 757.79	19.05	Peak	V	34.03	9.76	62.84	68.23	5.39

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_26T (Band 3)

A. Low Channel (5 745 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 616.81	18.01	Peak	V	34.10	9.67	61.78	68.23	6.45
5 665.40	18.33	Peak	V	34.10	9.72	62.15	79.62	17.47
5 704.14	17.21	Peak	V	34.11	9.73	61.05	106.39	45.34
5 723.62	16.04	Peak	V	34.15	9.79	59.98	119.08	59.10

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 785 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 825 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 850.00	31.07	Peak	V	34.40	9.93	75.40	122.23	46.83
5 864.94	29.73	Peak	V	34.43	9.88	74.04	108.04	34.00
5 899.75	27.91	Peak	V	34.50	9.87	72.28	86.91	14.63
5 933.99	17.04	Peak	V	34.57	9.93	61.54	68.23	6.69

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_SU (Band 1)

A. Low Channel (5 180 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	15.46	Peak	V	32.00	8.52	55.98	74.00	18.02
*4 500.00	6.85	Average	V	32.00	8.52	47.37	54.00	6.63
*4 598.00	19.34	Peak	V	32.00	8.60	59.94	74.00	14.06
*4 656.40	7.88	Average	V	32.13	8.65	48.66	54.00	5.34
*5 150.00	16.16	Peak	V	33.60	9.16	58.92	74.00	15.08
*5 150.00	6.62	Average	V	33.60	9.16	49.38	54.00	4.62

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 220 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 240 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_SU (Band 2A)

A. Low Channel (5 260 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 300 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 320 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	15.70	Peak	V	34.00	9.38	59.08	74.00	14.92
*5 350.00	7.38	Average	V	34.00	9.38	50.76	54.00	3.24
*5 376.39	18.04	Peak	V	34.05	9.40	61.49	74.00	12.51
*5 389.64	7.88	Average	V	34.08	9.39	51.35	54.00	2.65
*5 460.00	16.29	Peak	V	34.00	9.50	59.79	74.00	14.21
*5 460.00	7.03	Average	V	34.00	9.50	50.53	54.00	3.47

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_SU (Band 2C)

A. Low Channel (5 500 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	15.18	Peak	V	34.00	9.38	58.56	74.00	15.44
*5 350.00	6.92	Average	V	34.00	9.38	50.30	54.00	3.70
*5 420.89	18.08	Peak	V	34.06	9.38	61.52	74.00	12.48
*5 432.17	7.99	Average	V	34.04	9.41	51.44	54.00	2.56
*5 460.00	15.31	Peak	V	34.00	9.50	58.81	74.00	15.19
*5 460.00	7.10	Average	V	34.00	9.50	50.60	54.00	3.40

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 580 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 700 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 725.00	14.04	Peak	V	34.05	9.79	57.88	68.23	10.35
5 769.72	18.22	Peak	V	34.08	9.76	62.06	68.23	6.17

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_SU (Band 3)

A. Low Channel (5 745 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 609.43	18.25	Peak	V	34.10	9.64	61.99	68.23	6.24
5 670.52	17.94	Peak	V	34.10	9.72	61.76	83.41	21.65
5 708.65	16.19	Peak	V	34.12	9.74	60.05	107.65	47.60
5 725.00	14.31	Peak	V	34.15	9.79	58.25	122.23	63.98

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 785 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 825 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 850.75	30.66	Peak	V	34.40	9.93	74.99	120.52	45.53
5 859.13	25.94	Peak	V	34.42	9.90	70.26	109.67	39.41
5 880.64	21.76	Peak	V	34.46	9.85	66.07	101.05	34.98
5 956.01	18.28	Peak	V	34.61	9.96	62.85	68.30	5.45

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_26T (Band 1)

A. Low Channel (5 190 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	17.03	Peak	V	32.00	8.52	57.55	74.00	16.45
*4 500.00	6.92	Average	V	32.00	8.52	47.44	54.00	6.56
*4 545.20	19.75	Peak	V	32.00	8.58	60.33	74.00	13.67
*4 656.60	8.18	Average	V	32.13	8.65	48.96	54.00	5.04
*5 150.00	16.36	Peak	V	33.60	9.16	59.12	74.00	14.88
*5 150.00	7.15	Average	V	33.60	9.16	49.91	54.00	4.09

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 230 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_26T (Band 2A)

A. Low Channel (5 270 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 310 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	17.11	Peak	V	34.00	9.38	60.49	74.00	13.51
*5 350.00	6.78	Average	V	34.00	9.38	50.16	54.00	3.84
*5 393.64	18.90	Peak	V	34.09	9.39	62.38	74.00	11.62
*5 396.89	7.87	Average	V	34.09	9.39	51.35	54.00	2.65
*5 460.00	16.59	Peak	V	34.00	9.50	60.09	74.00	13.91
*5 460.00	6.66	Average	V	34.00	9.50	50.16	54.00	3.84

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_26T (Band 2C)

A. Low Channel (5 510 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	15.40	Peak	V	34.00	9.38	58.78	74.00	15.22
*5 350.00	7.06	Average	V	34.00	9.38	50.44	54.00	3.56
*5 380.19	18.47	Peak	V	34.06	9.40	61.93	74.00	12.07
*5 446.47	8.43	Average	V	34.01	9.47	51.91	54.00	2.09
*5 460.00	16.81	Peak	V	34.00	9.50	60.31	74.00	13.69
*5 460.00	7.91	Average	V	34.00	9.50	51.41	54.00	2.59

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 550 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 670 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 725.00	16.64	Peak	V	34.05	9.79	60.48	68.23	7.75
5 735.62	17.28	Peak	V	34.03	9.78	61.09	68.23	7.14

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_26T (Band 3)

A. Low Channel (5 755 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 611.69	18.74	Peak	V	34.10	9.65	62.49	68.23	5.74
5 664.99	17.66	Peak	V	34.10	9.72	61.48	79.32	17.84
5 706.81	17.67	Peak	V	34.11	9.74	61.52	107.13	45.61
5 725.00	17.46	Peak	V	34.15	9.79	61.40	122.23	60.83

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 795 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 852.45	16.33	Peak	V	34.40	9.92	60.65	116.64	55.99
5 866.15	17.79	Peak	V	34.43	9.88	62.10	107.71	45.61
5 883.06	22.46	Peak	V	34.47	9.86	66.79	99.26	32.47
5 966.66	18.39	Peak	V	34.63	9.96	62.98	68.42	5.44

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_SU (Band 1)

A. Low Channel (5 190 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	15.85	Peak	V	32.00	8.52	56.37	74.00	17.63
*4 500.00	7.48	Average	V	32.00	8.52	48.00	54.00	6.00
*4 626.00	18.62	Peak	V	32.05	8.56	59.23	74.00	14.77
*4 651.60	8.13	Average	V	32.11	8.65	48.89	54.00	5.11
*5 150.00	16.63	Peak	V	33.60	9.16	59.39	74.00	14.61
*5 150.00	6.84	Average	V	33.60	9.16	49.60	54.00	4.40

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 230 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_SU (Band 2A)

A. Low Channel (5 270 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 310 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	16.81	Peak	V	34.00	9.38	60.19	74.00	13.81
*5 350.00	7.13	Average	V	34.00	9.38	50.51	54.00	3.49
*5 427.39	18.67	Peak	V	34.05	9.39	62.11	74.00	11.89
*5 406.64	7.90	Average	V	34.09	9.39	51.38	54.00	2.62
*5 460.00	16.70	Peak	V	34.00	9.50	60.20	74.00	13.80
*5 460.00	7.01	Average	V	34.00	9.50	50.51	54.00	3.49

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_SU (Band 2C)

A. Low Channel (5 510 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	15.96	Peak	V	34.00	9.38	59.34	74.00	14.66
*5 350.00	7.29	Average	V	34.00	9.38	50.67	54.00	3.33
*5 431.34	18.97	Peak	V	34.04	9.40	62.41	74.00	11.59
*5 431.62	8.04	Average	V	34.04	9.41	51.49	54.00	2.51
*5 460.00	16.87	Peak	V	34.00	9.50	60.37	74.00	13.63
*5 460.00	7.23	Average	V	34.00	9.50	50.73	54.00	3.27

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 550 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 670 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 725.00	14.05	Peak	V	34.05	9.79	57.89	68.23	10.34
5 749.11	17.64	Peak	V	34.00	9.76	61.40	68.23	6.83

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE40_SU (Band 3)

A. Low Channel (5 755 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 637.11	17.74	Peak	V	34.10	9.70	61.54	68.23	6.69
5 665.81	17.99	Peak	V	34.10	9.72	61.81	79.93	18.12
5 717.26	16.98	Peak	V	34.13	9.77	60.88	110.06	49.18
5 721.98	16.65	Peak	V	34.14	9.78	60.57	115.34	54.77

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. High Channel (5 795 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 850.99	16.12	Peak	V	34.40	9.93	60.45	119.97	59.52
5 863.97	16.72	Peak	V	34.43	9.88	61.03	108.32	47.29
5 922.74	17.31	Peak	V	34.55	9.91	61.77	69.90	8.13
5 972.47	17.74	Peak	V	34.64	9.96	62.34	68.49	6.15

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_26T (Band 1)

A. Middle Channel (5 210 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	15.76	Peak	V	32.00	8.52	56.28	74.00	17.72
*4 500.00	7.04	Average	V	32.00	8.52	47.56	54.00	6.44
*4 574.36	18.80	Peak	V	32.00	8.61	59.41	74.00	14.59
*4 537.10	7.88	Average	V	32.00	8.56	48.44	54.00	5.56
*5 150.00	16.52	Peak	V	33.60	9.16	59.28	74.00	14.72
*5 150.00	6.71	Average	V	33.60	9.16	49.47	54.00	4.53

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_26T (Band 2A)

A. Middle Channel (5 290 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	16.47	Peak	V	34.00	9.38	59.85	74.00	14.15
*5 350.00	7.28	Average	V	34.00	9.38	50.66	54.00	3.34
*5 379.64	18.27	Peak	V	34.06	9.40	61.73	74.00	12.27
*5 426.14	8.02	Average	V	34.05	9.38	51.45	54.00	2.55
*5 460.00	15.83	Peak	V	34.00	9.50	59.33	74.00	14.67
*5 460.00	7.12	Average	V	34.00	9.50	50.62	54.00	3.38

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_26T (Band 2C)

A. Low Channel (5 530 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	15.31	Peak	V	34.00	9.38	58.69	74.00	15.31
*5 350.00	6.85	Average	V	34.00	9.38	50.23	54.00	3.77
*5 370.29	18.41	Peak	V	34.04	9.40	61.85	74.00	12.15
*5 429.69	7.77	Average	V	34.04	9.40	51.21	54.00	2.79
*5 460.00	15.86	Peak	V	34.00	9.50	59.36	74.00	14.64
*5 460.00	7.02	Average	V	34.00	9.50	50.52	54.00	3.48

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_26T (Band 3)

A. Middle Channel (5 775 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 616.18	19.25	Peak	V	34.10	9.66	63.01	68.23	5.22
5 658.61	18.10	Peak	V	34.10	9.71	61.91	74.60	12.69
5 706.36	16.70	Peak	V	34.11	9.74	60.55	107.01	46.46
5 724.16	20.23	Peak	V	34.15	9.79	64.17	120.31	56.14
5 851.96	17.33	Peak	V	34.40	9.92	61.65	117.76	56.11
5 860.10	16.73	Peak	V	34.42	9.90	61.05	109.40	48.35
5 900.48	17.16	Peak	V	34.50	9.87	61.53	86.37	24.84
5 938.11	18.02	Peak	V	34.58	9.94	62.54	68.23	5.69

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_SU (Band 1)

A. Middle Channel (5 210 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	15.46	Peak	V	32.00	8.52	55.98	74.00	18.02
*4 500.00	6.92	Average	V	32.00	8.52	47.44	54.00	6.56
*4 615.67	18.55	Peak	V	32.03	8.57	59.15	74.00	14.85
*4 678.04	7.93	Average	V	32.21	8.69	48.83	54.00	5.17
*5 150.00	16.47	Peak	V	33.60	9.16	59.23	74.00	14.77
*5 150.00	7.08	Average	V	33.60	9.16	49.84	54.00	4.16

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_996T (Band 2A)

A. Middle Channel (5 290 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	18.02	Peak	V	34.00	9.38	61.40	74.00	12.60
*5 350.00	6.99	Average	V	34.00	9.38	50.37	54.00	3.63
*5 444.39	18.36	Peak	V	34.01	9.46	61.83	74.00	12.17
*5 404.39	8.01	Average	V	34.09	9.39	51.49	54.00	2.51
*5 460.00	17.52	Peak	V	34.00	9.50	61.02	74.00	12.98
*5 460.00	7.07	Average	V	34.00	9.50	50.57	54.00	3.43

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_SU (Band 2C)

A. Low Channel (5 530 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	16.65	Peak	V	34.00	9.38	60.03	74.00	13.97
*5 350.00	7.25	Average	V	34.00	9.38	50.63	54.00	3.37
*5 372.49	19.21	Peak	V	34.04	9.40	62.65	74.00	11.35
*5 449.22	8.17	Average	V	34.00	9.48	51.65	54.00	2.35
*5 460.00	15.81	Peak	V	34.00	9.50	59.31	74.00	14.69
*5 460.00	7.82	Average	V	34.00	9.50	51.32	54.00	2.68

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE80_SU (Band 3)

A. Middle Channel (5 775 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 644.30	17.43	Peak	V	34.10	9.71	61.24	68.23	6.99
5 690.88	17.90	Peak	V	34.10	9.72	61.72	98.48	36.76
5 705.05	17.71	Peak	V	34.11	9.73	61.55	106.64	45.09
5 720.89	16.69	Peak	V	34.14	9.78	60.61	112.86	52.25
5 850.99	16.25	Peak	V	34.40	9.93	60.58	119.97	59.39
5 867.60	16.34	Peak	V	34.44	9.87	60.65	107.30	46.65
5 895.16	17.57	Peak	V	34.49	9.87	61.93	90.31	28.38
5 937.86	17.84	Peak	V	34.58	9.94	62.36	68.23	5.87

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

Ant. 1 + Ant. 3

11ax_HE20_26T (Band 1)

A. Low Channel (5 180 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	14.43	Peak	H	32.00	8.52	54.95	74.00	19.05
*4 500.00	7.22	Average	H	32.00	8.52	47.74	54.00	6.26
*4 618.80	18.16	Peak	H	32.04	8.56	58.76	74.00	15.24
*4 694.80	7.89	Average	H	32.28	8.69	48.86	54.00	5.14
*5 150.00	17.18	Peak	H	33.60	9.16	59.94	74.00	14.06
*5 150.00	7.01	Average	H	33.60	9.16	49.77	54.00	4.23

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 220 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 240 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_26T (Band 2A)

A. Low Channel (5 260 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 300 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 320 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	17.57	Peak	H	34.00	9.38	60.95	74.00	13.05
*5 350.00	7.04	Average	H	34.00	9.38	50.42	54.00	3.58
*5 430.88	18.15	Peak	H	34.04	9.40	61.59	74.00	12.41
*5 403.85	7.71	Average	H	34.09	9.39	51.19	54.00	2.81
*5 460.00	17.17	Peak	H	34.00	9.50	60.67	74.00	13.33
*5 460.00	7.23	Average	H	34.00	9.50	50.73	54.00	3.27

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_26T (Band 2C)

A. Low Channel (5 500 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*5 350.00	16.32	Peak	H	34.00	9.38	59.70	74.00	14.30
*5 350.00	6.33	Average	H	34.00	9.38	49.71	54.00	4.29
*5 421.80	17.78	Peak	H	34.06	9.38	61.22	74.00	12.78
*5 375.63	7.84	Average	H	34.05	9.40	51.29	54.00	2.71
*5 460.00	15.82	Peak	H	34.00	9.50	59.32	74.00	14.68
*5 460.00	6.35	Average	H	34.00	9.50	49.85	54.00	4.15

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 580 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 700 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 725.00	16.09	Peak	H	34.05	9.79	59.93	68.23	8.30
5 761.75	17.36	Peak	H	34.05	9.76	61.17	68.23	7.06

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_26T (Band 3)

A. Low Channel (5 745 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 608.61	17.65	Peak	H	34.10	9.64	61.39	68.23	6.84
5 678.52	17.58	Peak	H	34.10	9.72	61.40	89.33	27.93
5 717.06	17.37	Peak	H	34.13	9.77	61.27	110.00	48.73
5 722.39	15.71	Peak	H	34.14	9.78	59.63	116.28	56.65

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 785 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 825 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 852.49	17.53	Peak	H	34.40	9.92	61.85	116.55	54.70
5 868.92	26.35	Peak	H	34.44	9.87	70.66	106.93	36.27
5 911.26	18.09	Peak	H	34.52	9.89	62.50	78.40	15.90
5 962.32	17.80	Peak	H	34.62	9.96	62.38	68.37	5.99

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

11ax_HE20_SU (Band 1)

A. Low Channel (5 180 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
*4 500.00	15.75	Peak	H	32.00	8.52	56.27	74.00	17.73
*4 500.00	7.15	Average	H	32.00	8.52	47.67	54.00	6.33
*4 585.20	17.94	Peak	H	32.00	8.61	58.55	74.00	15.45
*4 614.00	7.57	Average	H	32.03	8.57	48.17	54.00	5.83
*5 150.00	14.73	Peak	H	33.60	9.16	57.49	74.00	16.51
*5 150.00	6.98	Average	H	33.60	9.16	49.74	54.00	4.26

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

B. Middle Channel (5 220 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-

C. High Channel (5 240 MHz)

Radiated Emissions			Ant.	Correction Factors		Total	Limit	
Frequency (MHz)	Reading (dB μ V)	Detect Mode	Pol.	AF (dB/m)	AMP+CL (dB)	Actual (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
Above 1 000.00	Not detected	-	-	-	-	-	-	-