

LTR	DESCRIPTION	BY	DATE	APPROVED
1	Release per CR 27337	MG	08/25/03	GJ 09/05/2003
A	Release per CR 27758	BB	11/11/03	GJ 11/14/2003

DATASCOPE 14 Philips Parkway, Montvale, NJ 07645		Label, Information, Telepack 608		
FILENAME	2661_A			
DATASCOPE CORP. (UNPUBLISHED) ALL RIGHTS RESERVED This material is the proprietary information of Datascope Corp. And any use, reproduction, or distribution of the material contained herein, unless specifically authorized by Datascope Corp., is expressly forbidden and would violate the rights and interests of Datascope Corp. Datascope Engineering Form E109.9		Div.	0334-00-2661-XX	Revision
		P/M		A
				Datascope PROPRIETARY

1.0 DESCRIPTION

The following specification describes an information label for Telepack 608.

2.0 MECHANICAL SPECIFICATIONS

2.1 MATERIAL:

Clear 10 mil stock, Lexan, velvet first surface finish, with screen silver for opacity on the back side, permanent self-adhesive backing with release paper.

2.2 TEMPERATURE RATING:

-25 °C to +60 °C.

2.3 COLORS:

2.3.1 Background : Datascope #10 (light grey)

2.3.2 Graphics : Munsell 5PB/4-1 (opaque dark grey)

2.4 CONSTRUCTION NOTES:

2.4.1 Graphics to be sub-surface, permanent and scuff proof.

2.4.2 Artwork prepared electronically from EPS files must have a resolution of 2400 DPI, or better, or a line screen of 120 to 150 LPI, if applicable.

2.4.3 The materials used as well as the manufacturer of this label must be listed per UL Recognized Component category: "*Marking and Labeling System (PGDQ2)*" (based on EN60601-1, section 6.1, determination of durability, and EN 50950, section 1.7.15, Durability).

2.5 PACKAGING: Device to be shipped in manufacturer's standard packaging, stamped or labeled with the following information:

2.5.1 Manufacturer's name or logo.

2.5.2 Datascope Part Number and Revision.

2.5.3 Expiration date. Shelf life to be one (1) year minimum upon receipt by Datascope.

2.0 MECHANICAL SPECIFICATIONS (CONTINUED)

2.6 DIMENSIONS:

NOTE: All dimensions are in inches, tolerances are $\pm .010$, unless otherwise specified.




Figure 1: Overall dimensions, not to scale

2.0 MECHANICAL SPECIFICATIONS (CONTINUED)

2.7 ARTWORK:

NOTE: Original artwork shall be located at J:\VAULT_PM\0334-00\2661




Figure 2: Artwork, for reference only