



Test Report No.: W7L-211129W003RF17



# VARIANT FCC TEST REPORT (PART 27)

Applicant:	Honeywell International Inc Honeywell Safety and Productivity Solutions
Address:	9680 Old Bailes Road, Fort Mill, SC 29707 United States

Manufacturer or Supplier:	Honeywell International Inc Honeywell Safety and Productivity Solutions
Address:	9680 Old Bailes Road, Fort Mill, SC 29707 United States
Product:	Mobile Computer
Brand Name:	Honeywell
Model Name:	CT45-L1N-G
FCC ID:	HD5-CT45L1NG
Date of tests:	Oct. 25, 2021 ~ Jan. 17, 2022

The tests have been carried out according to the requirements of the following standard:

- FCC Part 27, Subpart C, M     ANSI/TIA/EIA-603-D
- FCC Part 2                     ANSI/TIA/EIA-603-E     ANSI C63.26-2015

CONCLUSION: The submitted sample was found to COMPLY with the test requirement

Prepared by Simon Wang Engineer / Mobile Department	Approved by Luke Lu Manager / Mobile Department
Date: Jan. 18, 2022	Date: Jan. 18, 2022

This report is governed by, and incorporates by reference, CPS Conditions of Service as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



Test Report No.: W7L-211129W003RF17

## TABLE OF CONTENTS

<b>RELEASE CONTROL RECORD .....</b>	<b>3</b>
<b>1 SUMMARY OF TEST RESULTS .....</b>	<b>4</b>
1.1 MEASUREMENT UNCERTAINTY .....	5
1.2 TEST SITE AND INSTRUMENTS .....	6
<b>2 GENERAL INFORMATION .....</b>	<b>7</b>
2.1 GENERAL DESCRIPTION OF EUT.....	7
2.2 CONFIGURATION OF SYSTEM UNDER TEST .....	14
2.3 DESCRIPTION OF SUPPORT UNITS .....	15
2.4 GENERAL DESCRIPTION OF APPLIED STANDARDS .....	15
<b>3 TEST TYPES AND RESULTS .....</b>	<b>16</b>
3.1 OUTPUT POWER MEASUREMENT .....	16
3.1.1 LIMITS OF OUTPUT POWER MEASUREMENT.....	16
3.1.2 TEST PROCEDURES .....	16
3.1.3 TEST SETUP.....	17
3.1.4 TEST RESULTS .....	18
<b>4 INFORMATION ON THE TESTING LABORATORIES .....</b>	<b>24</b>
<b>5 APPENDIX A – MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB .....</b>	<b>25</b>



Test Report No.: W7L-211129W003RF17

## RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
W7L-P21080006RF17	Original release	Sep. 01, 2021
W7L-P21040030RF17	Based on the original report W7L-P21080006RF17 Changed LCM to screen HD(1280*720), removing a 2nd BLE and Supercap, Increase the RTC battery, Detail refer to Product Equality Declaration	Sep. 26, 2021
W7L-P21110009RF17	Based on the original report W7L-P21040030RF17 Changing components, add a new screen, added band CA_41C by Software.	Nov. 09, 2021
W7L-211129W003RF17	Based on the original report W7L-P21110009RF17 Changing components.	Jan. 18, 2022

## 1 SUMMARY OF TEST RESULTS

The EUT has been tested according to the following specifications:

APPLIED STANDARD: FCC PART 27 & PART 2		
STANDARD SECTION	TEST TYPE AND LIMIT	RESULT
2.1046 27.50(h)(2)	Equivalent Isotropically Radiated Power	Compliance (See Note 1)
2.1055 27.54	Frequency Stability	(See Note 2)
2.1049 27.53(m)(6)	Occupied Bandwidth	(See Note 2)
2.1051 27.53(m)(4)(6)	Band Edge Measurements	(See Note 2)
2.1051 27.53(m)(4)(6)	Conducted Spurious Emissions	(See Note 2)
2.1053 27.53(m)(4)(6)	Radiated Spurious Emissions	Compliance (See Note 1)

### NOTE:

1. Per the change notice provide by manufactory, the difference is changing components, all the change no effect any RF parameter and pre-scan all band radiated spurious emissions, worst case is reflected in the corresponding frequency band of other reports. This report only verify the power and only show the verify test data.

2. Please refer to the original report W7L-P21110009RF17.



### 1.1 MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2:

MEASUREMENT	UNCERTAINTY
Radiated emissions & Radiated Power (30MHz~1GMHz)	±4.98dB
Radiated emissions & Radiated Power (1GMHz ~6GMHz)	±4.70dB
Radiated emissions (6GMHz ~18GMHz)	±4.60dB
Radiated emissions (18GMHz ~40GMHz)	±4.12dB
Conducted Output power	±2.06dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

## 1.2 TEST SITE AND INSTRUMENTS

Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Next Cal.
MXE EMI Receiver	KEYSIGHT	N9038A-544	MY54450026	Apr. 22,21	Apr. 21,22
EXA Signal Analyzer	KEYSIGHT	N9010A-544	MY54510355	Jun. 03,21	Jun. 02,22
Bilog Antenna	ETS-LINDGREN	3143B	00161965	Mar. 05,21	Mar. 04,22
Horn Antenna	ETS-LINDGREN	3117	00168728	Apr. 02,21	Apr. 01,22
Horn Antenna (18GHz-40GHz)	N/A	QWH-SL-18-40-K-SG/QMS-00361	15433	Aug. 25, 21	Aug. 24, 22
Radio Communication Analyzer	ANRITSU	MT8820C	6201465426	Feb. 25,21	Feb. 24,22
Signal Pre-Amplifier	EMSI	EMC 9135	980249	Jun. 02,21	Jun. 01,22
Signal Pre-Amplifier	EMSI	EMC 012645B	980257	Jun. 03,21	Jun. 02,22
Signal Pre-Amplifier	EMSI	EMC 184045B	980259	Apr. 22,21	Apr. 21,22
3m Semi-anechoic Chamber	ETS-LINDGREN	9m*6m*6m	Euroshieldpn-CT0001143-1216	May. 19,20	May. 18,23
Test Software	E3	V 9.160323	N/A	N/A	N/A
Test Software	ADT	ADT_Radiated_V 7.6.15.9.2	N/A	N/A	N/A
10dB Attenuator	JFW/USA	50HF-010-SMA	1505	Jun. 03,21	Jun. 02,22
Power Meter	Anritsu	ML2495A	1506002	Apr. 07,21	Apr. 06,22
Power Sensor	Anritsu	MA2411B	1339352	May. 07,21	May. 06,22
Temperature Chamber	ESPEC	SH-242	93000855	Jun. 02,21	Jun. 01,22
MXG Analog Microwave Signal Generator	KEYSIGHT	N5183A	MY50143024	Mar. 05,21	Mar. 04,22
Power Divider	MCLI/USA	PS2-15	24880	N/A	N/A

- NOTE:**
1. The calibration interval of the above test instruments is 12 months or 36 months and the calibrations are traceable to CEPREI/CHINA, GRGT/CHINA and NIM/CHINA.
  2. The test was performed in 3m Semi-anechoic Chamber and RF Oven Room.
  3. The horn antenna is used only for the measurement of emission frequency above 1GHz if tested.
  4. The FCC Site Registration No. is 525120; The Designation No. is CN1171.

## 2 GENERAL INFORMATION

### 2.1 GENERAL DESCRIPTION OF EUT

<b>PRODUCT</b>	Mobile Computer	
<b>BRAND NAME</b>	Honeywell	
<b>MODEL NAME</b>	CT45-L1N-G	
<b>NOMINAL VOLTAGE</b>	3.85Vdc (Lithium-ion cell, battery)	
<b>MODULATION TECHNOLOGY</b>	<b>WCDMA IV</b>	HSDPA, HSUPA, DC-HSDPA
	<b>LTE</b>	QPSK, 16QAM, 64QAM
<b>FREQUENCY RANGE</b>	<b>WCDMA IV</b>	1712.4MHz ~ 1752.6MHz
	<b>LTE Band 7 Channel Bandwidth: 5MHz</b>	2502.5MHz ~ 2567.5MHz
	<b>LTE Band 7 Channel Bandwidth: 10MHz</b>	2505MHz ~ 2565MHz
	<b>LTE Band 7 Channel Bandwidth: 15MHz</b>	2507.5MHz ~ 2562.5MHz
	<b>LTE Band 7 Channel Bandwidth: 20MHz</b>	2510MHz ~ 2560MHz
	<b>LTE Band CA_7C Channel Bandwidth: 10MHz+20MHz</b>	2505.5MHz ~ 2560MHz
	<b>LTE Band CA_7C Channel Bandwidth: 15MHz+10MHz</b>	2507.5MHz ~ 2564.7MHz
	<b>LTE Band CA_7C Channel Bandwidth: 15MHz+15MHz</b>	2507.5MHz ~ 2562.5MHz
	<b>LTE Band CA_7C Channel Bandwidth: 15MHz+20MHz</b>	2507.8MHz ~ 2560MHz
	<b>LTE Band CA_7C Channel Bandwidth: 20MHz+10MHz</b>	2510MHz ~ 2564.5MHz
	<b>LTE Band CA_7C Channel Bandwidth: 20MHz+15MHz</b>	2510MHz ~ 2562.5MHz
	<b>LTE Band CA_7C Channel Bandwidth: 20MHz+20MHz</b>	2510MHz ~ 2560MHz
	<b>LTE Band 38 Channel Bandwidth: 5MHz</b>	2572.5MHz ~ 2617.5MHz
	<b>LTE Band 38 Channel Bandwidth: 10MHz</b>	2575MHz ~ 2615MHz



**BUREAU  
VERITAS**

Test Report No.: W7L-211129W003RF17

<b>FREQUENCY RANGE</b>	LTE Band 38 Channel Bandwidth: 15MHz	2577.5MHz ~ 2612.5MHz
	LTE Band 38 Channel Bandwidth: 20MHz	2580MHz ~ 2610MHz
	LTE Band 41 Channel Bandwidth: 5MHz	2498.5MHz ~ 2687.5MHz
	LTE Band 41 Channel Bandwidth: 10MHz	2501MHz ~ 2685MHz
	LTE Band 41 Channel Bandwidth: 15MHz	2503.5MHz ~ 2682.5MHz
	LTE Band 41 Channel Bandwidth: 20MHz	2506MHz ~ 2680MHz
	LTE Band CA_41C Channel Bandwidth: 5MHz+20MHz	2499.3MHz ~ 2668.3MHz
	LTE Band CA_41C Channel Bandwidth: 10MHz+15MHz	2501.3MHz ~ 2670.5MHz
	LTE Band CA_41C Channel Bandwidth: 10MHz+20MHz	2501.5MHz ~ 2665.6MHz
	LTE Band CA_41C Channel Bandwidth: 15MHz+10MHz	2503.5MHz ~ 2672.7MHz
	LTE Band CA_41C Channel Bandwidth: 15MHz+15MHz	2503.5MHz ~ 2667.5MHz
	LTE Band CA_41C Channel Bandwidth: 15MHz+20MHz	2503.8MHz ~ 2662.9MHz
	LTE Band CA_41C Channel Bandwidth: 20MHz+5MHz	2506.0MHz ~ 2675.0MHz
	LTE Band CA_41C Channel Bandwidth: 20MHz+10MHz	2506.0MHz ~ 2670.1MHz
	LTE Band CA_41C Channel Bandwidth: 20MHz+15MHz	2506.0MHz ~ 2665.1MHz
	LTE Band CA_41C Channel Bandwidth: 20MHz+20MHz	2506.0MHz ~ 2660.2MHz
<b>EMISSION DESIGNATOR</b>	WCDMA IV	4M16F9W
	LTE Band 7 Channel Bandwidth: 5MHz	QPSK: 4M49G7D
		16QAM: 4M48W7D
		64QAM: 4M49W7D
	LTE Band 7 Channel Bandwidth: 10MHz	QPSK:9M01G7D
		16QAM: 8M97W7D
64QAM: 8M99W7D		



<b>EMISSION DESIGNATOR</b>	<b>LTE Band 7 Channel Bandwidth: 15MHz</b>	QPSK: 13M6G7D
		16QAM: 13M5W7D
		64QAM: 13M5W7D
	<b>LTE Band 7 Channel Bandwidth: 20MHz</b>	QPSK: 18M0G7D
		16QAM: 18M0W7D
		64QAM: 18M0W7D
	<b>LTE Band CA_7C Channel Bandwidth: 10MHz+20MHz</b>	QPSK: 28M2G7D
		16QAM: 28M1W7D
		64QAM: 28M0W7D
	<b>LTE Band CA_7C Channel Bandwidth: 15MHz +10MHz</b>	QPSK: 23M6G7D
		16QAM: 23M6W7D
		64QAM: 23M6W7D
	<b>LTE Band CA_7C Channel Bandwidth: 15MHz +15MHz</b>	QPSK: 28M7G7D
		16QAM: 28M7W7D
		64QAM: 28M7W7D
	<b>LTE Band CA_7C Channel Bandwidth: 15MHz +20MHz</b>	QPSK: 32M9G7D
		16QAM: 32M9W7D
		64QAM: 32M8W7D
	<b>LTE Band CA_7C Channel Bandwidth: 20MHz +10MHz</b>	QPSK: 28M1G7D
		16QAM: 28M0W7D
		64QAM: 28M0W7D
	<b>LTE Band CA_7C Channel Bandwidth: 20MHz +15MHz</b>	QPSK: 32M8G7D
		16QAM: 32M8W7D
		64QAM: 32M8W7D
	<b>LTE Band CA_7C Channel Bandwidth: 20MHz +20MHz</b>	QPSK: 37M6G7D
		16QAM: 37M6W7D
		64QAM: 37M6W7D
<b>LTE Band 38 Channel Bandwidth: 5MHz</b>	QPSK: 4M48G7D	
	16QAM: 4M47W7D	
	64QAM: 4M47W7D	
<b>LTE Band 38 Channel Bandwidth: 10MHz</b>	QPSK: 8M97G7D	
	16QAM: 8M96W7D	
	64QAM: 8M96W7D	
<b>LTE Band 38 Channel Bandwidth: 15MHz</b>	QPSK: 13M4G7D	
	16QAM: 13M5W7D	
	64QAM: 13M5W7D	
<b>LTE Band 38 Channel Bandwidth: 20MHz</b>	QPSK: 17M9G7D	
	64QAM: 17M9W7D	
	16QAM: 17M9W7D	
<b>LTE Band 41 Channel Bandwidth: 5MHz</b>	QPSK: 4M48G7D	
	16QAM: 4M48W7D	
	64QAM: 4M47W7D	

<b>EMISSION DESIGNATOR</b>	LTE Band 41 Channel Bandwidth: 10MHz	QPSK: 8M97G7D
		16QAM: 8M96W7D
		64QAM: 8M96W7D
	LTE Band 41 Channel Bandwidth: 15MHz	QPSK: 13M5G7D
		16QAM: 13M5W7D
		64QAM: 13M4W7D
	LTE Band 41 Channel Bandwidth: 20MHz	QPSK: 17M9G7D
		16QAM: 17M9W7D
		64QAM: 17M9W7D
	LTE Band CA_41C Channel Bandwidth: 5MHz+20MHz	QPSK: 23M4G7D
		16QAM: 23M3W7D
		64QAM: 23M3W7D
	LTE Band CA_41C Channel Bandwidth: 10MHz+15MHz	QPSK: 23M5G7D
		16QAM: 23M7W7D
		64QAM: 23M6W7D
	LTE Band CA_41C Channel Bandwidth: 10MHz+20MHz	QPSK: 28M2G7D
		16QAM: 28M1W7D
		64QAM: 28M2W7D
	LTE Band CA_41C Channel Bandwidth: 15MHz +10MHz	QPSK: 23M7G7D
		16QAM: 23M7W7D
		64QAM: 23M7W7D
	LTE Band CA_41C Channel Bandwidth: 15MHz +15MHz	QPSK: 28M8G7D
		16QAM: 28M7W7D
		64QAM: 28M7W7D
LTE Band CA_41C Channel Bandwidth: 15MHz +20MHz	QPSK: 32M8G7D	
	16QAM: 32M8W7D	
	64QAM: 32M7W7D	
LTE Band CA_41C Channel Bandwidth: 20MHz +5MHz	QPSK: 23M4G7D	
	16QAM: 23M3W7D	
	64QAM: 23M4W7D	
LTE Band CA_41C Channel Bandwidth: 20MHz +10MHz	QPSK: 28M1G7D	
	16QAM: 28M3W7D	
	64QAM: 28M2W7D	
LTE Band CA_41C Channel Bandwidth: 20MHz +15MHz	QPSK: 32M9G7D	
	16QAM: 32M9W7D	
	64QAM: 32M8W7D	
LTE Band CA_41C Channel Bandwidth: 20MHz +20MHz	QPSK: 37M7G7D	
	16QAM: 37M6W7D	
	64QAM: 37M6W7D	



**BUREAU  
VERITAS**

Test Report No.: W7L-211129W003RF17

<b>MAX. EIRP POWER</b>	<b>WCDMA IV</b>	151.01mW
	<b>LTE Band 7 Channel Bandwidth: 5MHz</b>	230.67mW
	<b>LTE Band 7 Channel Bandwidth: 10MHz</b>	232.27mW
	<b>LTE Band 7 Channel Bandwidth: 15MHz</b>	233.88mW
	<b>LTE Band 7 Channel Bandwidth: 20MHz</b>	234.42mW
	<b>LTE Band CA_7C Channel Bandwidth: 10MHz+20MHz</b>	230.14mW
	<b>LTE Band CA_7C Channel Bandwidth: 15MHz+10MHz</b>	225.4mW
	<b>LTE Band CA_7C Channel Bandwidth: 15MHz+15MHz</b>	221.82mW
	<b>LTE Band CA_7C Channel Bandwidth: 15MHz+20MHz</b>	221.31mW
	<b>LTE Band CA_7C Channel Bandwidth: 20MHz+10MHz</b>	221.82mW
	<b>LTE Band CA_7C Channel Bandwidth: 20MHz+15MHz</b>	224.91mW
	<b>LTE Band CA_7C Channel Bandwidth: 20MHz+20MHz</b>	232.27mW
	<b>LTE Band 38 Channel Bandwidth: 5MHz</b>	219.28mW
	<b>LTE Band 38 Channel Bandwidth: 10MHz</b>	220.29mW
	<b>LTE Band 38 Channel Bandwidth: 15MHz</b>	221.82mW
	<b>LTE Band 38 Channel Bandwidth: 20MHz</b>	222.33mW
	<b>LTE Band 41 Channel Bandwidth: 5MHz</b>	276.69mW
	<b>LTE Band 41 Channel Bandwidth: 10MHz</b>	276.69mW
	<b>LTE Band 41 Channel Bandwidth: 15MHz</b>	274.79mW
	<b>LTE Band 41 Channel Bandwidth: 20MHz</b>	279.90mW



BUREAU  
VERITAS

Test Report No.: W7L-211129W003RF17

MAX. EIRP POWER	LTE Band CA_41C Channel Bandwidth: 5MHz+20MHz	276.69mW
	LTE Band CA_41C Channel Bandwidth: 10MHz+15MHz	276.06mW
	LTE Band CA_41C Channel Bandwidth: 10MHz+20MHz	279.25mW
	LTE Band CA_41C Channel Bandwidth: 15MHz+10MHz	276.69mW
	LTE Band CA_41C Channel Bandwidth: 15MHz+15MHz	277.97mW
	LTE Band CA_41C Channel Bandwidth: 15MHz+20MHz	277.97mW
	LTE Band CA_41C Channel Bandwidth: 20MHz+5MHz	277.33mW
	LTE Band CA_41C Channel Bandwidth: 20MHz+10MHz	279.90mW
	LTE Band CA_41C Channel Bandwidth: 20MHz+15MHz	279.25mW
	LTE Band CA_41C Channel Bandwidth: 20MHz+20MHz	273.53mW
	ANTENNA TYPE	PIFA Antenna with 2.55 dBi gain for WCDMA IV PIFA Antenna with 2.02 dBi gain for LTE7/ LTE7C PIFA Antenna with 1.73 dBi gain for LTE38 PIFA Antenna with 2.02 dBi gain for LTE41 PIFA Antenna with 2.02 dBi gain for LTE41C
HW VERSION	V1.0	
SW VERSION	OS.11.002-HON.11.002	
I/O PORTS	Refer to user's manual	
CABLE SUPPLIED	USB CUP: unshielded without ferrite, 1.25 meter Earphone cable: unshielded without ferrite, 1.27 meter	
EXTREME TEMPERATURE	-10-55 °C	
EXTREME VOLTAGE	3.4V- 4.4V	

**NOTE:**

1. For a more detailed features description, please refer to the manufacturer's specifications or the user's manual.



**Test Report No.: W7L-211129W003RF17**

2. This product includes the following six SKU which hardware is exactly same, the difference is described as following, Sample 1 was full test, sample 2 verify the worst case, check worst case Radiated emission:

SAMPLE	EUT CONFIGURATION INFORMATION
1	SKU ID:CT45-L1N-27D120G ,Assembled Scanner Imager: 7-S0703
2	SKU ID:CT45-L1N-28D120G ,Assembled Scanner Imager: 8 - N6803/S0803
3	SKU ID: CT45-L1N-28D120T, Assembled with Scanner: 8 - N6803/S0803 for Turkey Only
4	SKU ID: CT45-L1N-27D120T, Assembled with Scanner: 7-S0703 for Turkey Only
5	SKU ID:CT45-L1N-28D220C, Assembled with Scanner: 8 - N6803/S0803 for China Only with Android non-GMS
6	SKU ID:CT45-L1N-27D220C, Assembled with Scanner: 7-S0703 for China Only with Android non-GMS


3. For the test results, the EUT had been tested with all conditions. But only the worst case was shown in test report.

**List of Accessory:**

ACCESSORIES	BRAND	MODEL	SPECIFICATION
Battery	Honeywell	CT50-BTSC	Capacity : 3.85vdc 4020mAh
AC Adapter	HONOR	ADS-12B-06 05010E	I/P:100-240Vac, 0.3A O/P: 5Vdc, 2A
USB CUP	Honeywell	CT40-SN	Shielded, 1.25meter
Earphone	VIVO	N/A	Shielded, 1.27meter
LCD Panel 1	TZD	TS5099	5.0" HD(1280*720)
LCD Panel 2	TIANMA	TM050JVZG53	5.0" HD(1280*720)

## 2.2 CONFIGURATION OF SYSTEM UNDER TEST

### FOR RADIATION EMISSION TEST





Test Report No.: W7L-211129W003RF17

## 2.3 DESCRIPTION OF SUPPORT UNITS

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

NO.	PRODUCT	BRAND	MODEL NO.	SERIAL NO.	FCC ID
1	DC source	LONG WEI	PS-6403D	010934269	N/A

NO.	SIGNAL CABLE DESCRIPTION OF THE ABOVE SUPPORT UNITS
1	DC Line: Unshielded, Detachable 1.8m

## 2.4 GENERAL DESCRIPTION OF APPLIED STANDARDS

The EUT is a RF product. According to the specifications of the manufacturer, it must comply with the requirements of the following standards:

**FCC 47 CFR Part 2**

**FCC 47 CFR Part 27**

**KDB 971168 D01 Power Meas License Digital Systems v03r01**

**ANSI/TIA/EIA-603-D**

**ANSI/TIA/EIA-603-E**

**ANSI C63.26-2015**

**NOTE:** All test items have been performed and recorded as per the above standards.



### 3 TEST TYPES AND RESULTS

#### 3.1 OUTPUT POWER MEASUREMENT

##### 3.1.1 LIMITS OF OUTPUT POWER MEASUREMENT

The radiated peak output power shall be according to the specific rule Part 27.50(h)(2) that “User stations are limited to 2 watts” and 27.50(i) specific that “Peak transmit power must be measure over any interval of continuous transmission using instrumentation calibration in terms of rms-equivalent voltage.”

Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP

##### 3.1.2 TEST PROCEDURES

###### **EIRP MEASUREMENT:**

Per KDB 971168 D01 Power Meas License Digital Systems v03r01 or subclause 5.2.5.5 of ANSI C63.26-2015, the relevant equation for determining the ERP or EIRP from the conducted RF output power measured using the guidance provided above is:

$$\text{ERP or EIRP} = P_{\text{Meas}} + G_{\text{T}} - L_{\text{c}}$$

Where:

ERP or EIRP = effective radiated power or equivalent isotropically radiated power, respectively

(expressed in the same units as  $P_{\text{Meas}}$ , typically dBW or dBm);

$P_{\text{Meas}}$  = measured transmitter output power or PSD, in dBm or dBW;

$G_{\text{T}}$  = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

$L_{\text{c}}$  = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

###### **CONDUCTED POWER MEASUREMENT:**

- a. The EUT was set up for the maximum power with LTE link data modulation and link up with simulator.
- b. Set the EUT to transmit under low, middle and high channel and record the power level shown on simulator.






Test Report No.: W7L-211129W003RF17

### 3.1.3 TEST SETUP

#### CONDUCTED POWER MEASUREMENT:



For the actual test configuration, please refer to the attached file (Test Setup Photo).



Test Report No.: W7L-211129W003RF17

### 3.1.4 TEST RESULTS

Retested Data(For reference only,it's lower than the original report)

#### AVERAGE CONDUCTED OUTPUT POWER (dBm)

Band	WCDMA IV		
Channel	1312	1413	1513
Frequency (MHz)	1712.4	1732.6	1752.6
RMC 12.2K	21.26	21.34	21.13
HSDPA Subtest-1	20.30	20.37	20.17
HSDPA Subtest-2	20.31	20.36	20.09
HSDPA Subtest-3	19.78	19.85	19.66
HSDPA Subtest-4	19.73	19.82	19.62
DC-HSDPA Subtest-1	20.31	20.39	20.10
DC-HSDPA Subtest-2	20.27	20.32	20.11
DC-HSDPA Subtest-3	19.77	19.87	19.62
DC-HSDPA Subtest-4	19.78	19.78	19.61
HSUPA Subtest-1	20.28	20.38	20.13
HSUPA Subtest-2	18.30	18.33	18.13
HSUPA Subtest-3	19.33	19.35	19.08
HSUPA Subtest-4	18.31	18.40	18.15
HSUPA Subtest-5	20.31	20.39	20.10

LTE Band 7

Band/BW	Modulation	RB Size	RB Offset	Low CH 20850	Mid CH 21100	High CH 21350	MPR
				Frequency 2510 MHz	Frequency 2535 MHz	Frequency 2560 MHz	
7/20	QPSK	1	0	21.61	<b>21.66</b>	21.34	0
		1	50	21.44	21.55	21.32	0
		1	99	21.55	21.60	21.43	0
		50	0	20.40	20.63	20.49	1
		50	25	20.56	20.61	20.38	1
		50	50	20.31	20.42	20.43	1
		100	0	20.54	20.55	20.42	1
	16QAM	1	0	20.79	20.93	20.64	1
		1	50	20.75	20.80	20.75	1
		1	99	20.77	20.97	20.80	1
		50	0	19.55	19.45	19.52	2
		50	25	19.36	19.56	19.39	2
		50	50	19.41	19.40	19.38	2
		100	0	19.56	19.52	19.29	2
	64QAM	1	0	19.66	19.83	19.66	2
		1	50	19.61	19.54	19.46	2
		1	99	19.57	19.59	19.63	2
		50	0	18.55	18.60	18.28	3
		50	25	18.33	18.38	18.30	3
		50	50	18.47	18.58	18.35	3
		100	0	18.49	18.39	18.46	3



**BUREAU  
VERITAS**

Test Report No.: W7L-211129W003RF17

LTE Band CA\_7C

CA_7C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20850	21048	QPSK	1	0	1	99	1	11.61
			1	0	0	0	1	19.28
			1	99	1	0	2	21.28
		16QAM	1	0	1	99	1	11.34
			1	0	0	0	1	18.73
			1	99	1	0	2	20.61
		64QAM	1	0	1	99	1	11.02
			1	0	0	0	1	18.47
			1	99	1	0	2	19.63
21001	21199	QPSK	1	0	1	99	1	11.63
			1	0	0	0	1	19.17
			1	99	1	0	2	20.83
		16QAM	1	0	1	99	1	11.21
			1	0	0	0	1	18.52
			1	99	1	0	2	20.39
		64QAM	1	0	1	99	1	10.83
			1	0	0	0	1	18.17
			1	99	1	0	2	19.33
21152	21350	QPSK	1	0	1	99	1	11.68
			1	0	0	0	1	19.21
			1	99	1	0	2	21.44
		16QAM	1	0	1	99	1	11.44
			1	0	0	0	1	18.52
			1	99	1	0	2	20.72
		64QAM	1	0	1	99	1	10.98
			1	0	0	0	1	18.03
			1	99	1	0	2	19.66



**BUREAU  
VERITAS**

**Test Report No.: W7L-211129W003RF17**

LTE Band 38

Band/BW	Modulation	RB Size	RB Offset	Low CH 37850	Mid CH 38000	High CH 38150	MPR
				Frequency 2580 MHz	Frequency 2595 MHz	Frequency 2610 MHz	
38/ 20	QPSK	1	0	21.59	21.60	21.49	0
		1	50	21.61	21.60	21.59	0
		1	99	21.60	<b>21.69</b>	21.60	0
		50	0	20.51	20.53	20.63	1
		50	25	20.72	20.76	20.66	1
		50	50	20.61	20.67	20.75	1
		100	0	20.71	20.74	20.64	1
	16QAM	1	0	20.68	20.74	20.64	1
		1	50	20.87	20.85	20.93	1
		1	99	20.68	20.74	20.72	1
		50	0	19.57	19.46	19.64	2
		50	25	19.69	19.74	19.77	2
		50	50	19.75	19.76	19.81	2
		100	0	19.74	19.63	19.62	2
	64QAM	1	0	19.34	19.47	19.42	2
		1	50	19.45	19.35	19.41	2
		1	99	19.44	19.38	19.50	2
		50	0	18.55	18.54	18.46	3
		50	25	18.74	18.74	18.70	3
		50	50	18.79	18.81	18.75	3
		100	0	18.79	18.65	18.81	3



**BUREAU  
VERITAS**

**Test Report No.: W7L-211129W003RF17**

**LTE Band 41**

Band/BW	Modulation	RB Size	RB Offset	Low CH (39750)	Mid CH (40620)	High CH (41490)	MPR
				Frequency (2506)MHz	Frequency (2593)MHz	Frequency (2680)MHz	
41/ 20	QPSK	1	0	22.36	22.29	22.18	0
		1	50	22.05	22.13	22.00	0
		1	99	21.58	21.66	21.43	0
		50	0	21.19	21.48	21.24	1
		50	25	21.33	21.35	21.10	1
		50	50	21.01	21.33	21.08	1
		100	0	21.29	21.37	21.15	1
	16QAM	1	0	21.35	21.40	21.27	1
		1	50	21.35	21.55	21.22	1
		1	99	20.91	21.14	20.89	1
		50	0	20.33	20.50	20.24	2
		50	25	20.20	20.43	20.21	2
		50	50	20.20	20.37	20.16	2
		100	0	20.33	20.26	20.11	2
	64QAM	1	0	19.95	20.15	20.02	2
		1	50	20.05	20.10	19.84	2
		1	99	19.31	19.57	19.35	2
		50	0	19.39	19.32	19.23	3
		50	25	19.22	19.39	19.28	3
		50	50	19.18	19.26	19.07	3
		100	0	19.24	19.41	19.13	3



**BUREAU  
VERITAS**

Test Report No.: W7L-211129W003RF17

LTE BAND CA 41C

CA_41C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
39750	39948	QPSK	1	0	1	99	1	13.44
			1	0	0	0	1	22.11
			1	99	1	0	2	20.72
		16QAM	1	0	1	99	1	13.28
			1	0	0	0	1	21.36
			1	99	1	0	2	20.16
		64QAM	1	0	1	99	1	12.96
			1	0	0	0	1	20.64
			1	99	1	0	2	19.52
40521	40719	QPSK	1	0	1	99	1	12.97
			1	0	0	0	1	21.87
			1	99	1	0	2	21.71
		16QAM	1	0	1	99	1	12.85
			1	0	0	0	1	21.14
			1	99	1	0	2	20.39
		64QAM	1	0	1	99	1	12.72
			1	0	0	0	1	19.81
			1	99	1	0	2	19.51
41292	41490	QPSK	1	0	1	99	1	12.85
			1	0	0	0	1	21.47
			1	99	1	0	2	21.71
		16QAM	1	0	1	99	1	12.63
			1	0	0	0	1	21.35
			1	99	1	0	2	20.74
		64QAM	1	0	1	99	1	12.33
			1	0	0	0	1	19.61
			1	99	1	0	2	19.84



Test Report No.: W7L-211129W003RF17

## 4 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

**Shenzhen EMC/RF Lab:**

Tel: +86-755-88696566

Fax: +86-755-88696577

**Email:** [customerservice.sw@cn.bureauveritas.com](mailto:customerservice.sw@cn.bureauveritas.com)

**Web Site:** [www.adt.com.tw](http://www.adt.com.tw)

The address and road map of all our labs can be found in our web site also.





Test Report No.: W7L-211129W003RF17

## 5 APPENDIX A – MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.

---END---