

ELITE ELECTRONIC ENGINEERING CO

MKR 1.864 GHz
-56.80 dBm

REF 7.0 dBm

ATTEN 20 dB + 40dB EXT

hp

10 dB/


OFFSET

-10.0
dB

DL

-53.0
dBm

MANUFACTURER : TRL TECHNOLOGY
 MODEL : SYN8486A
 SERIAL No. : NONE ASSIGNED
 TEST PERFORMED : FCC-22 ANTENNA CONDUCTED EMISSIONS
 MODE : FM @ 836.5MHz
 NOTES : FULL OUTPUT (18dB GAIN)




START 1.00 GHz
 RES BW 1 MHz
 STOP 2.00 GHz
 SWP 25.0 msec
 UBW 3 MHz

ELITE ELECTRONIC ENGINEERING CO

MKR 17.55 GHz
-47.70 dBm

REF 7.0 dBm ATTN 20 dB + 20 dB @ 10T




hp 10 dB/
OFFSET -10.0 dB
DL -33.0 dBm

START 2.0 GHz STOP 20.0 GHz
RES BW 1 MHz SWP 450 msec
VBW 3 MHz

ELITE ELECTRONIC ENGINEERING CO

MKR 843.8 MHz
-1.40 dBm

REF 7.0 dBm ATTEN 20 dB + 20dB EXT



hp


10 dB/

OFFSET
-10.0
dB

DL
-33.0
dBm

START 30 MHz RES BW 100 kHz VBW 300 kHz STOP 1.000 GHz
SWP 291 msec

ELITE ELECTRONIC ENGINEERING CO



hp

10 dB/

OFFSET

-10.0

dB

DL

-33.0

dBm