

ELITE ELECTRONIC ENGINEERING CO

MKR 843.8 MHz
-6.50 dBm

REF 7.0 dBm ATTN 20 dB + 20 dB EXT


hp

10 dB/

OFFSET
-10.0
dB

DL
-33.0
dBm

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-22 ANTENNA CONDUCTED EMISSIONS
MODE : CDMA e 836.5MHz
NOTES : INPUT



ELITE ELECTRONIC ENGINEERING CO

MKR 1.678 GHz
-6.20 dBm

REF 7.0 dBm ATTN 20 dB + 20 dB EXT

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-22 ANTENNA CONDUCTED EMISSIONS
MODE : CDMA @ 835.5MHz
NOTES : INPUT


D. CROWDER
14 Mar 2008
12:45:55

hp

10 dB/

OFFSET
-10.0
dB

DL
-33.0
dBm



START 1.00 GHz
RES BW 1 MHz

STOP 2.00 GHz
SWP 25.0 msec

ELITE ELECTRONIC ENGINEERING CO

MKR 17.55 GHz
-47.50 dBm

REF 7.0 dBm ATTN 20 dB + 20 dB EXT

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED: FCC-22 ANTENNA CONDUCTED EMISSIONS
MODE : CDMA @ 836.5MHz
NOTES : INPUT


D. CROWDER
14 Mar 2000
12:45:28

hp

10 dB/

OFFSET
-10.0
dB

DL
-33.0
dBm



STOP 20.0 GHz
SWP 450 msec

UBW 3 MHz

START 2.0 GHz
RES BW 1 MHz

ELITE ELECTRONIC ENGINEERING CO

MKR 843.8 MHz
-15.00 dBm


hp

10 dB/

OFFSET
-10.0
dB

DL
-53.0
dBm

REF 7.0 dBm ATTEN 20 dB +40 dB EXT



START 30 MHz RES BW 100 kHz VBW 300 kHz STOP 1.000 GHz
SUP 291 msec