


ELITE ELECTRONIC ENGINEERING CO

MKR 1.869 970 0 GHz  
-24.90 dBm

REF 18.0 dBm  
ATTEN 30 dB +40dB EXT



D. CROIDER  
13 Mar 2008  
13:28:33

MANUFACTURER : TRL TECHNOLOGY  
MODEL : SYN8486A  
SERIAL No. : NONE ASSIGNED  
TEST PERFORMED : FCC-24 OCCUPIED BANDWIDTH  
MODE : FM @ 1869.97MHz  
NOTES : FULL OUTPUT (15dB GAIN)

hp 10 dB/

DL -12.0 dBm


CENTER 1.869 970 GHz  
RES BW 300 Hz  
SPAN 150 kHz  
SUP 4.50 sec  
UBW 1 kHz

ELITE ELECTRONIC ENGINEERING CO

MRK 1.870 030 0 GHz  
-24.90 dBm

REF 18.0 dBm  
ATTEN 30 dB + 40dB EXT.

hp



10 dB/  
DL -12.0 dBm

CENTER 1.870 030 GHz  
RES BW 300 Hz  
SPAN 150 kHz  
SWP 4.50 sec


UBW 1 kHz

ELITE ELECTRONIC ENGINEERING CO

MKR 1.889 970 2 GHz  
-24.90 dBm

REF 18.0 dBm

ATTEN 30 dB + 40 dB EXT



D. CROUDER  
13 Mar 2008  
13:34:03

MANUFACTURER : TRL TECHNOLOGY  
MODEL : SYN8486A  
SERIAL No. : NONE ASSIGNED  
TEST PERFORMED : FCC-24 OCCUPIED BANDWIDTH  
MODE : FM @ 1889.97MHz  
NOTES : FULL OUTPUT (15dB GAIN)

hp 10 dB/

DL -12.0 dBm

CENTER 1.889 970 GHz RES BW 300 Hz UBW 1 kHz SPAN 150 kHz SWP 4.50 sec

ELITE ELECTRONIC ENGINEERING CO

MKR 1.890 030 0 GHz  
-24.90 dBm

ATTEN 30 dB + 40dB EXT

REF 18.0 dBm


hp

10 dB/

MANUFACTURER : TRL TECHNOLOGY  
MODEL : SYN8486A  
SERIAL No. : NONE ASSIGNED  
TEST PERFORMED : FCC-24 OCCUPIED BANDWIDTH  
MODE : FM @ 1890.03MHz  
NOTES : FULL OUTPUT (15dB GAIN)

D. CROJDER  
13 Mar 2000  
13:36:05

DL -12.0 dBm



CENTER 1.890 030 GHz  
RES BW 300 Hz  
SPAN 150 kHz  
SWP 4.50 sec  
UBW 1 kHz