


ELITE ELECTRONIC ENGINEERING CO

MKR 1.868 020 GHz
-55.60 dBm

REF 22.8 dBm

ATTEN 40 dB + 20 dB EXT

10 dB/



SPAN 5.00 MHz
SWP 20.0 msec

UBW 100 kHz


CENTER 1.868 77 GHz
RES BW 30 kHz

ELITE ELECTRONIC ENGINEERING CO

MKR 1.870 480 GHz
-55.50 dBm

REF 22.8 dBm
ATTEN 40 dB + 20 dB EXT

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-24 OCCUPIED BANDWIDTH
MODE : CDMA @ 1871.23MHz
NOTES : INPUT



D. CROWDER
13 Mar 2000
11:07:28

CENTER 1.871 23 GHz
RES BW 30 kHz

SPAN 5.00 MHz
SWP 20.0 msec

UBW 100 kHz


hp

10 dB/

ELITE ELECTRONIC ENGINEERING CO

MKR 1.888 020 GHz
-53.70 dBm

REF 22.8 dBm ATTEN 40 dB + 20dB Ext




hp 10 dB/

CENTER 1.888 77 GHz SPAN 5.00 MHz
RES BW 30 kHz SWP 20.0 msec
VBW 100 kHz

ELITE ELECTRONIC ENGINEERING CO

MKR 1.890 480 GHz
-56.70 dBm

REF 22.8 dBm ATTN 40 dB + 20dB Ext



hp 10 dB/

SPAN 5.00 MHz
SWP 20.0 msec

UBW 100 kHz

CENTER 1.891 23 GHz
RES BW 30 kHz