

ELITE ELECTRONIC ENGINEERING CO


MKR 17.55 GHz  
-47.30 dBm

REF 7.0 dBm      ATTEN 20 dB + 20 dB EXT

hp  
10 dB/

OFFSET  
-10.0  
dB

DL  
-33.0  
dBm



D. CROWDER  
14 Mar 2008  
11:14:18

START 2.0 GHz  
RES BW 1 MHz

UBW 3 MHz


STOP 20.0 GHz  
SWP 450 msec



ELITE ELECTRONIC ENGINEERING CO

MKR 1.864 GHz  
-58.40 dBm

REF 7.0 dBm      ATTN 20 dB + 20 dB  $\times 1$



MANUFACTURER : TRL TECHNOLOGY  
 MODEL : SYN8486A  
 SERIAL No. : NONE ASSIGNED  
 TEST PERFORMED : FCC-24 ANTENNA CONDUCTED EMISSIONS  
 MODE : FM @ 188MHz  
 NOTES : INPUT

D. CROWDER  
 14 Mar 2000  
 11:22:28

hp

10 dB/

OFFSET  
-10.0  
dB

DL  
-53.0  
dBm

START 1.00 GHz  
RES BW 1 MHz

UBW 3 MHz


STOP 2.00 GHz  
SJP 25.0 msec

ELITE ELECTRONIC ENGINEERING CO

MKR 17.55 GHz  
-47.50 dBm

hp REF 7.0 dBm

ATTEN 20 dB + 20 dB EXT



D. CROIDER  
14 Mar 2008  
11:21:51

MANUFACTURER : TRL TECHNOLOGY  
MODEL : SYN8486A  
SERIAL No. : NONE ASSIGNED  
TEST PERFORMED: FCC-24 ANTENNA CONDUCTED EMISSIONS  
MODE : FM @ 1880MHz  
NOTES : INPUT

10 dB/

OFFSET  
-10.0  
dB

DL  
-33.0  
dBm

START 2.0 GHz RES BW 1 MHz STOP 20.0 GHz SWP 450 msec  
UBW 3 MHz