



ELITE ELECTRONIC ENGINEERING CO

MKR 1.864 GHz  
-57.70 dBm

REF 7.0 dBm      ATTN 20 dB + 40 dB Ext

hp

10 dB/

OFFSET


-10.0  
dB

DL

-53.0  
dBm

MANUFACTURER : TRL TECHNOLOGY  
MODEL : SYN8485A  
SERIAL No. : NONE ASSIGNED  
TEST PERFORMED : FCC-24 ANTENNA CONDUCTED EMISSIONS  
MODE : FM @ 1900MHz  
NOTES : FULL OUTPUT (15dB GAIN)

D. CROMBER  
14 Mar 2003  
11:11:02



START 1.00 GHz

RES BW 1 MHz

UBW 3 MHz

STOP 2.00 GHz

SWP 25.0 msec

ELITE ELECTRONIC ENGINEERING CO

MKR 17.55 GHz  
-46.70 dBm

hp

REF 7.0 dBm

ATTEN 20 dB + 20dB EXT


10 dB/

OFFSET  
-10.0  
dB

DL  
-33.0  
dBm

MANUFACTURER : TRL TECHNOLOGY  
MODEL : SYN8486A  
SERIAL No. : NONE ASSIGNED  
TEST PERFORMED : FCC-24 ANTENNA CONDUCTED EMISSIONS  
MODE : FM @ 1988MHz  
NOTES : FULL OUTPUT (15dB GAIN)

-13dBm (40dBc)



D. CROWDER  
14 Mar 2008  
11:11:48

START 2.0 GHz

RES BW 1 MHz

UBW 3 MHz

STOP 20.0 GHz

SWP 450 msec

ELITE ELECTRONIC ENGINEERING CO

MKR 868.1 MHz  
-67.60 dBm

REF 7.0 dBm      ATTEN 20 dB + 20 dB EXT

hp

10 dB/

OFFSET


-10.0

dB

DL

-53.0

dBm



MANUFACTURER : TRL TECHNOLOGY  
 MODEL : SYN8486A  
 SERIAL No. : NONE ASSIGNED  
 TEST PERFORMED : FCC-24 ANTENNA CONDUCTED EMISSIONS  
 MODE : FM @ 190MHz  
 NOTES : INPUT

D. CROWDER  
 14 Mar 2000  
 11:23:58

*[Handwritten notes in the right margin of the plot area]*

START 30 MHz      RES BW 100 kHz      UBW 300 kHz      STOP 1.000 GHz  
 SWP 291 msec