


ELITE ELECTRONIC ENGINEERING CO

MKR 1.864 GHz
-58.80 dBm

REF 7.0 dBm ATTEN 20 dB + 20 dB \leq x +



hp

10 dB/

OFFSET
-10.0
dB

DL
-53.0
dBm

START 1.00 GHz RES BW 1 MHz UBW 3 MHz STOP 2.00 GHz
SWP 25.0 msec


ELITE ELECTRONIC ENGINEERING CO

MKR 17.55 GHz
-47.10 dBm

ATTEN 20 dB + 20dB EXT

REF 7.0 dBm

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN886A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED: FCC-24 ANTENNA CONDUCTED EMISSIONS
MODE : FM @ 190MHz
NOTES : INPUT



hP 10 dB/
OFFSET -10.0 dB
DL -53.0 dBm

START 2.0 GHz RES BW 1 MHz UBW 3 MHz STOP 20.0 GHz SWP 450 msec


ELITE ELECTRONIC ENGINEERING CO

MKR 1.864 GHz
-11.10 dBm

ATTEN 20 dB + 40dB EXT

REF 7.0 dBm

hp



10 dB/

DL
-53.0
dBm

START 1.00 GHz
RES BW 1 MHz
UBW 3 MHz
STOP 2.00 GHz
SWP 25.0 msec