

ELITE ELECTRONIC ENGINEERING CO

MKR 1.864 GHz
-57.90 dBm

ATTEN 20 dB + 40 dB Ext

REF 7.0 dBm

hp

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-24 ANTENNA CONDUCTED EMISSIONS
MODE : NADC @ 1800MHz
NOTES : FULL OUTPUT (15dB GAIN)

D. CROWDER
14 Mar 2008
10:19:35

10 dB/

OFFSET


-10.0

dB

DL

-53.0

dBm




-13 dBm (40dB)

START 1.00 GHz
RES BW 1 MHz
UBW 3 MHz
STOP 2.00 GHz
SWP 25.0 msec

ELITE ELECTRONIC ENGINEERING CO

MKR 17.55 GHz
-47.20 dBm

REF 7.0 dBm ATTN 20 dB + 20dB EXT



O. CROIDER
14 Mar 2008
18:11:18

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-24 ANTENNA CONDUCTED EMISSIONS
MODE : NADC @ 1880MHz
NOTES : FULL OUTPUT (15dB GAIN)

-13 dBm (40 dBc)

[Handwritten signature]

START 2.0 GHz
RES BW 1 MHz
UBW 3 MHz
STOP 20.0 GHz
SWP 450 msec

