


ELITE ELECTRONIC ENGINEERING CO

MKR 1.864 GHz
-58.30 dBm

REF 7.0 dBm ATTEN 20 dB + 20 dB EXT



D. CROWDER
14 Mar 2000
10:29:08

MANUFACTURER : TRL TECHNOLOGY
 MODEL : SYN8486A
 SERIAL No. : NONE ASSIGNED
 TEST PERFORMED: FCC-24 ANTENNA CONDUCTED EMISSIONS
 MODE : NADC @ 1800MHz
 NOTES : INPUT

hp 10 dB/

OFFSET -10.0 dB


DL -53.0 dBm

START 1.00 GHz RES BW 1 MHz UBW 3 MHz STOP 2.00 GHz
 SWP 25.0 msec

ELITE ELECTRONIC ENGINEERING CO

MKR 17.55 GHz
-46.60 dBm

hp REF 7.0 dBm ATTEN 20 dB + 20 dB EXT



D. CROWDER
14 Mar 2008
10:29:48

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-24 ANTENNA CONDUCTED EMISSIONS
MODE : NADC @ 1888MHz
NOTES : INPUT

10 dB/
OFFSET
-10.0
dB

DL
-33.0
dBm


START 2.0 GHz RES BW 1 MHz UBW 3 MHz STOP 20.0 GHz SWP 450 msec

ELITE ELECTRONIC ENGINEERING CO

MKR 1.864 GHz
-60.40 dBm

ATTEN 20 dB + 40 dB EXT

REF 7.0 dBm



hp

10 dB/

OFFSET

-10.0

dB

DL

-53.0

dBm

START 1.00 GHz
RES BW 1 MHz

UBW 3 MHz

STOP 2.00 GHz
SWP 25.0 msec