


ELITE ELECTRONIC ENGINEERING CO

MKR 17.55 GHz
-46.10 dBm

REF 7.0 dBm
ATTEN 20 dB + 20 dB EXT

hp



MANUFACTURER : TRL TECHNOLOGY
 MODEL : SYN8486A
 SERIAL No. : NONE ASSIGNED
 TEST PERFORMED : FCC-24 ANTENNA CONDUCTED EMISSIONS
 MODE : CDMA @ 1888MHz
 NOTES : FULL OUTPUT (15dB GAIN)

D. CROWDER
 14 Mar 2000
 10:51:15

10 dB/

OFFSET

-10.0

dB

DL

-33.0

dBm


-13 dBm (40 dBc)

START 2.0 GHz
 RES BW 1 MHz
 STOP 20.0 GHz
 SWP 450 msec
 VBW 3 MHz

ELITE ELECTRONIC ENGINEERING CO

MKR 1.864 GHz
-58.60 dBm

REF 7.0 dBm ATTEN 20 dB *120 dB EXT*



D. CROUDER
14 Mar 2008
11:02:23

MANUFACTURER : TRL TECHNOLOGY
 MODEL : SYN8486A
 SERIAL No. : NONE ASSIGNED
 TEST PERFORMED: FCC-24 ANTENNA CONDUCTED EMISSIONS
 MODE : CDMA @ 1880MHz
 NOTES : INPUT

hp

10 dB/

OFFSET
-10.0
dB

DL
-53.0
dBm

START 1.00 GHz RES BW 1 MHz UBW 3 MHz STOP 2.00 GHz
 SWP 25.0 msec

ELITE ELECTRONIC ENGINEERING CO

MKR 17.55 GHz
-48.00 dBm

ATTEN 20 dB + 20 dB EXT

REF 7.0 dBm

hp

10 dB/

OFFSET

-10.0

dB


DL

-53.0

dBm

MANUFACTURER : IRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED: FCC-24 ANTENNA CONDUCTED EMISSIONS
MODE : CDMA @ 1880MHz
NOTES : INPUT

D. CROUDER
14 Mar 2000
11:02:53



START 2.0 GHz

RES BW 1 MHz

UBW 3 MHz

STOP 20.0 GHz

SUP 450 msec