






# Conducted Band Edge











GSM1900 (EDGE Class 8)

Lowest Band Edge


Highest Band Edge



Date: 19.OCT.2016 21:32:42



Date: 19.OCT.2016 21:34:32







WCDMA Band II (RMC 12.2Kbps)

Lowest Band Edge

Highest Band Edge





Date: 19.OCT.2016 22:09:03

Date: 19.OCT.2016 22:11:44

WCDMA Band IV (RMC 12.2Kbps)

Lowest Band Edge

Highest Band Edge



Date: 19.OCT.2016 22:30:23


Date: 19.OCT.2016 22:33:04




CDMA BC0 (RC1 SO55)

Lowest Band Edge

Highest Band Edge



Date: 2 NOV.2016 21:11:14




Date: 2 NOV.2016 20:51:15


CDMA BC0 (RC3 SO55)

Lowest Band Edge


Highest Band Edge



Date: 2 NOV.2016 21:01:42




Date: 2 NOV.2016 20:57:59






**CDMA BC1 (RC1 SO55)**

**Lowest Band Edge**




**Highest Band Edge**





**CDMA BC1 (RC3 SO55)**

**Lowest Band Edge**




**Highest Band Edge**








# Conducted Spurious Emission





GSM1900 (GSM)


Lowest Channel



Date: 19.OCT.2016 20:56:21


GSM1900 (EDGE Class 8)

Lowest Channel




Date: 19.OCT.2016 21:36:40

Middle Channel




Date: 19.OCT.2016 20:57:38

Middle Channel




Date: 19.OCT.2016 21:38:18

Highest Channel



Date: 19.OCT.2016 20:58:54

Highest Channel




Date: 19.OCT.2016 21:39:42



WCDMA Band V (RMC 12.2Kbps)


Lowest Channel



Date: 19.OCT.2016 21:57:36


WCDMA Band II (RMC 12.2Kbps)

Lowest Channel




Date: 19.OCT.2016 22:13:05

Middle Channel




Date: 19.OCT.2016 21:58:52

Middle Channel




Date: 19.OCT.2016 22:14:21

Highest Channel



Date: 19.OCT.2016 22:00:07

Highest Channel




Date: 19.OCT.2016 22:15:37




WCDMA Band IV (RMC 12.2Kbps)

Lowest Channel




Date: 19.OCT.2016 22:46:12

Middle Channel









Date: 19.OCT.2016 22:47:29

Highest Channel



Date: 19.OCT.2016 22:48:44





### Frequency Stability

| Test Conditions  | Middle Channel    | GSM850 (GSM)    | GSM850 (EDGE class 8) | Limit 2.5ppm |
|------------------|-------------------|-----------------|-----------------------|--------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm) |                       | Result       |
| 50               | Normal Voltage    | 0.0072          | 0.0084                | PASS         |
| 40               | Normal Voltage    | 0.0108          | 0.0048                |              |
| 30               | Normal Voltage    | 0.0132          | 0.0024                |              |
| 20(Ref.)         | Normal Voltage    | 0.0000          | 0.0000                |              |
| 10               | Normal Voltage    | 0.0155          | 0.0167                |              |
| 0                | Normal Voltage    | 0.0036          | 0.0120                |              |
| -10              | Normal Voltage    | 0.0120          | 0.0179                |              |
| -20              | Normal Voltage    | 0.0024          | 0.0167                |              |
| -30              | Normal Voltage    | 0.0012          | 0.0227                |              |
| 20               | Maximum Voltage   | 0.0096          | 0.0096                |              |
| 20               | Normal Voltage    | 0.0084          | 0.0143                |              |
| 20               | Battery End Point | 0.0155          | 0.0036                |              |

Note: Normal Voltage = 3.82 V. ; Battery End Point (BEP) = 3.65 V. ; Maximum Voltage =4.4 V



| Test Conditions  | Middle Channel    | GSM1900 (GSM)   | GSM1900 (EDGE class 8) | Limit Note 2. |
|------------------|-------------------|-----------------|------------------------|---------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm) |                        | Result        |
| 50               | Normal Voltage    | 0.0133          | 0.0128                 | PASS          |
| 40               | Normal Voltage    | 0.0090          | 0.0122                 |               |
| 30               | Normal Voltage    | 0.0133          | 0.0016                 |               |
| 20(Ref.)         | Normal Voltage    | 0.0000          | 0.0000                 |               |
| 10               | Normal Voltage    | 0.0005          | 0.0011                 |               |
| 0                | Normal Voltage    | 0.0021          | 0.0016                 |               |
| -10              | Normal Voltage    | 0.0064          | 0.0000                 |               |
| -20              | Normal Voltage    | 0.0117          | 0.0016                 |               |
| -30              | Normal Voltage    | 0.0016          | 0.0027                 |               |
| 20               | Maximum Voltage   | 0.0122          | 0.0144                 |               |
| 20               | Normal Voltage    | 0.0016          | 0.0122                 |               |
| 20               | Battery End Point | 0.0032          | 0.0133                 |               |

Note:

1. Normal Voltage = 3.82 V. ; Battery End Point (BEP) = 3.65 V. ; Maximum Voltage =4.4 V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



| Test Conditions  | Middle Channel    | WCDMA Band V<br>(RMC 12.2KbpsRMC 12.2Kbps) | Limit<br>2.5ppm |
|------------------|-------------------|--|-----------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm)                            | Result          |
| 50               | Normal Voltage    | 0.0454                                     | PASS            |
| 40               | Normal Voltage    | 0.0430                                     |                 |
| 30               | Normal Voltage    | 0.0383                                     |                 |
| 20(Ref.)         | Normal Voltage    | 0.0000                                     |                 |
| 10               | Normal Voltage    | 0.0036                                     |                 |
| 0                | Normal Voltage    | 0.0084                                     |                 |
| -10              | Normal Voltage    | 0.0072                                     |                 |
| -20              | Normal Voltage    | 0.0263                                     |                 |
| -30              | Normal Voltage    | 0.0215                                     |                 |
| 20               | Maximum Voltage   | 0.0048                                     |                 |
| 20               | Normal Voltage    | 0.0275                                     |                 |
| 20               | Battery End Point | 0.0036                                     |                 |

Note: Normal Voltage = 3.82 V. ; Battery End Point (BEP) = 3.65 V. ; Maximum Voltage =4.4 V



| Test Conditions  | Middle Channel    | WCDMA Band II (RMC 12.2Kbps) | Limit Note 2. |
|------------------|-------------------|------------------------------|---------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm)              | Result        |
| 50               | Normal Voltage    | 0.0074                       | PASS          |
| 40               | Normal Voltage    | 0.0016                       |               |
| 30               | Normal Voltage    | 0.0064                       |               |
| 20(Ref.)         | Normal Voltage    | 0.0000                       |               |
| 10               | Normal Voltage    | 0.0048                       |               |
| 0                | Normal Voltage    | 0.0037                       |               |
| -10              | Normal Voltage    | 0.0085                       |               |
| -20              | Normal Voltage    | 0.0005                       |               |
| -30              | Normal Voltage    | 0.0074                       |               |
| 20               | Maximum Voltage   | 0.0037                       |               |
| 20               | Normal Voltage    | 0.0069                       |               |
| 20               | Battery End Point | 0.0085                       |               |

**Note:**

1. Normal Voltage = 3.82V. ; Battery End Point (BEP) = 3.65 V. ; Maximum Voltage =4.4 V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



| Test Conditions  | Middle Channel    | WCDMA Band IV<br>(RMC 12.2Kbps) | Limit<br>Note 2. |
|------------------|-------------------|---------------------------------|------------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm)                 | Result           |
| 50               | Normal Voltage    | 0.0156                          | PASS             |
| 40               | Normal Voltage    | 0.0173                          |                  |
| 30               | Normal Voltage    | 0.0190                          |                  |
| 20(Ref.)         | Normal Voltage    | 0.0000                          |                  |
| 10               | Normal Voltage    | 0.0006                          |                  |
| 0                | Normal Voltage    | 0.0023                          |                  |
| -10              | Normal Voltage    | 0.0035                          |                  |
| -20              | Normal Voltage    | 0.0023                          |                  |
| -30              | Normal Voltage    | 0.0017                          |                  |
| 20               | Maximum Voltage   | 0.0012                          |                  |
| 20               | Normal Voltage    | 0.0150                          |                  |
| 20               | Battery End Point | 0.0017                          |                  |

**Note:**

1. Normal Voltage = 3.82V. ; Battery End Point (BEP) = 3.65 V. ; Maximum Voltage =4.4V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



| Test Conditions  | Middle Channel    | CDMA BC0<br>(1xRTT) | Limit<br>2.5ppm |
|------------------|-------------------|---------------------|-----------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm)     | Result          |
| 50               | Normal Voltage    | 0.0287              | PASS            |
| 40               | Normal Voltage    | 0.0108              |                 |
| 30               | Normal Voltage    | 0.0347              |                 |
| 20(Ref.)         | Normal Voltage    | 0.0000              |                 |
| 10               | Normal Voltage    | 0.0251              |                 |
| 0                | Normal Voltage    | 0.0383              |                 |
| -10              | Normal Voltage    | 0.0239              |                 |
| -20              | Normal Voltage    | 0.0275              |                 |
| -30              | Normal Voltage    | 0.0072              |                 |
| 20               | Maximum Voltage   | 0.0012              |                 |
| 20               | Normal Voltage    | 0.0335              |                 |
| 20               | Battery End Point | 0.0263              |                 |

Note: Normal Voltage = 3.82V. ; Battery End Point (BEP) = 3.65V. ; Maximum Voltage =4.4 V



| Test Conditions  | Middle Channel    | CDMA BC1<br>(1xRTT) | Limit<br>Note 2. |
|------------------|-------------------|---------------------|------------------|
| Temperature (°C) | Voltage (Volt)    | Deviation (ppm)     | Result           |
| 50               | Normal Voltage    | 0.0154              | PASS             |
| 40               | Normal Voltage    | 0.0005              |                  |
| 30               | Normal Voltage    | 0.0021              |                  |
| 20(Ref.)         | Normal Voltage    | 0.0000              |                  |
| 10               | Normal Voltage    | 0.0037              |                  |
| 0                | Normal Voltage    | 0.0048              |                  |
| -10              | Normal Voltage    | 0.0128              |                  |
| -20              | Normal Voltage    | 0.0027              |                  |
| -30              | Normal Voltage    | 0.0016              |                  |
| 20               | Maximum Voltage   | 0.0133              |                  |
| 20               | Normal Voltage    | 0.0053              |                  |
| 20               | Battery End Point | 0.0016              |                  |

**Note:**

1. Normal Voltage = 3.82V. ; Battery End Point (BEP) = 3.65V. ; Maximum Voltage =4.4 V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



## Appendix B. Test Results of Radiated Test

### Radiated Spurious Emission

| GSM850 (GSM) |                   |             |               |                   |                   |                    |                      |                       |                    |
|--------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel      | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle       | 1672              | -66.95      | -13           | -53.95            | -65.15            | -68.77             | 1.23                 | 5.20                  | H                  |
|              | 2509              | -67.10      | -13           | -54.10            | -71.95            | -69.33             | 1.52                 | 5.90                  | H                  |
|              | 3345              | -66.35      | -13           | -53.35            | -73.91            | -69.13             | 1.77                 | 6.70                  | H                  |
|              | 1672              | -69.07      | -13           | -56.07            | -67.02            | -70.89             | 1.23                 | 5.20                  | V                  |
|              | 2509              | -63.99      | -13           | -50.99            | -72.29            | -66.22             | 1.52                 | 5.90                  | V                  |
|              | 3345              | -63.68      | -13           | -50.68            | -74.78            | -66.46             | 1.77                 | 6.70                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| GSM850 (EDGE class 8) |                   |             |               |                   |                   |                    |                      |                       |                    |
|-----------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel               | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle                | 1672              | -68.15      | -13           | -55.15            | -66.35            | -69.97             | 1.23                 | 5.20                  | H                  |
|                       | 2509              | -67.60      | -13           | -54.60            | -72.45            | -69.83             | 1.52                 | 5.90                  | H                  |
|                       | 3345              | -67.06      | -13           | -54.06            | -74.62            | -69.84             | 1.77                 | 6.70                  | H                  |
|                       | 1672              | -69.92      | -13           | -56.92            | -67.87            | -71.74             | 1.23                 | 5.20                  | V                  |
|                       | 2509              | -64.14      | -13           | -51.14            | -72.44            | -66.37             | 1.52                 | 5.90                  | V                  |
|                       | 3345              | -63.63      | -13           | -50.63            | -74.73            | -66.41             | 1.77                 | 6.70                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| GSM1900 (GSM) |                   |              |               |                   |                   |                    |                      |                       |                    |
|---------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel       | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle        | 3762              | -64.43       | -13           | -51.43            | -73.44            | -69.29             | 1.93                 | 6.80                  | H                  |
|               | 5640              | -55.87       | -13           | -42.87            | -66.43            | -63.17             | 2.40                 | 9.70                  | H                  |
|               | 7520              | -57.04       | -13           | -44.04            | -72.08            | -66.09             | 2.76                 | 11.81                 | H                  |
|               | 3762              | -64.75       | -13           | -51.75            | -74.06            | -69.62             | 1.93                 | 6.80                  | V                  |
|               | 5640              | -61.17       | -13           | -48.17            | -69.12            | -68.47             | 2.40                 | 9.70                  | V                  |
|               | 7520              | -59.28       | -13           | -46.28            | -71.77            | -68.33             | 2.76                 | 11.81                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| GSM1900 (EDGE class 8) |                   |              |               |                   |                   |                    |                      |                       |                    |
|------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle                 | 3762              | -65.35       | -13           | -52.35            | -74.36            | -70.21             | 1.93                 | 6.80                  | H                  |
|                        | 5640              | -59.28       | -13           | -46.28            | -69.84            | -66.58             | 2.40                 | 9.70                  | H                  |
|                        | 7520              | -57.40       | -13           | -44.40            | -72.44            | -66.45             | 2.76                 | 11.81                 | H                  |
|                        | 3762              | -64.00       | -13           | -51.00            | -73.31            | -68.87             | 1.93                 | 6.80                  | V                  |
|                        | 5640              | -61.69       | -13           | -48.69            | -69.64            | -68.99             | 2.40                 | 9.70                  | V                  |
|                        | 7520              | -59.01       | -13           | -46.01            | -71.5             | -68.06             | 2.76                 | 11.81                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| WCDMA Band V (RMC 12.2Kbps) |                   |             |               |                   |                   |                    |                      |                       |                    |
|-----------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                     | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle                      | 1672              | -68.49      | -13           | -55.49            | -66.69            | -70.31             | 1.23                 | 5.20                  | H                  |
|                             | 2509              | -67.87      | -13           | -54.87            | -72.72            | -70.10             | 1.52                 | 5.90                  | H                  |
|                             | 3345              | -67.25      | -13           | -54.25            | -74.81            | -70.03             | 1.77                 | 6.70                  | H                  |
|                             | 1672              | -68.99      | -13           | -55.99            | -66.94            | -70.81             | 1.23                 | 5.20                  | V                  |
|                             | 2509              | -64.07      | -13           | -51.07            | -72.37            | -66.30             | 1.52                 | 5.90                  | V                  |
|                             | 3345              | -63.71      | -13           | -50.71            | -74.81            | -66.49             | 1.77                 | 6.70                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| WCDMA Band II (RMC 12.2Kbps) |                   |              |               |                   |                   |                    |                      |                       |                    |
|------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                      | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle                       | 3762              | -64.40       | -13           | -51.40            | -73.41            | -69.26             | 1.93                 | 6.80                  | H                  |
|                              | 5640              | -59.46       | -13           | -46.46            | -70.02            | -66.76             | 2.40                 | 9.70                  | H                  |
|                              | 7520              | -55.92       | -13           | -42.92            | -70.96            | -64.97             | 2.76                 | 11.81                 | H                  |
|                              | 3762              | -64.68       | -13           | -51.68            | -73.99            | -69.55             | 1.93                 | 6.80                  | V                  |
|                              | 5640              | -62.05       | -13           | -49.05            | -70               | -69.35             | 2.40                 | 9.70                  | V                  |
|                              | 7520              | -59.56       | -13           | -46.56            | -72.05            | -68.61             | 2.76                 | 11.81                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| WCDMA Band IV (RMC 12.2Kbps) |                   |              |               |                   |                   |                    |                      |                       |                    |
|------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                      | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle                       | 3465              | -47.94       | -13           | -34.94            | -61.39            | -52.82             | 1.81                 | 6.69                  | H                  |
|                              | 5197              | -60.22       | -13           | -47.22            | -70.92            | -67.17             | 2.19                 | 9.14                  | H                  |
|                              | 6930              | -57.37       | -13           | -44.37            | -69.71            | -65.45             | 2.6                  | 10.68                 | H                  |
|                              | 3465              | -52.05       | -13           | -39.05            | -63.8             | -56.93             | 1.81                 | 6.69                  | V                  |
|                              | 5197              | -61.62       | -13           | -48.62            | -71.12            | -68.57             | 2.19                 | 9.14                  | V                  |
|                              | 6930              | -57.65       | -13           | -44.65            | -70.16            | -65.73             | 2.6                  | 10.68                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| CDMA BC0 (1xRTT) |                   |             |               |                   |                   |                    |                      |                       |                    |
|------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel          | Frequency ( MHz ) | ERP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle           | 1672              | -70.74      | -13           | -57.74            | -69.37            | -72.60             | 1.19                 | 5.20                  | H                  |
|                  | 2512              | -65.39      | -13           | -52.39            | -68.38            | -67.61             | 1.53                 | 5.90                  | H                  |
|                  | 3344              | -69.08      | -13           | -56.08            | -73.03            | -71.87             | 1.76                 | 6.70                  | H                  |
|                  | 1672              | -68.01      | -13           | -55.01            | -65.97            | -69.87             | 1.19                 | 5.20                  | V                  |
|                  | 2512              | -65.36      | -13           | -52.36            | -67.34            | -67.58             | 1.53                 | 5.90                  | V                  |
|                  | 3344              | -68.95      | -13           | -55.95            | -72.27            | -71.74             | 1.76                 | 6.70                  | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| CDMA BC1 (1xRTT) |                   |              |               |                   |                   |                    |                      |                       |                    |
|------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel          | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Over Limit ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle           | 3762              | -70.01       | -13           | -57.01            | -73.52            | -75.00             | 1.88                 | 6.87                  | H                  |
|                  | 5640              | -66.86       | -13           | -53.86            | -75.05            | -74.16             | 2.38                 | 9.68                  | H                  |
|                  | 7518              | -63.73       | -13           | -50.73            | -75.76            | -72.80             | 2.74                 | 11.81                 | H                  |
|                  | 3762              | -69.43       | -13           | -56.43            | -73.22            | -74.42             | 1.88                 | 6.87                  | V                  |
|                  | 5640              | -66.22       | -13           | -53.22            | -74.79            | -73.52             | 2.38                 | 9.68                  | V                  |
|                  | 7518              | -64.99       | -13           | -51.99            | -75.7             | -74.06             | 2.74                 | 11.81                 | V                  |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



## **Appendix C. Test Setup Photographs**