


Test Mode: TX AX-20M Mode 2437 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2389.420	35.15	31.74	66.89	74.00	-7.11	peak	
2		2389.420	21.70	31.74	53.44	54.00	-0.56	AVG	
3	X	2434.450	81.52	31.72	113.24	74.00	39.24	peak	NO limit
4	*	2434.450	72.54	31.72	104.26	54.00	50.26	AVG	NO limit
5		2483.500	32.95	31.72	64.67	74.00	-9.33	peak	
6		2483.500	18.97	31.72	50.69	54.00	-3.31	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX AX-20M Mode 2437 MHz
------------	-------------------------

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4874.000	50.95	-10.79	40.16	74.00	-33.84	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-20M Mode 2437 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	26.75	31.74	58.49	74.00	-15.51	peak	
2		2390.000	12.26	31.74	44.00	54.00	-10.00	AVG	
3	X	2433.310	71.43	31.72	103.15	74.00	29.15	peak	NO limit
4	*	2433.310	63.67	31.72	95.39	54.00	41.39	AVG	NO limit
5		2483.500	28.50	31.72	60.22	74.00	-13.78	peak	
6		2483.500	12.08	31.72	43.80	54.00	-10.20	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-20M Mode 2437 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4874.000	49.80	-10.79	39.01	74.00	-34.99	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-20M Mode 2462 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2459.340	79.52	31.71	111.23	74.00	37.23	peak	NO limit
2	*	2459.340	69.10	31.71	100.81	54.00	46.81	AVG	NO limit
3		2483.500	40.75	31.72	72.47	74.00	-1.53	peak	
4		2483.500	21.38	31.72	53.10	54.00	-0.90	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX AX-20M Mode 2462 MHz
------------	-------------------------

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4924.000	49.55	-10.63	38.92	74.00	-35.08	peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-20M Mode 2462 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2458.295	72.20	31.71	103.91	74.00	29.91	peak	NO limit
2	*	2458.295	61.09	31.71	92.80	54.00	38.80	AVG	NO limit
3		2483.500	32.44	31.72	64.16	74.00	-9.84	peak	
4		2483.500	13.72	31.72	45.44	54.00	-8.56	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX AX-20M Mode 2462 MHz
------------	-------------------------

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4924.000	49.77	-10.63	39.14	74.00	-34.86	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-40M Mode 2422MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2384.480	48.73	22.92	71.65	74.00	-2.35	peak	
2		2384.480	30.91	22.92	53.83	54.00	-0.17	AVG	
3	X	2429.510	80.09	22.69	102.78	74.00	28.78	peak	NO limit
4	*	2429.510	71.29	22.69	93.98	54.00	39.98	AVG	NO limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-40M Mode 2422MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4844.000	48.52	-10.86	37.66	74.00	-36.34	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-40M Mode 2422MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		2383.340	38.69	23.16	61.85	74.00	-12.15	peak	
2		2383.340	23.34	23.16	46.50	54.00	-7.50	AVG	
3	X	2428.275	71.74	22.84	94.58	74.00	20.58	peak	NO limit
4	*	2428.275	63.45	22.84	86.29	54.00	32.29	AVG	NO limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-40M Mode 2422MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4844.000	49.37	-10.86	38.51	74.00	-35.49	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-40M Mode 2437 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	46.71	22.88	69.59	74.00	-4.41	peak	
2		2390.000	29.74	22.88	52.62	54.00	-1.38	AVG	
3	X	2434.450	81.66	22.67	104.33	74.00	30.33	peak	NO limit
4	*	2434.450	72.80	22.67	95.47	54.00	41.47	AVG	NO limit
5		2484.895	47.75	22.49	70.24	74.00	-3.76	peak	
6		2484.895	30.54	22.49	53.03	54.00	-0.97	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-40M Mode 2437 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4874.000	50.81	-10.79	40.02	74.00	-33.98	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-40M Mode 2437 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2388.375	38.95	23.16	62.11	74.00	-11.89	peak	
2		2388.375	22.42	23.16	45.58	54.00	-8.42	AVG	
3	X	2433.215	73.01	22.80	95.81	74.00	21.81	peak	NO limit
4	*	2433.215	65.45	22.80	88.25	54.00	34.25	AVG	NO limit
5		2484.420	38.94	22.32	61.26	74.00	-12.74	peak	
6		2484.420	22.17	22.32	44.49	54.00	-9.51	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-40M Mode 2437 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4874.000	49.20	-10.79	38.41	74.00	-35.59	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-40M Mode 2452 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	2447.085	79.58	22.62	102.20	74.00	28.20	peak	NO limit
2	*	2447.085	71.57	22.62	94.19	54.00	40.19	AVG	NO limit
3		2491.545	48.60	22.46	71.06	74.00	-2.94	peak	
4		2491.545	30.60	22.46	53.06	54.00	-0.94	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-40M Mode 2452 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4904.000	49.29	-10.72	38.57	74.00	-35.43	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-40M Mode 2452 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2455.635	71.00	22.58	93.58	74.00	19.58	peak	NO limit
2	*	2455.635	63.11	22.58	85.69	54.00	31.69	AVG	NO limit
3		2491.545	41.15	22.24	63.39	74.00	-10.61	peak	
4		2491.545	23.09	22.24	45.33	54.00	-8.67	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode: TX AX-40M Mode 2452 MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4904.000	50.70	-10.72	39.98	74.00	-34.02	peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH


Non-Beamforming

Test Mode	TX B Mode
-----------	-----------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
01	2412	9.58	500	Complies
06	2437	9.60	500	Complies
11	2462	9.55	500	Complies



Date: 30.JUL.2020 15:19:16




Date: 30.JUL.2020 17:44:17




Date: 30.JUL.2020 17:45:138


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
01	2412	16.56	Complies
06	2437	16.72	Complies
11	2462	16.32	Complies



Date: 30.JUL.2020 15:19:22



Date: 30.JUL.2020 17:44:23



Date: 30.JUL.2020 17:45:145

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
01	2412	16.40	500	Complies
06	2437	16.38	500	Complies
11	2462	16.38	500	Complies

Date: 30.JUL.2020 17:47:02

Date: 30.JUL.2020 17:48:16

Date: 30.JUL.2020 17:49:17


Date: 30.JUL.2020 17:47:08

Date: 30.JUL.2020 17:48:23


Date: 30.JUL.2020 17:49:24

Test Mode	TX N-20M Mode
-----------	---------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
01	2412	17.67	500	Complies
06	2437	17.66	500	Complies
11	2462	17.66	500	Complies



Date: 30.JUL.2020 17:11:12




Date: 30.JUL.2020 17:13:12




Date: 30.JUL.2020 17:13:13


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
01	2412	19.52	Complies
06	2437	18.24	Complies
11	2462	18.64	Complies



Date: 30.JUL.2020 17:11:19




Date: 30.JUL.2020 17:13:18




Date: 30.JUL.2020 17:13:10

Test Mode	TX N-40M Mode
-----------	---------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
03	2422	36.40	500	Complies
06	2437	36.44	500	Complies
09	2452	36.44	500	Complies



Date: 30.JUL.2020 17:40:156




Date: 30.JUL.2020 17:42:120




Date: 30.JUL.2020 17:50:142


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
03	2422	36.80	Complies
06	2437	36.80	Complies
09	2452	36.96	Complies



Date: 30.JUL.2020 17:41:102




Date: 30.JUL.2020 17:42:127




Date: 30.JUL.2020 17:50:149

Test Mode	TX AX-20M Mode
-----------	----------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
01	2412	18.10	500	Complies
06	2437	18.10	500	Complies
11	2462	18.10	500	Complies



Date: 1.AUG.2020 11:45:43




Date: 1.AUG.2020 11:44:02




Date: 1.AUG.2020 11:40:36


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
01	2412	19.20	Complies
06	2437	19.36	Complies
11	2462	19.36	Complies



Date: 1.AUG.2020 11:45:50






Date: 1.AUG.2020 11:44:08






Date: 1.AUG.2020 11:40:43

Test Mode	TX AX-40M Mode
-----------	----------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
03	2422	37.12	500	Complies
06	2437	37.19	500	Complies
09	2452	37.19	500	Complies



Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
03	2422	38.08	Complies
06	2437	38.24	Complies
09	2452	38.24	Complies



APPENDIX F - MAXIMUM OUTPUT POWER

Non-Beamforming

Test Mode	TX B Mode_Ant. 1
-----------	------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	19.46	0.22	19.68	30.00	1.0000	Complies
06	2437	23.87	0.22	24.09	30.00	1.0000	Complies
11	2462	20.05	0.22	20.27	30.00	1.0000	Complies

Test Mode	TX G Mode_Ant. 1
-----------	------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	16.44	0.21	16.65	30.00	1.0000	Complies
06	2437	20.87	0.21	21.08	30.00	1.0000	Complies
11	2462	16.46	0.21	16.67	30.00	1.0000	Complies

Test Mode	TX N-20M Mode_Ant. 1
-----------	----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	16.37	0.42	16.79	30.00	1.0000	Complies
06	2437	20.35	0.42	20.77	30.00	1.0000	Complies
11	2462	16.53	0.42	16.95	30.00	1.0000	Complies

Test Mode	TX N-20M Mode_Ant. 2
-----------	----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	16.72	0.42	17.14	30.00	1.0000	Complies
06	2437	21.13	0.42	21.55	30.00	1.0000	Complies
11	2462	17.23	0.42	17.65	30.00	1.0000	Complies

Test Mode	TX N-20M Mode_Total
-----------	---------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	19.98	30.00	1.0000	Complies
06	2437	24.19	30.00	1.0000	Complies
11	2462	20.32	30.00	1.0000	Complies

Test Mode	TX N-40M Mode_Ant. 1
-----------	----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	15.97	0.80	16.77	30.00	1.0000	Complies
06	2437	16.41	0.80	17.21	30.00	1.0000	Complies
09	2452	15.52	0.80	16.32	30.00	1.0000	Complies

Test Mode	TX N-40M Mode_Ant. 2
-----------	----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	16.07	0.80	16.87	30.00	1.0000	Complies
06	2437	16.98	0.80	17.78	30.00	1.0000	Complies
09	2452	16.64	0.80	17.44	30.00	1.0000	Complies

Test Mode	TX N-40M Mode_Total
-----------	---------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	19.83	30.00	1.0000	Complies
06	2437	20.51	30.00	1.0000	Complies
09	2452	19.93	30.00	1.0000	Complies

Test Mode	TX AX-20M Mode_Ant. 1
-----------	-----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	16.69	0.85	17.54	30.00	1.0000	Complies
06	2437	20.01	0.85	20.86	30.00	1.0000	Complies
11	2462	17.19	0.85	18.04	30.00	1.0000	Complies

Test Mode	TX AX-20M Mode_Ant. 2
-----------	-----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	16.85	0.85	17.70	30.00	1.0000	Complies
06	2437	21.05	0.85	21.90	30.00	1.0000	Complies
11	2462	17.55	0.85	18.40	30.00	1.0000	Complies

Test Mode	TX AX-20M Mode_Total
-----------	----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	20.64	30.00	1.0000	Complies
06	2437	24.43	30.00	1.0000	Complies
11	2462	21.24	30.00	1.0000	Complies

Test Mode	TX AX-40M Mode_Ant. 1
-----------	-----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	15.63	0.76	16.39	30.00	1.0000	Complies
06	2437	16.83	0.76	17.59	30.00	1.0000	Complies
09	2452	16.01	0.76	16.77	30.00	1.0000	Complies

Test Mode	TX AX-40M Mode_Ant. 2
-----------	-----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	15.40	0.76	16.16	30.00	1.0000	Complies
06	2437	16.97	0.76	17.73	30.00	1.0000	Complies
09	2452	15.75	0.76	16.51	30.00	1.0000	Complies

Test Mode	TX AX-40M Mode_Total
-----------	----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	19.28	30.00	1.0000	Complies
06	2437	20.67	30.00	1.0000	Complies
09	2452	19.65	30.00	1.0000	Complies

Beamforming

Test Mode	TX N-20M Mode_Ant. 1
-----------	----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	16.21	0.42	16.63	29.99	0.9978	Complies
06	2437	20.20	0.42	20.62	29.99	0.9978	Complies
11	2462	16.38	0.42	16.80	29.99	0.9978	Complies

Test Mode	TX N-20M Mode_Ant. 2
-----------	----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	16.53	0.42	16.95	29.99	0.9978	Complies
06	2437	20.97	0.42	21.39	29.99	0.9978	Complies
11	2462	17.12	0.42	17.54	29.99	0.9978	Complies

Test Mode	TX N-20M Mode_Total
-----------	---------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	19.80	29.99	0.9978	Complies
06	2437	24.03	29.99	0.9978	Complies
11	2462	20.19	29.99	0.9978	Complies

Test Mode	TX N-40M Mode_Ant. 1
-----------	----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	15.82	0.80	16.62	29.99	0.9978	Complies
06	2437	16.24	0.80	17.04	29.99	0.9978	Complies
09	2452	15.34	0.80	16.14	29.99	0.9978	Complies

Test Mode	TX N-40M Mode_Ant. 2
-----------	----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	15.94	0.80	16.74	29.99	0.9978	Complies
06	2437	16.78	0.80	17.58	29.99	0.9978	Complies
09	2452	16.49	0.80	17.29	29.99	0.9978	Complies

Test Mode	TX N-40M Mode_Total
-----------	---------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	19.69	29.99	0.9978	Complies
06	2437	20.33	29.99	0.9978	Complies
09	2452	19.76	29.99	0.9978	Complies

Test Mode	TX AX-20M Mode_Ant. 1
-----------	-----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	16.53	0.85	17.38	29.99	0.9978	Complies
06	2437	19.85	0.85	20.70	29.99	0.9978	Complies
11	2462	17.00	0.85	17.85	29.99	0.9978	Complies

Test Mode	TX AX-20M Mode_Ant. 2
-----------	-----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	16.67	0.85	17.52	29.99	0.9978	Complies
06	2437	20.94	0.85	21.79	29.99	0.9978	Complies
11	2462	17.43	0.85	18.28	29.99	0.9978	Complies

Test Mode	TX AX-20M Mode_Total
-----------	----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	20.47	29.99	0.9978	Complies
06	2437	24.30	29.99	0.9978	Complies
11	2462	21.09	29.99	0.9978	Complies

Test Mode	TX AX-40M Mode_Ant. 1
-----------	-----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	15.48	0.76	16.24	29.99	0.9978	Complies
06	2437	16.72	0.76	17.48	29.99	0.9978	Complies
09	2452	15.84	0.76	16.60	29.99	0.9978	Complies

Test Mode	TX AX-40M Mode_Ant. 2
-----------	-----------------------

Channel	Frequency (MHz)	Avg Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	15.35	0.76	16.11	29.99	0.9978	Complies
06	2437	16.75	0.76	17.51	29.99	0.9978	Complies
09	2452	15.67	0.76	16.43	29.99	0.9978	Complies

Test Mode	TX AX-40M Mode_Total
-----------	----------------------


Channel	Frequency (MHz)	Avg Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	19.18	29.99	0.9978	Complies
06	2437	20.50	29.99	0.9978	Complies
09	2452	19.52	29.99	0.9978	Complies

APPENDIX G - CONDUCTED SPURIOUS EMISSIONS

Non-Beamforming


Test Mode	TX B Mode_Ant. 1
-----------	------------------

Bandedge-CH01




Date: 30.JUL.2020 15:21:36

Bandedge-CH11




Date: 30.JUL.2020 15:25:49


CH01 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 15:21:49




Date: 30.JUL.2020 15:21:56




Date: 30.JUL.2020 15:22:04


CH06 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 15:24:56




Date: 30.JUL.2020 15:25:04




Date: 30.JUL.2020 15:25:11


CH11 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 15:26:03




Date: 30.JUL.2020 15:26:10



Date: 30.JUL.2020 15:26:17


Test Mode TX G Mode_Ant. 1

Bandedge-CH01




Date: 5.AUG.2020 15:31:56

Bandedge-CH11




Date: 30.JUL.2020 15:45:18


CH01 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 15:30:32




Date: 30.JUL.2020 15:30:40




Date: 30.JUL.2020 15:30:47


CH06 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 15:40:07




Date: 30.JUL.2020 15:43:31




Date: 30.JUL.2020 15:43:38


CH11 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 15:45:31




Date: 30.JUL.2020 15:45:38



Date: 30.JUL.2020 15:45:45


Test Mode TX N-20M Mode_Ant. 1

Bandedge-CH01




Date: 30.JUL.2020 16:00:29

Bandedge-CH11




Date: 30.JUL.2020 16:17:52


CH01 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 16:00:42




Date: 30.JUL.2020 16:00:49




Date: 30.JUL.2020 16:00:56


CH06 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 16:05:55




Date: 30.JUL.2020 16:06:02




Date: 30.JUL.2020 16:06:09


CH11 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 16:18:06




Date: 30.JUL.2020 16:18:13




Date: 30.JUL.2020 16:18:20

Test Mode TX N-20M Mode_Ant. 2




Bandedge-CH01






Bandedge-CH11






CH01 – 10th Harmonic of the fundamental frequency



CH06 – 10th Harmonic of the fundamental frequency




CH11 – 10th Harmonic of the fundamental frequency




Test Mode TX N-40M Mode_Ant. 1

Bandedge-CH03




Date: 30.JUL.2020 16:26:25

Bandedge-CH09




Date: 30.JUL.2020 16:58:42


CH03 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 16:26:38




Date: 30.JUL.2020 16:26:45




Date: 30.JUL.2020 16:26:52


CH06 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 16:31:31




Date: 30.JUL.2020 16:31:38




Date: 30.JUL.2020 16:31:45


CH09 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 16:58:55




Date: 30.JUL.2020 16:59:02



Date: 30.JUL.2020 16:59:09


Test Mode TX N-40M Mode_Ant. 2

Bandedge-CH03




Date: 30.JUL.2020 16:23:55

Bandedge-CH09




Date: 30.JUL.2020 16:57:22


CH03 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 16:24:43




Date: 30.JUL.2020 16:24:50




Date: 30.JUL.2020 16:24:57


CH06 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 16:30:04




Date: 30.JUL.2020 16:30:22




Date: 30.JUL.2020 16:30:29


CH09 – 10th Harmonic of the fundamental frequency



Date: 30.JUL.2020 16:57:35




Date: 30.JUL.2020 16:57:42



Date: 30.JUL.2020 16:57:49


Test Mode TX AX-20M Mode_Ant. 1

Bandedge-CH01




Date: 1.AUG.2020 11:04:32

Bandedge-CH11




Date: 1.AUG.2020 11:42:16


CH01 – 10th Harmonic of the fundamental frequency



Date: 1.AUG.2020 11:05:27




Date: 1.AUG.2020 11:05:34




Date: 1.AUG.2020 11:05:41


CH06 – 10th Harmonic of the fundamental frequency



Date: 1.AUG.2020 11:15:57




Date: 1.AUG.2020 11:16:05




Date: 1.AUG.2020 11:16:12


CH11 – 10th Harmonic of the fundamental frequency



Date: 1.AUG.2020 11:42:29




Date: 1.AUG.2020 11:42:36



Date: 1.AUG.2020 11:42:43


Test Mode TX AX-20M Mode_Ant. 2

Bandedge-CH01




Date: 1.AUG.2020 11:10:22

Bandedge-CH11




Date: 1.AUG.2020 11:17:05


CH01 – 10th Harmonic of the fundamental frequency



Date: 1.AUG.2020 11:11:04




Date: 1.AUG.2020 11:11:11




Date: 1.AUG.2020 11:11:18


CH06 – 10th Harmonic of the fundamental frequency



Date: 1.AUG.2020 11:14:14




Date: 1.AUG.2020 11:14:21




Date: 1.AUG.2020 11:14:28


CH11 – 10th Harmonic of the fundamental frequency



Date: 1.AUG.2020 11:17:35




Date: 1.AUG.2020 11:17:42



Date: 1.AUG.2020 11:17:49


Test Mode TX AX-40M Mode_Ant. 1

Bandedge-CH03




Date: 1.AUG.2020 11:36:30

Bandedge-CH09




Date: 1.AUG.2020 11:38:45


CH03 – 10th Harmonic of the fundamental frequency



Date: 1.AUG.2020 11:36:43




Date: 1.AUG.2020 11:36:50




Date: 1.AUG.2020 11:36:57


CH06 – 10th Harmonic of the fundamental frequency



Date: 1.AUG.2020 11:34:19




Date: 1.AUG.2020 11:34:26




Date: 1.AUG.2020 11:34:34


CH09 – 10th Harmonic of the fundamental frequency



Date: 5.AUG.2020 15:29:46




Date: 5.AUG.2020 15:29:54



Date: 5.AUG.2020 15:30:01


TX AX-40M Mode_Ant. 2

Bandedge-CH09




Date: 1.AUG.2020 11:27:24

CH03 – 10th Harmonic of the fundamental frequency




Date: 5.AUG.2020 15:37:33

CH06 – 10th Harmonic of the fundamental frequency



Date: 1.AUG.2020 11:25:38

CH09 – 10th Harmonic of the fundamental frequency




Date: 1.AUG.2020 11:28:03

APPENDIX H - POWER SPECTRAL DENSITY


Non-Beamforming

Test Mode	TX B Mode_Ant. 1
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	1.73	8	Complies
06	2437	3.44	8	Complies
11	2462	3.49	8	Complies



Date: 30.JUL.2020 15:18:06




Date: 30.JUL.2020 17:44:32




Date: 30.JUL.2020 17:45:54

Test Mode	TX G Mode_Ant. 1
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-3.90	8	Complies
06	2437	-0.66	8	Complies
11	2462	-0.63	8	Complies



Date: 30.JUL.2020 17:47:17




Date: 30.JUL.2020 17:48:31




Date: 30.JUL.2020 17:49:33

Test Mode	TX N-20M Mode_Ant. 1
-----------	----------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-5.57	8	Complies
06	2437	-5.42	8	Complies
11	2462	-4.03	8	Complies



Date: 30.JUL.2020 17:10:42




Date: 30.JUL.2020 17:14:00




Date: 30.JUL.2020 17:16:08

Test Mode	TX N-20M Mode_Ant. 2
-----------	----------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-5.89	8	Complies
06	2437	-2.58	8	Complies
11	2462	-2.31	8	Complies



Date: 30.JUL.2020 17:09:59



Date: 30.JUL.2020 17:09:19




Date: 30.JUL.2020 17:08:36

Test Mode	TX N-20M Mode_Total
-----------	---------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-2.72	8	Complies
06	2437	-0.76	8	Complies
11	2462	-0.08	8	Complies

Test Mode	TX N-40M Mode_Ant. 1
-----------	----------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-10.12	8	Complies
06	2437	-10.18	8	Complies
09	2452	-9.94	8	Complies



Date: 30.JUL.2020 17:41:14




Date: 30.JUL.2020 17:42:38




Date: 30.JUL.2020 17:01:31

Test Mode	TX N-40M Mode_Ant. 2
-----------	----------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-9.00	8	Complies
06	2437	-7.99	8	Complies
09	2452	-7.35	8	Complies



Date: 30.JUL.2020 17:07:42



Date: 30.JUL.2020 17:05:48




Date: 30.JUL.2020 17:04:24

Test Mode	TX N-40M Mode_Total
-----------	---------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-6.51	8	Complies
06	2437	-5.94	8	Complies
09	2452	-5.44	8	Complies

Test Mode	TX AX-20M Mode_Ant. 1
-----------	-----------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-3.66	8	Complies
06	2437	-0.91	8	Complies
11	2462	-1.42	8	Complies



Date: 1.AUG.2020 11:45:58




Date: 1.AUG.2020 11:44:17




Date: 1.AUG.2020 11:40:52

Test Mode	TX AX-20M Mode_Ant. 2
-----------	-----------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-2.34	8	Complies
06	2437	-1.22	8	Complies
11	2462	-0.46	8	Complies



Date: 1.AUG.2020 11:48:24



Date: 1.AUG.2020 11:49:12




Date: 1.AUG.2020 11:49:40

Test Mode	TX AX-20M Mode_Total
-----------	----------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	0.91	8	Complies
06	2437	2.80	8	Complies
11	2462	2.95	8	Complies

Test Mode	TX AX-40M Mode_Ant. 1
-----------	-----------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-9.10	8	Complies
06	2437	-9.75	8	Complies
09	2452	-8.82	8	Complies



Date: 1.AUG.2020 11:38:43




Date: 1.AUG.2020 11:33:00




Date: 1.AUG.2020 11:31:54

Test Mode	TX AX-40M Mode_Ant. 2
-----------	-----------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-8.51	8	Complies
06	2437	-7.14	8	Complies
09	2452	-8.96	8	Complies



Date: 1.AUG.2020 11:50:32



Date: 1.AUG.2020 11:51:09



Date: 1.AUG.2020 11:51:40

Test Mode	TX AX-40M Mode_Total
-----------	----------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-5.03	8	Complies
06	2437	-4.48	8	Complies
09	2452	-5.12	8	Complies

End of Test Report