


ANNEX 1 - TEST SETUP PHOTOGRAPHS

Radiated Emissions at 3 Meters Distance Orthogonal Position # 1



Lipman USA, Inc.
Hand Held Point of Sale Device, Model NURIT 8000S
FCC ID: O2SNURIT8000SWD
IC:4804A-N8000SWD

ANNEX 1 - TEST SETUP PHOTOGRAPHS

Radiated Emissions at 3 Meters Distance Orthogonal Position # 1



Lipman USA, Inc.
Hand Held Point of Sale Device, Model NURIT 8000S
FCC ID: O2SNURIT8000SWD
IC:4804A-N8000SWD

ANNEX 1 - TEST SETUP PHOTOGRAPHS

Radiated Emissions at 3 Meters Distance Orthogonal Position # 2



Lipman USA, Inc.
Hand Held Point of Sale Device, Model NURIT 8000S
FCC ID: O2SNURIT8000SWD
IC:4804A-N8000SWD

ANNEX 1 - TEST SETUP PHOTOGRAPHS


Radiated Emissions at 3 Meters Distance Orthogonal Position # 2



Lipman USA, Inc.
Hand Held Point of Sale Device, Model NURIT 8000S
FCC ID: O2SNURIT8000SWD
IC:4804A-N8000SWD

ANNEX 1 - TEST SETUP PHOTOGRAPHS

Radiated Emissions at 3 Meters Distance Orthogonal Position # 3



Lipman USA, Inc.
Hand Held Point of Sale Device, Model NURIT 8000S
FCC ID: O2SNURIT8000SWD
IC:4804A-N8000SWD

ANNEX 1 - TEST SETUP PHOTOGRAPHS

Radiated Emissions at 3 Meters Distance Orthogonal Position # 3



Lipman USA, Inc.
Hand Held Point of Sale Device, Model NURIT 8000S
FCC ID: O2SNURIT8000SWD
IC:4804A-N8000SWD