


**4.7.2.56            11AC40 159 ANT 1**



Date: 20.MAY.2020 04:02:03




SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (South China) EEC Laboratory.

Unless otherwise agreed in writing this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have read, understood and accepted the Terms and Conditions of the document and to have agreed to follow the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is strictly prohibited and may result in severe civil or criminal penalties. If the holder has otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention:** To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgs.com](http://www.sgs.com)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)


#### 4.7.2.57 11AC80\_42 ANT 1



Date: 20.MAY.2020 04:18:45



4.7.2.58 11AC80\_58 ANT 1




Date: 20 MAY 2020 04:20:27






4.7.2.59 11AC80\_106 ANT 1



Date: 20.MAY.2020 04:22:13




#### 4.7.2.60 11AC80\_122 ANT 1



Date: 20.MAY.2020 04:23:34



#### 4.7.2.61 11AC80\_138 ANT 1




Date: 8 JUN 2020 03:45:33






#### 4.7.2.62 11AC80\_155 ANT 1



Date: 20.MAY.2020 04:25:08



## 4.8 Power Spectral Density

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                    |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| Test Requirement:      | 47 CFR Part 15 Section 15.407(a)                                                                                                                                                                                                                                                                                                                                                                                                      |                                                    |
| Test Method:           | ANSI C63.10: 2013                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                    |
| Test Setup:            |                                                                                                                                                                                                                                                                                                                                                     |                                                    |
| Test Instruments:      | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                     |                                                    |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates                                                                                                                                                                                                                                                                                                                                                                                 |                                                    |
| Final Test Mode:       | <p>Through Pre-scan, find the</p> <p>6Mbps of rate is the worst case of 802.11a;</p> <p>MCS0 of rate is the worst case of 802.11n(HT20);</p> <p>MCS0 of rate is the worst case of 802.11n(HT40);</p> <p>MCS0 of rate is the worst case of 802.11ac(HT20);</p> <p>MCS0 of rate is the worst case of 802.11ac(HT40);</p> <p>MCS0 of rate is the worst case of 802.11ac(HT80).</p> <p>Only the worst case is recorded in the report.</p> |                                                    |
| Limit:                 | Frequency Band                                                                                                                                                                                                                                                                                                                                                                                                                        | Limit                                              |
|                        | 5150-5250MHz                                                                                                                                                                                                                                                                                                                                                                                                                          | The power spectral density less than 11dBm/1MHz    |
|                        | 5250-5350MHz                                                                                                                                                                                                                                                                                                                                                                                                                          | The power spectral density less than 11dBm/1MHz    |
|                        | 5470-5725MHz                                                                                                                                                                                                                                                                                                                                                                                                                          | The power spectral density less than 11dBm/1MHz    |
|                        | 5725-5850MHz                                                                                                                                                                                                                                                                                                                                                                                                                          | The power spectral density less than <30dBm/500KHz |
| Test Results:          | Pass                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                    |







#### 4.8.1 Test Results For Power Density

| Test Mode | Test Channel  | Frequency [MHz] | Antenna Port | Meas. Level (Cond.) [dBm/500KHz] | Verdict |
|-----------|---------------|-----------------|--------------|----------------------------------|---------|
| 11A20     | 36            | 5180            | ANT 1        | 4.94                             | PASS    |
|           | 44            | 5220            | ANT 1        | 5.15                             | PASS    |
|           | 48            | 5240            | ANT 1        | 5.11                             | PASS    |
|           | 52            | 5260            | ANT 1        | 5.02                             | PASS    |
|           | 60            | 5300            | ANT 1        | 4.76                             | PASS    |
|           | 64            | 5320            | ANT 1        | 4.66                             | PASS    |
|           | 100           | 5500            | ANT 1        | 4.84                             | PASS    |
|           | 116           | 5580            | ANT 1        | 4.42                             | PASS    |
|           | 140           | 5700            | ANT 1        | 4.12                             | PASS    |
|           | 144(BandII-C) | 5720            | ANT 1        | 4.79                             | PASS    |
|           | 144(BandIII)  | 5720            | ANT 1        | 0.33                             | PASS    |
|           | 149           | 5745            | ANT 1        | 1.22                             | PASS    |
|           | 165           | 5825            | ANT 1        | 1.52                             | PASS    |
| 11N20     | 36            | 5180            | ANT 1        | 4.78                             | PASS    |
|           | 44            | 5220            | ANT 1        | 4.87                             | PASS    |
|           | 48            | 5240            | ANT 1        | 4.86                             | PASS    |
|           | 52            | 5260            | ANT 1        | 4.83                             | PASS    |
|           | 60            | 5300            | ANT 1        | 4.44                             | PASS    |
|           | 64            | 5320            | ANT 1        | 4.43                             | PASS    |
|           | 100           | 5500            | ANT 1        | 4.61                             | PASS    |
|           | 116           | 5580            | ANT 1        | 4.35                             | PASS    |
|           | 140           | 5700            | ANT 1        | 3.83                             | PASS    |
|           | 144(BandII-C) | 5720            | ANT 1        | 4.19                             | PASS    |
|           | 144(BandIII)  | 5720            | ANT 1        | -0.07                            | PASS    |
|           | 149           | 5745            | ANT 1        | 0.92                             | PASS    |
|           | 165           | 5825            | ANT 1        | 1.24                             | PASS    |
| 11N40     | 38            | 5190            | ANT 1        | 1                                | PASS    |
|           | 46            | 5230            | ANT 1        | 1.03                             | PASS    |
|           | 54            | 5270            | ANT 1        | 0.66                             | PASS    |
|           | 62            | 5310            | ANT 1        | 0.45                             | PASS    |





|        |               |      |       |       |      |
|--------|---------------|------|-------|-------|------|
|        | 102           | 5510 | ANT 1 | 0.51  | PASS |
|        | 110           | 5550 | ANT 1 | 0.48  | PASS |
|        | 134           | 5670 | ANT 1 | 0.25  | PASS |
|        | 144(BandII-C) | 5710 | ANT 1 | 0.28  | PASS |
|        | 144(BandIII)  | 5710 | ANT 1 | -6.06 | PASS |
|        | 151           | 5755 | ANT 1 | -3.26 | PASS |
|        | 159           | 5795 | ANT 1 | -3.08 | PASS |
| 11AC20 | 36            | 5180 | ANT 1 | 4.91  | PASS |
|        | 44            | 5220 | ANT 1 | 4.93  | PASS |
|        | 48            | 5240 | ANT 1 | 4.77  | PASS |
|        | 52            | 5260 | ANT 1 | 4.66  | PASS |
|        | 60            | 5300 | ANT 1 | 4.55  | PASS |
|        | 64            | 5320 | ANT 1 | 4.31  | PASS |
|        | 100           | 5500 | ANT 1 | 4.48  | PASS |
|        | 116           | 5580 | ANT 1 | 4.3   | PASS |
|        | 140           | 5700 | ANT 1 | 3.8   | PASS |
|        | 142(BandII-C) | 5720 | ANT 1 | 4.36  | PASS |
|        | 142(BandIII)  | 5720 | ANT 1 | 0.09  | PASS |
|        | 149           | 5745 | ANT 1 | 0.91  | PASS |
|        | 165           | 5825 | ANT 1 | 1.24  | PASS |
| 11AC40 | 38            | 5190 | ANT 1 | 0.56  | PASS |
|        | 46            | 5230 | ANT 1 | 0.63  | PASS |
|        | 54            | 5270 | ANT 1 | 0.25  | PASS |
|        | 62            | 5310 | ANT 1 | 0.21  | PASS |
|        | 102           | 5510 | ANT 1 | 0.24  | PASS |
|        | 110           | 5550 | ANT 1 | 0.11  | PASS |
|        | 134           | 5670 | ANT 1 | -0.05 | PASS |
|        | 144(BandII-C) | 5710 | ANT 1 | 0.41  | PASS |
|        | 144(BandIII)  | 5710 | ANT 1 | -5.90 | PASS |
|        | 151           | 5755 | ANT 1 | -3.43 | PASS |
|        | 159           | 5795 | ANT 1 | -3.16 | PASS |
| 11AC80 | 42            | 5210 | ANT 1 | -3.51 | PASS |





|  |               |      |       |        |      |
|--|---------------|------|-------|--------|------|
|  | 58            | 5290 | ANT 1 | -3.93  | PASS |
|  | 106           | 5530 | ANT 1 | -3.99  | PASS |
|  | 122           | 5610 | ANT 1 | -4.07  | PASS |
|  | 138(BandII-C) | 5690 | ANT 1 | -3.86  | PASS |
|  | 138(BandIII)  | 5690 | ANT 1 | -10.52 | PASS |
|  | 155           | 5775 | ANT 1 | -7.37  | PASS |





## 4.8.2 Test plots For Power Density

### 4.8.2.1 11A20\_36 ANT 1




Date: 20 MAY 2020 12:10:40



4.8.2.2

11A20\_44 ANT 1



Date: 20 MAY 2020 12:11:26



4.8.2.3

11A20\_48 ANT 1



Date: 20.MAY.2020 12:12:10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.8.2.4

11A20\_52 ANT 1




Date: 20 MAY 2020 12:12:59



**4.8.2.5**

**11A20\_60 ANT 1**




Date: 20 MAY 2020 12:13:38



4.8.2.6

11A20\_64 ANT 1




Date: 20 MAY 2020 12:14:23





4.8.2.7

11A20\_100 ANT 1




Date: 20 MAY 2020 12:15:11



4.8.2.8

11A20\_116 ANT 1




Date: 20 MAY 2020 12:15:58



4.8.2.9

11A20\_140 ANT 1



Date: 20 MAY 2020 12:16:50




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



4.8.2.10

11A20\_144 ANT 1



Date: 8 JUN 2020 03:04:12



4.8.2.11

11A20\_149 ANT 1



Date: 20.MAY.2020 12:17:48



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.8.2.12

11A20\_165 ANT 1



Date: 20 MAY 2020 12:19:55




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.8.2.13

11N20\_36 ANT 1




Date: 20.MAY.2020 02:54:31



4.8.2.14

11N20\_44 ANT 1



Date: 20 MAY 2020 02:59:13



**4.8.2.15**

**11N20\_48 ANT 1**




Date: 20 MAY 2020 03:01:00





4.8.2.16

11N20\_52 ANT 1



Date: 20 MAY 2020 03:03:11



4.8.2.17

11N20\_60 ANT 1



Date: 20 MAY 2020 03:05:40



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

4.8.2.18

11N20\_64 ANT 1



Date: 20.MAY.2020 03:07:38





4.8.2.19

11N20\_100 ANT 1



Date: 20 MAY 2020 03:09:30




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

4.8.2.20

11N20\_116 ANT 1



Date: 20.MAY.2020 03:11:12



4.8.2.21

11N20\_140 ANT 1




Date: 20 MAY 2020 03:12:44





4.8.2.22


11N20\_144 ANT 1



Date: 8 JUN 2020 03:09:20



#### 4.8.2.23 11N20\_149 ANT 1



Date: 20.MAY.2020 03:14:24



4.8.2.24

11N20\_165 ANT 1




Date: 20 MAY 2020 03:17:25





**4.8.2.25**

**11N40\_38 ANT 1**



Date: 20 MAY 2020 03:43:44



**4.8.2.26**

**11N40\_46 ANT 1**



Date: 20 MAY 2020 03:45:33



4.8.2.27

11N40\_54 ANT 1




Date: 20 MAY 2020 03:47:07





4.8.2.28

11N40\_62 ANT 1




Date: 20 MAY 2020 03:49:19



**4.8.2.29**

**11N40\_102 ANT 1**




Date: 20 MAY 2020 03:51:14



**4.8.2.30**

**11N40\_110 ANT 1**



Date: 20 MAY 2020 03:53:18




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



4.8.2.31

11N40\_134 ANT 1



Date: 20 MAY 2020 03:55:11




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

4.8.2.32

11N40\_142 ANT 1



Date: 8 JUN 2020 03:30:01




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

4.8.2.33

11N40\_151 ANT 1



Date: 20.MAY.2020 03:57:53




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.8.2.34

11N40\_159 ANT 1



Date: 20 MAY 2020 03:59:29



**4.8.2.35**

**11AC20\_36 ANT 1**



Date: 20 MAY 2020 03:20:07



4.8.2.36

11AC20\_44 ANT 1



Date: 20 MAY 2020 03:21:32




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



**4.8.2.37**

**11AC20\_48 ANT 1**




Date: 20 MAY 2020 03:23:02



**4.8.2.38**

**11AC20\_52 ANT 1**



Date: 20 MAY 2020 03:25:03



4.8.2.39

11AC20\_60 ANT 1




Date: 20 MAY 2020 03:26:33





**4.8.2.40**

**11AC20\_64 ANT 1**



Date: 20.MAY.2020 03:28:00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

4.8.2.41

11AC20\_100 ANT 1



Date: 20 MAY 2020 03:29:30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

4.8.2.42

11AC20\_116 ANT 1



Date: 20 MAY 2020 03:30:54



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



**4.8.2.43**

**11AC20\_140 ANT 1**



Date: 20 MAY 2020 03:32:20




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

4.8.2.44

11AC20\_144 ANT 1



Date: 8 JUN 2020 03:15:28



#### 4.8.2.45 11AC20\_149 ANT 1




Date: 20.MAY.2020 03:34:07





4.8.2.46

11AC20\_165 ANT 1




Date: 20 MAY 2020 03:37:23



4.8.2.47

11AC40\_38 ANT 1




Date: 20.MAY.2020 04:06:01



**4.8.2.48**

**11AC40\_46 ANT 1**



Date: 20.MAY.2020 04:07:35





4.8.2.49


11AC40\_54 ANT 1



Date: 20 MAY 2020 04:09:53

**4.8.2.50**

**11AC40\_62 ANT 1**




Date: 20 MAY 2020 04:11:49



4.8.2.51

11AC40\_102 ANT 1



Date: 20 MAY 2020 04:13:23





**4.8.2.52**

**11AC40\_110 ANT 1**




Date: 20 MAY 2020 04:14:46



**4.8.2.53**

**11AC40\_134 ANT 1**




Date: 20 MAY 2020 04:16:14



4.8.2.54

11AC40\_142 ANT 1




Date: 8 JUN 2020 03:30:56





#### 4.8.2.55 11AC40\_151 ANT 1




Date: 20.MAY.2020 04:04:17



4.8.2.56


11AC40\_159 ANT 1



Date: 20 MAY 2020 04:02:35

**4.8.2.57**

**11AC80\_42 ANT 1**




Date: 20 MAY 2020 04:19:14





**4.8.2.58**

**11AC80\_58 ANT 1**




Date: 20.MAY.2020 04:20:55



**4.8.2.59**

**11AC80\_106 ANT 1**




Date: 20 MAY 2020 04:22:41



**4.8.2.60**

**11AC80\_122 ANT 1**




Date: 20 MAY 2020 04:24:02





4.8.2.61

11AC80\_138 ANT 1




Date: 8 JUN 2020 03:43:11



4.8.2.62

11AC80\_155 ANT 1



Date: 20.MAY.2020 04:25:46



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## 4.9 Radiated Spurious Emissions

|                   |                                                         |
|-------------------|---------------------------------------------------------|
| Test Requirement: | 47 CFR Part 15 Section 15.407(b)                        |
| Test Method:      | ANSI C63.10: 2013                                       |
| Test Site:        | Measurement Distance: 3m or 10m (Semi-Anechoic Chamber) |
| Test Setup:       |                                                         |




Figure 1. 30MHz to 1GHz




Figure 2. Above 1 GHz

### Test Procedure:

- For below 1GHz test, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- For above 1GHz test, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- Test the EUT in the outermost channels.
- The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is worse case.








|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                        | i. Repeat above procedures until all frequencies measured was complete.                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates.                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Final Test Mode:       | Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a;<br>MCS0 of rate is the worst case of 802.11n(HT20);<br>MCS0 of rate is the worst case of 802.11n(HT40);<br>MCS0 of rate is the worst case of 802.11ac(HT20);<br>MCS0 of rate is the worst case of 802.11ac(HT40);<br>MCS0 of rate is the worst case of 802.11ac(HT80)<br>For below 1GHz, through Pre-scan, find the 1Mbps of rate of 802.11a at lowest channel is the worst case.<br>Only the worst case is recorded in the report. |
| Instruments Used:      | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Test Results:          | Pass                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |




#### 4.9.1 Radiated emission below 1GHz



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 35.8229     | 28.13          | -29.69      | 40.00          | 11.87       | 100         | 1         | Vertical |
| 2              | 62.9965     | 29.67          | -32.63      | 40.00          | 10.33       | 100         | 230       | Vertical |
| 3              | 202.261     | 20.62          | -31.13      | 43.50          | 22.88       | 100         | 312       | Vertical |
| 4              | 470.115     | 20.48          | -24.02      | 46.00          | 25.52       | 100         | 10        | Vertical |
| 5              | 721.470     | 24.30          | -19.00      | 46.00          | 21.70       | 100         | 136       | Vertical |
| 6              | 980.590     | 28.45          | -15.06      | 54.00          | 25.55       | 100         | 304       | Vertical |



#### Suspected List


| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 47.9540     | 17.32          | -30.39      | 40.00          | 22.68       | 100         | 111       | Horizontal |
| 2              | 72.7014     | 26.01          | -34.86      | 40.00          | 13.99       | 100         | 24        | Horizontal |
| 3              | 202.261     | 20.87          | -31.13      | 43.50          | 22.63       | 100         | 242       | Horizontal |
| 4              | 305.617     | 22.22          | -28.10      | 46.00          | 23.78       | 100         | 68        | Horizontal |
| 5              | 539.019     | 21.12          | -22.32      | 46.00          | 24.88       | 100         | 108       | Horizontal |
| 6              | 981.075     | 27.03          | -15.05      | 54.00          | 26.97       | 100         | 113       | Horizontal |





#### 4.9.2 Transmitter emission above 1GHz


##### 4.9.2.1 11A20\_36 ANT 1\_Horizontal



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6866.19     | 56.22          | 20.86       | 74.00          | 17.78       | 150         | 69        | Horizontal |
| 2              | 6876.99     | 47.32          | 20.84       | 54.00          | 6.68        | 150         | 69        | Horizontal |
| 3              | 10360.0     | 39.27          | -3.63       | 54.00          | 14.73       | 150         | 220       | Horizontal |
| 4              | 10360.0     | 50.46          | -3.63       | 74.00          | 23.54       | 150         | 271       | Horizontal |
| 5              | 15540.0     | 52.51          | 0.46        | 74.00          | 21.49       | 150         | 322       | Horizontal |
| 6              | 15540.0     | 41.08          | 0.46        | 54.00          | 12.92       | 150         | 69        | Horizontal |
| 7              | 17960.3     | 47.02          | 1.71        | 54.00          | 6.98        | 150         | 271       | Horizontal |

#### 4.9.2.2 11A20\_36 ANT 1\_Vertical




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6951.99     | 57.30          | 21.26       | 74.00          | 16.70       | 150         | 291       | Vertical |
| 2              | 6970.59     | 47.28          | 21.26       | 54.00          | 6.72        | 150         | 142       | Vertical |
| 3              | 10360.0     | 39.58          | -3.63       | 54.00          | 14.42       | 150         | 90        | Vertical |
| 4              | 10360.0     | 51.01          | -3.63       | 74.00          | 22.99       | 150         | 190       | Vertical |
| 5              | 15540.0     | 52.55          | 0.46        | 74.00          | 21.45       | 150         | 241       | Vertical |
| 6              | 15540.0     | 41.27          | 0.46        | 54.00          | 12.73       | 150         | 190       | Vertical |
| 7              | 17881.7     | 47.18          | 1.45        | 54.00          | 6.82        | 150         | 39        | Vertical |



### 4.9.2.3 11A20\_44 ANT 1\_ Horizontal




### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6957.69     | 47.13          | 21.26       | 54.00          | 6.87        | 150         | 168       | Horizontal |
| 2              | 6991.59     | 56.32          | 21.27       | 74.00          | 17.68       | 150         | 318       | Horizontal |
| 3              | 10440.0     | 40.37          | -3.24       | 54.00          | 13.63       | 150         | 118       | Horizontal |
| 4              | 10440.0     | 50.50          | -3.24       | 74.00          | 23.50       | 150         | 169       | Horizontal |
| 5              | 15660.0     | 52.87          | 0.43        | 74.00          | 21.13       | 150         | 68        | Horizontal |
| 6              | 15660.0     | 42.24          | 0.43        | 54.00          | 11.76       | 150         | 320       | Horizontal |
| 7              | 17933.9     | 47.20          | 1.70        | 54.00          | 6.80        | 150         | 219       | Horizontal |



#### 4.9.2.4 11A20\_44 ANT 1\_Vertical




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6895.59     | 47.60          | 20.82       | 54.00          | 6.40        | 150         | 0         | Vertical |
| 2              | 6960.39     | 56.70          | 21.26       | 74.00          | 17.30       | 150         | 140       | Vertical |
| 3              | 10440.0     | 40.79          | -3.24       | 54.00          | 13.21       | 150         | 191       | Vertical |
| 4              | 10440.0     | 51.42          | -3.24       | 74.00          | 22.58       | 150         | 0         | Vertical |
| 5              | 15660.0     | 53.59          | 0.43        | 74.00          | 20.41       | 150         | 90        | Vertical |
| 6              | 15660.0     | 42.45          | 0.43        | 54.00          | 11.55       | 150         | 191       | Vertical |
| 7              | 17991.7     | 47.24          | 1.72        | 54.00          | 6.76        | 150         | 191       | Vertical |




#### 4.9.2.5 11A20\_48 ANT 1\_ Horizontal



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6939.39     | 47.24          | 21.16       | 54.00          | 6.76        | 150         | 270       | Horizontal |
| 2              | 6955.29     | 57.03          | 21.26       | 74.00          | 16.97       | 150         | 170       | Horizontal |
| 3              | 10480.0     | 40.32          | -2.94       | 54.00          | 13.68       | 150         | 321       | Horizontal |
| 4              | 10480.0     | 52.68          | -2.94       | 74.00          | 21.32       | 150         | 170       | Horizontal |
| 5              | 15720.0     | 54.51          | 0.29        | 74.00          | 19.49       | 150         | 170       | Horizontal |
| 6              | 15720.0     | 42.28          | 0.29        | 54.00          | 11.72       | 150         | 271       | Horizontal |
| 7              | 17951.5     | 47.31          | 1.71        | 54.00          | 6.69        | 150         | 18        | Horizontal |

#### 4.9.2.6 11A20\_48 ANT 1\_Vertical




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6947.49     | 56.52          | 21.23       | 74.00          | 17.48       | 150         | 291       | Vertical |
| 2              | 6974.19     | 47.28          | 21.26       | 54.00          | 6.72        | 150         | 141       | Vertical |
| 3              | 10480.0     | 40.53          | -2.94       | 54.00          | 13.47       | 150         | 90        | Vertical |
| 4              | 10480.0     | 51.82          | -2.94       | 74.00          | 22.18       | 150         | 292       | Vertical |
| 5              | 15720.0     | 54.21          | 0.29        | 74.00          | 19.79       | 150         | 140       | Vertical |
| 6              | 15720.0     | 42.64          | 0.29        | 54.00          | 11.36       | 150         | 90        | Vertical |
| 7              | 17953.7     | 47.45          | 1.71        | 54.00          | 6.55        | 150         | 191       | Vertical |




## 4.9.2.7 11A20\_52 ANT 1\_ Horizontal



## Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6893.79     | 57.23          | 20.82       | 74.00          | 16.77       | 150         | 220       | Horizontal |
| 2              | 6979.59     | 47.33          | 21.26       | 54.00          | 6.67        | 150         | 119       | Horizontal |
| 3              | 10520.0     | 40.49          | -2.80       | 54.00          | 13.51       | 150         | 173       | Horizontal |
| 4              | 10520.0     | 51.63          | -2.80       | 74.00          | 22.37       | 150         | 224       | Horizontal |
| 5              | 15780.0     | 40.94          | -0.72       | 54.00          | 13.06       | 150         | 173       | Horizontal |
| 6              | 15780.0     | 52.60          | -0.72       | 74.00          | 21.40       | 150         | 274       | Horizontal |
| 7              | 17872.9     | 47.46          | 1.33        | 54.00          | 6.54        | 150         | 324       | Horizontal |

#### 4.9.2.8 11A20\_52 ANT 1\_Vertical




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6971.49     | 48.17          | 21.26       | 54.00          | 5.83        | 150         | 191       | Vertical |
| 2              | 6973.89     | 56.47          | 21.26       | 74.00          | 17.53       | 150         | 40        | Vertical |
| 3              | 10520.0     | 40.59          | -2.80       | 54.00          | 13.41       | 150         | 40        | Vertical |
| 4              | 10520.0     | 52.17          | -2.80       | 74.00          | 21.83       | 150         | 141       | Vertical |
| 5              | 15780.0     | 40.87          | -0.72       | 54.00          | 13.13       | 150         | 0         | Vertical |
| 6              | 15780.0     | 52.31          | -0.72       | 74.00          | 21.69       | 150         | 91        | Vertical |
| 7              | 17975.2     | 47.28          | 1.71        | 54.00          | 6.72        | 150         | 0         | Vertical |



## 4.9.2.9 11A20\_60 ANT 1\_ Horizontal




## Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6926.49     | 56.41          | 21.05       | 74.00          | 17.59       | 150         | 220       | Horizontal |
| 2              | 6993.39     | 47.34          | 21.27       | 54.00          | 6.66        | 150         | 320       | Horizontal |
| 3              | 10600.0     | 41.13          | -2.86       | 54.00          | 12.87       | 150         | 122       | Horizontal |
| 4              | 10600.0     | 53.26          | -2.86       | 74.00          | 20.74       | 150         | 18        | Horizontal |
| 5              | 15900.0     | 41.71          | -0.51       | 54.00          | 12.29       | 150         | 279       | Horizontal |
| 6              | 15900.0     | 52.17          | -0.51       | 74.00          | 21.83       | 150         | 122       | Horizontal |
| 7              | 17937.2     | 47.27          | 1.70        | 54.00          | 6.73        | 150         | 175       | Horizontal |



#### 4.9.2.10 11A20\_60 ANT 1\_Vertical




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6972.69     | 56.98          | 21.26       | 74.00          | 17.02       | 150         | 87        | Vertical |
| 2              | 6988.29     | 47.06          | 21.27       | 54.00          | 6.94        | 150         | 288       | Vertical |
| 3              | 10600.0     | 41.57          | -2.86       | 54.00          | 12.43       | 150         | 0         | Vertical |
| 4              | 10600.0     | 52.39          | -2.86       | 74.00          | 21.61       | 150         | 291       | Vertical |
| 5              | 15900.0     | 41.37          | -0.51       | 54.00          | 12.63       | 150         | 40        | Vertical |
| 6              | 15900.0     | 53.92          | -0.51       | 74.00          | 20.08       | 150         | 0         | Vertical |
| 7              | 17953.7     | 47.24          | 1.71        | 54.00          | 6.76        | 150         | 0         | Vertical |




#### 4.9.2.11 11A20\_64 ANT 1\_ Horizontal



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6880.59     | 47.11          | 20.84       | 54.00          | 6.89        | 150         | 320       | Horizontal |
| 2              | 6992.49     | 56.33          | 21.27       | 74.00          | 17.67       | 150         | 219       | Horizontal |
| 3              | 10640.0     | 41.06          | -2.84       | 54.00          | 12.94       | 150         | 119       | Horizontal |
| 4              | 10640.0     | 51.77          | -2.84       | 74.00          | 22.23       | 150         | 18        | Horizontal |
| 5              | 15960.0     | 41.48          | -0.61       | 54.00          | 12.52       | 150         | 360       | Horizontal |
| 6              | 15960.0     | 52.87          | -0.61       | 74.00          | 21.13       | 150         | 270       | Horizontal |
| 7              | 17998.3     | 47.19          | 1.72        | 54.00          | 6.81        | 150         | 219       | Horizontal |

#### 4.9.2.12 11A20\_64 ANT 1\_Vertical




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6954.09     | 56.56          | 21.26       | 74.00          | 17.44       | 150         | 91        | Vertical |
| 2              | 6971.49     | 47.23          | 21.26       | 54.00          | 6.77        | 150         | 0         | Vertical |
| 3              | 10640.0     | 41.23          | -2.84       | 54.00          | 12.77       | 150         | 0         | Vertical |
| 4              | 10640.0     | 52.85          | -2.84       | 74.00          | 21.15       | 150         | 142       | Vertical |
| 5              | 15960.0     | 41.40          | -0.61       | 54.00          | 12.60       | 150         | 91        | Vertical |
| 6              | 15960.0     | 53.20          | -0.61       | 74.00          | 20.80       | 150         | 192       | Vertical |
| 7              | 17989.5     | 47.16          | 1.72        | 54.00          | 6.84        | 150         | 91        | Vertical |




#### 4.9.2.13 11A20\_100 ANT 1\_ Horizontal



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6944.49     | 56.54          | 21.21       | 74.00          | 17.46       | 150         | 360       | Horizontal |
| 2              | 6954.99     | 47.13          | 21.26       | 54.00          | 6.87        | 150         | 360       | Horizontal |
| 3              | 11000.0     | 40.65          | -2.17       | 54.00          | 13.35       | 150         | 224       | Horizontal |
| 4              | 11000.0     | 51.14          | -2.17       | 74.00          | 22.86       | 150         | 18        | Horizontal |
| 5              | 16500.0     | 43.56          | 0.34        | 54.00          | 10.44       | 150         | 69        | Horizontal |
| 6              | 16500.0     | 54.66          | 0.34        | 74.00          | 19.34       | 150         | 18        | Horizontal |
| 7              | 17977.9     | 47.37          | 1.71        | 54.00          | 6.63        | 150         | 324       | Horizontal |


#### 4.9.2.14 11A20\_100 ANT 1\_Vertical



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6873.69     | 47.63          | 20.85       | 54.00          | 6.37        | 150         | 142       | Vertical |
| 2              | 6979.59     | 56.13          | 21.26       | 74.00          | 17.87       | 150         | 0         | Vertical |
| 3              | 11000.0     | 40.89          | -2.17       | 54.00          | 13.11       | 150         | 0         | Vertical |
| 4              | 11000.0     | 51.60          | -2.17       | 74.00          | 22.40       | 150         | 140       | Vertical |
| 5              | 16500.0     | 43.29          | 0.34        | 54.00          | 10.71       | 150         | 38        | Vertical |
| 6              | 16500.0     | 54.77          | 0.34        | 74.00          | 19.23       | 150         | 0         | Vertical |
| 7              | 17998.3     | 47.31          | 1.72        | 54.00          | 6.69        | 150         | 140       | Vertical |

#### 4.9.2.15 11A20\_116 ANT 1\_ Horizontal




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6936.69     | 56.08          | 21.14       | 74.00          | 17.92       | 150         | 118       | Horizontal |
| 2              | 6958.29     | 47.44          | 21.26       | 54.00          | 6.56        | 150         | 269       | Horizontal |
| 3              | 11160.0     | 41.97          | -2.32       | 54.00          | 12.03       | 150         | 68        | Horizontal |
| 4              | 11160.0     | 53.09          | -2.32       | 74.00          | 20.91       | 150         | 320       | Horizontal |
| 5              | 16740.0     | 43.61          | 0.71        | 54.00          | 10.39       | 150         | 68        | Horizontal |
| 6              | 16740.0     | 55.33          | 0.71        | 74.00          | 18.67       | 150         | 68        | Horizontal |
| 7              | 17958.1     | 47.28          | 1.71        | 54.00          | 6.72        | 150         | 220       | Horizontal |




## 4.9.2.16 11A20\_116 ANT 1\_Vertical



## Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6942.39     | 47.13          | 21.19       | 54.00          | 6.87        | 150         | 90        | Vertical |
| 2              | 6989.49     | 56.97          | 21.27       | 74.00          | 17.03       | 150         | 90        | Vertical |
| 3              | 11160.0     | 41.39          | -2.32       | 54.00          | 12.61       | 150         | 0         | Vertical |
| 4              | 11160.0     | 52.70          | -2.32       | 74.00          | 21.30       | 150         | 190       | Vertical |
| 5              | 16740.0     | 43.86          | 0.71        | 54.00          | 10.14       | 150         | 190       | Vertical |
| 6              | 16740.0     | 53.91          | 0.71        | 74.00          | 20.09       | 150         | 0         | Vertical |
| 7              | 17959.2     | 47.13          | 1.71        | 54.00          | 6.87        | 150         | 38        | Vertical |

## 4.9.2.17 11A20\_140 ANT 1\_ Horizontal




## Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6900.09     | 56.36          | 20.81       | 74.00          | 17.64       | 150         | 360       | Horizontal |
| 2              | 6941.19     | 47.41          | 21.18       | 54.00          | 6.59        | 150         | 320       | Horizontal |
| 3              | 11400.0     | 40.94          | -2.15       | 54.00          | 13.06       | 150         | 360       | Horizontal |
| 4              | 11400.0     | 52.03          | -2.15       | 74.00          | 21.97       | 150         | 119       | Horizontal |
| 5              | 17100.0     | 55.73          | 0.04        | 74.00          | 18.27       | 150         | 321       | Horizontal |
| 6              | 17100.0     | 44.72          | 0.04        | 54.00          | 9.28        | 150         | 169       | Horizontal |
| 7              | 17951.5     | 47.01          | 1.71        | 54.00          | 6.99        | 150         | 220       | Horizontal |



#### 4.9.2.18 11A20\_140 ANT 1\_Vertical




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6926.79     | 47.59          | 21.05       | 54.00          | 6.41        | 150         | 43        | Vertical |
| 2              | 6956.49     | 56.80          | 21.26       | 74.00          | 17.20       | 150         | 0         | Vertical |
| 3              | 11400.0     | 40.97          | -2.15       | 54.00          | 13.03       | 150         | 39        | Vertical |
| 4              | 11400.0     | 51.14          | -2.15       | 74.00          | 22.86       | 150         | 240       | Vertical |
| 5              | 17100.0     | 56.59          | 0.04        | 74.00          | 17.41       | 150         | 140       | Vertical |
| 6              | 17100.0     | 44.30          | 0.04        | 54.00          | 9.70        | 150         | 291       | Vertical |
| 7              | 17886.6     | 47.01          | 1.51        | 54.00          | 6.99        | 150         | 39        | Vertical |




#### 4.9.2.1 11A20\_144 ANT 1\_ Horizontal



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6903.39     | 47.07          | 20.84       | 54.00          | 6.93        | 150         | 360       | Horizontal |
| 2              | 6921.39     | 56.47          | 21.00       | 74.00          | 17.53       | 150         | 321       | Horizontal |
| 3              | 11440.0     | 40.29          | -2.10       | 54.00          | 13.71       | 150         | 69        | Horizontal |
| 4              | 11440.0     | 51.02          | -2.10       | 74.00          | 22.98       | 150         | 270       | Horizontal |
| 5              | 17160.0     | 56.82          | 0.06        | 74.00          | 17.18       | 150         | 360       | Horizontal |
| 6              | 17160.0     | 45.03          | 0.06        | 54.00          | 8.97        | 150         | 320       | Horizontal |
| 7              | 17975.7     | 47.24          | 1.71        | 54.00          | 6.76        | 150         | 119       | Horizontal |


#### 4.9.2.2 11A20\_144 ANT 1\_Vertical



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6925.89     | 56.99          | 21.04       | 74.00          | 17.01       | 150         | 91        | Vertical |
| 2              | 6967.59     | 47.05          | 21.26       | 54.00          | 6.95        | 150         | 291       | Vertical |
| 3              | 11440.0     | 40.14          | -2.10       | 54.00          | 13.86       | 150         | 90        | Vertical |
| 4              | 11440.0     | 50.88          | -2.10       | 74.00          | 23.12       | 150         | 342       | Vertical |
| 5              | 17160.0     | 55.99          | 0.06        | 74.00          | 18.01       | 150         | 39        | Vertical |
| 6              | 17160.0     | 44.74          | 0.06        | 54.00          | 9.26        | 150         | 240       | Vertical |
| 7              | 17952.6     | 47.10          | 1.71        | 54.00          | 6.90        | 150         | 0         | Vertical |

#### 4.9.2.3 11A20\_149 ANT 1\_ Horizontal




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6903.39     | 47.07          | 20.84       | 54.00          | 6.93        | 150         | 360       | Horizontal |
| 2              | 6921.39     | 56.47          | 21.00       | 74.00          | 17.53       | 150         | 321       | Horizontal |
| 3              | 11440.0     | 40.29          | -2.10       | 54.00          | 13.71       | 150         | 69        | Horizontal |
| 4              | 11440.0     | 51.02          | -2.10       | 74.00          | 22.98       | 150         | 270       | Horizontal |
| 5              | 17160.0     | 56.82          | 0.06        | 74.00          | 17.18       | 150         | 360       | Horizontal |
| 6              | 17160.0     | 45.03          | 0.06        | 54.00          | 8.97        | 150         | 320       | Horizontal |
| 7              | 17975.7     | 47.24          | 1.71        | 54.00          | 6.76        | 150         | 119       | Horizontal |



#### 4.9.2.4 11A20\_149 ANT 1\_Vertical




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6925.89     | 56.99          | 21.04       | 74.00          | 17.01       | 150         | 91        | Vertical |
| 2              | 6967.59     | 47.05          | 21.26       | 54.00          | 6.95        | 150         | 291       | Vertical |
| 3              | 11440.0     | 40.14          | -2.10       | 54.00          | 13.86       | 150         | 90        | Vertical |
| 4              | 11440.0     | 50.88          | -2.10       | 74.00          | 23.12       | 150         | 342       | Vertical |
| 5              | 17160.0     | 55.99          | 0.06        | 74.00          | 18.01       | 150         | 39        | Vertical |
| 6              | 17160.0     | 44.74          | 0.06        | 54.00          | 9.26        | 150         | 240       | Vertical |
| 7              | 17952.6     | 47.10          | 1.71        | 54.00          | 6.90        | 150         | 0         | Vertical |





#### 4.9.2.5 11A20\_157 ANT 1\_ Horizontal




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6956.49     | 47.36          | 21.26       | 54.00          | 6.64        | 150         | 18        | Horizontal |
| 2              | 6975.09     | 57.52          | 21.26       | 74.00          | 16.48       | 150         | 169       | Horizontal |
| 3              | 11570.0     | 39.48          | -2.39       | 54.00          | 14.52       | 150         | 69        | Horizontal |
| 4              | 11570.0     | 51.24          | -2.39       | 74.00          | 22.76       | 150         | 69        | Horizontal |
| 5              | 17355.0     | 56.17          | 1.06        | 74.00          | 17.83       | 150         | 170       | Horizontal |
| 6              | 17355.0     | 45.58          | 1.06        | 54.00          | 8.42        | 150         | 322       | Horizontal |
| 7              | 18000.0     | 47.09          | 1.72        | 54.00          | 6.91        | 150         | 69        | Horizontal |




#### 4.9.2.6 11A20\_157 ANT 1\_Vertical



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6934.89     | 47.28          | 21.12       | 54.00          | 6.72        | 150         | 342       | Vertical |
| 2              | 6989.79     | 56.43          | 21.27       | 74.00          | 17.57       | 150         | 39        | Vertical |
| 3              | 11570.0     | 39.59          | -2.39       | 54.00          | 14.41       | 150         | 0         | Vertical |
| 4              | 11570.0     | 50.77          | -2.39       | 74.00          | 23.23       | 150         | 342       | Vertical |
| 5              | 17355.0     | 56.25          | 1.06        | 74.00          | 17.75       | 150         | 89        | Vertical |
| 6              | 17355.0     | 45.51          | 1.06        | 54.00          | 8.49        | 150         | 0         | Vertical |
| 7              | 17966.4     | 47.07          | 1.71        | 54.00          | 6.93        | 150         | 190       | Vertical |


#### 4.9.2.7 11A20\_165 ANT 1\_ Horizontal



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6926.79     | 56.71          | 21.05       | 74.00          | 17.29       | 150         | 18        | Horizontal |
| 2              | 6952.89     | 47.18          | 21.26       | 54.00          | 6.82        | 150         | 269       | Horizontal |
| 3              | 11650.0     | 39.65          | -2.49       | 54.00          | 14.35       | 150         | 69        | Horizontal |
| 4              | 11650.0     | 50.81          | -2.49       | 74.00          | 23.19       | 150         | 271       | Horizontal |
| 5              | 17475.0     | 56.72          | 1.76        | 74.00          | 17.28       | 150         | 119       | Horizontal |
| 6              | 17475.0     | 45.33          | 1.76        | 54.00          | 8.67        | 150         | 170       | Horizontal |
| 7              | 17998.8     | 47.26          | 1.72        | 54.00          | 6.74        | 150         | 119       | Horizontal |

#### 4.9.2.8 11A20\_165 ANT 1\_Vertical




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6900.69     | 47.03          | 20.82       | 54.00          | 6.97        | 150         | 241       | Vertical |
| 2              | 6951.69     | 56.67          | 21.26       | 74.00          | 17.33       | 150         | 190       | Vertical |
| 3              | 11650.0     | 39.26          | -2.49       | 54.00          | 14.74       | 150         | 39        | Vertical |
| 4              | 11650.0     | 51.74          | -2.49       | 74.00          | 22.26       | 150         | 291       | Vertical |
| 5              | 17475.0     | 55.74          | 1.76        | 74.00          | 18.26       | 150         | 39        | Vertical |
| 6              | 17475.0     | 45.41          | 1.76        | 54.00          | 8.59        | 150         | 140       | Vertical |
| 7              | 17972.4     | 47.34          | 1.71        | 54.00          | 6.66        | 150         | 140       | Vertical |





#### 4.9.2.9 11N20\_36 ANT 1\_Horizontal




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6933.09     | 56.58          | 21.10       | 74.00          | 17.42       | 150         | 118       | Horizontal |
| 2              | 6936.69     | 46.94          | 21.14       | 54.00          | 7.06        | 150         | 68        | Horizontal |
| 3              | 10360.0     | 39.51          | -3.63       | 54.00          | 14.49       | 150         | 69        | Horizontal |
| 4              | 10360.0     | 50.53          | -3.63       | 74.00          | 23.47       | 150         | 170       | Horizontal |
| 5              | 15540.0     | 51.95          | 0.46        | 74.00          | 22.05       | 150         | 321       | Horizontal |
| 6              | 15540.0     | 40.99          | 0.46        | 54.00          | 13.01       | 150         | 69        | Horizontal |
| 7              | 17977.4     | 47.03          | 1.71        | 54.00          | 6.97        | 150         | 220       | Horizontal |




#### 4.9.2.10 11N20\_36 ANT 1\_Vertical



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6913.89     | 57.18          | 20.93       | 74.00          | 16.82       | 150         | 342       | Vertical |
| 2              | 6977.79     | 47.05          | 21.26       | 54.00          | 6.95        | 150         | 141       | Vertical |
| 3              | 10360.0     | 39.52          | -3.63       | 54.00          | 14.48       | 150         | 242       | Vertical |
| 4              | 10360.0     | 49.45          | -3.63       | 74.00          | 24.55       | 150         | 141       | Vertical |
| 5              | 15540.0     | 51.79          | 0.46        | 74.00          | 22.21       | 150         | 90        | Vertical |
| 6              | 15540.0     | 41.55          | 0.46        | 54.00          | 12.45       | 150         | 342       | Vertical |
| 7              | 17975.7     | 47.12          | 1.71        | 54.00          | 6.88        | 150         | 40        | Vertical |

#### 4.9.2.11 11N20\_44 ANT 1\_ Horizontal




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6960.69     | 47.23          | 21.26       | 54.00          | 6.77        | 150         | 169       | Horizontal |
| 2              | 6965.19     | 56.50          | 21.26       | 74.00          | 17.50       | 150         | 69        | Horizontal |
| 3              | 10440.0     | 39.94          | -3.24       | 54.00          | 14.06       | 150         | 321       | Horizontal |
| 4              | 10440.0     | 51.27          | -3.24       | 74.00          | 22.73       | 150         | 321       | Horizontal |
| 5              | 15660.0     | 54.50          | 0.43        | 74.00          | 19.50       | 150         | 220       | Horizontal |
| 6              | 15660.0     | 42.22          | 0.43        | 54.00          | 11.78       | 150         | 170       | Horizontal |
| 7              | 17998.3     | 47.32          | 1.72        | 54.00          | 6.68        | 150         | 170       | Horizontal |






#### 4.9.2.12 11N20\_44 ANT 1\_Vertical



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6951.99     | 47.10          | 21.26       | 54.00          | 6.90        | 150         | 292       | Vertical |
| 2              | 6996.69     | 56.90          | 21.27       | 74.00          | 17.10       | 150         | 241       | Vertical |
| 3              | 10440.0     | 52.17          | -3.24       | 74.00          | 21.83       | 150         | 291       | Vertical |
| 4              | 10440.0     | 39.93          | -3.24       | 54.00          | 14.07       | 150         | 40        | Vertical |
| 5              | 15660.0     | 53.17          | 0.43        | 74.00          | 20.83       | 150         | 291       | Vertical |
| 6              | 15660.0     | 42.08          | 0.43        | 54.00          | 11.92       | 150         | 40        | Vertical |
| 7              | 17961.4     | 47.50          | 1.71        | 54.00          | 6.50        | 150         | 0         | Vertical |


## 4.9.2.13 11N20\_48 ANT 1\_ Horizontal



## Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6953.19     | 47.35          | 21.26       | 54.00          | 6.65        | 150         | 270       | Horizontal |
| 2              | 6957.09     | 56.99          | 21.26       | 74.00          | 17.01       | 150         | 220       | Horizontal |
| 3              | 10480.0     | 40.63          | -2.94       | 54.00          | 13.37       | 150         | 219       | Horizontal |
| 4              | 10480.0     | 52.61          | -2.94       | 74.00          | 21.39       | 150         | 360       | Horizontal |
| 5              | 15720.0     | 53.48          | 0.29        | 74.00          | 20.52       | 150         | 119       | Horizontal |
| 6              | 15720.0     | 42.49          | 0.29        | 54.00          | 11.51       | 150         | 119       | Horizontal |
| 7              | 17973.0     | 47.11          | 1.71        | 54.00          | 6.89        | 150         | 360       | Horizontal |

#### 4.9.2.14 11N20\_48 ANT 1\_Vertical




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6927.69     | 56.69          | 21.06       | 74.00          | 17.31       | 150         | 90        | Vertical |
| 2              | 6995.49     | 47.00          | 21.27       | 54.00          | 7.00        | 150         | 90        | Vertical |
| 3              | 10480.0     | 40.37          | -2.94       | 54.00          | 13.63       | 150         | 140       | Vertical |
| 4              | 10480.0     | 50.90          | -2.94       | 74.00          | 23.10       | 150         | 342       | Vertical |
| 5              | 15720.0     | 53.66          | 0.29        | 74.00          | 20.34       | 150         | 140       | Vertical |
| 6              | 15720.0     | 43.17          | 0.29        | 54.00          | 10.83       | 150         | 90        | Vertical |
| 7              | 17956.5     | 47.16          | 1.71        | 54.00          | 6.84        | 150         | 90        | Vertical |



#### 4.9.2.15 11N20\_52 ANT 1\_ Horizontal




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6921.39     | 47.10          | 21.00       | 54.00          | 6.90        | 150         | 18        | Horizontal |
| 2              | 6985.59     | 56.49          | 21.27       | 74.00          | 17.51       | 150         | 320       | Horizontal |
| 3              | 10520.0     | 40.57          | -2.80       | 54.00          | 13.43       | 150         | 73        | Horizontal |
| 4              | 10520.0     | 51.25          | -2.80       | 74.00          | 22.75       | 150         | 274       | Horizontal |
| 5              | 15780.0     | 51.81          | -0.72       | 74.00          | 22.19       | 150         | 224       | Horizontal |
| 6              | 15780.0     | 41.11          | -0.72       | 54.00          | 12.89       | 150         | 18        | Horizontal |
| 7              | 17990.6     | 47.25          | 1.72        | 54.00          | 6.75        | 150         | 18        | Horizontal |



#### 4.9.2.16 11N20\_52 ANT 1\_Vertical




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6975.09     | 56.60          | 21.26       | 74.00          | 17.40       | 150         | 241       | Vertical |
| 2              | 6997.59     | 47.29          | 21.27       | 54.00          | 6.71        | 150         | 291       | Vertical |
| 3              | 10520.0     | 40.27          | -2.80       | 54.00          | 13.73       | 150         | 342       | Vertical |
| 4              | 10520.0     | 51.77          | -2.80       | 74.00          | 22.23       | 150         | 140       | Vertical |
| 5              | 15780.0     | 52.67          | -0.72       | 74.00          | 21.33       | 150         | 240       | Vertical |
| 6              | 15780.0     | 41.38          | -0.72       | 54.00          | 12.62       | 150         | 291       | Vertical |
| 7              | 17973.0     | 47.38          | 1.71        | 54.00          | 6.62        | 150         | 140       | Vertical |



#### 4.9.2.17 11N20\_60 ANT 1\_ Horizontal




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6946.89     | 56.46          | 21.23       | 74.00          | 17.54       | 150         | 119       | Horizontal |
| 2              | 6950.49     | 48.12          | 21.26       | 54.00          | 5.88        | 150         | 319       | Horizontal |
| 3              | 10600.0     | 41.05          | -2.86       | 54.00          | 12.95       | 150         | 220       | Horizontal |
| 4              | 10600.0     | 51.82          | -2.86       | 74.00          | 22.18       | 150         | 220       | Horizontal |
| 5              | 15900.0     | 52.82          | -0.51       | 74.00          | 21.18       | 150         | 220       | Horizontal |
| 6              | 15900.0     | 41.47          | -0.51       | 54.00          | 12.53       | 150         | 170       | Horizontal |
| 7              | 17967.5     | 47.26          | 1.71        | 54.00          | 6.74        | 150         | 321       | Horizontal |



#### 4.9.2.18 11N20\_60 ANT 1\_Vertical




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6913.59     | 56.42          | 20.93       | 74.00          | 17.58       | 150         | 0         | Vertical |
| 2              | 6954.09     | 47.27          | 21.26       | 54.00          | 6.73        | 150         | 90        | Vertical |
| 3              | 10600.0     | 41.17          | -2.86       | 54.00          | 12.83       | 150         | 40        | Vertical |
| 4              | 10600.0     | 53.46          | -2.86       | 74.00          | 20.54       | 150         | 141       | Vertical |
| 5              | 15900.0     | 53.78          | -0.51       | 74.00          | 20.22       | 150         | 191       | Vertical |
| 6              | 15900.0     | 41.24          | -0.51       | 54.00          | 12.76       | 150         | 0         | Vertical |
| 7              | 17964.7     | 47.42          | 1.71        | 54.00          | 6.58        | 150         | 91        | Vertical |




#### 4.9.2.19 11N20\_64 ANT 1\_ Horizontal



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6933.99     | 56.21          | 21.11       | 74.00          | 17.79       | 150         | 169       | Horizontal |
| 2              | 6981.69     | 47.52          | 21.26       | 54.00          | 6.48        | 150         | 68        | Horizontal |
| 3              | 10640.0     | 41.01          | -2.84       | 54.00          | 12.99       | 150         | 72        | Horizontal |
| 4              | 10640.0     | 51.30          | -2.84       | 74.00          | 22.70       | 150         | 324       | Horizontal |
| 5              | 15960.0     | 52.37          | -0.61       | 74.00          | 21.63       | 150         | 222       | Horizontal |
| 6              | 15960.0     | 41.81          | -0.61       | 54.00          | 12.19       | 150         | 222       | Horizontal |
| 7              | 17889.4     | 47.33          | 1.55        | 54.00          | 6.67        | 150         | 72        | Horizontal |

#### 4.9.2.20 11N20\_64 ANT 1\_Vertical




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6877.29     | 48.01          | 20.84       | 54.00          | 5.99        | 150         | 140       | Vertical |
| 2              | 6973.89     | 56.25          | 21.26       | 74.00          | 17.75       | 150         | 40        | Vertical |
| 3              | 10640.0     | 40.83          | -2.84       | 54.00          | 13.17       | 150         | 40        | Vertical |
| 4              | 10640.0     | 52.62          | -2.84       | 74.00          | 21.38       | 150         | 342       | Vertical |
| 5              | 15960.0     | 52.62          | -0.61       | 74.00          | 21.38       | 150         | 191       | Vertical |
| 6              | 15960.0     | 41.53          | -0.61       | 54.00          | 12.47       | 150         | 0         | Vertical |
| 7              | 17974.1     | 47.45          | 1.71        | 54.00          | 6.55        | 150         | 191       | Vertical |




#### 4.9.2.21 11N20\_100 ANT 1\_ Horizontal



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6902.49     | 47.53          | 20.83       | 54.00          | 6.47        | 150         | 219       | Horizontal |
| 2              | 6953.79     | 56.75          | 21.26       | 74.00          | 17.25       | 150         | 360       | Horizontal |
| 3              | 11000.0     | 40.67          | -2.17       | 54.00          | 13.33       | 150         | 360       | Horizontal |
| 4              | 11000.0     | 51.63          | -2.17       | 74.00          | 22.37       | 150         | 170       | Horizontal |
| 5              | 16500.0     | 54.19          | 0.34        | 74.00          | 19.81       | 150         | 119       | Horizontal |
| 6              | 16500.0     | 43.68          | 0.34        | 54.00          | 10.32       | 150         | 119       | Horizontal |
| 7              | 17995.5     | 47.08          | 1.72        | 54.00          | 6.92        | 150         | 18        | Horizontal |


#### 4.9.2.22 11N20\_100 ANT 1\_Vertical



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6909.39     | 56.42          | 20.89       | 74.00          | 17.58       | 150         | 0         | Vertical |
| 2              | 6942.99     | 47.35          | 21.19       | 54.00          | 6.65        | 150         | 140       | Vertical |
| 3              | 11000.0     | 40.46          | -2.17       | 54.00          | 13.54       | 150         | 291       | Vertical |
| 4              | 11000.0     | 51.69          | -2.17       | 74.00          | 22.31       | 150         | 140       | Vertical |
| 5              | 16500.0     | 54.97          | 0.34        | 74.00          | 19.03       | 150         | 90        | Vertical |
| 6              | 16500.0     | 43.40          | 0.34        | 54.00          | 10.60       | 150         | 0         | Vertical |
| 7              | 17962.0     | 47.00          | 1.71        | 54.00          | 7.00        | 150         | 241       | Vertical |

#### 4.9.2.23 11N20\_116 ANT 1\_ Horizontal




#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6919.29     | 46.83          | 20.98       | 54.00          | 7.17        | 150         | 360       | Horizontal |
| 2              | 6963.99     | 57.08          | 21.26       | 74.00          | 16.92       | 150         | 169       | Horizontal |
| 3              | 11160.0     | 41.55          | -2.32       | 54.00          | 12.45       | 150         | 322       | Horizontal |
| 4              | 11160.0     | 51.59          | -2.32       | 74.00          | 22.41       | 150         | 119       | Horizontal |
| 5              | 16740.0     | 55.69          | 0.71        | 74.00          | 18.31       | 150         | 18        | Horizontal |
| 6              | 16740.0     | 43.82          | 0.71        | 54.00          | 10.18       | 150         | 322       | Horizontal |
| 7              | 17919.1     | 47.10          | 1.70        | 54.00          | 6.90        | 150         | 322       | Horizontal |






#### 4.9.2.24 11N20\_116 ANT 1\_Vertical



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6975.39     | 56.68          | 21.26       | 74.00          | 17.32       | 150         | 141       | Vertical |
| 2              | 6975.99     | 47.57          | 21.26       | 54.00          | 6.43        | 150         | 191       | Vertical |
| 3              | 11160.0     | 41.37          | -2.32       | 54.00          | 12.63       | 150         | 342       | Vertical |
| 4              | 11160.0     | 52.71          | -2.32       | 74.00          | 21.29       | 150         | 0         | Vertical |
| 5              | 16740.0     | 55.29          | 0.71        | 74.00          | 18.71       | 150         | 140       | Vertical |
| 6              | 16740.0     | 43.65          | 0.71        | 54.00          | 10.35       | 150         | 90        | Vertical |
| 7              | 17719.4     | 46.89          | 1.97        | 54.00          | 7.11        | 150         | 190       | Vertical |

#### 4.9.2.25 11N20\_140 ANT 1\_ Horizontal



#### Suspected List

| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6978.69     | 56.56          | 21.26       | 74.00          | 17.44       | 150         | 270       | Horizontal |
| 2              | 6994.89     | 47.25          | 21.27       | 54.00          | 6.75        | 150         | 270       | Horizontal |
| 3              | 11400.0     | 40.40          | -2.15       | 54.00          | 13.60       | 150         | 323       | Horizontal |
| 4              | 11400.0     | 52.23          | -2.15       | 74.00          | 21.77       | 150         | 122       | Horizontal |
| 5              | 17100.0     | 56.57          | 0.04        | 74.00          | 17.43       | 150         | 272       | Horizontal |
| 6              | 17100.0     | 45.21          | 0.04        | 54.00          | 8.79        | 150         | 122       | Horizontal |
| 7              | 17970.8     | 47.19          | 1.71        | 54.00          | 6.81        | 150         | 122       | Horizontal |

