



### 5825MHz with 4\*4 Beamforming PK




### 802.11ac(40MHz)


5755MHz with 4\*4 CDD PK




5795MHz with 4\*4 CDD PK




5755MHz with 4\*4 Beamforming PK



5795MHz with 4\*4 Beamforming PK




802.11ac(80MHz)




802.11ax(20MHz)


5745MHz with 4\*4 CDD PK




5785MHz with 4\*4 CDD PK




5825MHz with 4\*4 CDD PK




5745MHz with 4\*4 Beamforming PK



5785MHz with 4\*4 Beamforming PK




### 5825MHz with 4\*4 Beamforming PK




### 802.11ax(40MHz)


5755MHz with 4\*4 CDD PK




5795MHz with 4\*4 CDD PK




5755MHz with 4\*4 Beamforming PK



5795MHz with 4\*4 Beamforming PK



### 802.11ax(80MHz)




## 10. Frequency Stability

### 10.1. Test Equipment

Frequency Stability / TR-7					
Instrument	Manufacturer	Type No.	Serial No.	Cal. Date	Cal. Due Date
Spectrum Analyzer	Agilent	N9010A	MY48030494	2020.02.04	2021.02.03
EXA Spectrum Analyzer	Keysight	N9010A	MY55370495	2020.04.09	2021.04.08
MXA Signal Analyzer	Keysight	N9020A	MY56060147	2020.04.09	2021.04.08
AC Power Supply	IDRC	CF-500TP	979422	2019.09.16	2020.09.15
DC Power Supply	IDRC	CD-035-020PR	977272	2019.09.16	2020.09.15
Programmable Temperature & Humidity Chamber	Gaoyu	TH-1P-B	WIT-05121302	2020.01.04	2021.01.03
Temperature/Humidity Meter	zhichen	ZC1-2	TR7-TH	2020.04.10	2021.04.09

Note: All equipment are calibrated with traceable calibrations. Each calibration is traceable to the national or international standards.

### 10.2. Test Setup












### 10.3. Limit

Frequency Stability Limit	
UNII Devices	
<input checked="" type="checkbox"/>	In-band emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.
IEEE Std. 802.11n-2009	
<input checked="" type="checkbox"/>	The transmitter center frequency tolerance shall be $\pm 20$ ppm maximum for the 5 GHz band and $\pm 25$ ppm maximum for the 2.4 GHz band.

### 10.4. Test Procedure

Frequency Stability Test Method			
	References Rule	Chapter	Description
<input checked="" type="checkbox"/>	ANSI C63.10	6.8	Frequency stability tests
	<input checked="" type="checkbox"/> ANSI C63.10	6.8.1	Frequency stability with respect to ambient temperature
	<input checked="" type="checkbox"/> ANSI C63.10	6.8.2	Frequency stability when varying supply voltage

**10.5. EUT test Axis definition**

Item	Frequency Stability			
Device Category	<input type="checkbox"/>	Indoor use		
	<input checked="" type="checkbox"/>	Outdoor use		
	<input type="checkbox"/>	Fix position use		
	<input type="checkbox"/>	Client use		
Test mode	Mode 1-9			
Test method	<input type="checkbox"/>	Radiated		
		X Axis	Y Axis	Z Axis
				
		Worst Axis <input type="checkbox"/>	Worst Axis <input type="checkbox"/>	Worst Axis <input type="checkbox"/>
	<input checked="" type="checkbox"/>	Conducted		
	<input checked="" type="checkbox"/>	Chain 1		
				
	<input checked="" type="checkbox"/>	Chain 1	Chain 2	
				
	<input type="checkbox"/>	Chain 1	Chain 2	Chain 3
				
<input checked="" type="checkbox"/>	Chain 1	Chain 2	Chain 3	Chain 4
				

## 10.6. Test Result

Product Name	: Wireless Access Point	Power	: AC 120V/60Hz
Test Mode	: Carrier Wave	Test Site	: TR-7
Test Date	: 2019.12.05	Test Engineer	: Jun

Frequency Stability under Temperature at 0min

Temperature Interval (°C)	Test Frequency (MHz)	Deviation (Hz)	ppm	Limit
-30	5220.000	133	0.025	±20
-20	5220.000	85	0.016	±20
-10	5220.000	135	0.026	±20
0	5220.000	14	0.003	±20
10	5220.000	142	0.027	±20
20	5220.000	-142	-0.027	±20
30	5220.000	63	0.012	±20
40	5220.000	-134	-0.026	±20
50	5220.000	19	0.004	±20

## Frequency Stability under Temperature at 2min

Temperature Interval (°C)	Test Frequency (MHz)	Deviation (Hz)	ppm	Limit
-30	5220.000	44	0.008	±20
-20	5220.000	134	0.026	±20
-10	5220.000	134	0.026	±20
0	5220.000	-101	-0.019	±20
10	5220.000	150	0.029	±20
20	5220.000	-69	-0.013	±20
30	5220.000	156	0.030	±20
40	5220.000	57	0.011	±20
50	5220.000	-118	-0.023	±20

## Frequency Stability under Temperature at 5min

Temperature Interval (°C)	Test Frequency (MHz)	Deviation (Hz)	ppm	Limit
-30	5220.000	-80	-0.015	±20
-20	5220.000	109	0.021	±20
-10	5220.000	58	0.011	±20
0	5220.000	11	0.002	±20
10	5220.000	-98	-0.019	±20
20	5220.000	-72	-0.014	±20
30	5220.000	122	0.023	±20
40	5220.000	99	0.019	±20
50	5220.000	170	0.033	±20

## Frequency Stability under Temperature at 10min

Temperature Interval (°C)	Test Frequency (MHz)	Deviation (Hz)	ppm	Limit
-30	5220.000	187	0.036	±20
-20	5220.000	-144	-0.028	±20
-10	5220.000	-72	-0.014	±20
0	5220.000	121	0.023	±20
10	5220.000	175	0.034	±20
20	5220.000	-90	-0.017	±20
30	5220.000	100	0.019	±20
40	5220.000	-97	-0.019	±20
50	5220.000	-64	-0.012	±20

## Frequency Stability under Voltage

AC Voltage (V)	Test Frequency (MHz)	Deviation (Hz)	ppm	Limit
102	5220.000	-42	-0.008	±20
120	5220.000	-131	-0.025	±20
138	5220.000	98	0.019	±20

## 11. Antenna Requirement

### 11.1. Limit

Antenna Requirement Limit	
<p>An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §15.211, §15.213, §15.217, §15.219, or §15.221. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with §15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.</p>	

### 11.2. Antenna Connector Construction

Antenna Connector Construction	
<input type="checkbox"/>	The use of a permanently attached antenna
<input type="checkbox"/>	The antenna use of a unique coupling to the intentional radiator
<input checked="" type="checkbox"/>	The use of a nonstandard antenna jack or electrical connector
Please refer to the attached document "Internal Photograph" to show the antenna connector.	


\_\_\_\_\_ The End \_\_\_\_\_



## Appendix 1: 5GHz Radiated spurious emission


### Radio1

Profile: 2032034R	Page No.: 2
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.650	25.523	-37.350	74.000	11.126	PK
2	*	15540.000	46.897	29.009	-27.103	74.000	17.888	PK

Profile: 2032034R	Page No.: 3
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.362	33.235	-29.638	74.000	11.126	PK
2	*	15540.000	50.401	32.513	-23.599	74.000	17.888	PK

Profile: 2032034R	Page No.: 4
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.711	26.597	-36.289	74.000	11.114	PK
2	*	15660.000	47.729	30.596	-26.271	74.000	17.133	PK

Profile: 2032034R	Page No.: 5
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.031	25.917	-36.969	74.000	11.114	PK
2	*	15660.000	48.341	31.208	-25.659	74.000	17.133	PK

Profile: 2032034R	Page No.: 6
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.350	25.450	-37.650	74.000	10.900	PK
2	*	15720.000	47.779	29.035	-26.221	74.000	18.744	PK

Profile: 2032034R	Page No.: 7
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	37.551	26.651	-36.449	74.000	10.900	PK
2	*	15720.000	49.659	30.915	-24.341	74.000	18.744	PK

Profile: 2032034R	Page No.: 8
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.711	27.961	-33.289	74.000	12.751	PK
2	*	17235.000	52.268	32.042	-21.732	74.000	20.226	PK


Profile: 2032034R	Page No.: 9
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.619	25.869	-35.381	74.000	12.751	PK
2	*	17235.000	48.923	28.697	-25.077	74.000	20.226	PK




Profile: 2032034R	Page No.: 10
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.465	28.309	-32.535	74.000	13.156	PK
2	*	17355.000	53.543	30.544	-20.457	74.000	22.998	PK

Profile: 2032034R	Page No.: 11
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	39.859	26.703	-34.141	74.000	13.156	PK
2	*	17355.000	51.303	28.304	-22.697	74.000	22.998	PK

Profile: 2032034R	Page No.: 12
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.514	25.624	-34.486	74.000	13.889	PK
2	*	17475.000	51.175	29.592	-22.825	74.000	21.583	PK

Profile: 2032034R	Page No.: 13
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.969	26.079	-34.031	74.000	13.889	PK
2	*	17475.000	51.355	29.772	-22.645	74.000	21.583	PK

Profile: 2032034R	Page No.: 14
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.249	25.122	-37.751	74.000	11.126	PK
2	*	15540.000	47.967	30.079	-26.033	74.000	17.888	PK

Profile: 2032034R	Page No.: 15
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	37.446	26.319	-36.554	74.000	11.126	PK
2	*	15540.000	47.733	29.845	-26.267	74.000	17.888	PK

Profile: 2032034R	Page No.: 16
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.821	25.707	-37.179	74.000	11.114	PK
2	*	15660.000	47.335	30.202	-26.665	74.000	17.133	PK


Profile: 2032034R	Page No.: 17
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.139	26.025	-36.861	74.000	11.114	PK
2	*	15660.000	47.035	29.902	-26.965	74.000	17.133	PK




Profile: 2032034R	Page No.: 18
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	37.823	26.923	-36.177	74.000	10.900	PK
2	*	15720.000	49.408	30.664	-24.592	74.000	18.744	PK

Profile: 2032034R	Page No.: 19
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.321	25.421	-37.679	74.000	10.900	PK
2	*	15720.000	48.974	30.230	-25.026	74.000	18.744	PK

Profile: 2032034R	Page No.: 20
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.998	26.248	-35.002	74.000	12.751	PK
2	*	17235.000	49.996	29.770	-24.004	74.000	20.226	PK

Profile: 2032034R	Page No.: 21
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.667	25.917	-35.333	74.000	12.751	PK
2	*	17235.000	49.522	29.296	-24.478	74.000	20.226	PK

Profile: 2032034R	Page No.: 22
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	39.083	25.927	-34.917	74.000	13.156	PK
2	*	17355.000	51.524	28.525	-22.476	74.000	22.998	PK

Profile: 2032034R	Page No.: 23
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	38.531	25.375	-35.469	74.000	13.156	PK
2	*	17355.000	53.025	30.026	-20.975	74.000	22.998	PK

Profile: 2032034R	Page No.: 24
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.664	25.774	-34.336	74.000	13.889	PK
2	*	17475.000	50.510	28.927	-23.490	74.000	21.583	PK


Profile: 2032034R	Page No.: 25
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.734	25.844	-34.266	74.000	13.889	PK
2	*	17475.000	50.771	29.188	-23.229	74.000	21.583	PK




Profile: 2032034R	Page No.: 26
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	38.818	27.655	-35.182	74.000	11.163	PK
2	*	15570.000	48.419	31.390	-25.581	74.000	17.029	PK

Profile: 2032034R	Page No.: 27
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	37.834	26.671	-36.166	74.000	11.163	PK
2	*	15570.000	46.549	29.520	-27.451	74.000	17.029	PK

Profile: 2032034R	Page No.: 28
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	37.265	26.298	-36.735	74.000	10.967	PK
2	*	15690.000	47.770	29.194	-26.230	74.000	18.576	PK

Profile: 2032034R	Page No.: 29
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	35.746	24.779	-38.254	74.000	10.967	PK
2	*	15690.000	47.774	29.198	-26.226	74.000	18.576	PK

Profile: 2032034R	Page No.: 30
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.851	25.800	-35.149	74.000	13.051	PK
2	*	17265.000	50.302	29.574	-23.698	74.000	20.728	PK

Profile: 2032034R	Page No.: 31
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.638	25.587	-35.362	74.000	13.051	PK
2	*	17265.000	50.031	29.303	-23.969	74.000	20.728	PK

Profile: 2032034R	Page No.: 32
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	39.745	26.422	-34.255	74.000	13.324	PK
2	*	17385.000	51.498	29.323	-22.502	74.000	22.175	PK


Profile: 2032034R	Page No.: 33
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	38.593	25.270	-35.407	74.000	13.324	PK
2	*	17385.000	50.772	28.597	-23.228	74.000	22.175	PK




Profile: 2032034R	Page No.: 34
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	37.446	26.319	-36.554	74.000	11.126	PK
2	*	15540.000	47.733	29.845	-26.267	74.000	17.888	PK

Profile: 2032034R	Page No.: 35
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	38.250	27.123	-35.750	74.000	11.126	PK
2	*	15540.000	47.699	29.811	-26.301	74.000	17.888	PK

Profile: 2032034R	Page No.: 36
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.821	25.707	-37.179	74.000	11.114	PK
2	*	15660.000	47.335	30.202	-26.665	74.000	17.133	PK

Profile: 2032034R	Page No.: 37
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.081	24.967	-37.919	74.000	11.114	PK
2	*	15660.000	46.190	29.057	-27.810	74.000	17.133	PK

Profile: 2032034R	Page No.: 38
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.796	25.896	-37.204	74.000	10.900	PK
2	*	15720.000	47.920	29.176	-26.080	74.000	18.744	PK

Profile: 2032034R	Page No.: 39
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	35.553	24.653	-38.447	74.000	10.900	PK
2	*	15720.000	48.212	29.468	-25.788	74.000	18.744	PK

Profile: 2032034R	Page No.: 40
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	37.916	25.166	-36.084	74.000	12.751	PK
2	*	17235.000	49.221	28.995	-24.779	74.000	20.226	PK


Profile: 2032034R	Page No.: 41
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.096	26.346	-34.904	74.000	12.751	PK
2	*	17235.000	49.324	29.098	-24.676	74.000	20.226	PK




Profile: 2032034R	Page No.: 42
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	39.083	25.927	-34.917	74.000	13.156	PK
2	*	17355.000	51.524	28.525	-22.476	74.000	22.998	PK

Profile: 2032034R	Page No.: 43
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	39.047	25.891	-34.953	74.000	13.156	PK
2	*	17355.000	52.072	29.073	-21.928	74.000	22.998	PK

Profile: 2032034R	Page No.: 44
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.013	26.123	-33.987	74.000	13.889	PK
2	*	17475.000	51.445	29.862	-22.555	74.000	21.583	PK

Profile: 2032034R	Page No.: 45
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.545	26.655	-33.455	74.000	13.889	PK
2	*	17475.000	51.862	30.279	-22.138	74.000	21.583	PK

Profile: 2032034R	Page No.: 46
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	36.819	25.656	-37.181	74.000	11.163	PK
2	*	15570.000	47.426	30.397	-26.574	74.000	17.029	PK

Profile: 2032034R	Page No.: 47
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	36.356	25.193	-37.644	74.000	11.163	PK
2	*	15570.000	46.480	29.451	-27.520	74.000	17.029	PK

Profile: 2032034R	Page No.: 48
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	37.265	26.298	-36.735	74.000	10.967	PK
2	*	15690.000	47.770	29.194	-26.230	74.000	18.576	PK


Profile: 2032034R	Page No.: 49
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	35.964	24.997	-38.036	74.000	10.967	PK
2	*	15690.000	48.214	29.638	-25.786	74.000	18.576	PK




Profile: 2032034R	Page No.: 50
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.638	25.587	-35.362	74.000	13.051	PK
2	*	17265.000	50.031	29.303	-23.969	74.000	20.728	PK

Profile: 2032034R	Page No.: 51
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.497	25.446	-35.503	74.000	13.051	PK
2	*	17265.000	50.249	29.521	-23.751	74.000	20.728	PK

Profile: 2032034R	Page No.: 52
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	39.745	26.422	-34.255	74.000	13.324	PK
2	*	17385.000	51.498	29.323	-22.502	74.000	22.175	PK

Profile: 2032034R	Page No.: 53
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	39.715	26.392	-34.285	74.000	13.324	PK
2	*	17385.000	51.511	29.336	-22.489	74.000	22.175	PK

Profile: 2032034R	Page No.: 54
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	35.853	25.209	-38.147	74.000	10.645	PK
2	*	15630.000	46.092	29.750	-27.908	74.000	16.342	PK

Profile: 2032034R	Page No.: 55
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	36.250	25.606	-37.750	74.000	10.645	PK
2	*	15630.000	45.877	29.535	-28.123	74.000	16.342	PK

Profile: 2032034R	Page No.: 162
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.377	28.104	-32.623	74.000	13.272	PK
2	*	17325.000	55.154	32.874	-18.846	74.000	22.280	PK


Profile: 2032034R	Page No.: 163
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	38.274	25.001	-35.726	74.000	13.272	PK
2	*	17325.000	51.325	29.045	-22.675	74.000	22.280	PK




Profile: 2032034R	Page No.: 58
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.357	28.230	-34.643	74.000	11.126	PK
2	*	15540.000	49.612	31.724	-24.388	74.000	17.888	PK

Profile: 2032034R	Page No.: 59
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.357	28.230	-34.643	74.000	11.126	PK
2	*	15540.000	49.612	31.724	-24.388	74.000	17.888	PK

Profile: 2032034R	Page No.: 60
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	38.247	27.133	-35.753	74.000	11.114	PK
2	*	15660.000	49.004	31.871	-24.996	74.000	17.133	PK

Profile: 2032034R	Page No.: 61
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.174	25.060	-37.826	74.000	11.114	PK
2	*	15660.000	46.937	29.804	-27.063	74.000	17.133	PK

Profile: 2032034R	Page No.: 62
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	38.116	27.216	-35.884	74.000	10.900	PK
2	*	15720.000	50.183	31.439	-23.817	74.000	18.744	PK

Profile: 2032034R	Page No.: 63
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	35.941	25.041	-38.059	74.000	10.900	PK
2	*	15720.000	47.010	28.266	-26.990	74.000	18.744	PK

Profile: 2032034R	Page No.: 64
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.577	27.827	-33.423	74.000	12.751	PK
2	*	17235.000	52.785	32.559	-21.215	74.000	20.226	PK


Profile: 2032034R	Page No.: 65
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	37.571	24.821	-36.429	74.000	12.751	PK
2	*	17235.000	50.304	30.078	-23.696	74.000	20.226	PK




Profile: 2032034R	Page No.: 66
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.992	27.836	-33.008	74.000	13.156	PK
2	*	17355.000	54.297	31.298	-19.703	74.000	22.998	PK

Profile: 2032034R	Page No.: 67
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	39.441	26.285	-34.559	74.000	13.156	PK
2	*	17355.000	53.621	30.622	-20.379	74.000	22.998	PK

Profile: 2032034R	Page No.: 68
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.314	25.424	-34.686	74.000	13.889	PK
2	*	17475.000	50.665	29.082	-23.335	74.000	21.583	PK

Profile: 2032034R	Page No.: 69
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	38.965	25.075	-35.035	74.000	13.889	PK
2	*	17475.000	51.391	29.808	-22.609	74.000	21.583	PK

Profile: 2032034R	Page No.: 70
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	37.700	26.537	-36.300	74.000	11.163	PK
2	*	15570.000	48.934	31.905	-25.066	74.000	17.029	PK

Profile: 2032034R	Page No.: 71
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	36.491	25.328	-37.509	74.000	11.163	PK
2	*	15570.000	47.654	30.625	-26.346	74.000	17.029	PK

Profile: 2032034R	Page No.: 72
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	36.508	25.541	-37.492	74.000	10.967	PK
2	*	15690.000	49.750	31.174	-24.250	74.000	18.576	PK


Profile: 2032034R	Page No.: 73
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	37.012	26.045	-36.988	74.000	10.967	PK
2	*	15690.000	49.605	31.029	-24.395	74.000	18.576	PK




Profile: 2032034R	Page No.: 74
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	39.260	26.209	-34.740	74.000	13.051	PK
2	*	17265.000	51.982	31.254	-22.018	74.000	20.728	PK

Profile: 2032034R	Page No.: 75
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.381	27.330	-33.619	74.000	13.051	PK
2	*	17265.000	50.419	29.691	-23.581	74.000	20.728	PK

Profile: 2032034R	Page No.: 76
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	39.187	25.864	-34.813	74.000	13.324	PK
2	*	17385.000	52.256	30.081	-21.744	74.000	22.175	PK

Profile: 2032034R	Page No.: 77
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	39.733	26.410	-34.267	74.000	13.324	PK
2	*	17385.000	53.111	30.936	-20.889	74.000	22.175	PK

Profile: 2032034R	Page No.: 78
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	36.667	26.023	-37.333	74.000	10.645	PK
2	*	15630.000	46.573	30.231	-27.427	74.000	16.342	PK

Profile: 2032034R	Page No.: 79
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	35.389	24.745	-38.611	74.000	10.645	PK
2	*	15630.000	46.335	29.993	-27.665	74.000	16.342	PK

Profile: 2032034R	Page No.: 166
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.838	27.565	-33.162	74.000	13.272	PK
2	*	17325.000	53.698	31.418	-20.302	74.000	22.280	PK

Profile: 2032034R	Page No.: 167
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	39.146	25.873	-34.854	74.000	13.272	PK
2	*	17325.000	51.469	29.189	-22.531	74.000	22.280	PK




## Radio2-SISO

Profile: 2032034R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.110	27.983	-34.890	74.000	11.126	PK
2	*	15540.000	50.113	32.225	-23.887	74.000	17.888	PK

Profile: 2032034R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.931	25.804	-37.069	74.000	11.126	PK
2	*	15540.000	48.171	30.283	-25.829	74.000	17.888	PK

Profile: 2032034R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	35.930	24.816	-38.070	74.000	11.114	PK
2	*	15660.000	46.426	29.293	-27.574	74.000	17.133	PK

Profile: 2032034R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.340	25.226	-37.660	74.000	11.114	PK
2	*	15660.000	46.172	29.039	-27.828	74.000	17.133	PK

Profile: 2032034R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.945	26.045	-37.055	74.000	10.900	PK
2	*	15720.000	47.680	28.936	-26.320	74.000	18.744	PK

Profile: 2032034R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.517	25.617	-37.483	74.000	10.900	PK
2	*	15720.000	48.885	30.141	-25.115	74.000	18.744	PK

Profile: 2032034R	Page No.: 94
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.931	25.804	-37.069	74.000	11.126	PK
2	*	15540.000	48.171	30.283	-25.829	74.000	17.888	PK


Profile: 2032034R	Page No.: 95
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	38.444	27.317	-35.556	74.000	11.126	PK
2	*	15540.000	50.384	32.496	-23.616	74.000	17.888	PK




Profile: 2032034R	Page No.: 96
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	35.930	24.816	-38.070	74.000	11.114	PK
2	*	15660.000	46.426	29.293	-27.574	74.000	17.133	PK

Profile: 2032034R	Page No.: 97
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	35.930	24.816	-38.070	74.000	11.114	PK
2	*	15660.000	46.646	29.513	-27.354	74.000	17.133	PK

Profile: 2032034R	Page No.: 98
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.945	26.045	-37.055	74.000	10.900	PK
2	*	15720.000	47.680	28.936	-26.320	74.000	18.744	PK

Profile: 2032034R	Page No.: 99
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	38.914	28.014	-35.086	74.000	10.900	PK
2	*	15720.000	50.287	31.543	-23.713	74.000	18.744	PK

Profile: 2032034R	Page No.: 106
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	36.784	25.621	-37.216	74.000	11.163	PK
2	*	15570.000	46.790	29.761	-27.210	74.000	17.029	PK

Profile: 2032034R	Page No.: 107
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	36.508	25.345	-37.492	74.000	11.163	PK
2	*	15570.000	46.948	29.919	-27.052	74.000	17.029	PK

Profile: 2032034R	Page No.: 108
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	36.042	25.075	-37.958	74.000	10.967	PK
2	*	15690.000	47.928	29.352	-26.072	74.000	18.576	PK


Profile: 2032034R	Page No.: 109
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	35.797	24.830	-38.203	74.000	10.967	PK
2	*	15690.000	47.545	28.969	-26.455	74.000	18.576	PK




Profile: 2032034R	Page No.: 114
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.931	25.804	-37.069	74.000	11.126	PK
2	*	15540.000	48.171	30.283	-25.829	74.000	17.888	PK

Profile: 2032034R	Page No.: 115
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	37.166	26.039	-36.834	74.000	11.126	PK
2	*	15540.000	48.114	30.226	-25.886	74.000	17.888	PK

Profile: 2032034R	Page No.: 116
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	35.930	24.816	-38.070	74.000	11.114	PK
2	*	15660.000	46.426	29.293	-27.574	74.000	17.133	PK

Profile: 2032034R	Page No.: 117
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.375	26.261	-36.625	74.000	11.114	PK
2	*	15660.000	47.399	30.266	-26.601	74.000	17.133	PK

Profile: 2032034R	Page No.: 118
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.945	26.045	-37.055	74.000	10.900	PK
2	*	15720.000	47.680	28.936	-26.320	74.000	18.744	PK

Profile: 2032034R	Page No.: 119
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	35.767	24.867	-38.233	74.000	10.900	PK
2	*	15720.000	47.389	28.645	-26.611	74.000	18.744	PK

Profile: 2032034R	Page No.: 126
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	37.051	25.888	-36.949	74.000	11.163	PK
2	*	15570.000	48.216	31.187	-25.784	74.000	17.029	PK


Profile: 2032034R	Page No.: 127
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	37.344	26.181	-36.656	74.000	11.163	PK
2	*	15570.000	48.561	31.532	-25.439	74.000	17.029	PK




Profile: 2032034R	Page No.: 128
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	37.517	26.550	-36.483	74.000	10.967	PK
2	*	15690.000	50.376	31.800	-23.624	74.000	18.576	PK

Profile: 2032034R	Page No.: 129
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	36.524	25.557	-37.476	74.000	10.967	PK
2	*	15690.000	47.286	28.710	-26.714	74.000	18.576	PK

Profile: 2032034R	Page No.: 134
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	35.658	25.014	-38.342	74.000	10.645	PK
2	*	15630.000	46.142	29.800	-27.858	74.000	16.342	PK

Profile: 2032034R	Page No.: 135
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	38.250	27.606	-35.750	74.000	10.645	PK
2	*	15630.000	48.534	32.192	-25.466	74.000	16.342	PK

Profile: 2032034R	Page No.: 138
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.931	25.804	-37.069	74.000	11.126	PK
2	*	15540.000	48.171	30.283	-25.829	74.000	17.888	PK

Profile: 2032034R	Page No.: 139
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.174	25.047	-37.826	74.000	11.126	PK
2	*	15540.000	46.487	28.599	-27.513	74.000	17.888	PK

Profile: 2032034R	Page No.: 140
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5220MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	35.930	24.816	-38.070	74.000	11.114	PK
2	*	15660.000	46.426	29.293	-27.574	74.000	17.133	PK


Profile: 2032034R	Page No.: 141
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	38.535	27.421	-35.465	74.000	11.114	PK
2	*	15660.000	49.086	31.953	-24.914	74.000	17.133	PK




Profile: 2032034R	Page No.: 142
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.328	25.428	-37.672	74.000	10.900	PK
2	*	15720.000	48.782	30.038	-25.218	74.000	18.744	PK

Profile: 2032034R	Page No.: 143
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.198	25.298	-37.802	74.000	10.900	PK
2	*	15720.000	46.831	28.087	-27.169	74.000	18.744	PK

Profile: 2032034R	Page No.: 150
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	38.506	27.343	-35.494	74.000	11.163	PK
2	*	15570.000	49.258	32.229	-24.742	74.000	17.029	PK

Profile: 2032034R	Page No.: 151
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	38.604	27.441	-35.396	74.000	11.163	PK
2	*	15570.000	49.258	32.229	-24.742	74.000	17.029	PK

Profile: 2032034R	Page No.: 152
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	36.042	25.075	-37.958	74.000	10.967	PK
2	*	15690.000	47.928	29.352	-26.072	74.000	18.576	PK

Profile: 2032034R	Page No.: 153
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	37.122	26.155	-36.878	74.000	10.967	PK
2	*	15690.000	47.316	28.740	-26.684	74.000	18.576	PK

Profile: 2032034R	Page No.: 158
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	35.658	25.014	-38.342	74.000	10.645	PK
2	*	15630.000	46.142	29.800	-27.858	74.000	16.342	PK

Profile: 2032034R	Page No.: 159
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	36.312	25.668	-37.688	74.000	10.645	PK
2	*	15630.000	45.643	29.301	-28.357	74.000	16.342	PK




## Radio2-CDD

Profile: 2032034R	Page No.: 81
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.155	29.028	-33.845	74.000	11.126	PK
2	*	15540.000	51.079	33.191	-22.921	74.000	17.888	PK

Profile: 2032034R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.155	29.028	-33.845	74.000	11.126	PK
2	*	15540.000	51.079	33.191	-22.921	74.000	17.888	PK

Profile: 2032034R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.968	28.854	-34.032	74.000	11.114	PK
2	*	15660.000	50.158	33.025	-23.842	74.000	17.133	PK

Profile: 2032034R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.304	25.190	-37.696	74.000	11.114	PK
2	*	15660.000	46.461	29.328	-27.539	74.000	17.133	PK

Profile: 2032034R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	37.758	26.858	-36.242	74.000	10.900	PK
2	*	15720.000	50.016	31.272	-23.984	74.000	18.744	PK

Profile: 2032034R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	36.985	26.085	-37.015	74.000	10.900	PK
2		15720.000	-874.266	-893.010	-948.266	74.000	18.744	PK

Profile: 2032034R	Page No.: 93
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	38.811	27.684	-35.189	74.000	11.126	PK
2	*	15540.000	49.167	31.279	-24.833	74.000	17.888	PK


Profile: 2032034R	Page No.: 94
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.704	25.577	-37.296	74.000	11.126	PK
2	*	15540.000	47.777	29.889	-26.223	74.000	17.888	PK




Profile: 2032034R	Page No.: 95
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	38.324	27.210	-35.676	74.000	11.114	PK
2	*	15660.000	48.650	31.517	-25.350	74.000	17.133	PK

Profile: 2032034R	Page No.: 96
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	35.455	24.341	-38.545	74.000	11.114	PK
2	*	15660.000	47.148	30.015	-26.852	74.000	17.133	PK

Profile: 2032034R	Page No.: 97
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	37.761	26.861	-36.239	74.000	10.900	PK
2	*	15720.000	49.306	30.562	-24.694	74.000	18.744	PK

Profile: 2032034R	Page No.: 98
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	35.570	24.670	-38.430	74.000	10.900	PK
2	*	15720.000	48.309	29.565	-25.691	74.000	18.744	PK

Profile: 2032034R	Page No.: 105
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	38.405	27.242	-35.595	74.000	11.163	PK
2	*	15570.000	48.622	31.593	-25.378	74.000	17.029	PK

Profile: 2032034R	Page No.: 106
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	35.702	24.539	-38.298	74.000	11.163	PK
2	*	15570.000	46.350	29.321	-27.650	74.000	17.029	PK

Profile: 2032034R	Page No.: 107
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	37.554	26.587	-36.446	74.000	10.967	PK
2	*	15690.000	48.062	29.486	-25.938	74.000	18.576	PK


Profile: 2032034R	Page No.: 108
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	35.944	24.977	-38.056	74.000	10.967	PK
2	*	15690.000	49.183	30.607	-24.817	74.000	18.576	PK




Profile: 2032034R	Page No.: 113
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	37.927	26.800	-36.073	74.000	11.126	PK
2	*	15540.000	49.593	31.705	-24.407	74.000	17.888	PK

Profile: 2032034R	Page No.: 114
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	37.396	26.269	-36.604	74.000	11.126	PK
2	*	15540.000	47.994	30.106	-26.006	74.000	17.888	PK

Profile: 2032034R	Page No.: 115
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.793	26.679	-36.207	74.000	11.114	PK
2	*	15660.000	48.359	31.226	-25.641	74.000	17.133	PK

Profile: 2032034R	Page No.: 116
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	35.479	24.365	-38.521	74.000	11.114	PK
2	*	15660.000	47.223	30.090	-26.777	74.000	17.133	PK

Profile: 2032034R	Page No.: 117
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	37.069	26.169	-36.931	74.000	10.900	PK
2	*	15720.000	48.331	29.587	-25.669	74.000	18.744	PK

Profile: 2032034R	Page No.: 118
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.722	25.822	-37.278	74.000	10.900	PK
2	*	15720.000	48.333	29.589	-25.667	74.000	18.744	PK

Profile: 2032034R	Page No.: 125
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	36.633	25.470	-37.367	74.000	11.163	PK
2	*	15570.000	46.935	29.906	-27.065	74.000	17.029	PK