



Profile: 2032034R	Page No.: 117
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.914	28.652	-34.086	74.000	11.262	PK
2	*	15960.000	47.204	28.988	-26.796	74.000	18.216	PK

Profile: 2032034R	Page No.: 118
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.322	29.060	-33.678	74.000	11.262	PK
2	*	15960.000	46.787	28.571	-27.213	74.000	18.216	PK

Profile: 2032034R	Page No.: 119
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.063	28.310	-33.937	74.000	11.752	PK
2	*	16500.000	46.834	28.650	-27.166	74.000	18.184	PK

Profile: 2032034R	Page No.: 120
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.131	28.378	-33.869	74.000	11.752	PK
2	*	16500.000	46.123	27.939	-27.877	74.000	18.184	PK

Profile: 2032034R	Page No.: 121
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	40.206	27.478	-33.794	74.000	12.728	PK
2	*	16560.000	47.677	29.043	-26.323	74.000	18.634	PK

Profile: 2032034R	Page No.: 122
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	41.582	28.854	-32.418	74.000	12.728	PK
2	*	16560.000	46.156	27.522	-27.844	74.000	18.634	PK

Profile: 2032034R	Page No.: 123
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	38.928	27.408	-35.072	74.000	11.521	PK
2	*	16740.000	48.386	28.792	-25.614	74.000	19.594	PK


Profile: 2032034R	Page No.: 124
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.731	29.211	-33.269	74.000	11.521	PK
2	*	16740.000	47.631	28.037	-26.369	74.000	19.594	PK




Profile: 2032034R	Page No.: 125
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.737	27.215	-34.263	74.000	12.523	PK
2	*	17100.000	46.850	29.249	-27.150	74.000	17.601	PK

Profile: 2032034R	Page No.: 126
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.038	27.516	-33.962	74.000	12.523	PK
2	*	17100.000	45.802	28.201	-28.198	74.000	17.601	PK

Profile: 2032034R	Page No.: 127
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.454	29.326	-32.546	74.000	12.128	PK
2	*	15810.000	45.642	27.451	-28.358	74.000	18.190	PK

Profile: 2032034R	Page No.: 128
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.137	28.009	-33.863	74.000	12.128	PK
2	*	15810.000	46.451	28.260	-27.549	74.000	18.190	PK

Profile: 2032034R	Page No.: 129
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.056	28.609	-33.944	74.000	11.448	PK
2	*	15930.000	47.585	29.230	-26.415	74.000	18.355	PK

Profile: 2032034R	Page No.: 130
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.968	28.521	-34.032	74.000	11.448	PK
2	*	15930.000	47.145	28.790	-26.855	74.000	18.355	PK

Profile: 2032034R	Page No.: 131
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.152	27.863	-33.848	74.000	12.289	PK
2	*	16530.000	46.943	28.578	-27.057	74.000	18.366	PK


Profile: 2032034R	Page No.: 132
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.278	27.989	-33.722	74.000	12.289	PK
2	*	16530.000	47.199	28.834	-26.801	74.000	18.366	PK




Profile: 2032034R	Page No.: 133
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	39.972	27.809	-34.028	74.000	12.163	PK
2	*	16650.000	46.900	27.339	-27.100	74.000	19.562	PK

Profile: 2032034R	Page No.: 134
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	39.735	27.572	-34.265	74.000	12.163	PK
2	*	16650.000	48.234	28.673	-25.766	74.000	19.562	PK

Profile: 2032034R	Page No.: 135
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.783	27.612	-33.217	74.000	13.171	PK
2	*	17010.000	45.377	27.682	-28.623	74.000	17.695	PK

Profile: 2032034R	Page No.: 136
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.708	27.537	-33.292	74.000	13.171	PK
2	*	17010.000	47.132	29.437	-26.868	74.000	17.695	PK

Profile: 2032034R	Page No.: 137
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.072	29.838	-32.928	74.000	11.234	PK
2	*	15780.000	47.675	29.008	-26.325	74.000	18.667	PK

Profile: 2032034R	Page No.: 138
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.077	28.843	-33.923	74.000	11.234	PK
2	*	15780.000	47.905	29.238	-26.095	74.000	18.667	PK

Profile: 2032034R	Page No.: 139
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.524	29.095	-32.476	74.000	12.429	PK
2	*	15900.000	47.339	28.870	-26.661	74.000	18.469	PK


Profile: 2032034R	Page No.: 140
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.081	28.652	-32.919	74.000	12.429	PK
2	*	15900.000	47.371	28.902	-26.629	74.000	18.469	PK




Profile: 2032034R	Page No.: 141
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	41.760	30.498	-32.240	74.000	11.262	PK
2	*	15960.000	47.521	29.305	-26.479	74.000	18.216	PK

Profile: 2032034R	Page No.: 142
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.024	28.271	-33.976	74.000	11.752	PK
2	*	16500.000	47.044	28.860	-26.956	74.000	18.184	PK

Profile: 2032034R	Page No.: 143
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.765	28.012	-34.235	74.000	11.752	PK
2	*	16500.000	46.321	28.137	-27.679	74.000	18.184	PK

Profile: 2032034R	Page No.: 144
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.632	27.879	-34.368	74.000	11.752	PK
2	*	16500.000	46.893	28.709	-27.107	74.000	18.184	PK

Profile: 2032034R	Page No.: 145
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	40.970	28.242	-33.030	74.000	12.728	PK
2	*	16560.000	46.304	27.670	-27.696	74.000	18.634	PK

Profile: 2032034R	Page No.: 146
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	40.361	27.633	-33.639	74.000	12.728	PK
2	*	16560.000	47.562	28.928	-26.438	74.000	18.634	PK

Profile: 2032034R	Page No.: 147
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.543	29.023	-33.457	74.000	11.521	PK
2	*	16740.000	48.405	28.811	-25.595	74.000	19.594	PK


Profile: 2032034R	Page No.: 148
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.668	28.148	-34.332	74.000	11.521	PK
2	*	16740.000	48.254	28.660	-25.746	74.000	19.594	PK




Profile: 2032034R	Page No.: 149
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.119	26.597	-34.881	74.000	12.523	PK
2	*	17100.000	44.986	27.385	-29.014	74.000	17.601	PK

Profile: 2032034R	Page No.: 150
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.657	27.135	-34.343	74.000	12.523	PK
2	*	17100.000	44.623	27.022	-29.377	74.000	17.601	PK

Profile: 2032034R	Page No.: 151
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.018	28.890	-32.982	74.000	12.128	PK
2	*	15810.000	45.685	27.494	-28.315	74.000	18.190	PK

Profile: 2032034R	Page No.: 152
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.235	29.107	-32.765	74.000	12.128	PK
2	*	15810.000	46.936	28.745	-27.064	74.000	18.190	PK

Profile: 2032034R	Page No.: 153
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.968	28.521	-34.032	74.000	11.448	PK
2	*	15930.000	46.726	28.371	-27.274	74.000	18.355	PK

Profile: 2032034R	Page No.: 154
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.266	28.819	-33.734	74.000	11.448	PK
2	*	15930.000	47.673	29.318	-26.327	74.000	18.355	PK

Profile: 2032034R	Page No.: 155
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.330	28.041	-33.670	74.000	12.289	PK
2	*	16530.000	46.429	28.064	-27.571	74.000	18.366	PK


Profile: 2032034R	Page No.: 156
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.951	28.662	-33.049	74.000	12.289	PK
2	*	16530.000	46.954	28.589	-27.046	74.000	18.366	PK




Profile: 2032034R	Page No.: 157
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	39.732	27.569	-34.268	74.000	12.163	PK
2	*	16650.000	49.300	29.739	-24.700	74.000	19.562	PK

Profile: 2032034R	Page No.: 158
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.079	27.916	-33.921	74.000	12.163	PK
2	*	16650.000	48.532	28.971	-25.468	74.000	19.562	PK

Profile: 2032034R	Page No.: 159
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.228	27.057	-33.772	74.000	13.171	PK
2	*	17010.000	46.020	28.325	-27.980	74.000	17.695	PK

Profile: 2032034R	Page No.: 160
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.415	27.244	-33.585	74.000	13.171	PK
2	*	17010.000	46.817	29.122	-27.183	74.000	17.695	PK

Profile: 2032034R	Page No.: 161
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	42.234	29.737	-31.766	74.000	12.497	PK
2	*	15870.000	46.592	28.101	-27.408	74.000	18.490	PK

Profile: 2032034R	Page No.: 162
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.027	28.530	-32.973	74.000	12.497	PK
2	*	15870.000	47.374	28.883	-26.626	74.000	18.490	PK

Profile: 2032034R	Page No.: 163
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	42.134	29.337	-31.866	74.000	12.798	PK
2	*	16590.000	47.414	28.392	-26.586	74.000	19.022	PK


Profile: 2032034R	Page No.: 164
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.596	28.799	-32.404	74.000	12.798	PK
2	*	16590.000	46.815	27.793	-27.185	74.000	19.022	PK




Profile: 2032034R	Page No.: 167
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.850	29.616	-33.150	74.000	11.234	PK
2	*	15780.000	46.805	28.138	-27.195	74.000	18.667	PK

Profile: 2032034R	Page No.: 168
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.560	29.326	-33.440	74.000	11.234	PK
2	*	15780.000	47.728	29.061	-26.272	74.000	18.667	PK

Profile: 2032034R	Page No.: 169
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.638	28.209	-33.362	74.000	12.429	PK
2	*	15900.000	47.544	29.075	-26.456	74.000	18.469	PK

Profile: 2032034R	Page No.: 170
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.073	29.644	-31.927	74.000	12.429	PK
2	*	15900.000	46.085	27.616	-27.915	74.000	18.469	PK

Profile: 2032034R	Page No.: 171
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.989	28.727	-34.011	74.000	11.262	PK
2	*	15960.000	48.111	29.895	-25.889	74.000	18.216	PK

Profile: 2032034R	Page No.: 172
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.494	29.232	-33.506	74.000	11.262	PK
2	*	15960.000	47.391	29.175	-26.609	74.000	18.216	PK

Profile: 2032034R	Page No.: 173
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.364	27.611	-34.636	74.000	11.752	PK
2	*	16500.000	47.317	29.133	-26.683	74.000	18.184	PK


Profile: 2032034R	Page No.: 174
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5500MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.315	27.562	-34.685	74.000	11.752	PK
2	*	16500.000	46.937	28.753	-27.063	74.000	18.184	PK




Profile: 2032034R	Page No.: 175
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	41.028	28.300	-32.972	74.000	12.728	PK
2	*	16560.000	48.173	29.539	-25.827	74.000	18.634	PK

Profile: 2032034R	Page No.: 176
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	42.002	29.274	-31.998	74.000	12.728	PK
2	*	16560.000	47.543	28.909	-26.457	74.000	18.634	PK

Profile: 2032034R	Page No.: 177
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	38.988	27.468	-35.012	74.000	11.521	PK
2	*	16740.000	49.334	29.740	-24.666	74.000	19.594	PK

Profile: 2032034R	Page No.: 178
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	38.781	27.261	-35.219	74.000	11.521	PK
2	*	16740.000	47.243	27.649	-26.757	74.000	19.594	PK

Profile: 2032034R	Page No.: 179
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.578	27.056	-34.422	74.000	12.523	PK
2	*	17100.000	44.522	26.921	-29.478	74.000	17.601	PK

Profile: 2032034R	Page No.: 180
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.170	26.648	-34.830	74.000	12.523	PK
2	*	17100.000	44.998	27.397	-29.002	74.000	17.601	PK

Profile: 2032034R	Page No.: 181
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.708	28.580	-33.292	74.000	12.128	PK
2	*	15810.000	46.474	28.283	-27.526	74.000	18.190	PK


Profile: 2032034R	Page No.: 182
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.161	28.033	-33.839	74.000	12.128	PK
2	*	15810.000	46.530	28.339	-27.470	74.000	18.190	PK




Profile: 2032034R	Page No.: 183
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.848	28.401	-34.152	74.000	11.448	PK
2	*	15930.000	46.287	27.932	-27.713	74.000	18.355	PK

Profile: 2032034R	Page No.: 184
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.869	28.422	-34.131	74.000	11.448	PK
2	*	15930.000	46.274	27.919	-27.726	74.000	18.355	PK

Profile: 2032034R	Page No.: 185
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.376	29.087	-32.624	74.000	12.289	PK
2	*	16530.000	46.177	27.812	-27.823	74.000	18.366	PK

Profile: 2032034R	Page No.: 186
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.566	28.277	-33.434	74.000	12.289	PK
2	*	16530.000	46.330	27.965	-27.670	74.000	18.366	PK

Profile: 2032034R	Page No.: 187
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.595	28.432	-33.405	74.000	12.163	PK
2	*	16650.000	48.661	29.100	-25.339	74.000	19.562	PK

Profile: 2032034R	Page No.: 188
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.255	28.092	-33.745	74.000	12.163	PK
2	*	16650.000	47.777	28.216	-26.223	74.000	19.562	PK

Profile: 2032034R	Page No.: 189
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.524	27.353	-33.476	74.000	13.171	PK
2	*	17010.000	46.609	28.914	-27.391	74.000	17.695	PK


Profile: 2032034R	Page No.: 190
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.181	27.010	-33.819	74.000	13.171	PK
2	*	17010.000	46.073	28.378	-27.927	74.000	17.695	PK




Profile: 2032034R	Page No.: 191
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.853	29.356	-32.147	74.000	12.497	PK
2	*	15870.000	47.008	28.517	-26.992	74.000	18.490	PK

Profile: 2032034R	Page No.: 192
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	41.279	28.782	-32.721	74.000	12.497	PK
2	*	15870.000	46.858	28.367	-27.142	74.000	18.490	PK

Profile: 2032034R	Page No.: 193
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.224	28.427	-32.776	74.000	12.798	PK
2	*	16590.000	48.093	29.071	-25.907	74.000	19.022	PK

Profile: 2032034R	Page No.: 194
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 01:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	40.876	28.079	-33.124	74.000	12.798	PK
2	*	16590.000	47.423	28.401	-26.577	74.000	19.022	PK

Profile: 2032034R	Page No.: 25
Engineer: Neil	
Site: AC5	Time: 2020/08/18 - 11:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	47.557	36.094	-26.443	74.000	11.463	PK
2	*	15750.000	53.553	34.836	-20.447	74.000	18.717	PK

Profile: 2032034R	Page No.: 26
Engineer: Neil	
Site: AC5	Time: 2020/08/18 - 11:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	46.795	35.332	-27.205	74.000	11.463	PK
2	*	15750.000	51.826	33.109	-22.174	74.000	18.717	PK

Profile: 2032034R	Page No.: 27
Engineer: Neil	
Site: AC5	Time: 2020/08/18 - 11:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.203	32.745	-29.797	74.000	11.458	PK
2	*	16710.000	54.517	34.665	-19.483	74.000	19.852	PK

Profile: 2032034R	Page No.: 28
Engineer: Neil	
Site: AC5	Time: 2020/08/18 - 11:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.128	33.670	-28.872	74.000	11.458	PK
2	*	16710.000	53.891	34.039	-20.109	74.000	19.852	PK




### Radio3-5G full band mode-4\*4 CDD

Profile: 2032034R	Page No.: 82
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.947	28.821	-34.053	74.000	11.126	PK
2	*	15540.000	50.272	32.384	-23.728	74.000	17.888	PK

Profile: 2032034R	Page No.: 83
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.263	25.137	-37.737	74.000	11.126	PK
2	*	15540.000	47.288	29.400	-26.712	74.000	17.888	PK

Profile: 2032034R	Page No.: 84
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.151	26.037	-36.849	74.000	11.114	PK
2	*	15660.000	47.057	29.924	-26.943	74.000	17.133	PK

Profile: 2032034R	Page No.: 85
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.748	26.634	-36.252	74.000	11.114	PK
2	*	15660.000	46.649	29.516	-27.351	74.000	17.133	PK

Profile: 2032034R	Page No.: 86
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.456	25.556	-37.544	74.000	10.900	PK
2	*	15720.000	46.953	28.209	-27.047	74.000	18.744	PK

Profile: 2032034R	Page No.: 87
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.429	25.529	-37.571	74.000	10.900	PK
2	*	15720.000	48.400	29.656	-25.600	74.000	18.744	PK

Profile: 2032034R	Page No.: 88
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	37.831	25.080	-36.169	74.000	12.751	PK
2	*	17235.000	48.855	28.629	-25.145	74.000	20.226	PK


Profile: 2032034R	Page No.: 89
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.203	27.452	-33.797	74.000	12.751	PK
2	*	17235.000	50.557	30.331	-23.443	74.000	20.226	PK




Profile: 2032034R	Page No.: 90
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	37.704	24.548	-36.296	74.000	13.156	PK
2	*	17355.000	50.790	27.792	-23.210	74.000	22.998	PK

Profile: 2032034R	Page No.: 91
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	36.957	23.801	-37.043	74.000	13.156	PK
2	*	17355.000	52.116	29.118	-21.884	74.000	22.998	PK

Profile: 2032034R	Page No.: 92
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.092	25.203	-34.908	74.000	13.889	PK
2	*	17475.000	50.652	29.069	-23.348	74.000	21.583	PK

Profile: 2032034R	Page No.: 93
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.512	27.623	-32.488	74.000	13.889	PK
2	*	17475.000	51.935	30.352	-22.065	74.000	21.583	PK

Profile: 2032034R	Page No.: 94
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.567	25.441	-37.433	74.000	11.126	PK
2	*	15540.000	48.566	30.678	-25.434	74.000	17.888	PK

Profile: 2032034R	Page No.: 95
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.359	28.233	-35.556	74.000	11.126	PK
2	*	15540.000	50.406	32.518	-23.616	74.000	17.888	PK

Profile: 2032034R	Page No.: 96
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.736	26.622	-36.264	74.000	11.114	PK
2	*	15660.000	47.840	30.707	-26.160	74.000	17.133	PK


Profile: 2032034R	Page No.: 97
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.423	26.309	-36.577	74.000	11.114	PK
2	*	15660.000	46.314	29.181	-27.686	74.000	17.133	PK




Profile: 2032034R	Page No.: 98
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.294	25.394	-37.706	74.000	10.900	PK
2	*	15720.000	47.172	28.428	-26.828	74.000	18.744	PK

Profile: 2032034R	Page No.: 99
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	38.234	27.334	-35.766	74.000	10.900	PK
2	*	15720.000	50.544	31.800	-23.456	74.000	18.744	PK

Profile: 2032034R	Page No.: 100
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.188	25.437	-35.812	74.000	12.751	PK
2	*	17235.000	49.226	29.000	-24.774	74.000	20.226	PK

Profile: 2032034R	Page No.: 101
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.987	27.236	-34.013	74.000	12.751	PK
2	*	17235.000	49.607	29.381	-24.393	74.000	20.226	PK

Profile: 2032034R	Page No.: 102
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	38.055	24.899	-35.945	74.000	13.156	PK
2	*	17355.000	50.939	27.941	-23.061	74.000	22.998	PK

Profile: 2032034R	Page No.: 103
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	37.352	24.196	-36.648	74.000	13.156	PK
2	*	17355.000	52.189	29.191	-21.811	74.000	22.998	PK

Profile: 2032034R	Page No.: 104
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	38.721	24.832	-35.279	74.000	13.889	PK
2	*	17475.000	50.345	28.762	-23.655	74.000	21.583	PK


Profile: 2032034R	Page No.: 105
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.766	26.877	-33.234	74.000	13.889	PK
2	*	17475.000	51.869	30.286	-22.131	74.000	21.583	PK




Profile: 2032034R	Page No.: 106
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	35.990	24.827	-38.010	74.000	11.163	PK
2	*	15570.000	46.859	29.830	-27.141	74.000	17.029	PK

Profile: 2032034R	Page No.: 107
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	36.652	25.489	-37.348	74.000	11.163	PK
2	*	15570.000	47.777	30.748	-26.223	74.000	17.029	PK

Profile: 2032034R	Page No.: 108
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	35.994	25.027	-38.006	74.000	10.967	PK
2	*	15690.000	46.738	28.162	-27.262	74.000	18.576	PK

Profile: 2032034R	Page No.: 109
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	36.699	25.732	-37.301	74.000	10.967	PK
2	*	15690.000	48.112	29.536	-25.888	74.000	18.576	PK

Profile: 2032034R	Page No.: 110
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.300	25.249	-35.700	74.000	13.051	PK
2	*	17265.000	50.340	29.612	-23.660	74.000	20.728	PK

Profile: 2032034R	Page No.: 111
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.662	25.611	-35.338	74.000	13.051	PK
2	*	17265.000	50.082	29.354	-23.918	74.000	20.728	PK

Profile: 2032034R	Page No.: 112
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	39.141	25.817	-34.859	74.000	13.324	PK
2	*	17385.000	50.334	28.159	-23.666	74.000	22.175	PK


Profile: 2032034R	Page No.: 113
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	39.089	25.765	-34.911	74.000	13.324	PK
2	*	17385.000	51.265	29.090	-22.735	74.000	22.175	PK




Profile: 2032034R	Page No.: 114
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	37.276	26.150	-36.724	74.000	11.126	PK
2	*	15540.000	48.410	30.522	-25.590	74.000	17.888	PK

Profile: 2032034R	Page No.: 115
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	38.230	27.104	-35.770	74.000	11.126	PK
2	*	15540.000	48.679	30.791	-25.321	74.000	17.888	PK

Profile: 2032034R	Page No.: 116
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.086	24.972	-37.914	74.000	11.114	PK
2	*	15660.000	46.964	29.831	-27.036	74.000	17.133	PK

Profile: 2032034R	Page No.: 117
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.188	26.074	-36.812	74.000	11.114	PK
2	*	15660.000	46.089	28.956	-27.911	74.000	17.133	PK

Profile: 2032034R	Page No.: 118
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.225	25.325	-37.775	74.000	10.900	PK
2	*	15720.000	47.311	28.567	-26.689	74.000	18.744	PK

Profile: 2032034R	Page No.: 119
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.387	25.487	-37.613	74.000	10.900	PK
2	*	15720.000	48.176	29.432	-25.824	74.000	18.744	PK

Profile: 2032034R	Page No.: 120
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	38.443	25.692	-35.557	74.000	12.751	PK
2	*	17235.000	48.645	28.419	-25.355	74.000	20.226	PK


Profile: 2032034R	Page No.: 121
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.251	27.500	-33.749	74.000	12.751	PK
2	*	17235.000	51.144	30.918	-22.856	74.000	20.226	PK




Profile: 2032034R	Page No.: 122
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	38.235	25.079	-35.765	74.000	13.156	PK
2	*	17355.000	50.707	27.709	-23.293	74.000	22.998	PK

Profile: 2032034R	Page No.: 123
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	39.589	26.433	-34.411	74.000	13.156	PK
2	*	17355.000	52.351	29.353	-21.649	74.000	22.998	PK

Profile: 2032034R	Page No.: 124
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	38.876	24.987	-35.124	74.000	13.889	PK
2	*	17475.000	50.271	28.688	-23.729	74.000	21.583	PK

Profile: 2032034R	Page No.: 125
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	39.460	25.571	-34.540	74.000	13.889	PK
2	*	17475.000	50.469	28.886	-23.531	74.000	21.583	PK

Profile: 2032034R	Page No.: 126
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	36.182	25.019	-37.818	74.000	11.163	PK
2	*	15570.000	47.430	30.401	-26.570	74.000	17.029	PK

Profile: 2032034R	Page No.: 127
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	37.368	26.205	-36.632	74.000	11.163	PK
2	*	15570.000	49.142	32.113	-24.858	74.000	17.029	PK

Profile: 2032034R	Page No.: 128
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	37.104	26.137	-36.896	74.000	10.967	PK
2	*	15690.000	50.813	32.237	-23.187	74.000	18.576	PK


Profile: 2032034R	Page No.: 129
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	36.543	25.576	-37.457	74.000	10.967	PK
2	*	15690.000	47.617	29.041	-26.383	74.000	18.576	PK




Profile: 2032034R	Page No.: 130
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.853	25.802	-35.147	74.000	13.051	PK
2	*	17265.000	50.407	29.679	-23.593	74.000	20.728	PK

Profile: 2032034R	Page No.: 131
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.354	27.303	-33.646	74.000	13.051	PK
2	*	17265.000	51.587	30.859	-22.413	74.000	20.728	PK

Profile: 2032034R	Page No.: 132
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	40.608	27.284	-33.392	74.000	13.324	PK
2	*	17385.000	54.018	31.843	-19.982	74.000	22.175	PK

Profile: 2032034R	Page No.: 133
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	40.920	27.596	-33.080	74.000	13.324	PK
2	*	17385.000	53.554	31.379	-20.446	74.000	22.175	PK

Profile: 2032034R	Page No.: 134
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	36.402	25.757	-37.598	74.000	10.645	PK
2	*	15630.000	47.914	31.572	-26.086	74.000	16.342	PK

Profile: 2032034R	Page No.: 135
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	38.121	27.476	-35.879	74.000	10.645	PK
2	*	15630.000	49.054	32.712	-24.946	74.000	16.342	PK

Profile: 2032034R	Page No.: 164
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.530	27.258	-33.470	74.000	13.272	PK
2	*	17325.000	52.705	30.425	-21.295	74.000	22.280	PK


Profile: 2032034R	Page No.: 165
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	38.202	24.930	-35.798	74.000	13.272	PK
2	*	17325.000	53.936	31.656	-20.064	74.000	22.280	PK




Profile: 2032034R	Page No.: 138
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	36.953	25.827	-37.047	74.000	11.126	PK
2	*	15540.000	48.095	30.207	-25.905	74.000	17.888	PK

Profile: 2032034R	Page No.: 139
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	37.651	26.525	-36.349	74.000	11.126	PK
2	*	15540.000	47.001	29.113	-26.999	74.000	17.888	PK

Profile: 2032034R	Page No.: 140
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	36.501	25.387	-37.499	74.000	11.114	PK
2	*	15660.000	46.374	29.241	-27.626	74.000	17.133	PK

Profile: 2032034R	Page No.: 141
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	37.484	26.370	-36.516	74.000	11.114	PK
2	*	15660.000	48.778	31.645	-25.222	74.000	17.133	PK

Profile: 2032034R	Page No.: 142
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.092	25.192	-37.908	74.000	10.900	PK
2	*	15720.000	47.327	28.583	-26.673	74.000	18.744	PK

Profile: 2032034R	Page No.: 143
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	36.979	26.079	-37.021	74.000	10.900	PK
2	*	15720.000	48.146	29.402	-25.854	74.000	18.744	PK

Profile: 2032034R	Page No.: 144
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	37.917	25.166	-36.083	74.000	12.751	PK
2	*	17235.000	48.925	28.699	-25.075	74.000	20.226	PK


Profile: 2032034R	Page No.: 145
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.263	27.512	-33.737	74.000	12.751	PK
2	*	17235.000	51.103	30.877	-22.897	74.000	20.226	PK




Profile: 2032034R	Page No.: 146
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	37.978	24.822	-36.022	74.000	13.156	PK
2	*	17355.000	51.018	28.020	-22.982	74.000	22.998	PK

Profile: 2032034R	Page No.: 147
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	38.976	25.820	-35.024	74.000	13.156	PK
2	*	17355.000	52.112	29.114	-21.888	74.000	22.998	PK

Profile: 2032034R	Page No.: 148
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	38.869	24.980	-35.131	74.000	13.889	PK
2	*	17475.000	50.458	28.875	-23.542	74.000	21.583	PK

Profile: 2032034R	Page No.: 149
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.500	26.611	-33.500	74.000	13.889	PK
2	*	17475.000	53.092	31.509	-20.908	74.000	21.583	PK

Profile: 2032034R	Page No.: 150
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.136	27.973	-34.864	74.000	11.163	PK
2	*	15570.000	49.572	32.543	-24.428	74.000	17.029	PK

Profile: 2032034R	Page No.: 151
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.952	28.789	-34.048	74.000	11.163	PK
2	*	15570.000	49.005	31.976	-24.995	74.000	17.029	PK

Profile: 2032034R	Page No.: 152
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	36.817	25.850	-37.183	74.000	10.967	PK
2	*	15690.000	47.987	29.411	-26.013	74.000	18.576	PK


Profile: 2032034R	Page No.: 153
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	36.071	25.104	-37.929	74.000	10.967	PK
2	*	15690.000	47.656	29.080	-26.344	74.000	18.576	PK




Profile: 2032034R	Page No.: 154
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	38.154	25.103	-35.846	74.000	13.051	PK
2	*	17265.000	50.726	29.998	-23.274	74.000	20.728	PK

Profile: 2032034R	Page No.: 155
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	39.693	26.642	-34.307	74.000	13.051	PK
2	*	17265.000	50.022	29.294	-23.978	74.000	20.728	PK

Profile: 2032034R	Page No.: 156
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	38.454	25.130	-35.546	74.000	13.324	PK
2	*	17385.000	51.638	29.463	-22.362	74.000	22.175	PK

Profile: 2032034R	Page No.: 157
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.466	28.142	-32.534	74.000	13.324	PK
2	*	17385.000	53.961	31.786	-20.039	74.000	22.175	PK

Profile: 2032034R	Page No.: 158
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	36.288	25.643	-37.712	74.000	10.645	PK
2	*	15630.000	45.831	29.489	-28.169	74.000	16.342	PK

Profile: 2032034R	Page No.: 159
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	37.570	26.925	-36.430	74.000	10.645	PK
2	*	15630.000	45.374	29.032	-28.626	74.000	16.342	PK

Profile: 2032034R	Page No.: 160
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	39.021	25.749	-34.979	74.000	13.272	PK
2	*	17325.000	50.601	28.321	-23.399	74.000	22.280	PK


Profile: 2032034R	Page No.: 161
Engineer: Neil	
Site: AC5	Time: 2020/06/18 - 20:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.897	27.625	-33.103	74.000	13.272	PK
2	*	17325.000	53.811	31.531	-20.189	74.000	22.280	PK




Profile: 2032034R	Page No.: 99
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.587	29.353	-33.413	74.000	11.234	PK
2	*	15780.000	47.069	28.402	-26.931	74.000	18.667	PK

Profile: 2032034R	Page No.: 100
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.650	29.416	-33.350	74.000	11.234	PK
2	*	15780.000	48.080	29.413	-25.920	74.000	18.667	PK

Profile: 2032034R	Page No.: 101
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.950	28.521	-33.050	74.000	12.429	PK
2	*	15900.000	46.684	28.215	-27.316	74.000	18.469	PK

Profile: 2032034R	Page No.: 102
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.720	28.291	-33.280	74.000	12.429	PK
2	*	15900.000	46.720	28.251	-27.280	74.000	18.469	PK

Profile: 2032034R	Page No.: 103
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.105	27.843	-34.895	74.000	11.262	PK
2	*	15960.000	46.783	28.567	-27.217	74.000	18.216	PK

Profile: 2032034R	Page No.: 104
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.285	28.023	-34.715	74.000	11.262	PK
2	*	15960.000	46.684	28.468	-27.316	74.000	18.216	PK

Profile: 2032034R	Page No.: 105
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.188	27.435	-34.812	74.000	11.752	PK
2	*	16500.000	46.100	27.916	-27.900	74.000	18.184	PK


Profile: 2032034R	Page No.: 106
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	38.888	27.135	-35.112	74.000	11.752	PK
2	*	16500.000	46.929	28.745	-27.071	74.000	18.184	PK




Profile: 2032034R	Page No.: 107
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	40.791	28.063	-33.209	74.000	12.728	PK
2	*	16560.000	46.919	28.285	-27.081	74.000	18.634	PK

Profile: 2032034R	Page No.: 108
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	40.838	28.110	-33.162	74.000	12.728	PK
2	*	16560.000	47.809	29.175	-26.191	74.000	18.634	PK

Profile: 2032034R	Page No.: 109
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.271	27.751	-34.729	74.000	11.521	PK
2	*	16740.000	49.448	29.854	-24.552	74.000	19.594	PK

Profile: 2032034R	Page No.: 110
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.524	28.004	-34.476	74.000	11.521	PK
2	*	16740.000	49.101	29.507	-24.899	74.000	19.594	PK

Profile: 2032034R	Page No.: 111
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.577	28.055	-33.423	74.000	12.523	PK
2	*	17100.000	44.569	26.968	-29.431	74.000	17.601	PK

Profile: 2032034R	Page No.: 112
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.596	28.074	-33.404	74.000	12.523	PK
2	*	17100.000	46.101	28.500	-27.899	74.000	17.601	PK

Profile: 2032034R	Page No.: 113
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	41.238	30.004	-32.762	74.000	11.234	PK
2	*	15780.000	47.934	29.267	-26.066	74.000	18.667	PK


Profile: 2032034R	Page No.: 114
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5260MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	42.333	31.099	-31.667	74.000	11.234	PK
2	*	15780.000	47.625	28.958	-26.375	74.000	18.667	PK




Profile: 2032034R	Page No.: 115
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.777	28.348	-33.223	74.000	12.429	PK
2	*	15900.000	47.321	28.852	-26.679	74.000	18.469	PK

Profile: 2032034R	Page No.: 116
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	39.842	27.413	-34.158	74.000	12.429	PK
2	*	15900.000	47.417	28.948	-26.583	74.000	18.469	PK

Profile: 2032034R	Page No.: 117
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.205	28.943	-33.795	74.000	11.262	PK
2	*	15960.000	46.394	28.178	-27.606	74.000	18.216	PK

Profile: 2032034R	Page No.: 118
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.764	28.502	-34.236	74.000	11.262	PK
2	*	15960.000	46.832	28.616	-27.168	74.000	18.216	PK

Profile: 2032034R	Page No.: 119
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.149	28.396	-33.851	74.000	11.752	PK
2	*	16500.000	46.494	28.310	-27.506	74.000	18.184	PK

Profile: 2032034R	Page No.: 120
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.360	27.607	-34.640	74.000	11.752	PK
2	*	16500.000	46.351	28.167	-27.649	74.000	18.184	PK

Profile: 2032034R	Page No.: 121
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	40.442	27.714	-33.558	74.000	12.728	PK
2	*	16560.000	46.716	28.082	-27.284	74.000	18.634	PK


Profile: 2032034R	Page No.: 122
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	42.025	29.297	-31.975	74.000	12.728	PK
2	*	16560.000	49.586	30.952	-24.414	74.000	18.634	PK




Profile: 2032034R	Page No.: 123
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.666	28.146	-34.334	74.000	11.521	PK
2	*	16740.000	48.308	28.714	-25.692	74.000	19.594	PK

Profile: 2032034R	Page No.: 124
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	39.585	28.065	-34.415	74.000	11.521	PK
2	*	16740.000	48.408	28.814	-25.592	74.000	19.594	PK

Profile: 2032034R	Page No.: 125
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.026	27.504	-33.974	74.000	12.523	PK
2	*	17100.000	45.050	27.449	-28.950	74.000	17.601	PK

Profile: 2032034R	Page No.: 126
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	39.638	27.116	-34.362	74.000	12.523	PK
2	*	17100.000	45.314	27.713	-28.686	74.000	17.601	PK

Profile: 2032034R	Page No.: 127
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.362	29.234	-32.638	74.000	12.128	PK
2	*	15810.000	46.128	27.937	-27.872	74.000	18.190	PK

Profile: 2032034R	Page No.: 128
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	41.822	29.694	-32.178	74.000	12.128	PK
2	*	15810.000	45.395	27.204	-28.605	74.000	18.190	PK

Profile: 2032034R	Page No.: 129
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.291	28.844	-33.709	74.000	11.448	PK
2	*	15930.000	47.030	28.675	-26.970	74.000	18.355	PK


Profile: 2032034R	Page No.: 130
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.947	28.500	-34.053	74.000	11.448	PK
2	*	15930.000	46.537	28.182	-27.463	74.000	18.355	PK




Profile: 2032034R	Page No.: 131
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.432	28.143	-33.568	74.000	12.289	PK
2	*	16530.000	47.299	28.934	-26.701	74.000	18.366	PK

Profile: 2032034R	Page No.: 132
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	40.348	28.059	-33.652	74.000	12.289	PK
2	*	16530.000	46.655	28.290	-27.345	74.000	18.366	PK

Profile: 2032034R	Page No.: 133
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	39.995	27.832	-34.005	74.000	12.163	PK
2	*	16650.000	47.573	28.012	-26.427	74.000	19.562	PK

Profile: 2032034R	Page No.: 134
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.535	28.372	-33.465	74.000	12.163	PK
2	*	16650.000	48.926	29.365	-25.074	74.000	19.562	PK

Profile: 2032034R	Page No.: 135
Engineer: Neil	
Site: AC5	Time: 2020/07/22 - 07:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.515	27.344	-33.485	74.000	13.171	PK
2	*	17010.000	46.022	28.327	-27.978	74.000	17.695	PK