


802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2018

2437MHz_TX




EUT_Z_2TX
Setting 67
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	69.31	74.00	-4.69	32.13	3	Vertical	241	2.44	-
AV	2.3898G	53.88	54.00	-0.12	32.13	3	Vertical	241	2.44	-
PK	2.4186G	110.24	Inf	-Inf	32.22	3	Vertical	241	2.44	-
AV	2.4194G	98.17	Inf	-Inf	32.22	3	Vertical	241	2.44	-
PK	2.485G	69.18	74.00	-4.82	32.42	3	Vertical	241	2.44	-
AV	2.4835G	53.53	54.00	-0.47	32.42	3	Vertical	241	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2018

2437MHz_TX




EUT_Z_2TX
Setting 67
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	62.47	74.00	-11.53	32.13	3	Horizontal	302	1.50	-
AV	2.3898G	48.36	54.00	-5.64	32.13	3	Horizontal	302	1.50	-
PK	2.423G	102.37	Inf	-Inf	32.23	3	Horizontal	302	1.50	-
AV	2.4238G	90.47	Inf	-Inf	32.23	3	Horizontal	302	1.50	-
PK	2.4854G	61.88	74.00	-12.12	32.42	3	Horizontal	302	1.50	-
AV	2.4835G	48.35	54.00	-5.65	32.42	3	Horizontal	302	1.50	-

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2018

2442MHz_TX




EUT Z_2TX
Setting 65
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3864G	63.90	74.00	-10.10	32.12	3	Vertical	244	2.46	-
AV	2.3892G	49.51	54.00	-4.49	32.13	3	Vertical	244	2.46	-
PK	2.4252G	109.00	Inf	-Inf	32.23	3	Vertical	244	2.46	-
AV	2.428G	97.14	Inf	-Inf	32.25	3	Vertical	244	2.46	-
PK	2.4836G	68.35	74.00	-5.65	32.42	3	Vertical	244	2.46	-
AV	2.4844G	53.81	54.00	-0.19	32.42	3	Vertical	244	2.46	-

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2018

2442MHz_TX




EUT_Z_2TX
Setting 65
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3824G	58.62	74.00	-15.38	32.10	3	Horizontal	300	1.38	-
AV	2.3892G	46.15	54.00	-7.85	32.13	3	Horizontal	300	1.38	-
PK	2.426G	101.81	Inf	-Inf	32.23	3	Horizontal	300	1.38	-
AV	2.4256G	90.87	Inf	-Inf	32.23	3	Horizontal	300	1.38	-
PK	2.484G	63.14	74.00	-10.86	32.42	3	Horizontal	300	1.38	-
AV	2.4844G	48.77	54.00	-5.23	32.42	3	Horizontal	300	1.38	-

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2018

2447MHz_TX




EUT_Z_2TX
Setting 63
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	61.97	74.00	-12.03	32.13	3	Vertical	243	1.77	-
AV	2.3886G	47.57	54.00	-6.43	32.13	3	Vertical	243	1.77	-
PK	2.4434G	108.16	Inf	-Inf	32.29	3	Vertical	243	1.77	-
AV	2.4346G	96.49	Inf	-Inf	32.26	3	Vertical	243	1.77	-
PK	2.4854G	70.74	74.00	-3.26	32.42	3	Vertical	243	1.77	-
AV	2.4838G	53.84	54.00	-0.16	32.42	3	Vertical	243	1.77	-

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2018

2447MHz_TX




EUT_Z_2TX
Setting 63
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3858G	56.83	74.00	-17.17	32.11	3	Horizontal	299	1.50	-
AV	2.389G	45.53	54.00	-8.47	32.13	3	Horizontal	299	1.50	-
PK	2.4454G	100.13	Inf	-Inf	32.30	3	Horizontal	299	1.50	-
AV	2.4558G	88.84	Inf	-Inf	32.33	3	Horizontal	299	1.50	-
PK	2.4838G	63.76	74.00	-10.24	32.42	3	Horizontal	299	1.50	-
AV	2.485G	48.65	54.00	-5.35	32.42	3	Horizontal	299	1.50	-

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2018

2452MHz_TX




EUT_Z_2TX
Setting 61
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.388G	58.83	74.00	-15.17	32.13	3	Vertical	244	1.78	-
AV	2.39G	46.69	54.00	-7.31	32.13	3	Vertical	244	1.78	-
PK	2.4484G	107.25	Inf	-Inf	32.30	3	Vertical	244	1.78	-
AV	2.446G	95.48	Inf	-Inf	32.30	3	Vertical	244	1.78	-
PK	2.486G	71.05	74.00	-2.95	32.42	3	Vertical	244	1.78	-
AV	2.484G	53.81	54.00	-0.19	32.42	3	Vertical	244	1.78	-

802.11ax HEW40_Nss2,(MCS0)_2TX

28/10/2018

2452MHz_TX



EUT Z_2TX
Setting 61
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3544G	57.27	74.00	-16.73	32.02	3	Horizontal	301	1.44	-
AV	2.3892G	45.38	54.00	-8.62	32.13	3	Horizontal	301	1.44	-
PK	2.434G	100.91	Inf	-Inf	32.26	3	Horizontal	301	1.44	-
AV	2.4692G	89.47	Inf	-Inf	32.37	3	Horizontal	301	1.44	-
PK	2.4868G	65.90	74.00	-8.10	32.42	3	Horizontal	301	1.44	-
AV	2.4844G	49.28	54.00	-4.72	32.42	3	Horizontal	301	1.44	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_4TX	Pass	PK	2.3882G	73.99	74.00	-0.01	30.79	3	Vertical	44	1.04	-

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2412MHz_TX




EUT Z_4TX
Setting 88
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	2.3898G	63.50	74.00	-10.50	32.13	3	Vertical	348	1.32	-						
AV	2.3892G	53.81	54.00	-0.19	32.13	3	Vertical	348	1.32	-						
PK	2.413G	117.33	Inf	-Inf	32.20	3	Vertical	348	1.32	-						
AV	2.4112G	113.33	Inf	-Inf	32.19	3	Vertical	348	1.32	-						

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2412MHz_TX




EUT_Z_4TX
Setting 88
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	60.48	74.00	-13.52	32.13	3	Horizontal	327	2.23	-
AV	2.39G	50.90	54.00	-3.10	32.13	3	Horizontal	327	2.23	-
PK	2.413G	113.55	Inf	-Inf	32.20	3	Horizontal	327	2.23	-
AV	2.4112G	109.59	Inf	-Inf	32.19	3	Horizontal	327	2.23	-

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2417MHz_TX




EUT_Z_4TX
Setting 90
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	2.3876G	65.44	74.00	-8.56	32.13	3	Vertical	321	1.62	-						
AV	2.3888G	53.84	54.00	-0.16	32.13	3	Vertical	321	1.62	-						
PK	2.416G	122.65	Inf	-Inf	32.20	3	Vertical	321	1.62	-						
AV	2.4162G	118.94	Inf	-Inf	32.20	3	Vertical	321	1.62	-						

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2417MHz_TX




EUT_Z_4TX
Setting 90
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	2.3876G	58.04	74.00	-15.96	32.13	3	Horizontal	154	2.79	-						
AV	2.3872G	46.53	54.00	-7.47	32.12	3	Horizontal	154	2.79	-						
PK	2.418G	112.28	Inf	-Inf	32.22	3	Horizontal	154	2.79	-						
AV	2.4176G	108.39	Inf	-Inf	32.22	3	Horizontal	154	2.79	-						

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2422MHz_TX




EUT_Z_4TX
Setting 91
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	2.3898G	63.72	74.00	-10.28	32.13	3	Vertical	200	1.64	-						
AV	2.39G	53.81	54.00	-0.19	32.13	3	Vertical	200	1.64	-						
PK	2.421G	122.36	Inf	-Inf	32.22	3	Vertical	200	1.64	-						
AV	2.4212G	118.68	Inf	-Inf	32.22	3	Vertical	200	1.64	-						

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2422MHz_TX




EUT_Z_4TX
Setting 91
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3884G	58.96	74.00	-15.04	32.13	3	Horizontal	63	1.01	-
AV	2.39G	47.42	54.00	-6.58	32.13	3	Horizontal	63	1.01	-
PK	2.429G	113.60	Inf	-Inf	32.23	3	Horizontal	63	1.01	-
AV	2.4212G	109.86	Inf	-Inf	32.22	3	Horizontal	63	1.01	-

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2427MHz_TX




EUT_Z_4TX
Setting 92
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	2.39G	63.66	74.00	-10.34	32.13	3	Vertical	241	1.98	-						
AV	2.39G	53.78	54.00	-0.22	32.13	3	Vertical	241	1.98	-						
PK	2.426G	122.80	Inf	-Inf	32.23	3	Vertical	241	1.98	-						
AV	2.4262G	118.82	Inf	-Inf	32.24	3	Vertical	241	1.98	-						

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2427MHz_TX




EUT_Z_4TX
Setting 92
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	58.39	74.00	-15.61	32.13	3	Horizontal	308	1.55	-
AV	2.3898G	46.50	54.00	-7.50	32.13	3	Horizontal	308	1.55	-
PK	2.426G	113.32	Inf	-Inf	32.23	3	Horizontal	308	1.55	-
AV	2.4262G	109.58	Inf	-Inf	32.24	3	Horizontal	308	1.55	-

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2432MHz_TX




EUT_Z_4TX
Setting 93
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	62.17	74.00	-11.83	32.13	3	Vertical	164	1.73	-
AV	2.3884G	51.58	54.00	-2.42	32.13	3	Vertical	164	1.73	-
PK	2.4312G	115.11	Inf	-Inf	32.26	3	Vertical	164	1.73	-
AV	2.4308G	111.04	Inf	-Inf	32.25	3	Vertical	164	1.73	-
PK	2.4835G	61.59	74.00	-12.41	32.42	3	Vertical	164	1.73	-
AV	2.484G	48.84	54.00	-5.16	32.42	3	Vertical	164	1.73	-

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2432MHz_TX




EUT_Z_4TX
Setting 93
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3888G	58.83	74.00	-15.17	32.13	3	Horizontal	326	2.43	-
AV	2.3888G	47.70	54.00	-6.30	32.13	3	Horizontal	326	2.43	-
PK	2.4312G	110.61	Inf	-Inf	32.26	3	Horizontal	326	2.43	-
AV	2.4312G	106.73	Inf	-Inf	32.26	3	Horizontal	326	2.43	-
PK	2.4924G	57.59	74.00	-16.41	32.43	3	Horizontal	326	2.43	-
AV	2.4835G	45.69	54.00	-8.31	32.42	3	Horizontal	326	2.43	-

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2437MHz_TX




EUT_Z_4TX
Setting 93
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3826G	61.22	74.00	-12.78	32.11	3	Vertical	327	2.23	-
AV	2.3894G	49.35	54.00	-4.65	32.13	3	Vertical	327	2.23	-
PK	2.4362G	118.31	Inf	-Inf	32.27	3	Vertical	327	2.23	-
AV	2.4362G	114.37	Inf	-Inf	32.27	3	Vertical	327	2.23	-
PK	2.4835G	63.35	74.00	-10.65	32.42	3	Vertical	327	2.23	-
AV	2.4882G	53.76	54.00	-0.24	32.43	3	Vertical	327	2.23	-

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2437MHz_TX




EUT_Z_4TX
Setting 93
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	57.71	74.00	-16.29	32.13	3	Horizontal	332	1.27	-
AV	2.3854G	46.07	54.00	-7.93	32.11	3	Horizontal	332	1.27	-
PK	2.4362G	114.19	Inf	-Inf	32.27	3	Horizontal	332	1.27	-
AV	2.4362G	110.33	Inf	-Inf	32.27	3	Horizontal	332	1.27	-
PK	2.4962G	58.43	74.00	-15.57	32.45	3	Horizontal	332	1.27	-
AV	2.4838G	46.08	54.00	-7.92	32.42	3	Horizontal	332	1.27	-

802.11b_Nss1,(1Mbps)_4TX

27/10/2018

2442MHz_TX




EUT_Z_4TX
Setting 92
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.386G	60.44	74.00	-13.56	32.11	3	Vertical	201	2.69	-
AV	2.39G	48.80	54.00	-5.20	32.13	3	Vertical	201	2.69	-
PK	2.4412G	117.52	Inf	-Inf	32.29	3	Vertical	201	2.69	-
AV	2.4412G	113.54	Inf	-Inf	32.29	3	Vertical	201	2.69	-
PK	2.4884G	64.14	74.00	-9.86	32.43	3	Vertical	201	2.69	-
AV	2.4852G	53.83	54.00	-0.17	32.42	3	Vertical	201	2.69	-

802.11b_Nss1,(1Mbps)_4TX

27/10/2018

2442MHz_TX




EUT_Z_4TX
Setting 92
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3832G	56.79	74.00	-17.21	32.11	3	Horizontal	83	2.69	-
AV	2.39G	45.32	54.00	-8.68	32.13	3	Horizontal	83	2.69	-
PK	2.4412G	114.69	Inf	-Inf	32.29	3	Horizontal	83	2.69	-
AV	2.4412G	110.89	Inf	-Inf	32.29	3	Horizontal	83	2.69	-
PK	2.4912G	58.42	74.00	-15.58	32.43	3	Horizontal	83	2.69	-
AV	2.488G	47.06	54.00	-6.94	32.42	3	Horizontal	83	2.69	-

802.11b_Nss1,(1Mbps)_4TX

27/10/2018

2447MHz_TX




EUT_Z_4TX
Setting 92
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.446G	119.57	Inf	-Inf	32.30	3	Vertical	134	2.13	-
AV	2.4462G	115.79	Inf	-Inf	32.30	3	Vertical	134	2.13	-
PK	2.4846G	65.05	74.00	-8.95	32.42	3	Vertical	134	2.13	-
AV	2.4848G	53.77	54.00	-0.23	32.42	3	Vertical	134	2.13	-

802.11b_Nss1,(1Mbps)_4TX

27/10/2018

2447MHz_TX




EUT_Z_4TX
Setting 92
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.446G	115.28	Inf	-Inf	32.30	3	Horizontal	33	1.11	-
AV	2.4462G	111.48	Inf	-Inf	32.30	3	Horizontal	33	1.11	-
PK	2.4836G	59.50	74.00	-14.50	32.42	3	Horizontal	33	1.11	-
AV	2.4835G	47.40	54.00	-6.60	32.42	3	Horizontal	33	1.11	-

802.11b_Nss1,(1Mbps)_4TX

27/10/2018

2452MHz_TX




EUT_Z_4TX
Setting 87
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	2.4512G	115.49	Inf	-Inf	32.32	3	Vertical	200	1.31	-						
AV	2.4512G	111.60	Inf	-Inf	32.32	3	Vertical	200	1.31	-						
PK	2.4844G	64.75	74.00	-9.25	32.42	3	Vertical	200	1.31	-						
AV	2.4844G	53.79	54.00	-0.21	32.42	3	Vertical	200	1.31	-						

802.11b_Nss1,(1Mbps)_4TX

27/10/2018

2452MHz_TX




EUT_Z_4TX
Setting 87
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.453G	113.44	Inf	-Inf	32.32	3	Horizontal	83	2.38	-
AV	2.4528G	109.56	Inf	-Inf	32.32	3	Horizontal	83	2.38	-
PK	2.4838G	59.06	74.00	-14.94	32.42	3	Horizontal	83	2.38	-
AV	2.4842G	47.73	54.00	-6.27	32.42	3	Horizontal	83	2.38	-

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2457MHz_TX




EUT_Z_4TX
Setting 85
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	2.458G	121.54	Inf	-Inf	32.33	3	Vertical	23	2.63	-						
AV	2.4578G	117.59	Inf	-Inf	32.33	3	Vertical	23	2.63	-						
PK	2.4836G	64.32	74.00	-9.68	32.42	3	Vertical	23	2.63	-						
AV	2.4838G	52.90	54.00	-1.10	32.42	3	Vertical	23	2.63	-						

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2457MHz_TX




EUT_Z_4TX
Setting 85
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.458G	112.96	Inf	-Inf	32.33	3	Horizontal	326	2.70	-
AV	2.4578G	108.99	Inf	-Inf	32.33	3	Horizontal	326	2.70	-
PK	2.4952G	58.16	74.00	-15.84	32.45	3	Horizontal	326	2.70	-
AV	2.4836G	47.52	54.00	-6.48	32.42	3	Horizontal	326	2.70	-

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2462MHz_TX




EUT_Z_4TX
Setting 83
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.463G	119.37	Inf	-Inf	32.35	3	Vertical	201	1.55	-
AV	2.4612G	115.50	Inf	-Inf	32.35	3	Vertical	201	1.55	-
PK	2.4852G	63.61	74.00	-10.39	32.42	3	Vertical	201	1.55	-
AV	2.4862G	52.62	54.00	-1.38	32.42	3	Vertical	201	1.55	-

802.11b_Nss1,(1Mbps)_4TX

26/10/2018

2462MHz_TX




EUT_Z_4TX
Setting 83
03-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.463G	112.36	Inf	-Inf	32.35	3	Horizontal	301	1.69	-
AV	2.4628G	108.47	Inf	-Inf	32.35	3	Horizontal	301	1.69	-
PK	2.4874G	58.24	74.00	-15.76	32.42	3	Horizontal	301	1.69	-
AV	2.4835G	47.29	54.00	-6.71	32.42	3	Horizontal	301	1.69	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2412MHz_TX




EUT_Z_4TX
Setting 67
01-J-4
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	2.39G	73.84	74.00	-0.16	30.78	3	Vertical	44	1.02	-
AV	2.3896G	50.30	54.00	-3.70	30.78	3	Vertical	44	1.02	-
PK	2.4096G	115.17	Inf	-Inf	30.72	3	Vertical	44	1.02	-
AV	2.41G	105.37	Inf	-Inf	30.73	3	Vertical	44	1.02	-
PK	2.4952G	59.67	74.00	-14.33	30.60	3	Vertical	44	1.02	-
AV	2.4868G	46.92	54.00	-7.08	30.61	3	Vertical	44	1.02	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2412MHz_TX




EUT_Z_4TX
Setting 67
01-J-4
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	2.39G	68.41	74.00	-5.59	30.78	3	Horizontal	330	1.01	-
AV	2.3884G	49.40	54.00	-4.60	30.79	3	Horizontal	330	1.01	-
PK	2.4196G	110.35	Inf	-Inf	30.71	3	Horizontal	330	1.01	-
AV	2.4196G	101.27	Inf	-Inf	30.71	3	Horizontal	330	1.01	-
PK	2.4992G	58.98	74.00	-15.02	30.59	3	Horizontal	330	1.01	-
AV	2.4835G	46.30	54.00	-7.70	30.61	3	Horizontal	330	1.01	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2417MHz_TX




EUT_Z_4TX
Setting 71
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	73.99	74.00	-0.01	30.79	3	Vertical	44	1.04	-
AV	2.3898G	51.70	54.00	-2.30	30.78	3	Vertical	44	1.04	-
PK	2.4246G	113.46	Inf	-Inf	30.70	3	Vertical	44	1.04	-
AV	2.4246G	104.17	Inf	-Inf	30.70	3	Vertical	44	1.04	-
PK	2.4842G	59.52	74.00	-14.48	30.61	3	Vertical	44	1.04	-
AV	2.4838G	47.18	54.00	-6.82	30.61	3	Vertical	44	1.04	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2417MHz_TX




EUT_Z_4TX
Setting 71
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3874G	61.60	74.00	-12.40	30.79	3	Horizontal	149	1.65	-
AV	2.3882G	46.88	54.00	-7.12	30.79	3	Horizontal	149	1.65	-
PK	2.4206G	110.53	Inf	-Inf	30.71	3	Horizontal	149	1.65	-
AV	2.421G	101.37	Inf	-Inf	30.71	3	Horizontal	149	1.65	-
PK	2.4942G	58.44	74.00	-15.56	30.60	3	Horizontal	149	1.65	-
AV	2.489G	46.21	54.00	-7.79	30.60	3	Horizontal	149	1.65	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2422MHz_TX




EUT Z_4TX
Setting 73
01-J-4
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	2.39G	73.96	74.00	-0.04	30.78	3	Vertical	226	1.00	-
AV	2.39G	50.95	54.00	-3.05	30.78	3	Vertical	226	1.00	-
PK	2.4296G	116.64	Inf	-Inf	30.69	3	Vertical	226	1.00	-
AV	2.4296G	107.23	Inf	-Inf	30.69	3	Vertical	226	1.00	-
PK	2.4916G	59.77	74.00	-14.23	30.61	3	Vertical	226	1.00	-
AV	2.484G	47.46	54.00	-6.54	30.61	3	Vertical	226	1.00	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2422MHz_TX




EUT Z_4TX
Setting 73
01-J-4
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	2.3896G	66.21	74.00	-7.79	30.78	3	Horizontal	212	1.48	-
AV	2.3892G	47.08	54.00	-6.92	30.78	3	Horizontal	212	1.48	-
PK	2.42G	110.60	Inf	-Inf	30.71	3	Horizontal	212	1.48	-
AV	2.42G	101.31	Inf	-Inf	30.71	3	Horizontal	212	1.48	-
PK	2.4852G	58.31	74.00	-15.69	30.61	3	Horizontal	212	1.48	-
AV	2.4864G	46.34	54.00	-7.66	30.61	3	Horizontal	212	1.48	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2427MHz_TX




EUT_Z_4TX
Setting 77
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	73.91	74.00	-0.09	30.78	3	Vertical	74	2.72	-
AV	2.3898G	51.24	54.00	-2.76	30.78	3	Vertical	74	2.72	-
PK	2.4286G	116.35	Inf	-Inf	30.69	3	Vertical	74	2.72	-
AV	2.4294G	106.73	Inf	-Inf	30.69	3	Vertical	74	2.72	-
PK	2.4974G	61.72	74.00	-12.28	30.60	3	Vertical	74	2.72	-
AV	2.4846G	48.30	54.00	-5.70	30.61	3	Vertical	74	2.72	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2427MHz_TX




EUT_Z_4TX
Setting 77
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	65.89	74.00	-8.11	30.79	3	Horizontal	64	1.29	-
AV	2.3886G	47.72	54.00	-6.28	30.79	3	Horizontal	64	1.29	-
PK	2.4282G	111.85	Inf	-Inf	30.69	3	Horizontal	64	1.29	-
AV	2.4286G	102.51	Inf	-Inf	30.69	3	Horizontal	64	1.29	-
PK	2.497G	58.54	74.00	-15.46	30.60	3	Horizontal	64	1.29	-
AV	2.4846G	46.54	54.00	-7.46	30.61	3	Horizontal	64	1.29	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2432MHz_TX




EUT Z_4TX
Setting 81
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	73.78	74.00	-0.22	30.78	3	Vertical	336	1.75	-
AV	2.3896G	52.36	54.00	-1.64	30.78	3	Vertical	336	1.75	-
PK	2.43G	116.26	Inf	-Inf	30.70	3	Vertical	336	1.75	-
AV	2.4244G	107.19	Inf	-Inf	30.70	3	Vertical	336	1.75	-
PK	2.4835G	68.62	74.00	-5.38	30.61	3	Vertical	336	1.75	-
AV	2.484G	50.28	54.00	-3.72	30.61	3	Vertical	336	1.75	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2432MHz_TX




EUT_Z_4TX
Setting 81
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.388G	70.25	74.00	-3.75	30.79	3	Horizontal	64	1.30	-
AV	2.3872G	48.88	54.00	-5.12	30.79	3	Horizontal	64	1.30	-
PK	2.4276G	114.47	Inf	-Inf	30.69	3	Horizontal	64	1.30	-
AV	2.4272G	104.91	Inf	-Inf	30.70	3	Horizontal	64	1.30	-
PK	2.4835G	61.38	74.00	-12.62	30.61	3	Horizontal	64	1.30	-
AV	2.4835G	47.08	54.00	-6.92	30.61	3	Horizontal	64	1.30	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2437MHz_TX




EUT_Z_4TX
Setting 82
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	73.98	74.00	-0.02	30.78	3	Vertical	238	2.75	-
AV	2.3898G	51.99	54.00	-2.01	30.78	3	Vertical	238	2.75	-
PK	2.4434G	118.58	Inf	-Inf	30.67	3	Vertical	238	2.75	-
AV	2.4438G	109.10	Inf	-Inf	30.67	3	Vertical	238	2.75	-
PK	2.4838G	72.06	74.00	-1.94	30.61	3	Vertical	238	2.75	-
AV	2.4842G	52.03	54.00	-1.97	30.61	3	Vertical	238	2.75	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2437MHz_TX




EUT_Z_4TX
Setting 82
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	65.88	74.00	-8.12	30.78	3	Horizontal	328	1.01	-
AV	2.389G	47.98	54.00	-6.02	30.79	3	Horizontal	328	1.01	-
PK	2.435G	114.18	Inf	-Inf	30.69	3	Horizontal	328	1.01	-
AV	2.435G	105.14	Inf	-Inf	30.69	3	Horizontal	328	1.01	-
PK	2.4898G	62.67	74.00	-11.33	30.60	3	Horizontal	328	1.01	-
AV	2.4835G	47.58	54.00	-6.42	30.61	3	Horizontal	328	1.01	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2442MHz_TX




EUT_Z_4TX
Setting 81
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3884G	68.78	74.00	-5.22	30.79	3	Vertical	333	1.85	-
AV	2.3892G	48.81	54.00	-5.19	30.78	3	Vertical	333	1.85	-
PK	2.4496G	116.49	Inf	-Inf	30.66	3	Vertical	333	1.85	-
AV	2.4496G	106.98	Inf	-Inf	30.66	3	Vertical	333	1.85	-
PK	2.4835G	73.94	74.00	-0.06	30.61	3	Vertical	333	1.85	-
AV	2.4848G	51.18	54.00	-2.82	30.61	3	Vertical	333	1.85	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2442MHz_TX




EUT_Z_4TX
Setting 81
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3856G	63.05	74.00	-10.95	30.80	3	Horizontal	213	1.01	-
AV	2.3864G	46.78	54.00	-7.22	30.80	3	Horizontal	213	1.01	-
PK	2.4344G	112.17	Inf	-Inf	30.69	3	Horizontal	213	1.01	-
AV	2.4348G	102.99	Inf	-Inf	30.69	3	Horizontal	213	1.01	-
PK	2.4868G	64.78	74.00	-9.22	30.61	3	Horizontal	213	1.01	-
AV	2.488G	47.36	54.00	-6.64	30.60	3	Horizontal	213	1.01	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2447MHz_TX




EUT_Z_4TX
Setting 78
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3834G	61.77	74.00	-12.23	30.81	3	Vertical	346	2.97	-
AV	2.389G	48.06	54.00	-5.94	30.79	3	Vertical	346	2.97	-
PK	2.4514G	116.77	Inf	-Inf	30.67	3	Vertical	346	2.97	-
AV	2.451G	107.42	Inf	-Inf	30.67	3	Vertical	346	2.97	-
PK	2.4858G	73.99	74.00	-0.01	30.61	3	Vertical	346	2.97	-
AV	2.4854G	50.99	54.00	-3.01	30.61	3	Vertical	346	2.97	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2447MHz_TX




EUT_Z_4TX
Setting 78
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.383G	58.29	74.00	-15.71	30.82	3	Horizontal	335	2.99	-
AV	2.3894G	46.20	54.00	-7.80	30.78	3	Horizontal	335	2.99	-
PK	2.4546G	110.98	Inf	-Inf	30.66	3	Horizontal	335	2.99	-
AV	2.4546G	101.74	Inf	-Inf	30.66	3	Horizontal	335	2.99	-
PK	2.4838G	66.15	74.00	-7.85	30.61	3	Horizontal	335	2.99	-
AV	2.4835G	47.51	54.00	-6.49	30.61	3	Horizontal	335	2.99	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2452MHz_TX




EUT_Z_4TX
Setting 72
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	61.14	74.00	-12.86	30.80	3	Vertical	332	2.70	-
AV	2.3888G	47.69	54.00	-6.31	30.79	3	Vertical	332	2.70	-
PK	2.4596G	115.88	Inf	-Inf	30.65	3	Vertical	332	2.70	-
AV	2.4596G	106.52	Inf	-Inf	30.65	3	Vertical	332	2.70	-
PK	2.484G	73.87	74.00	-0.13	30.61	3	Vertical	332	2.70	-
AV	2.4856G	50.95	54.00	-3.05	30.61	3	Vertical	332	2.70	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2452MHz_TX




EUT Z_4TX
Setting 72
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	59.27	74.00	-14.73	30.78	3	Horizontal	32	1.16	-
AV	2.3864G	46.43	54.00	-7.57	30.80	3	Horizontal	32	1.16	-
PK	2.4456G	110.36	Inf	-Inf	30.67	3	Horizontal	32	1.16	-
AV	2.4456G	101.18	Inf	-Inf	30.67	3	Horizontal	32	1.16	-
PK	2.4844G	68.37	74.00	-5.63	30.61	3	Horizontal	32	1.16	-
AV	2.484G	48.61	54.00	-5.39	30.61	3	Horizontal	32	1.16	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2457MHz_TX




EUT_Z_4TX
Setting 68
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3834G	58.85	74.00	-15.15	30.81	3	Vertical	345	2.94	-
AV	2.3894G	47.22	54.00	-6.78	30.78	3	Vertical	345	2.94	-
PK	2.455G	114.38	Inf	-Inf	30.66	3	Vertical	345	2.94	-
AV	2.4554G	104.65	Inf	-Inf	30.66	3	Vertical	345	2.94	-
PK	2.489G	73.82	74.00	-0.18	30.60	3	Vertical	345	2.94	-
AV	2.4835G	51.52	54.00	-2.48	30.61	3	Vertical	345	2.94	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2457MHz_TX




EUT_Z_4TX
Setting 68
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.387G	58.04	74.00	-15.96	30.79	3	Horizontal	330	1.50	-
AV	2.383G	46.27	54.00	-7.73	30.82	3	Horizontal	330	1.50	-
PK	2.4646G	108.62	Inf	-Inf	30.64	3	Horizontal	330	1.50	-
AV	2.4646G	99.61	Inf	-Inf	30.64	3	Horizontal	330	1.50	-
PK	2.4854G	65.08	74.00	-8.92	30.61	3	Horizontal	330	1.50	-
AV	2.485G	47.51	54.00	-6.49	30.61	3	Horizontal	330	1.50	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2462MHz_TX




EUT_Z_4TX
Setting 63
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3784G	59.27	74.00	-14.73	30.83	3	Vertical	233	2.95	-
AV	2.3884G	46.89	54.00	-7.11	30.79	3	Vertical	233	2.95	-
PK	2.4552G	113.87	Inf	-Inf	30.66	3	Vertical	233	2.95	-
AV	2.4556G	104.35	Inf	-Inf	30.66	3	Vertical	233	2.95	-
PK	2.4835G	73.89	74.00	-0.11	30.61	3	Vertical	233	2.95	-
AV	2.4835G	49.68	54.00	-4.32	30.61	3	Vertical	233	2.95	-

802.11g_Nss1,(6Mbps)_4TX

14/11/2018

2462MHz_TX



EUT_Z_4TX
Setting 63
01-J-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3644G	58.73	74.00	-15.27	30.89	3	Horizontal	330	1.50	-
AV	2.39G	46.22	54.00	-7.78	30.78	3	Horizontal	330	1.50	-
PK	2.4544G	108.07	Inf	-Inf	30.66	3	Horizontal	330	1.50	-
AV	2.4544G	98.82	Inf	-Inf	30.66	3	Horizontal	330	1.50	-
PK	2.4944G	61.72	74.00	-12.28	30.60	3	Horizontal	330	1.50	-
AV	2.484G	46.69	54.00	-7.31	30.61	3	Horizontal	330	1.50	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	2.4835G	53.98	54.00	-0.02	32.42	3	Vertical	229	2.70	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2412MHz_TX




EUT_Z_4TX
Setting 57
03-M-1
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	2.39G	73.85	74.00	-0.15	32.13	3	Vertical	24	2.39	-
AV	2.39G	50.96	54.00	-3.04	32.13	3	Vertical	24	2.39	-
PK	2.405G	116.50	Inf	-Inf	32.17	3	Vertical	24	2.39	-
AV	2.4148G	104.51	Inf	-Inf	32.20	3	Vertical	24	2.39	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2412MHz_TX




EUT_Z_4TX
Setting 57
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	65.15	74.00	-8.85	32.13	3	Horizontal	67	1.01	-
AV	2.3878G	46.16	54.00	-7.84	32.13	3	Horizontal	67	1.01	-
PK	2.4178G	109.42	Inf	-Inf	32.22	3	Horizontal	67	1.01	-
AV	2.4178G	97.32	Inf	-Inf	32.22	3	Horizontal	67	1.01	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2417MHz_TX




EUT_Z_4TX
Setting 66
03-M-1
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	2.389G	70.88	74.00	-3.12	32.13	3	Vertical	231	2.62	-
AV	2.389G	53.75	54.00	-0.25	32.13	3	Vertical	231	2.62	-
PK	2.4138G	119.48	Inf	-Inf	32.20	3	Vertical	231	2.62	-
AV	2.4186G	106.52	Inf	-Inf	32.22	3	Vertical	231	2.62	-
PK	2.4854G	58.59	74.00	-15.41	32.42	3	Vertical	231	2.62	-
AV	2.4854G	46.72	54.00	-7.28	32.42	3	Vertical	231	2.62	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2417MHz_TX




EUT_Z_4TX
Setting 66
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.387G	66.43	74.00	-7.57	32.12	3	Horizontal	64	1.01	-
AV	2.387G	48.09	54.00	-5.91	32.12	3	Horizontal	64	1.01	-
PK	2.4214G	112.08	Inf	-Inf	32.22	3	Horizontal	64	1.01	-
AV	2.4218G	99.94	Inf	-Inf	32.23	3	Horizontal	64	1.01	-
PK	2.485G	56.94	74.00	-17.06	32.42	3	Horizontal	64	1.01	-
AV	2.497G	45.26	54.00	-8.74	32.45	3	Horizontal	64	1.01	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2422MHz_TX




EUT Z_4TX
Setting 69
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.388G	73.67	74.00	-0.33	32.13	3	Vertical	343	2.46	-
AV	2.388G	51.03	54.00	-2.97	32.13	3	Vertical	343	2.46	-
PK	2.4232G	119.03	Inf	-Inf	32.23	3	Vertical	343	2.46	-
AV	2.4232G	106.91	Inf	-Inf	32.23	3	Vertical	343	2.46	-
PK	2.4835G	59.66	74.00	-14.34	32.42	3	Vertical	343	2.46	-
AV	2.4852G	47.04	54.00	-6.96	32.42	3	Vertical	343	2.46	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2422MHz_TX




EUT Z_4TX
Setting 69
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3876G	66.81	74.00	-7.19	32.13	3	Horizontal	66	1.01	-
AV	2.388G	47.19	54.00	-6.81	32.13	3	Horizontal	66	1.01	-
PK	2.4276G	110.91	Inf	-Inf	32.24	3	Horizontal	66	1.01	-
AV	2.4176G	99.94	Inf	-Inf	32.22	3	Horizontal	66	1.01	-
PK	2.4888G	56.70	74.00	-17.30	32.43	3	Horizontal	66	1.01	-
AV	2.5G	45.38	54.00	-8.62	32.46	3	Horizontal	66	1.01	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2427MHz_TX




EUT_Z_4TX
Setting 76
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	70.73	74.00	-3.27	32.13	3	Vertical	23	2.73	-
AV	2.3898G	53.79	54.00	-0.21	32.13	3	Vertical	23	2.73	-
PK	2.4246G	120.02	Inf	-Inf	32.23	3	Vertical	23	2.73	-
AV	2.4246G	108.92	Inf	-Inf	32.23	3	Vertical	23	2.73	-
PK	2.4854G	63.50	74.00	-10.50	32.42	3	Vertical	23	2.73	-
AV	2.4854G	48.33	54.00	-5.67	32.42	3	Vertical	23	2.73	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2427MHz_TX




EUT Z_4TX
Setting 76
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	67.55	74.00	-6.45	32.13	3	Horizontal	64	1.00	-
AV	2.3898G	48.97	54.00	-5.03	32.13	3	Horizontal	64	1.00	-
PK	2.4274G	111.69	Inf	-Inf	32.24	3	Horizontal	64	1.00	-
AV	2.4226G	101.63	Inf	-Inf	32.23	3	Horizontal	64	1.00	-
PK	2.4846G	58.35	74.00	-15.65	32.42	3	Horizontal	64	1.00	-
AV	2.4842G	45.72	54.00	-8.28	32.42	3	Horizontal	64	1.00	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2432MHz_TX




EUT Z_4TX
Setting 79
03-M-1
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	2.39G	72.93	74.00	-1.07	32.13	3	Vertical	253	2.27	-
AV	2.39G	53.67	54.00	-0.33	32.13	3	Vertical	253	2.27	-
PK	2.4248G	120.37	Inf	-Inf	32.23	3	Vertical	253	2.27	-
AV	2.4248G	108.95	Inf	-Inf	32.23	3	Vertical	253	2.27	-
PK	2.4864G	70.60	74.00	-3.40	32.42	3	Vertical	253	2.27	-
AV	2.4868G	49.96	54.00	-4.04	32.42	3	Vertical	253	2.27	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2432MHz_TX




EUT_Z_4TX
Setting 79
03-M-1
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	2.39G	69.09	74.00	-4.91	32.13	3	Horizontal	65	1.01	-
AV	2.39G	50.25	54.00	-3.75	32.13	3	Horizontal	65	1.01	-
PK	2.4264G	112.88	Inf	-Inf	32.24	3	Horizontal	65	1.01	-
AV	2.4268G	102.85	Inf	-Inf	32.24	3	Horizontal	65	1.01	-
PK	2.4852G	64.39	74.00	-9.61	32.42	3	Horizontal	65	1.01	-
AV	2.4835G	46.76	54.00	-7.24	32.42	3	Horizontal	65	1.01	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2437MHz_TX




EUT_Z_4TX
Setting 82
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	72.87	74.00	-1.13	32.13	3	Vertical	149	1.71	-
AV	2.3886G	52.09	54.00	-1.91	32.13	3	Vertical	149	1.71	-
PK	2.4302G	118.91	Inf	-Inf	32.25	3	Vertical	149	1.71	-
AV	2.435G	106.51	Inf	-Inf	32.26	3	Vertical	149	1.71	-
PK	2.4846G	73.69	74.00	-0.31	32.42	3	Vertical	149	1.71	-
AV	2.4846G	53.16	54.00	-0.84	32.42	3	Vertical	149	1.71	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2437MHz_TX




EUT_Z_4TX
Setting 82
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3814G	65.88	74.00	-8.12	32.10	3	Horizontal	331	1.31	-
AV	2.3858G	47.93	54.00	-6.07	32.11	3	Horizontal	331	1.31	-
PK	2.4354G	113.50	Inf	-Inf	32.26	3	Horizontal	331	1.31	-
AV	2.4354G	102.44	Inf	-Inf	32.26	3	Horizontal	331	1.31	-
PK	2.4898G	65.80	74.00	-8.20	32.43	3	Horizontal	331	1.31	-
AV	2.4854G	48.25	54.00	-5.75	32.42	3	Horizontal	331	1.31	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2442MHz_TX




EUT Z_4TX
Setting 74
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	66.66	74.00	-7.34	32.13	3	Vertical	235	2.68	-
AV	2.39G	48.76	54.00	-5.24	32.13	3	Vertical	235	2.68	-
PK	2.4352G	120.04	Inf	-Inf	32.26	3	Vertical	235	2.68	-
AV	2.4404G	107.79	Inf	-Inf	32.28	3	Vertical	235	2.68	-
PK	2.4876G	73.72	74.00	-0.28	32.42	3	Vertical	235	2.68	-
AV	2.4844G	51.09	54.00	-2.91	32.42	3	Vertical	235	2.68	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2442MHz_TX




EUT Z_4TX
Setting 74
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3812G	59.10	74.00	-14.90	32.10	3	Horizontal	65	1.45	-
AV	2.3876G	45.31	54.00	-8.69	32.13	3	Horizontal	65	1.45	-
PK	2.4404G	111.13	Inf	-Inf	32.28	3	Horizontal	65	1.45	-
AV	2.4448G	100.33	Inf	-Inf	32.29	3	Horizontal	65	1.45	-
PK	2.4856G	66.83	74.00	-7.17	32.42	3	Horizontal	65	1.45	-
AV	2.4852G	46.50	54.00	-7.50	32.42	3	Horizontal	65	1.45	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2447MHz_TX




EUT_Z_4TX
Setting 68
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3858G	61.81	74.00	-12.19	32.11	3	Vertical	214	2.77	-
AV	2.3894G	46.96	54.00	-7.04	32.13	3	Vertical	214	2.77	-
PK	2.4402G	116.27	Inf	-Inf	32.28	3	Vertical	214	2.77	-
AV	2.445G	104.50	Inf	-Inf	32.29	3	Vertical	214	2.77	-
PK	2.4835G	73.89	74.00	-0.11	32.42	3	Vertical	214	2.77	-
AV	2.4835G	50.47	54.00	-3.53	32.42	3	Vertical	214	2.77	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2447MHz_TX




EUT Z_4TX
Setting 68
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3886G	57.94	74.00	-16.06	32.13	3	Horizontal	26	1.08	-
AV	2.3882G	44.94	54.00	-9.06	32.13	3	Horizontal	26	1.08	-
PK	2.4442G	110.45	Inf	-Inf	32.29	3	Horizontal	26	1.08	-
AV	2.4442G	98.40	Inf	-Inf	32.29	3	Horizontal	26	1.08	-
PK	2.4835G	65.99	74.00	-8.01	32.42	3	Horizontal	26	1.08	-
AV	2.4835G	45.79	54.00	-8.21	32.42	3	Horizontal	26	1.08	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2452MHz_TX




EUT_Z_4TX
Setting 64
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3888G	60.00	74.00	-14.00	32.13	3	Vertical	229	2.69	-
AV	2.39G	46.45	54.00	-7.55	32.13	3	Vertical	229	2.69	-
PK	2.4432G	117.64	Inf	-Inf	32.29	3	Vertical	229	2.69	-
AV	2.4532G	105.79	Inf	-Inf	32.32	3	Vertical	229	2.69	-
PK	2.4835G	73.74	74.00	-0.26	32.42	3	Vertical	229	2.69	-
AV	2.4835G	50.64	54.00	-3.36	32.42	3	Vertical	229	2.69	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2452MHz_TX




EUT Z_4TX
Setting 64
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.382G	57.35	74.00	-16.65	32.10	3	Horizontal	31	1.50	-
AV	2.3872G	44.83	54.00	-9.17	32.12	3	Horizontal	31	1.50	-
PK	2.4492G	109.07	Inf	-Inf	32.30	3	Horizontal	31	1.50	-
AV	2.4544G	97.57	Inf	-Inf	32.32	3	Horizontal	31	1.50	-
PK	2.484G	64.37	74.00	-9.63	32.42	3	Horizontal	31	1.50	-
AV	2.4835G	46.11	54.00	-7.89	32.42	3	Horizontal	31	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2457MHz_TX




EUT_Z_4TX
Setting 57
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3846G	57.04	74.00	-16.96	32.11	3	Vertical	23	2.60	-
AV	2.3898G	45.38	54.00	-8.62	32.13	3	Vertical	23	2.60	-
PK	2.463G	113.49	Inf	-Inf	32.35	3	Vertical	23	2.60	-
AV	2.463G	101.60	Inf	-Inf	32.35	3	Vertical	23	2.60	-
PK	2.4835G	73.63	74.00	-0.37	32.42	3	Vertical	23	2.60	-
AV	2.4835G	48.44	54.00	-5.56	32.42	3	Vertical	23	2.60	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2457MHz_TX




EUT_Z_4TX
Setting 57
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	56.67	74.00	-17.33	32.13	3	Horizontal	32	1.33	-
AV	2.3894G	44.53	54.00	-9.47	32.13	3	Horizontal	32	1.33	-
PK	2.4494G	107.31	Inf	-Inf	32.30	3	Horizontal	32	1.33	-
AV	2.4546G	95.88	Inf	-Inf	32.32	3	Horizontal	32	1.33	-
PK	2.4835G	63.30	74.00	-10.70	32.42	3	Horizontal	32	1.33	-
AV	2.4835G	45.58	54.00	-8.42	32.42	3	Horizontal	32	1.33	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2462MHz_TX




EUT Z_4TX
Setting 50
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.455G	114.03	Inf	-Inf	32.33	3	Vertical	231	2.61	-
AV	2.4648G	102.45	Inf	-Inf	32.36	3	Vertical	231	2.61	-
PK	2.4846G	73.61	74.00	-0.39	32.42	3	Vertical	231	2.61	-
AV	2.4844G	48.66	54.00	-5.34	32.42	3	Vertical	231	2.61	-

802.11ax HEW20_Nss1,(MCS0)_4TX

27/10/2018

2462MHz_TX




EUT Z_4TX
Setting 50
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4708G	106.73	Inf	-Inf	32.37	3	Horizontal	26	1.05	-
AV	2.466G	93.62	Inf	-Inf	32.36	3	Horizontal	26	1.05	-
PK	2.4838G	62.62	74.00	-11.38	32.42	3	Horizontal	26	1.05	-
AV	2.4842G	45.50	54.00	-8.50	32.42	3	Horizontal	26	1.05	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2422MHz_TX




EUT Z_4TX
Setting 57
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3856G	73.55	74.00	-0.45	32.11	3	Vertical	343	2.44	-
AV	2.39G	51.33	54.00	-2.67	32.13	3	Vertical	343	2.44	-
PK	2.41G	113.01	Inf	-Inf	32.19	3	Vertical	343	2.44	-
AV	2.4256G	101.82	Inf	-Inf	32.23	3	Vertical	343	2.44	-
PK	2.486G	58.95	74.00	-15.05	32.42	3	Vertical	343	2.44	-
AV	2.4856G	47.16	54.00	-6.84	32.42	3	Vertical	343	2.44	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2422MHz_TX




EUT Z_4TX
Setting 57
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	64.02	74.00	-9.98	32.12	3	Horizontal	28	1.01	-
AV	2.3868G	47.45	54.00	-6.55	32.12	3	Horizontal	28	1.01	-
PK	2.4168G	105.55	Inf	-Inf	32.22	3	Horizontal	28	1.01	-
AV	2.4172G	94.24	Inf	-Inf	32.22	3	Horizontal	28	1.01	-
PK	2.4952G	56.94	74.00	-17.06	32.45	3	Horizontal	28	1.01	-
AV	2.4868G	45.76	54.00	-8.24	32.42	3	Horizontal	28	1.01	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2427MHz_TX




EUT_Z_4TX
Setting 60
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3866G	70.62	74.00	-3.38	32.12	3	Vertical	345	2.47	-
AV	2.3866G	53.65	54.00	-0.35	32.12	3	Vertical	345	2.47	-
PK	2.4118G	113.61	Inf	-Inf	32.19	3	Vertical	345	2.47	-
AV	2.4166G	101.63	Inf	-Inf	32.20	3	Vertical	345	2.47	-
PK	2.4846G	61.37	74.00	-12.63	32.42	3	Vertical	345	2.47	-
AV	2.485G	48.63	54.00	-5.37	32.42	3	Vertical	345	2.47	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2427MHz_TX




EUT Z_4TX
Setting 60
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	63.15	74.00	-10.85	32.13	3	Horizontal	31	1.00	-
AV	2.389G	48.31	54.00	-5.69	32.13	3	Horizontal	31	1.00	-
PK	2.4194G	107.15	Inf	-Inf	32.22	3	Horizontal	31	1.00	-
AV	2.4194G	95.11	Inf	-Inf	32.22	3	Horizontal	31	1.00	-
PK	2.4938G	57.43	74.00	-16.57	32.44	3	Horizontal	31	1.00	-
AV	2.4854G	45.97	54.00	-8.03	32.42	3	Horizontal	31	1.00	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2432MHz_TX




EUT Z_4TX
Setting 61
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.388G	71.15	74.00	-2.85	32.13	3	Vertical	230	2.41	-
AV	2.3884G	53.62	54.00	-0.38	32.13	3	Vertical	230	2.41	-
PK	2.4232G	113.17	Inf	-Inf	32.23	3	Vertical	230	2.41	-
AV	2.418G	103.00	Inf	-Inf	32.22	3	Vertical	230	2.41	-
PK	2.48357G	62.15	74.00	-11.85	32.42	3	Vertical	230	2.41	-
AV	2.48359G	49.56	54.00	-4.44	32.42	3	Vertical	230	2.41	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2432MHz_TX




EUT Z_4TX
Setting 61
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3872G	62.85	74.00	-11.15	32.12	3	Horizontal	66	1.00	-
AV	2.3876G	48.87	54.00	-5.13	32.13	3	Horizontal	66	1.00	-
PK	2.4224G	106.63	Inf	-Inf	32.23	3	Horizontal	66	1.00	-
AV	2.4176G	95.70	Inf	-Inf	32.22	3	Horizontal	66	1.00	-
PK	2.4872G	58.66	74.00	-15.34	32.42	3	Horizontal	66	1.00	-
AV	2.4835G	46.36	54.00	-7.64	32.42	3	Horizontal	66	1.00	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2437MHz_TX




EUT Z_4TX
Setting 63
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.383G	69.16	74.00	-4.84	32.11	3	Vertical	343	2.74	-
AV	2.3878G	52.13	54.00	-1.87	32.13	3	Vertical	343	2.74	-
PK	2.4328G	113.26	Inf	-Inf	32.26	3	Vertical	343	2.74	-
AV	2.432G	102.66	Inf	-Inf	32.23	3	Vertical	343	2.74	-
PK	2.4838G	69.81	74.00	-4.19	32.42	3	Vertical	343	2.74	-
AV	2.4838G	53.77	54.00	-0.23	32.42	3	Vertical	343	2.74	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2437MHz_TX




EUT Z_4TX
Setting 63
03-M-1
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	2.39G	59.59	74.00	-14.41	32.13	3	Horizontal	94	1.49	-
AV	2.389G	46.79	54.00	-7.21	32.13	3	Horizontal	94	1.49	-
PK	2.4388G	105.75	Inf	-Inf	32.27	3	Horizontal	94	1.49	-
AV	2.4394G	94.43	Inf	-Inf	32.28	3	Horizontal	94	1.49	-
PK	2.4844G	59.55	74.00	-14.45	32.42	3	Horizontal	94	1.49	-
AV	2.4844G	47.61	54.00	-6.39	32.42	3	Horizontal	94	1.49	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2442MHz_TX




EUT Z_4TX
Setting 61
03-M-1
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	2.386G	66.96	74.00	-7.04	32.11	3	Vertical	229	2.52	-
AV	2.39G	50.99	54.00	-3.01	32.13	3	Vertical	229	2.52	-
PK	2.4304G	114.36	Inf	-Inf	32.25	3	Vertical	229	2.52	-
AV	2.4304G	102.11	Inf	-Inf	32.25	3	Vertical	229	2.52	-
PK	2.486G	70.69	74.00	-3.31	32.42	3	Vertical	229	2.52	-
AV	2.486G	53.88	54.00	-0.12	32.42	3	Vertical	229	2.52	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2442MHz_TX




EUT Z_4TX
Setting 61
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3864G	57.96	74.00	-16.04	32.12	3	Horizontal	153	2.75	-
AV	2.3892G	45.85	54.00	-8.15	32.13	3	Horizontal	153	2.75	-
PK	2.4268G	106.11	Inf	-Inf	32.24	3	Horizontal	153	2.75	-
AV	2.4264G	95.07	Inf	-Inf	32.24	3	Horizontal	153	2.75	-
PK	2.4868G	59.98	74.00	-14.02	32.42	3	Horizontal	153	2.75	-
AV	2.4868G	47.13	54.00	-6.87	32.42	3	Horizontal	153	2.75	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2447MHz_TX




EUT_Z_4TX
Setting 57
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	60.72	74.00	-13.28	32.13	3	Vertical	229	2.70	-
AV	2.3886G	48.02	54.00	-5.98	32.13	3	Vertical	229	2.70	-
PK	2.463G	112.51	Inf	-Inf	32.35	3	Vertical	229	2.70	-
AV	2.4382G	101.58	Inf	-Inf	32.27	3	Vertical	229	2.70	-
PK	2.4835G	72.44	74.00	-1.56	32.42	3	Vertical	229	2.70	-
AV	2.4835G	53.98	54.00	-0.02	32.42	3	Vertical	229	2.70	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2447MHz_TX




EUT Z_4TX
Setting 57
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3794G	56.38	74.00	-17.62	32.10	3	Horizontal	30	1.50	-
AV	2.3898G	45.27	54.00	-8.73	32.13	3	Horizontal	30	1.50	-
PK	2.4394G	104.33	Inf	-Inf	32.28	3	Horizontal	30	1.50	-
AV	2.4542G	93.39	Inf	-Inf	32.32	3	Horizontal	30	1.50	-
PK	2.4846G	62.36	74.00	-11.64	32.42	3	Horizontal	30	1.50	-
AV	2.4846G	47.91	54.00	-6.09	32.42	3	Horizontal	30	1.50	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2452MHz_TX




EUT Z_4TX
Setting 55
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	59.13	74.00	-14.87	32.12	3	Vertical	235	2.99	-
AV	2.3856G	47.13	54.00	-6.87	32.11	3	Vertical	235	2.99	-
PK	2.4444G	113.55	Inf	-Inf	32.29	3	Vertical	235	2.99	-
AV	2.4496G	101.36	Inf	-Inf	32.30	3	Vertical	235	2.99	-
PK	2.4848G	72.57	74.00	-1.43	32.42	3	Vertical	235	2.99	-
AV	2.4848G	53.93	54.00	-0.07	32.42	3	Vertical	235	2.99	-

802.11ax HEW40_Nss1,(MCS0)_4TX

27/10/2018

2452MHz_TX



EUT_Z_4TX
Setting 55
03-M-1
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	56.68	74.00	-17.32	32.13	3	Horizontal	93	1.50	-
AV	2.3884G	45.16	54.00	-8.84	32.13	3	Horizontal	93	1.50	-
PK	2.4444G	104.91	Inf	-Inf	32.29	3	Horizontal	93	1.50	-
AV	2.444G	92.88	Inf	-Inf	32.29	3	Horizontal	93	1.50	-
PK	2.4844G	62.25	74.00	-11.75	32.42	3	Horizontal	93	1.50	-
AV	2.4844G	47.20	54.00	-6.80	32.42	3	Horizontal	93	1.50	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	2.3894G	53.96	54.00	-0.04	30.80	3	Vertical	20	2.76	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/11/2018

2412MHz_TX




EUT_Z_4TX
Setting 40
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	73.93	74.00	-0.07	30.80	3	Vertical	318	2.97	-
AV	2.3898G	52.13	54.00	-1.87	30.80	3	Vertical	318	2.97	-
PK	2.42G	118.10	Inf	-Inf	30.87	3	Vertical	318	2.97	-
AV	2.4112G	111.71	Inf	-Inf	30.86	3	Vertical	318	2.97	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/11/2018

2412MHz_TX




EUT_Z_4TX
Setting 40
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	60.31	74.00	-13.69	30.80	3	Horizontal	289	1.01	-
AV	2.389G	46.72	54.00	-7.28	30.80	3	Horizontal	289	1.01	-
PK	2.4068G	107.15	Inf	-Inf	30.85	3	Horizontal	289	1.01	-
AV	2.4128G	101.68	Inf	-Inf	30.86	3	Horizontal	289	1.01	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2417MHz_TX




EUT_Z_4TX
Setting 47
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	72.14	74.00	-1.86	30.80	3	Vertical	235	2.97	-
AV	2.39G	53.77	54.00	-0.23	30.80	3	Vertical	235	2.97	-
PK	2.4194G	121.21	Inf	-Inf	30.87	3	Vertical	235	2.97	-
AV	2.4176G	114.22	Inf	-Inf	30.87	3	Vertical	235	2.97	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2417MHz_TX




EUT_Z_4TX
Setting 47
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	65.30	74.00	-8.70	30.80	3	Horizontal	53	2.95	-
AV	2.3898G	48.46	54.00	-5.54	30.80	3	Horizontal	53	2.95	-
PK	2.4186G	107.45	Inf	-Inf	30.87	3	Horizontal	53	2.95	-
AV	2.415G	103.32	Inf	-Inf	30.86	3	Horizontal	53	2.95	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2422MHz_TX




EUT Z_4TX
Setting 55
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3872G	71.36	74.00	-2.64	30.79	3	Vertical	238	1.01	-
AV	2.3896G	53.90	54.00	-0.10	30.80	3	Vertical	238	1.01	-
PK	2.4168G	118.77	Inf	-Inf	30.87	3	Vertical	238	1.01	-
AV	2.4212G	115.32	Inf	-Inf	30.87	3	Vertical	238	1.01	-
PK	2.4888G	60.29	74.00	-13.71	30.97	3	Vertical	238	1.01	-
AV	2.4835G	47.32	54.00	-6.68	30.96	3	Vertical	238	1.01	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2422MHz_TX




EUT Z_4TX
Setting 55
01-C-4
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	2.39G	63.51	74.00	-10.49	30.80	3	Horizontal	263	1.50	-
AV	2.39G	47.38	54.00	-6.62	30.80	3	Horizontal	263	1.50	-
PK	2.4304G	110.15	Inf	-Inf	30.89	3	Horizontal	263	1.50	-
AV	2.4192G	101.38	Inf	-Inf	30.87	3	Horizontal	263	1.50	-
PK	2.498G	59.29	74.00	-14.71	30.99	3	Horizontal	263	1.50	-
AV	2.486G	46.67	54.00	-7.33	30.97	3	Horizontal	263	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2427MHz_TX




EUT_Z_4TX
Setting 57
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	72.13	74.00	-1.87	30.80	3	Vertical	203	2.99	-
AV	2.3898G	53.78	54.00	-0.22	30.80	3	Vertical	203	2.99	-
PK	2.4214G	120.13	Inf	-Inf	30.87	3	Vertical	203	2.99	-
AV	2.4262G	115.90	Inf	-Inf	30.88	3	Vertical	203	2.99	-
PK	2.4874G	60.41	74.00	-13.59	30.97	3	Vertical	203	2.99	-
AV	2.4858G	47.86	54.00	-6.14	30.97	3	Vertical	203	2.99	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2427MHz_TX




EUT Z_4TX
Setting 57
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	69.31	74.00	-4.69	30.80	3	Horizontal	325	1.88	-
AV	2.3898G	52.69	54.00	-1.31	30.80	3	Horizontal	325	1.88	-
PK	2.4262G	110.72	Inf	-Inf	30.88	3	Horizontal	325	1.88	-
AV	2.4254G	106.07	Inf	-Inf	30.88	3	Horizontal	325	1.88	-
PK	2.4835G	59.89	74.00	-14.11	30.96	3	Horizontal	325	1.88	-
AV	2.4842G	46.80	54.00	-7.20	30.96	3	Horizontal	325	1.88	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/11/2018

2437MHz_TX




EUT_Z_4TX
Setting 57
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	73.82	74.00	-0.18	30.80	3	Vertical	321	2.89	-
AV	2.3898G	51.39	54.00	-2.61	30.80	3	Vertical	321	2.89	-
PK	2.4318G	120.47	Inf	-Inf	30.89	3	Vertical	321	2.89	-
AV	2.4458G	108.59	Inf	-Inf	30.91	3	Vertical	321	2.89	-
PK	2.4854G	67.61	74.00	-6.39	30.97	3	Vertical	321	2.89	-
AV	2.4835G	51.34	54.00	-2.66	30.96	3	Vertical	321	2.89	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/11/2018

2437MHz_TX




EUT_Z_4TX
Setting 57
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	59.59	74.00	-14.41	30.80	3	Horizontal	192	1.56	-
AV	2.3874G	46.18	54.00	-7.82	30.79	3	Horizontal	192	1.56	-
PK	2.4318G	112.03	Inf	-Inf	30.89	3	Horizontal	192	1.56	-
AV	2.4306G	99.14	Inf	-Inf	30.89	3	Horizontal	192	1.56	-
PK	2.4854G	59.63	74.00	-14.37	30.97	3	Horizontal	192	1.56	-
AV	2.4835G	46.77	54.00	-7.23	30.96	3	Horizontal	192	1.56	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2442MHz_TX




EUT Z_4TX
Setting 57
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	70.86	74.00	-3.14	30.80	3	Vertical	247	2.83	-
AV	2.39G	51.27	54.00	-2.73	30.80	3	Vertical	247	2.83	-
PK	2.4368G	119.77	Inf	-Inf	30.90	3	Vertical	247	2.83	-
AV	2.4428G	114.65	Inf	-Inf	30.90	3	Vertical	247	2.83	-
PK	2.4844G	72.36	74.00	-1.64	30.96	3	Vertical	247	2.83	-
AV	2.4835G	53.95	54.00	-0.05	30.96	3	Vertical	247	2.83	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2442MHz_TX




EUT_Z_4TX
Setting 57
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3872G	61.31	74.00	-12.69	30.79	3	Horizontal	54	2.79	-
AV	2.3896G	46.93	54.00	-7.07	30.80	3	Horizontal	54	2.79	-
PK	2.4348G	107.93	Inf	-Inf	30.89	3	Horizontal	54	2.79	-
AV	2.4428G	103.57	Inf	-Inf	30.90	3	Horizontal	54	2.79	-
PK	2.4844G	62.52	74.00	-11.48	30.96	3	Horizontal	54	2.79	-
AV	2.4848G	48.10	54.00	-5.90	30.96	3	Horizontal	54	2.79	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2447MHz_TX




EUT_Z_4TX
Setting 54
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3834G	63.01	74.00	-10.99	30.78	3	Vertical	241	2.99	-
AV	2.3882G	48.64	54.00	-5.36	30.79	3	Vertical	241	2.99	-
PK	2.455G	121.14	Inf	-Inf	30.92	3	Vertical	241	2.99	-
AV	2.4458G	110.42	Inf	-Inf	30.91	3	Vertical	241	2.99	-
PK	2.487G	73.62	74.00	-0.38	30.97	3	Vertical	241	2.99	-
AV	2.4882G	52.54	54.00	-1.46	30.97	3	Vertical	241	2.99	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2447MHz_TX




EUT Z_4TX
Setting 54
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.387G	58.81	74.00	-15.19	30.79	3	Horizontal	64	1.37	-
AV	2.3894G	46.33	54.00	-7.67	30.80	3	Horizontal	64	1.37	-
PK	2.4458G	112.51	Inf	-Inf	30.91	3	Horizontal	64	1.37	-
AV	2.4438G	102.02	Inf	-Inf	30.90	3	Horizontal	64	1.37	-
PK	2.4835G	63.92	74.00	-10.08	30.96	3	Horizontal	64	1.37	-
AV	2.4838G	47.97	54.00	-6.03	30.96	3	Horizontal	64	1.37	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2452MHz_TX




EUT Z_4TX
Setting 53
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3856G	60.32	74.00	-13.68	30.79	3	Vertical	13	1.00	-
AV	2.3888G	47.10	54.00	-6.90	30.80	3	Vertical	13	1.00	-
PK	2.4468G	121.11	Inf	-Inf	30.91	3	Vertical	13	1.00	-
AV	2.4528G	115.32	Inf	-Inf	30.92	3	Vertical	13	1.00	-
PK	2.4872G	72.07	74.00	-1.93	30.97	3	Vertical	13	1.00	-
AV	2.4844G	53.82	54.00	-0.18	30.96	3	Vertical	13	1.00	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2452MHz_TX




EUT Z_4TX
Setting 53
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	58.46	74.00	-15.54	30.80	3	Horizontal	358	1.31	-
AV	2.3888G	46.22	54.00	-7.78	30.80	3	Horizontal	358	1.31	-
PK	2.4468G	112.25	Inf	-Inf	30.91	3	Horizontal	358	1.31	-
AV	2.4508G	106.32	Inf	-Inf	30.92	3	Horizontal	358	1.31	-
PK	2.4892G	64.38	74.00	-9.62	30.97	3	Horizontal	358	1.31	-
AV	2.4835G	48.99	54.00	-5.01	30.96	3	Horizontal	358	1.31	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2457MHz_TX




EUT_Z_4TX
Setting 48
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	59.55	74.00	-14.45	30.80	3	Vertical	38	1.50	-
AV	2.3898G	46.64	54.00	-7.36	30.80	3	Vertical	38	1.50	-
PK	2.449G	117.72	Inf	-Inf	30.91	3	Vertical	38	1.50	-
AV	2.4562G	110.00	Inf	-Inf	30.93	3	Vertical	38	1.50	-
PK	2.4835G	71.93	74.00	-2.07	30.96	3	Vertical	38	1.50	-
AV	2.4838G	53.79	54.00	-0.21	30.96	3	Vertical	38	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2457MHz_TX




EUT_Z_4TX
Setting 48
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3738G	58.65	74.00	-15.35	30.74	3	Horizontal	126	1.04	-
AV	2.387G	46.10	54.00	-7.90	30.79	3	Horizontal	126	1.04	-
PK	2.4562G	105.50	Inf	-Inf	30.93	3	Horizontal	126	1.04	-
AV	2.4578G	101.83	Inf	-Inf	30.93	3	Horizontal	126	1.04	-
PK	2.4835G	65.92	74.00	-8.08	30.96	3	Horizontal	126	1.04	-
AV	2.4835G	49.03	54.00	-4.97	30.96	3	Horizontal	126	1.04	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2462MHz_TX




EUT Z_4TX
Setting 42
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.463G	116.49	Inf	-Inf	30.93	3	Vertical	24	1.51	-
AV	2.4638G	110.51	Inf	-Inf	30.93	3	Vertical	24	1.51	-
PK	2.4835G	73.89	74.00	-0.11	30.96	3	Vertical	24	1.51	-
AV	2.484G	51.39	54.00	-2.61	30.96	3	Vertical	24	1.51	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

24/11/2018

2462MHz_TX




EUT_Z_4TX
Setting 42
01-C-4
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4702G	107.79	Inf	-Inf	30.95	3	Horizontal	359	1.50	-
AV	2.4612G	102.29	Inf	-Inf	30.93	3	Horizontal	359	1.50	-
PK	2.4836G	70.88	74.00	-3.12	30.96	3	Horizontal	359	1.50	-
AV	2.4835G	50.27	54.00	-3.73	30.96	3	Horizontal	359	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2422MHz_TX




EUT Z_4TX
Setting 40
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.388G	73.82	74.00	-0.18	30.79	3	Vertical	311	2.99	-
AV	2.386G	52.79	54.00	-1.21	30.79	3	Vertical	311	2.99	-
PK	2.4228G	114.87	Inf	-Inf	30.87	3	Vertical	311	2.99	-
AV	2.4148G	108.06	Inf	-Inf	30.86	3	Vertical	311	2.99	-
PK	2.5G	59.15	74.00	-14.85	30.99	3	Vertical	311	2.99	-
AV	2.4835G	47.45	54.00	-6.55	30.96	3	Vertical	311	2.99	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2422MHz_TX




EUT Z_4TX
Setting 40
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.388G	66.14	74.00	-7.86	30.79	3	Horizontal	121	1.90	-
AV	2.39G	47.17	54.00	-6.83	30.80	3	Horizontal	121	1.90	-
PK	2.4228G	103.26	Inf	-Inf	30.87	3	Horizontal	121	1.90	-
AV	2.4128G	91.41	Inf	-Inf	30.86	3	Horizontal	121	1.90	-
PK	2.4968G	58.56	74.00	-15.44	30.99	3	Horizontal	121	1.90	-
AV	2.4988G	46.62	54.00	-7.38	30.99	3	Horizontal	121	1.90	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2427MHz_TX




EUT_Z_4TX
Setting 46
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3858G	72.86	74.00	-1.14	30.79	3	Vertical	222	1.00	-
AV	2.3898G	53.93	54.00	-0.07	30.80	3	Vertical	222	1.00	-
PK	2.4346G	113.78	Inf	-Inf	30.89	3	Vertical	222	1.00	-
AV	2.4186G	109.48	Inf	-Inf	30.87	3	Vertical	222	1.00	-
PK	2.4954G	59.52	74.00	-14.48	30.99	3	Vertical	222	1.00	-
AV	2.4835G	47.65	54.00	-6.35	30.96	3	Vertical	222	1.00	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2427MHz_TX




EUT_Z_4TX
Setting 46
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	65.27	74.00	-8.73	30.80	3	Horizontal	330	1.48	-
AV	2.3894G	47.71	54.00	-6.29	30.80	3	Horizontal	330	1.48	-
PK	2.4094G	103.64	Inf	-Inf	30.85	3	Horizontal	330	1.48	-
AV	2.4186G	97.30	Inf	-Inf	30.87	3	Horizontal	330	1.48	-
PK	2.4854G	58.68	74.00	-15.32	30.97	3	Horizontal	330	1.48	-
AV	2.4835G	46.89	54.00	-7.11	30.96	3	Horizontal	330	1.48	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2432MHz_TX




EUT Z_4TX
Setting 49
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.386G	68.99	74.00	-5.01	30.79	3	Vertical	336	1.86	-
AV	2.39G	53.81	54.00	-0.19	30.76	3	Vertical	336	1.86	-
PK	2.424G	115.65	Inf	-Inf	30.87	3	Vertical	336	1.86	-
AV	2.4236G	103.64	Inf	-Inf	30.87	3	Vertical	336	1.86	-
PK	2.4856G	66.73	74.00	-7.27	30.97	3	Vertical	336	1.86	-
AV	2.484G	50.68	54.00	-3.32	30.96	3	Vertical	336	1.86	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2432MHz_TX




EUT Z_4TX
Setting 49
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3848G	68.00	74.00	-6.00	30.78	3	Horizontal	150	1.44	-
AV	2.3892G	50.87	54.00	-3.13	30.80	3	Horizontal	150	1.44	-
PK	2.4144G	110.62	Inf	-Inf	30.86	3	Horizontal	150	1.44	-
AV	2.4148G	97.29	Inf	-Inf	30.86	3	Horizontal	150	1.44	-
PK	2.4924G	59.46	74.00	-14.54	30.98	3	Horizontal	150	1.44	-
AV	2.4876G	46.85	54.00	-7.15	30.97	3	Horizontal	150	1.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2437MHz_TX




EUT_Z_4TX
Setting 49
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	70.44	74.00	-3.56	30.80	3	Vertical	20	2.76	-
AV	2.3894G	53.96	54.00	-0.04	30.80	3	Vertical	20	2.76	-
PK	2.4194G	115.88	Inf	-Inf	30.87	3	Vertical	20	2.76	-
AV	2.4258G	106.98	Inf	-Inf	30.88	3	Vertical	20	2.76	-
PK	2.4838G	72.05	74.00	-1.95	30.96	3	Vertical	20	2.76	-
AV	2.4838G	53.53	54.00	-0.47	30.96	3	Vertical	20	2.76	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2437MHz_TX




EUT_Z_4TX
Setting 49
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	67.92	74.00	-6.08	30.80	3	Horizontal	30	1.14	-
AV	2.3898G	49.68	54.00	-4.32	30.80	3	Horizontal	30	1.14	-
PK	2.429G	105.33	Inf	-Inf	30.88	3	Horizontal	30	1.14	-
AV	2.4286G	103.30	Inf	-Inf	30.88	3	Horizontal	30	1.14	-
PK	2.4835G	59.59	74.00	-14.41	30.96	3	Horizontal	30	1.14	-
AV	2.4835G	47.31	54.00	-6.69	30.96	3	Horizontal	30	1.14	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2442MHz_TX




EUT Z_4TX
Setting 48
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	64.39	74.00	-9.61	30.80	3	Vertical	27	2.69	-
AV	2.39G	49.35	54.00	-4.65	30.80	3	Vertical	27	2.69	-
PK	2.4428G	114.49	Inf	-Inf	30.90	3	Vertical	27	2.69	-
AV	2.4404G	102.86	Inf	-Inf	30.90	3	Vertical	27	2.69	-
PK	2.4835G	70.38	74.00	-3.62	30.96	3	Vertical	27	2.69	-
AV	2.4835G	53.79	54.00	-0.21	30.96	3	Vertical	27	2.69	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2442MHz_TX




EUT Z_4TX
Setting 48
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	58.89	74.00	-15.11	30.80	3	Horizontal	302	1.54	-
AV	2.39G	46.39	54.00	-7.61	30.80	3	Horizontal	302	1.54	-
PK	2.454G	104.42	Inf	-Inf	30.92	3	Horizontal	302	1.54	-
AV	2.4348G	95.51	Inf	-Inf	30.89	3	Horizontal	302	1.54	-
PK	2.4884G	70.10	74.00	-3.90	30.97	3	Horizontal	302	1.54	-
AV	2.484G	50.50	54.00	-3.50	30.96	3	Horizontal	302	1.54	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2447MHz_TX




EUT_Z_4TX
Setting 46
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3874G	63.10	74.00	-10.90	30.79	3	Vertical	212	2.49	-
AV	2.3886G	47.86	54.00	-6.14	30.80	3	Vertical	212	2.49	-
PK	2.4294G	114.45	Inf	-Inf	30.88	3	Vertical	212	2.49	-
AV	2.4398G	102.91	Inf	-Inf	30.90	3	Vertical	212	2.49	-
PK	2.4838G	73.92	74.00	-0.08	30.96	3	Vertical	212	2.49	-
AV	2.4842G	52.79	54.00	-1.21	30.96	3	Vertical	212	2.49	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2447MHz_TX




EUT_Z_4TX
Setting 46
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3854G	59.85	74.00	-14.15	30.79	3	Horizontal	87	1.02	-
AV	2.3898G	46.89	54.00	-7.11	30.80	3	Horizontal	87	1.02	-
PK	2.4294G	105.73	Inf	-Inf	30.88	3	Horizontal	87	1.02	-
AV	2.4386G	98.84	Inf	-Inf	30.90	3	Horizontal	87	1.02	-
PK	2.4938G	68.26	74.00	-5.74	30.98	3	Horizontal	87	1.02	-
AV	2.4914G	49.53	54.00	-4.47	30.98	3	Horizontal	87	1.02	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2452MHz_TX




EUT_Z_4TX
Setting 42
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3864G	58.89	74.00	-15.11	30.79	3	Vertical	234	2.92	-
AV	2.3896G	47.05	54.00	-6.95	30.80	3	Vertical	234	2.92	-
PK	2.4584G	114.47	Inf	-Inf	30.93	3	Vertical	234	2.92	-
AV	2.4548G	102.12	Inf	-Inf	30.92	3	Vertical	234	2.92	-
PK	2.4872G	73.06	74.00	-0.94	30.97	3	Vertical	234	2.92	-
AV	2.4872G	53.80	54.00	-0.20	30.97	3	Vertical	234	2.92	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

24/11/2018

2452MHz_TX



EUT Z_4TX
Setting 42
01-L-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3812G	58.13	74.00	-15.87	30.76	3	Horizontal	85	1.40	-
AV	2.388G	46.27	54.00	-7.73	30.79	3	Horizontal	85	1.40	-
PK	2.4344G	106.41	Inf	-Inf	30.89	3	Horizontal	85	1.40	-
AV	2.4396G	97.19	Inf	-Inf	30.90	3	Horizontal	85	1.40	-
PK	2.4848G	59.65	74.00	-14.35	30.96	3	Horizontal	85	1.40	-
AV	2.4844G	47.25	54.00	-6.75	30.96	3	Horizontal	85	1.40	-


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	2.485G	53.99	54.00	-0.01	32.42	3	Vertical	232	2.99	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2412MHz_TX




EUT_Z_4TX
Setting 64
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	2.3884G	70.69	74.00	-3.31	32.13	3	Vertical	230	2.97	-						
AV	2.3898G	53.91	54.00	-0.09	32.13	3	Vertical	230	2.97	-						
PK	2.4046G	114.81	Inf	-Inf	32.17	3	Vertical	230	2.97	-						
AV	2.4138G	103.12	Inf	-Inf	32.20	3	Vertical	230	2.97	-						

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2412MHz_TX




EUT_Z_4TX
Setting 64
03-J-5
FSP(100304)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	2.3884G	65.77	74.00	-8.23	32.13	3	Horizontal	62	1.10	-
AV	2.3898G	49.56	54.00	-4.44	32.13	3	Horizontal	62	1.10	-
PK	2.4102G	106.92	Inf	-Inf	32.19	3	Horizontal	62	1.10	-
AV	2.4072G	95.90	Inf	-Inf	32.19	3	Horizontal	62	1.10	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2417MHz_TX




EUT_Z_4TX
Setting 68
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	67.78	74.00	-6.22	32.13	3	Vertical	228	2.94	-
AV	2.39G	53.93	54.00	-0.07	32.13	3	Vertical	228	2.94	-
PK	2.4212G	117.21	Inf	-Inf	32.22	3	Vertical	228	2.94	-
AV	2.413G	104.42	Inf	-Inf	32.20	3	Vertical	228	2.94	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2417MHz_TX




EUT_Z_4TX
Setting 68
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3886G	66.43	74.00	-7.57	32.13	3	Horizontal	60	1.00	-
AV	2.39G	49.92	54.00	-4.08	32.13	3	Horizontal	60	1.00	-
PK	2.429G	109.13	Inf	-Inf	32.23	3	Horizontal	60	1.00	-
AV	2.4192G	96.73	Inf	-Inf	32.22	3	Horizontal	60	1.00	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2422MHz_TX




EUT_Z_4TX
Setting 72
03-J-5
FSP(100304)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	2.39G	68.88	74.00	-5.12	32.13	3	Vertical	229	2.97	-
AV	2.39G	53.86	54.00	-0.14	32.13	3	Vertical	229	2.97	-
PK	2.418G	116.95	Inf	-Inf	32.22	3	Vertical	229	2.97	-
AV	2.4188G	104.98	Inf	-Inf	32.22	3	Vertical	229	2.97	-
PK	2.4928G	58.92	74.00	-15.08	32.43	3	Vertical	229	2.97	-
AV	2.4837G	47.53	54.00	-6.47	32.42	3	Vertical	229	2.97	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2422MHz_TX




EUT Z_4TX
Setting 72
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3872G	64.65	74.00	-9.35	32.12	3	Horizontal	62	1.01	-
AV	2.3896G	49.57	54.00	-4.43	32.13	3	Horizontal	62	1.01	-
PK	2.426G	109.11	Inf	-Inf	32.23	3	Horizontal	62	1.01	-
AV	2.424G	97.76	Inf	-Inf	32.23	3	Horizontal	62	1.01	-
PK	2.4864G	57.26	74.00	-16.74	32.42	3	Horizontal	62	1.01	-
AV	2.4992G	45.74	54.00	-8.26	32.46	3	Horizontal	62	1.01	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2427MHz_TX




EUT Z_4TX
Setting 76
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	68.26	74.00	-5.74	32.13	3	Vertical	229	2.96	-
AV	2.3898G	53.83	54.00	-0.17	32.13	3	Vertical	229	2.96	-
PK	2.431G	118.39	Inf	-Inf	32.26	3	Vertical	229	2.96	-
AV	2.423G	106.08	Inf	-Inf	32.23	3	Vertical	229	2.96	-
PK	2.4838G	61.56	74.00	-12.44	32.42	3	Vertical	229	2.96	-
AV	2.4836G	48.79	54.00	-5.21	32.42	3	Vertical	229	2.96	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2427MHz_TX




EUT Z_4TX
Setting 76
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	68.06	74.00	-5.94	32.13	3	Horizontal	61	1.00	-
AV	2.3898G	49.84	54.00	-4.16	32.13	3	Horizontal	61	1.00	-
PK	2.4238G	110.09	Inf	-Inf	32.23	3	Horizontal	61	1.00	-
AV	2.4242G	98.54	Inf	-Inf	32.23	3	Horizontal	61	1.00	-
PK	2.4838G	57.67	74.00	-16.33	32.42	3	Horizontal	61	1.00	-
AV	2.4918G	46.13	54.00	-7.87	32.43	3	Horizontal	61	1.00	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2432MHz_TX




EUT Z_4TX
Setting 78
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3852G	71.15	74.00	-2.85	32.11	3	Vertical	226	2.73	-
AV	2.39G	53.85	54.00	-0.15	32.13	3	Vertical	226	2.73	-
PK	2.4312G	117.55	Inf	-Inf	32.26	3	Vertical	226	2.73	-
AV	2.428G	105.93	Inf	-Inf	32.25	3	Vertical	226	2.73	-
PK	2.4868G	67.00	74.00	-7.00	32.42	3	Vertical	226	2.73	-
AV	2.4836G	50.14	54.00	-3.86	32.42	3	Vertical	226	2.73	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2432MHz_TX




EUT_Z_4TX
Setting 78
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	65.25	74.00	-8.75	32.13	3	Horizontal	62	1.00	-
AV	2.39G	49.59	54.00	-4.41	32.13	3	Horizontal	62	1.00	-
PK	2.4332G	110.27	Inf	-Inf	32.26	3	Horizontal	62	1.00	-
AV	2.4288G	98.80	Inf	-Inf	32.25	3	Horizontal	62	1.00	-
PK	2.484G	63.99	74.00	-10.01	32.42	3	Horizontal	62	1.00	-
AV	2.484G	46.64	54.00	-7.36	32.42	3	Horizontal	62	1.00	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2437MHz_TX




EUT_Z_4TX
Setting 81
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	68.80	74.00	-5.20	32.13	3	Vertical	230	2.99	-
AV	2.3894G	53.36	54.00	-0.64	32.13	3	Vertical	230	2.99	-
PK	2.441G	118.87	Inf	-Inf	32.29	3	Vertical	230	2.99	-
AV	2.433G	106.21	Inf	-Inf	32.26	3	Vertical	230	2.99	-
PK	2.4838G	68.42	74.00	-5.58	32.42	3	Vertical	230	2.99	-
AV	2.4835G	53.89	Inf	-Inf	32.42	3	Vertical	230	2.99	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2437MHz_TX




EUT_Z_4TX
Setting 81
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	63.60	74.00	-10.40	32.13	3	Horizontal	61	1.17	-
AV	2.3898G	48.62	54.00	-5.38	32.13	3	Horizontal	61	1.17	-
PK	2.4382G	110.33	Inf	-Inf	32.27	3	Horizontal	61	1.17	-
AV	2.4406G	98.52	Inf	-Inf	32.29	3	Horizontal	61	1.17	-
PK	2.4842G	63.01	74.00	-10.99	32.42	3	Horizontal	61	1.17	-
AV	2.4835G	49.25	54.00	-4.75	32.42	3	Horizontal	61	1.17	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2442MHz_TX




EUT Z_4TX
Setting 78
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3884G	66.46	74.00	-7.54	32.13	3	Vertical	221	2.75	-
AV	2.39G	50.13	54.00	-3.87	32.13	3	Vertical	221	2.75	-
PK	2.446G	118.47	Inf	-Inf	32.30	3	Vertical	221	2.75	-
AV	2.438G	105.84	Inf	-Inf	32.27	3	Vertical	221	2.75	-
PK	2.4864G	69.99	74.00	-4.01	32.42	3	Vertical	221	2.75	-
AV	2.484G	53.84	54.00	-0.16	32.42	3	Vertical	221	2.75	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2442MHz_TX




EUT Z_4TX
Setting 78
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	59.78	74.00	-14.22	32.13	3	Horizontal	64	1.13	-
AV	2.3892G	46.72	54.00	-7.28	32.13	3	Horizontal	64	1.13	-
PK	2.4432G	109.78	Inf	-Inf	32.29	3	Horizontal	64	1.13	-
AV	2.4456G	98.00	Inf	-Inf	32.30	3	Horizontal	64	1.13	-
PK	2.4868G	65.37	74.00	-8.63	32.42	3	Horizontal	64	1.13	-
AV	2.4835G	49.94	54.00	-4.06	32.42	3	Horizontal	64	1.13	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2447MHz_TX




EUT_Z_4TX
Setting 76
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	61.77	74.00	-12.23	32.13	3	Vertical	49	2.57	-
AV	2.3898G	48.16	54.00	-5.84	32.13	3	Vertical	49	2.57	-
PK	2.4458G	116.13	Inf	-Inf	32.30	3	Vertical	49	2.57	-
AV	2.4454G	104.68	Inf	-Inf	32.30	3	Vertical	49	2.57	-
PK	2.4836G	71.14	74.00	-2.86	32.42	3	Vertical	49	2.57	-
AV	2.4838G	53.91	54.00	-0.09	32.42	3	Vertical	49	2.57	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2447MHz_TX




EUT_Z_4TX
Setting 76
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	59.76	74.00	-14.24	32.13	3	Horizontal	63	1.15	-
AV	2.3822G	45.73	54.00	-8.27	32.10	3	Horizontal	63	1.15	-
PK	2.4514G	110.05	Inf	-Inf	32.32	3	Horizontal	63	1.15	-
AV	2.4434G	98.01	Inf	-Inf	32.29	3	Horizontal	63	1.15	-
PK	2.4835G	67.48	74.00	-6.52	32.42	3	Horizontal	63	1.15	-
AV	2.4838G	50.08	54.00	-3.92	32.42	3	Horizontal	63	1.15	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2452MHz_TX




EUT Z_4TX
Setting 70
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	59.05	74.00	-14.95	32.13	3	Vertical	215	2.79	-
AV	2.3892G	46.91	54.00	-7.09	32.13	3	Vertical	215	2.79	-
PK	2.4564G	115.60	Inf	-Inf	32.33	3	Vertical	215	2.79	-
AV	2.4448G	103.08	Inf	-Inf	32.29	3	Vertical	215	2.79	-
PK	2.4848G	69.27	74.00	-4.73	32.42	3	Vertical	215	2.79	-
AV	2.4835G	53.98	54.00	-0.02	32.42	3	Vertical	215	2.79	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2452MHz_TX




EUT Z_4TX
Setting 70
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3884G	57.07	74.00	-16.93	32.13	3	Horizontal	63	1.13	-
AV	2.3812G	45.33	54.00	-8.67	32.10	3	Horizontal	63	1.13	-
PK	2.4496G	107.37	Inf	-Inf	32.30	3	Horizontal	63	1.13	-
AV	2.4444G	96.30	Inf	-Inf	32.29	3	Horizontal	63	1.13	-
PK	2.4856G	65.02	74.00	-8.98	32.42	3	Horizontal	63	1.13	-
AV	2.4835G	49.12	54.00	-4.88	32.42	3	Horizontal	63	1.13	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2457MHz_TX




EUT_Z_4TX
Setting 65
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4532G	113.78	Inf	-Inf	32.32	3	Vertical	232	2.60	-
AV	2.4546G	102.00	Inf	-Inf	32.32	3	Vertical	232	2.60	-
PK	2.485G	71.42	74.00	-2.58	32.42	3	Vertical	232	2.60	-
AV	2.4836G	53.84	54.00	-0.16	32.42	3	Vertical	232	2.60	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2457MHz_TX




EUT_Z_4TX
Setting 65
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4538G	105.87	Inf	-Inf	32.32	3	Horizontal	60	1.07	-
AV	2.4544G	94.32	Inf	-Inf	32.32	3	Horizontal	60	1.07	-
PK	2.4835G	65.37	74.00	-8.63	32.42	3	Horizontal	60	1.07	-
AV	2.4836G	48.25	54.00	-5.75	32.42	3	Horizontal	60	1.07	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2462MHz_TX




EUT_Z_4TX
Setting 61
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	2.46G	112.51	Inf	-Inf	32.34	3	Vertical	221	2.58	-						
AV	2.4598G	101.03	Inf	-Inf	32.34	3	Vertical	221	2.58	-						
PK	2.4854G	69.86	74.00	-4.14	32.42	3	Vertical	221	2.58	-						
AV	2.4836G	53.91	54.00	-0.09	32.42	3	Vertical	221	2.58	-						

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

2462MHz_TX




EUT Z_4TX
Setting 61
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4674G	105.02	Inf	-Inf	32.36	3	Horizontal	60	1.05	-
AV	2.4662G	93.53	Inf	-Inf	32.36	3	Horizontal	60	1.05	-
PK	2.4848G	64.17	74.00	-9.83	32.42	3	Horizontal	60	1.05	-
AV	2.4835G	48.90	54.00	-5.10	32.42	3	Horizontal	60	1.05	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2422MHz_TX




EUT Z_4TX
Setting 51
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	66.64	74.00	-7.36	32.13	3	Vertical	229	2.98	-
AV	2.3884G	53.83	54.00	-0.17	32.13	3	Vertical	229	2.98	-
PK	2.4288G	109.57	Inf	-Inf	32.25	3	Vertical	229	2.98	-
AV	2.4096G	98.86	Inf	-Inf	32.19	3	Vertical	229	2.98	-
PK	2.4884G	58.20	74.00	-15.80	32.43	3	Vertical	229	2.98	-
AV	2.4864G	47.85	54.00	-6.15	32.42	3	Vertical	229	2.98	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2422MHz_TX




EUT Z_4TX
Setting 51
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	59.92	74.00	-14.08	32.12	3	Horizontal	62	1.01	-
AV	2.3884G	49.17	54.00	-4.83	32.13	3	Horizontal	62	1.01	-
PK	2.4276G	102.58	Inf	-Inf	32.24	3	Horizontal	62	1.01	-
AV	2.42G	92.08	Inf	-Inf	32.22	3	Horizontal	62	1.01	-
PK	2.4964G	56.59	74.00	-17.41	32.45	3	Horizontal	62	1.01	-
AV	2.4844G	46.84	54.00	-7.16	32.42	3	Horizontal	62	1.01	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2427MHz_TX




EUT Z_4TX
Setting 54
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3874G	67.80	74.00	-6.20	32.12	3	Vertical	225	2.73	-
AV	2.3894G	53.91	54.00	-0.09	32.13	3	Vertical	225	2.73	-
PK	2.4162G	109.77	Inf	-Inf	32.20	3	Vertical	225	2.73	-
AV	2.4254G	98.58	Inf	-Inf	32.23	3	Vertical	225	2.73	-
PK	2.4902G	58.10	74.00	-15.90	32.43	3	Vertical	225	2.73	-
AV	2.4838G	47.89	54.00	-6.11	32.42	3	Vertical	225	2.73	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2427MHz_TX




EUT_Z_4TX
Setting 54
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3866G	61.96	74.00	-12.04	32.12	3	Horizontal	63	1.01	-
AV	2.3874G	47.94	54.00	-6.06	32.12	3	Horizontal	63	1.01	-
PK	2.4162G	102.13	Inf	-Inf	32.20	3	Horizontal	63	1.01	-
AV	2.4182G	92.07	Inf	-Inf	32.22	3	Horizontal	63	1.01	-
PK	2.4998G	56.05	74.00	-17.95	32.46	3	Horizontal	63	1.01	-
AV	2.4998G	46.66	54.00	-7.34	32.46	3	Horizontal	63	1.01	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2432MHz_TX




EUT Z_4TX
Setting 59
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	69.84	74.00	-4.16	32.13	3	Vertical	227	2.96	-
AV	2.3896G	53.93	54.00	-0.07	32.13	3	Vertical	227	2.96	-
PK	2.4284G	110.36	Inf	-Inf	32.25	3	Vertical	227	2.96	-
AV	2.4196G	100.24	Inf	-Inf	32.22	3	Vertical	227	2.96	-
PK	2.4884G	62.40	74.00	-11.60	32.43	3	Vertical	227	2.96	-
AV	2.4835G	49.54	54.00	-4.46	32.42	3	Vertical	227	2.96	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2432MHz_TX




EUT Z_4TX
Setting 59
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3876G	66.52	74.00	-7.48	32.13	3	Horizontal	61	1.00	-
AV	2.3872G	51.58	54.00	-2.42	32.12	3	Horizontal	61	1.00	-
PK	2.4276G	104.48	Inf	-Inf	32.24	3	Horizontal	61	1.00	-
AV	2.4248G	93.78	Inf	-Inf	32.23	3	Horizontal	61	1.00	-
PK	2.486G	58.63	74.00	-15.37	32.42	3	Horizontal	61	1.00	-
AV	2.4848G	47.12	54.00	-6.88	32.42	3	Horizontal	61	1.00	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2437MHz_TX




EUT_Z_4TX
Setting 60
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	68.22	74.00	-5.78	32.13	3	Vertical	245	2.96	-
AV	2.3898G	53.83	54.00	-0.17	32.13	3	Vertical	245	2.96	-
PK	2.4294G	109.66	Inf	-Inf	32.25	3	Vertical	245	2.96	-
AV	2.4298G	99.40	Inf	-Inf	32.25	3	Vertical	245	2.96	-
PK	2.489G	65.91	74.00	-8.09	32.43	3	Vertical	245	2.96	-
AV	2.4886G	51.47	54.00	-2.53	32.43	3	Vertical	245	2.96	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2437MHz_TX




EUT Z_4TX
Setting 60
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	63.27	74.00	-10.73	32.13	3	Horizontal	60	1.00	-
AV	2.3898G	50.28	54.00	-3.72	32.13	3	Horizontal	60	1.00	-
PK	2.4218G	104.73	Inf	-Inf	32.23	3	Horizontal	60	1.00	-
AV	2.4214G	93.56	Inf	-Inf	32.22	3	Horizontal	60	1.00	-
PK	2.4882G	59.72	74.00	-14.28	32.43	3	Horizontal	60	1.00	-
AV	2.4882G	47.95	54.00	-6.05	32.43	3	Horizontal	60	1.00	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2442MHz_TX




EUT Z_4TX
Setting 58
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	61.96	74.00	-12.04	32.13	3	Vertical	240	2.99	-
AV	2.3888G	49.39	54.00	-4.61	32.13	3	Vertical	240	2.99	-
PK	2.4268G	109.94	Inf	-Inf	32.24	3	Vertical	240	2.99	-
AV	2.4368G	100.28	Inf	-Inf	32.27	3	Vertical	240	2.99	-
PK	2.4848G	71.94	74.00	-2.06	32.42	3	Vertical	240	2.99	-
AV	2.4844G	53.84	54.00	-0.16	32.42	3	Vertical	240	2.99	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2442MHz_TX




EUT Z_4TX
Setting 58
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	59.14	74.00	-14.86	32.13	3	Horizontal	61	1.01	-
AV	2.39G	47.62	54.00	-6.38	32.13	3	Horizontal	61	1.01	-
PK	2.4304G	103.08	Inf	-Inf	32.25	3	Horizontal	61	1.01	-
AV	2.4248G	93.04	Inf	-Inf	32.23	3	Horizontal	61	1.01	-
PK	2.4848G	65.37	74.00	-8.63	32.42	3	Horizontal	61	1.01	-
AV	2.4848G	50.79	54.00	-3.21	32.42	3	Horizontal	61	1.01	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2447MHz_TX




EUT_Z_4TX
Setting 52
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3818G	58.91	74.00	-15.09	32.10	3	Vertical	232	2.99	-
AV	2.3886G	47.75	54.00	-6.25	32.13	3	Vertical	232	2.99	-
PK	2.4362G	108.71	Inf	-Inf	32.27	3	Vertical	232	2.99	-
AV	2.4342G	98.00	Inf	-Inf	32.26	3	Vertical	232	2.99	-
PK	2.4835G	69.87	74.00	-4.13	32.42	3	Vertical	232	2.99	-
AV	2.485G	53.99	54.00	-0.01	32.42	3	Vertical	232	2.99	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2447MHz_TX




EUT Z_4TX
Setting 52
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3686G	56.20	74.00	-17.80	32.07	3	Horizontal	65	1.18	-
AV	2.3898G	46.00	54.00	-8.00	32.13	3	Horizontal	65	1.18	-
PK	2.4354G	102.79	Inf	-Inf	32.26	3	Horizontal	65	1.18	-
AV	2.4418G	91.99	Inf	-Inf	32.29	3	Horizontal	65	1.18	-
PK	2.4838G	64.10	74.00	-9.90	32.42	3	Horizontal	65	1.18	-
AV	2.4846G	49.17	54.00	-4.83	32.42	3	Horizontal	65	1.18	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2452MHz_TX




EUT Z_4TX
Setting 51
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3884G	57.36	74.00	-16.64	32.13	3	Vertical	220	2.78	-
AV	2.3896G	47.33	54.00	-6.67	32.13	3	Vertical	220	2.78	-
PK	2.4412G	108.74	Inf	-Inf	32.29	3	Vertical	220	2.78	-
AV	2.4364G	98.01	Inf	-Inf	32.27	3	Vertical	220	2.78	-
PK	2.4835G	70.78	74.00	-3.22	32.42	3	Vertical	220	2.78	-
AV	2.4844G	53.91	54.00	-0.09	32.42	3	Vertical	220	2.78	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

2452MHz_TX



EUT Z_4TX
Setting 51
03-J-5
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3888G	56.94	74.00	-17.06	32.13	3	Horizontal	63	1.18	-
AV	2.3872G	46.05	54.00	-7.95	32.12	3	Horizontal	63	1.18	-
PK	2.4412G	101.57	Inf	-Inf	32.29	3	Horizontal	63	1.18	-
AV	2.4376G	90.82	Inf	-Inf	32.27	3	Horizontal	63	1.18	-
PK	2.4835G	60.32	74.00	-13.68	32.42	3	Horizontal	63	1.18	-
AV	2.4835G	48.90	54.00	-5.10	32.42	3	Horizontal	63	1.18	-