


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65291G	60.70	74.00	-13.30	42.58	3	Vertical	59	1.88	-	39.69	10.93	32.50
AV	11.66395G	48.10	54.00	-5.90	29.99	3	Vertical	59	1.88	-	39.67	10.94	32.50

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64367G	60.09	74.00	-13.91	41.94	3	Horizontal	99	1.24	-	39.73	10.92	32.50
AV	11.66128G	48.02	54.00	-5.98	29.91	3	Horizontal	99	1.24	-	39.68	10.93	32.50

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	66.27	68.20	-1.93	59.83	3	Vertical	265	1.80	-	31.79	7.53	32.88
PK	5.743G	117.07	Inf	-Inf	110.33	3	Vertical	265	1.80	-	32.09	7.56	32.91
AV	5.743G	107.55	Inf	-Inf	100.81	3	Vertical	265	1.80	-	32.09	7.56	32.91
PK	5.948G	61.45	68.20	-6.75	54.38	3	Vertical	265	1.80	-	32.40	7.65	32.98

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49411G	59.41	74.00	-14.59	41.01	3	Vertical	353	1.56	-	40.08	10.84	32.52
AV	11.50359G	47.65	54.00	-6.35	29.23	3	Vertical	353	1.56	-	40.09	10.85	32.52

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49663G	59.73	74.00	-14.27	41.32	3	Horizontal	167	2.91	-	40.09	10.84	32.52
AV	11.50128G	47.74	54.00	-6.26	29.31	3	Horizontal	167	2.91	-	40.10	10.85	32.52

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6385G	61.00	68.20	-7.20	54.57	3	Vertical	137	1.80	-	31.78	7.53	32.88
PK	5.783G	118.89	Inf	-Inf	112.08	3	Vertical	137	1.80	-	32.17	7.57	32.93
AV	5.7825G	107.50	Inf	-Inf	100.70	3	Vertical	137	1.80	-	32.16	7.57	32.93
PK	5.9395G	62.37	68.20	-5.83	55.30	3	Vertical	137	1.80	-	32.40	7.65	32.98

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56271G	59.66	74.00	-14.34	41.32	3	Vertical	63	2.28	-	39.97	10.88	32.51
AV	11.57915G	48.00	54.00	-6.00	29.68	3	Vertical	63	2.28	-	39.94	10.89	32.51

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55881G	59.96	74.00	-14.04	41.61	3	Horizontal	165	1.69	-	39.98	10.88	32.51
AV	11.57894G	47.93	54.00	-6.07	29.61	3	Horizontal	165	1.69	-	39.94	10.89	32.51

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	60.06	68.20	-8.14	53.66	3	Vertical	67	3.00	-	31.74	7.53	32.87
PK	5.8275G	120.33	Inf	-Inf	113.48	3	Vertical	67	3.00	-	32.20	7.59	32.94
AV	5.827G	108.74	Inf	-Inf	101.89	3	Vertical	67	3.00	-	32.20	7.59	32.94
PK	5.924G	67.12	68.94	-1.82	60.05	3	Vertical	67	3.00	-	32.40	7.64	32.97

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6647G	60.84	74.00	-13.16	42.73	3	Vertical	168	1.16	-	39.67	10.94	32.50
AV	11.64445G	47.93	54.00	-6.07	29.79	3	Vertical	168	1.16	-	39.72	10.92	32.50

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63668G	61.54	74.00	-12.46	43.37	3	Horizontal	240	2.23	-	39.75	10.92	32.50
AV	11.65546G	48.01	54.00	-5.99	29.89	3	Horizontal	240	2.23	-	39.69	10.93	32.50

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 20
01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.66	68.20	-0.54	61.21	3	Vertical	66	3.00	-	31.80	7.53	32.88
PK	5.7525G	116.33	Inf	-Inf	109.57	3	Vertical	66	3.00	-	32.11	7.57	32.92
AV	5.7575G	105.60	Inf	-Inf	98.83	3	Vertical	66	3.00	-	32.12	7.57	32.92
PK	5.9345G	62.46	68.20	-5.74	55.39	3	Vertical	66	3.00	-	32.40	7.65	32.98

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 20
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51066G	59.77	74.00	-14.23	41.36	3	Vertical	68	1.26	-	40.08	10.85	32.52
AV	11.50172G	47.81	54.00	-6.19	29.38	3	Vertical	68	1.26	-	40.10	10.85	32.52

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 20
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50424G	59.65	74.00	-14.35	41.23	3	Horizontal	54	2.72	-	40.09	10.85	32.52
AV	11.50355G	47.72	54.00	-6.28	29.30	3	Horizontal	54	2.72	-	40.09	10.85	32.52

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 20.5
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	64.73	68.20	-3.47	58.28	3	Vertical	138	1.01	-	31.80	7.53	32.88
PK	5.793G	115.39	Inf	-Inf	108.55	3	Vertical	138	1.01	-	32.19	7.58	32.93
AV	5.7925G	105.04	Inf	-Inf	98.20	3	Vertical	138	1.01	-	32.19	7.58	32.93
PK	5.9295G	66.91	68.20	-1.29	59.85	3	Vertical	138	1.01	-	32.40	7.64	32.98

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 20.5
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58277G	60.59	74.00	-13.41	42.28	3	Vertical	10	2.05	-	39.93	10.89	32.51
AV	11.58502G	47.85	54.00	-6.15	29.54	3	Vertical	10	2.05	-	39.93	10.89	32.51

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 20.5
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59333G	59.81	74.00	-14.19	41.51	3	Horizontal	95	2.24	-	39.91	10.90	32.51
AV	11.58193G	47.86	54.00	-6.14	29.54	3	Horizontal	95	2.24	-	39.94	10.89	32.51

5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 18.5
 01-R-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.56	68.94	-0.38	62.10	3	Vertical	58	3.00	-	31.80	7.54	32.88
PK	5.781G	112.32	Inf	-Inf	105.52	3	Vertical	58	3.00	-	32.16	7.57	32.93
AV	5.7755G	101.67	Inf	-Inf	94.87	3	Vertical	58	3.00	-	32.15	7.57	32.92
PK	5.9305G	67.67	68.20	-0.53	60.60	3	Vertical	58	3.00	-	32.40	7.65	32.98

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 18.5
 01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56047G	60.29	74.00	-13.71	41.94	3	Vertical	310	1.80	-	39.98	10.88	32.51
AV	11.55888G	48.14	54.00	-5.86	29.79	3	Vertical	310	1.80	-	39.98	10.88	32.51

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



EUT_Z_2TX
Setting 18.5
01-R-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55852G	60.62	74.00	-13.38	42.27	3	Horizontal	360	2.94	-	39.98	10.88	32.51
AV	11.55573G	48.50	54.00	-5.50	30.14	3	Horizontal	360	2.94	-	39.99	10.88	32.51




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	PK	5.7368G	68.09	68.20	-0.11	3	Vertical	147	2.26	-

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5180MHz_TX




EUT_Z_2TX
Setting 11.5
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1362G	70.82	74.00	-3.18	65.62	3	Vertical	142	2.30	-	32.57	5.89	33.26
AV	5.1374G	53.51	54.00	-0.49	48.31	3	Vertical	142	2.30	-	32.57	5.89	33.26
PK	5.171G	120.06	Inf	-Inf	114.78	3	Vertical	142	2.30	-	32.64	5.91	33.27
AV	5.1708G	109.41	Inf	-Inf	104.13	3	Vertical	142	2.30	-	32.64	5.91	33.27

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5180MHz_TX




EUT_Z_2TX
Setting 11.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34218G	61.32	68.20	-6.88	47.60	3	Vertical	322	2.30	-	38.57	8.88	33.73
PK	15.5579G	59.53	74.00	-14.47	45.03	3	Vertical	99	2.70	-	38.32	11.24	35.06
AV	15.56425G	46.91	54.00	-7.09	32.40	3	Vertical	99	2.70	-	38.33	11.24	35.06

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5180MHz_TX




EUT_Z_2TX
Setting 11.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36144G	57.84	68.20	-10.36	44.09	3	Horizontal	-0	1.90	-	38.60	8.89	33.74
PK	15.53853G	58.28	74.00	-15.72	43.82	3	Horizontal	342	1.69	-	38.30	11.23	35.07
AV	15.52995G	46.52	54.00	-7.48	32.06	3	Horizontal	342	1.69	-	38.30	11.23	35.07

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5180MHz_TX




EUT_Z_2TX
Setting 13
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	73.86	74.00	-0.14	68.65	3	Vertical	142	2.45	-	32.58	5.89	33.26
AV	5.143G	53.77	54.00	-0.23	48.55	3	Vertical	142	2.45	-	32.59	5.89	33.26
PK	5.1734G	120.48	Inf	-Inf	115.19	3	Vertical	142	2.45	-	32.65	5.91	33.27
AV	5.173G	109.67	Inf	-Inf	104.38	3	Vertical	142	2.45	-	32.65	5.91	33.27

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5180MHz_TX




EUT_Z_2TX
Setting 13
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34438G	60.72	68.20	-7.48	46.98	3	Vertical	0	1.11	-	38.58	8.89	33.73
PK	15.55299G	59.30	74.00	-14.70	44.81	3	Vertical	288	1.80	-	38.31	11.24	35.06
AV	15.55242G	46.95	54.00	-7.05	32.47	3	Vertical	288	1.80	-	38.30	11.24	35.06

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5180MHz_TX




EUT_Z_2TX
Setting 13
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.346999G	59.87	68.20	-8.33	46.12	3	Horizontal	360	1.01	-	38.59	8.89	33.73
PK	15.5467G	59.47	74.00	-14.53	45.00	3	Horizontal	303	1.80	-	38.30	11.23	35.06
AV	15.55165G	46.95	54.00	-7.05	32.47	3	Horizontal	303	1.80	-	38.30	11.24	35.06

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5180MHz_TX




EUT_Z_2TX
Setting 13.5
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	73.31	74.00	-0.69	68.08	3	Vertical	142	2.31	-	32.59	5.90	33.26
AV	5.149G	53.51	54.00	-0.49	48.27	3	Vertical	142	2.31	-	32.60	5.90	33.26
PK	5.1742G	119.01	Inf	-Inf	113.72	3	Vertical	142	2.31	-	32.65	5.91	33.27
AV	5.1766G	107.02	Inf	-Inf	101.73	3	Vertical	142	2.31	-	32.65	5.91	33.27

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5180MHz_TX




EUT_Z_2TX
Setting 13.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3518G	57.32	68.20	-10.88	43.57	3	Vertical	253	2.02	-	38.60	8.89	33.74
PK	15.5625G	58.58	74.00	-15.42	44.08	3	Vertical	96	1.99	-	38.32	11.24	35.06
AV	15.5473G	46.73	54.00	-7.27	32.26	3	Vertical	96	1.99	-	38.30	11.23	35.06

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5180MHz_TX




EUT_Z_2TX
Setting 13.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3373G	57.22	68.20	-10.98	43.52	3	Horizontal	70	1.41	-	38.55	8.88	33.73
PK	15.5386G	58.37	74.00	-15.63	43.91	3	Horizontal	229	1.18	-	38.30	11.23	35.07
AV	15.55955G	46.69	54.00	-7.31	32.19	3	Horizontal	229	1.18	-	38.32	11.24	35.06

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5320MHz_TX




EUT_Z_2TX
Setting 12.5
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.329G	122.92	Inf	-Inf	117.34	3	Vertical	137	2.37	-	32.86	6.05	33.33
AV	5.3288G	112.00	Inf	-Inf	106.42	3	Vertical	137	2.37	-	32.86	6.05	33.33
PK	5.3612G	72.13	74.00	-1.87	66.45	3	Vertical	137	2.37	-	32.94	6.08	33.34
AV	5.363G	52.97	54.00	-1.03	47.28	3	Vertical	137	2.37	-	32.95	6.08	33.34

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5320MHz_TX




EUT_Z_2TX
Setting 12.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64591G	56.93	74.00	-17.07	42.96	3	Vertical	0	1.80	-	38.90	9.04	33.97
AV	10.6253G	44.68	54.00	-9.32	30.70	3	Vertical	0	1.80	-	38.90	9.03	33.95
PK	15.97284G	58.65	74.00	-15.35	43.82	3	Vertical	112	1.81	-	38.40	11.44	35.01
AV	15.97443G	46.87	54.00	-7.13	32.04	3	Vertical	112	1.81	-	38.40	11.44	35.01

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5320MHz_TX




EUT_Z_2TX
Setting 12.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62638G	55.84	74.00	-18.16	41.86	3	Horizontal	119	2.75	-	38.90	9.03	33.95
AV	10.62911G	44.45	54.00	-9.55	30.47	3	Horizontal	119	2.75	-	38.90	9.03	33.95
PK	15.96066G	58.71	74.00	-15.29	43.89	3	Horizontal	307	2.03	-	38.40	11.43	35.01
AV	15.97005G	46.85	54.00	-7.15	32.02	3	Horizontal	307	2.03	-	38.40	11.44	35.01

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5320MHz_TX




EUT_Z_2TX
Setting 12.5
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	120.63	Inf	-Inf	115.05	3	Vertical	360	2.38	-	32.86	6.05	33.33
AV	5.3282G	109.57	Inf	-Inf	103.99	3	Vertical	360	2.38	-	32.86	6.05	33.33
PK	5.3558G	73.72	74.00	-0.28	68.06	3	Vertical	360	2.38	-	32.92	6.08	33.34
AV	5.358G	52.60	54.00	-1.40	46.93	3	Vertical	360	2.38	-	32.93	6.08	33.34

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5320MHz_TX




EUT_Z_2TX
Setting 12.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65691G	57.67	74.00	-16.33	43.70	3	Vertical	323	2.47	-	38.90	9.05	33.98
AV	10.65484G	45.60	54.00	-8.40	31.64	3	Vertical	323	2.47	-	38.90	9.04	33.98
PK	15.98445G	59.87	74.00	-14.13	45.04	3	Vertical	154	1.80	-	38.40	11.44	35.01
AV	15.9812G	47.66	54.00	-6.34	32.83	3	Vertical	154	1.80	-	38.40	11.44	35.01

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5320MHz_TX




EUT_Z_2TX
Setting 12.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6191G	56.77	74.00	-17.23	42.78	3	Horizontal	360	1.77	-	38.90	9.03	33.94
AV	10.62515G	45.02	54.00	-8.98	31.04	3	Horizontal	360	1.77	-	38.90	9.03	33.95
PK	15.9741G	59.56	74.00	-14.44	44.73	3	Horizontal	175	1.38	-	38.40	11.44	35.01
AV	15.98215G	47.46	54.00	-6.54	32.63	3	Horizontal	175	1.38	-	38.40	11.44	35.01

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5320MHz_TX



Lim.PK
PK
Lim.AV
AV


09/04/2024

EUT_Z_2TX
Setting 14
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	117.93	Inf	-Inf	112.36	3	Vertical	0	2.40	-	32.85	6.05	33.33
AV	5.3268G	107.24	Inf	-Inf	101.67	3	Vertical	0	2.40	-	32.85	6.05	33.33
PK	5.3518G	72.99	74.00	-1.01	67.35	3	Vertical	0	2.40	-	32.91	6.07	33.34
AV	5.3516G	53.58	54.00	-0.42	47.94	3	Vertical	0	2.40	-	32.91	6.07	33.34

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5320MHz_TX




EUT_Z_2TX
Setting 14
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6261G	57.15	74.00	-16.85	43.17	3	Vertical	269	2.06	-	38.90	9.03	33.95
AV	10.6274G	45.13	54.00	-8.87	31.15	3	Vertical	269	2.06	-	38.90	9.03	33.95
PK	15.9731G	59.03	74.00	-14.97	44.20	3	Vertical	164	2.09	-	38.40	11.44	35.01
AV	15.9789G	47.38	54.00	-6.62	32.55	3	Vertical	164	2.09	-	38.40	11.44	35.01

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5320MHz_TX




EUT_Z_2TX
Setting 14
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6197G	57.29	74.00	-16.71	43.31	3	Horizontal	234	2.98	-	38.90	9.03	33.95
AV	10.61885G	45.00	54.00	-9.00	31.01	3	Horizontal	234	2.98	-	38.90	9.03	33.94
PK	15.97525G	59.32	74.00	-14.68	44.49	3	Horizontal	103	1.41	-	38.40	11.44	35.01
AV	15.96455G	47.36	54.00	-6.64	32.54	3	Horizontal	103	1.41	-	38.40	11.43	35.01

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5500MHz_TX




EUT_Z_2TX
Setting 12.5
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	73.20	74.00	-0.80	67.08	3	Vertical	152	2.31	-	33.35	6.15	33.38
AV	5.4582G	53.88	54.00	-0.12	47.75	3	Vertical	152	2.31	-	33.35	6.15	33.37
PK	5.4606G	65.51	68.20	-2.69	59.38	3	Vertical	152	2.31	-	33.36	6.15	33.38
PK	5.4906G	122.66	Inf	-Inf	116.34	3	Vertical	152	2.31	-	33.54	6.17	33.39
AV	5.4908G	111.66	Inf	-Inf	105.34	3	Vertical	152	2.31	-	33.54	6.17	33.39

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5500MHz_TX




EUT_Z_2TX
Setting 12.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98803G	57.30	74.00	-16.70	43.44	3	Vertical	66	2.59	-	38.92	9.21	34.27
AV	10.99103G	45.44	54.00	-8.56	31.57	3	Vertical	66	2.59	-	38.92	9.22	34.27
PK	16.49139G	60.85	68.20	-7.35	44.63	3	Vertical	245	2.03	-	39.28	11.85	34.91

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5500MHz_TX




EUT_Z_2TX
Setting 12.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00414G	57.21	74.00	-16.79	43.38	3	Horizontal	245	1.18	-	38.89	9.22	34.28
AV	10.98905G	45.47	54.00	-8.53	31.61	3	Horizontal	245	1.18	-	38.92	9.21	34.27
PK	16.48914G	61.39	68.20	-6.81	45.18	3	Horizontal	99	1.01	-	39.28	11.84	34.91

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5500MHz_TX




EUT_Z_2TX
Setting 11
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	70.02	74.00	-3.98	63.89	3	Vertical	143	2.29	-	33.36	6.15	33.38
AV	5.46G	51.86	54.00	-2.14	45.73	3	Vertical	143	2.29	-	33.36	6.15	33.38
PK	5.4628G	67.73	68.20	-0.47	61.58	3	Vertical	143	2.29	-	33.38	6.15	33.38
PK	5.493G	119.70	Inf	-Inf	113.36	3	Vertical	143	2.29	-	33.56	6.17	33.39
AV	5.493G	108.76	Inf	-Inf	102.42	3	Vertical	143	2.29	-	33.56	6.17	33.39

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5500MHz_TX




EUT_Z_2TX
Setting 11
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00402G	57.93	74.00	-16.07	44.10	3	Vertical	250	1.80	-	38.89	9.22	34.28
AV	11.00183G	45.78	54.00	-8.22	31.94	3	Vertical	250	1.80	-	38.90	9.22	34.28
PK	16.49469G	61.44	68.20	-6.76	45.21	3	Vertical	70	1.01	-	39.29	11.85	34.91

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5500MHz_TX




EUT_Z_2TX
Setting 11
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99586G	57.65	74.00	-16.35	43.80	3	Horizontal	143	1.87	-	38.91	9.22	34.28
AV	10.99916G	45.82	54.00	-8.18	31.98	3	Horizontal	143	1.87	-	38.90	9.22	34.28
PK	16.48575G	61.09	68.20	-7.11	44.89	3	Horizontal	232	2.67	-	39.27	11.84	34.91

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	62.88	74.00	-11.12	56.79	3	Vertical	149	2.12	-	33.31	6.15	33.37
PK	5.468G	68.05	68.20	-0.15	61.87	3	Vertical	149	2.12	-	33.41	6.15	33.38
AV	5.46G	51.93	54.00	-2.07	45.80	3	Vertical	149	2.12	-	33.36	6.15	33.38
PK	5.495G	118.20	Inf	-Inf	111.85	3	Vertical	149	2.12	-	33.57	6.17	33.39
AV	5.4978G	107.52	Inf	-Inf	101.15	3	Vertical	149	2.12	-	33.59	6.17	33.39

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9967G	56.94	74.00	-17.06	43.09	3	Vertical	12	1.38	-	38.91	9.22	34.28
AV	11.006G	45.73	54.00	-8.27	31.91	3	Vertical	12	1.38	-	38.89	9.22	34.29
PK	16.5117G	60.82	68.20	-7.38	44.55	3	Vertical	343	2.53	-	39.32	11.86	34.91

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5500MHz_TX




EUT_Z_2TX
Setting 14
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99265G	57.56	74.00	-16.44	43.70	3	Horizontal	46	1.08	-	38.91	9.22	34.27
AV	11.00035G	45.64	54.00	-8.36	31.80	3	Horizontal	46	1.08	-	38.90	9.22	34.28
PK	16.5195G	60.53	68.20	-7.67	44.24	3	Horizontal	347	2.82	-	39.34	11.87	34.92

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5700MHz_TX




EUT_Z_2TX
Setting 11
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7092G	118.88	Inf	-Inf	112.28	3	Vertical	150	2.22	-	33.84	6.21	33.45
AV	5.7092G	107.76	Inf	-Inf	101.16	3	Vertical	150	2.22	-	33.84	6.21	33.45
PK	5.7446G	67.55	68.20	-0.65	60.82	3	Vertical	150	2.22	-	33.98	6.21	33.46

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5700MHz_TX




EUT_Z_2TX
Setting 11
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40768G	57.84	74.00	-16.16	44.24	3	Vertical	314	1.80	-	38.80	9.43	34.63
AV	11.40123G	45.23	54.00	-8.77	31.64	3	Vertical	314	1.80	-	38.80	9.42	34.63
PK	17.09814G	62.75	68.20	-5.45	44.50	3	Vertical	17	2.65	-	40.99	12.33	35.07

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5700MHz_TX




EUT_Z_2TX
Setting 11
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40579G	56.81	74.00	-17.19	43.21	3	Horizontal	210	2.32	-	38.80	9.43	34.63
AV	11.40315G	45.16	54.00	-8.84	31.56	3	Horizontal	210	2.32	-	38.80	9.43	34.63
PK	17.11074G	63.29	68.20	-4.91	45.00	3	Horizontal	74	1.56	-	41.02	12.34	35.07

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5700MHz_TX




EUT_Z_2TX
Setting 11.5
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7068G	118.84	Inf	-Inf	112.25	3	Vertical	147	2.26	-	33.83	6.21	33.45
AV	5.7068G	107.68	Inf	-Inf	101.09	3	Vertical	147	2.26	-	33.83	6.21	33.45
PK	5.7368G	68.09	68.20	-0.11	61.39	3	Vertical	147	2.26	-	33.95	6.21	33.46

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5700MHz_TX




EUT_Z_2TX
Setting 11.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3794G	57.49	74.00	-16.51	43.89	3	Vertical	358	1.39	-	38.80	9.41	34.61
AV	11.38095G	45.17	54.00	-8.83	31.57	3	Vertical	358	1.39	-	38.80	9.41	34.61
PK	17.09805G	63.98	68.20	-4.22	45.73	3	Vertical	193	1.80	-	40.99	12.33	35.07

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5700MHz_TX




EUT_Z_2TX
Setting 11.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40205G	56.82	74.00	-17.18	43.22	3	Horizontal	339	1.18	-	38.80	9.43	34.63
AV	11.39195G	45.05	54.00	-8.95	31.45	3	Horizontal	339	1.18	-	38.80	9.42	34.62
PK	17.1208G	62.95	68.20	-5.25	44.63	3	Horizontal	16	2.35	-	41.04	12.35	35.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5700MHz_TX




EUT_Z_2TX
Setting 13
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7016G	118.04	Inf	-Inf	111.47	3	Vertical	150	2.10	-	33.81	6.21	33.45
AV	5.7016G	106.55	Inf	-Inf	99.98	3	Vertical	150	2.10	-	33.81	6.21	33.45
PK	5.7264G	68.02	68.20	-0.18	61.35	3	Vertical	150	2.10	-	33.91	6.21	33.45

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5700MHz_TX




EUT_Z_2TX
Setting 13
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3835G	56.66	74.00	-17.34	43.05	3	Vertical	179	1.27	-	38.80	9.42	34.61
AV	11.3855G	45.15	54.00	-8.85	31.54	3	Vertical	179	1.27	-	38.80	9.42	34.61
PK	17.1048G	62.75	68.20	-5.45	44.47	3	Vertical	258	1.86	-	41.01	12.34	35.07

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5700MHz_TX




EUT_Z_2TX
Setting 13
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4033G	57.86	74.00	-16.14	44.26	3	Horizontal	69	1.66	-	38.80	9.43	34.63
AV	11.4054G	45.15	54.00	-8.85	31.55	3	Horizontal	69	1.66	-	38.80	9.43	34.63
PK	17.1162G	62.45	68.20	-5.75	44.14	3	Horizontal	357	2.22	-	41.03	12.35	35.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	59.54	74.00	-14.46	53.48	3	Vertical	166	1.91	-	33.29	6.14	33.37
PK	5.4674G	60.58	68.20	-7.62	54.41	3	Vertical	166	1.91	-	33.40	6.15	33.38
AV	5.46G	48.19	54.00	-5.81	42.06	3	Vertical	166	1.91	-	33.36	6.15	33.38
PK	5.711G	124.62	Inf	-Inf	118.02	3	Vertical	166	1.91	-	33.84	6.21	33.45
AV	5.711G	117.47	Inf	-Inf	110.87	3	Vertical	166	1.91	-	33.84	6.21	33.45
PK	5.9804G	62.80	68.20	-5.40	54.96	3	Vertical	166	1.91	-	35.00	6.36	33.52

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 21.5
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42384G	62.87	74.00	-11.13	49.27	3	Vertical	99	2.40	-	38.80	9.44	34.64
AV	11.42352G	53.19	54.00	-0.81	39.59	3	Vertical	99	2.40	-	38.80	9.44	34.64
PK	17.13564G	65.17	68.20	-3.03	46.81	3	Vertical	167	1.88	-	41.07	12.36	35.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 21.5
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4238G	60.85	74.00	-13.15	47.25	3	Horizontal	130	3.00	-	38.80	9.44	34.64
AV	11.42352G	51.33	54.00	-2.67	37.73	3	Horizontal	130	3.00	-	38.80	9.44	34.64
PK	17.13549G	61.91	68.20	-6.29	43.55	3	Horizontal	55	2.64	-	41.07	12.36	35.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	59.46	74.00	-14.54	53.44	3	Vertical	164	1.92	-	33.25	6.14	33.37
PK	5.462G	59.62	68.20	-8.58	53.48	3	Vertical	164	1.92	-	33.37	6.15	33.38
AV	5.456G	48.18	54.00	-5.82	42.06	3	Vertical	164	1.92	-	33.34	6.15	33.37
PK	5.714G	123.97	Inf	-Inf	117.35	3	Vertical	164	1.92	-	33.86	6.21	33.45
AV	5.714G	115.66	Inf	-Inf	109.04	3	Vertical	164	1.92	-	33.86	6.21	33.45
PK	5.8742G	62.50	68.20	-5.70	55.17	3	Vertical	164	1.92	-	34.55	6.27	33.49

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42642G	61.57	74.00	-12.43	47.98	3	Vertical	98	2.43	-	38.80	9.44	34.65
AV	11.4261G	51.57	54.00	-2.43	37.98	3	Vertical	98	2.43	-	38.80	9.44	34.65
PK	17.13966G	64.43	68.20	-3.77	46.05	3	Vertical	168	2.87	-	41.08	12.37	35.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4262G	61.19	74.00	-12.81	47.60	3	Horizontal	131	2.07	-	38.80	9.44	34.65
AV	11.42616G	50.49	54.00	-3.51	36.90	3	Horizontal	131	2.07	-	38.80	9.44	34.65
PK	17.15448G	62.37	68.20	-5.83	43.95	3	Horizontal	300	2.50	-	41.11	12.38	35.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45023G	60.42	74.00	-13.58	54.34	3	Vertical	165	1.90	-	33.30	6.15	33.37
AV	5.43283G	48.46	54.00	-5.54	42.46	3	Vertical	165	1.90	-	33.23	6.14	33.37
PK	5.46883G	60.50	68.20	-7.70	54.32	3	Vertical	165	1.90	-	33.41	6.15	33.38
PK	5.71843G	122.54	Inf	-Inf	115.91	3	Vertical	165	1.90	-	33.87	6.21	33.45
AV	5.71843G	112.53	Inf	-Inf	105.90	3	Vertical	165	1.90	-	33.87	6.21	33.45
PK	5.85043G	62.27	68.20	-5.93	55.11	3	Vertical	165	1.90	-	34.40	6.25	33.49

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42903G	62.01	74.00	-11.99	48.42	3	Vertical	94	2.30	-	38.80	9.44	34.65
AV	11.42849G	51.35	54.00	-2.65	37.76	3	Vertical	94	2.30	-	38.80	9.44	34.65
PK	17.14464G	63.50	68.20	-4.70	45.11	3	Vertical	220	1.20	-	41.09	12.37	35.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
04-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.428866G	59.62	74.00	-14.38	46.03	3	Horizontal	125	3.00	-	38.80	9.44	34.65
AV	11.428866G	48.64	54.00	-5.36	35.05	3	Horizontal	125	3.00	-	38.80	9.44	34.65
PK	17.15743G	62.14	68.20	-6.06	43.73	3	Horizontal	134	1.82	-	41.11	12.38	35.08

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5745MHz_TX




EUT_Z_2TX
Setting Z1
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.667G	78.54	80.78	-2.24	72.04	3	Vertical	157	2.26	-	33.73	6.21	33.44
PK	5.736G	125.82	Inf	-Inf	119.13	3	Vertical	157	2.26	-	33.94	6.21	33.46
AV	5.736G	118.29	Inf	-Inf	111.60	3	Vertical	157	2.26	-	33.94	6.21	33.46
PK	5.992G	62.80	68.20	-5.40	54.96	3	Vertical	157	2.26	-	35.00	6.37	33.53

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5745MHz_TX




EUT_Z_2TX
Setting Z1
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.475G	57.52	74.00	-16.48	43.95	3	Vertical	0	1.11	-	38.80	9.46	34.69
AV	11.50479G	44.80	54.00	-9.20	31.23	3	Vertical	0	1.11	-	38.80	9.48	34.71
PK	17.22363G	63.52	68.20	-4.68	44.92	3	Vertical	305	1.49	-	41.25	12.44	35.09

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5745MHz_TX




EUT_Z_2TX
Setting Z1
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47614G	56.11	74.00	-17.89	42.54	3	Horizontal	344	2.34	-	38.80	9.46	34.69
AV	11.50062G	44.46	54.00	-9.54	30.89	3	Horizontal	344	2.34	-	38.80	9.48	34.71
PK	17.23233G	63.09	68.20	-5.11	44.48	3	Horizontal	204	2.85	-	41.26	12.44	35.09

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5745MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	64.13	68.20	-4.07	57.64	3	Vertical	145	2.27	-	33.70	6.22	33.43
PK	5.738G	125.09	Inf	-Inf	118.39	3	Vertical	145	2.27	-	33.95	6.21	33.46
AV	5.738G	115.91	Inf	-Inf	109.21	3	Vertical	145	2.27	-	33.95	6.21	33.46
PK	5.994G	63.25	68.20	-4.95	55.41	3	Vertical	145	2.27	-	35.00	6.37	33.53

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5745MHz_TX




EUT_Z_2TX
Setting Z1.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.476G	59.37	74.00	-14.63	45.80	3	Vertical	343	2.63	-	38.80	9.46	34.69
AV	11.47561G	46.49	54.00	-7.51	32.92	3	Vertical	343	2.63	-	38.80	9.46	34.69
PK	17.25485G	63.49	68.20	-4.71	44.79	3	Vertical	294	1.80	-	41.33	12.46	35.09

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5745MHz_TX




EUT_Z_2TX
Setting Z1.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47598G	61.36	74.00	-12.64	47.79	3	Horizontal	335	2.29	-	38.80	9.46	34.69
AV	11.47602G	49.83	54.00	-4.17	36.26	3	Horizontal	335	2.29	-	38.80	9.46	34.69
PK	17.23455G	63.39	68.20	-4.81	44.77	3	Horizontal	144	1.80	-	41.27	12.44	35.09

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5745MHz_TX




EUT_Z_2TX
Setting 22
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5,6495G	64.77	68.20	-3.43	58.28	3	Vertical	146	2.25	-	33.70	6.22	33.43
PK	5,7405G	123.01	Inf	-Inf	116.30	3	Vertical	146	2.25	-	33.96	6.21	33.46
AV	5,738G	113.12	Inf	-Inf	106.42	3	Vertical	146	2.25	-	33.95	6.21	33.46
PK	5,9585G	62.93	68.20	-5.27	55.11	3	Vertical	146	2.25	-	35.00	6.34	33.52

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5745MHz_TX




EUT_Z_2TX
Setting 22
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48103G	61.92	74.00	-12.08	48.34	3	Vertical	291	2.96	-	38.80	9.47	34.69
AV	11.47855G	50.45	54.00	-3.55	36.88	3	Vertical	291	2.96	-	38.80	9.46	34.69
PK	17.21732G	64.46	68.20	-3.74	45.88	3	Vertical	280	1.80	-	41.23	12.43	35.08

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5745MHz_TX




EUT_Z_2TX
Setting 22
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49695G	56.43	74.00	-17.57	42.87	3	Horizontal	227	2.51	-	38.80	9.47	34.71
AV	11.47625G	44.79	54.00	-9.21	31.22	3	Horizontal	227	2.51	-	38.80	9.46	34.69
PK	17.24525G	62.56	68.20	-5.64	43.91	3	Horizontal	36	2.75	-	41.29	12.45	35.09

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5825MHz_TX




EUT_Z_2TX
Setting 21.5
04-K-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	61.84	68.20	-6.36	55.34	3	Vertical	58	2.10	-	33.70	6.22	33.42
PK	5.8325G	125.28	Inf	-Inf	118.20	3	Vertical	58	2.10	-	34.33	6.23	33.48
AV	5.833G	117.25	Inf	-Inf	110.17	3	Vertical	58	2.10	-	34.33	6.23	33.48
PK	5.9265G	65.17	68.20	-3.03	57.51	3	Vertical	58	2.10	-	34.86	6.31	33.51

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5825MHz_TX




EUT_Z_2TX
Setting Z1.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65402G	57.11	74.00	-16.89	43.43	3	Vertical	285	1.21	-	38.79	9.55	34.66
AV	11.6533G	44.95	54.00	-9.05	31.27	3	Vertical	285	1.21	-	38.79	9.55	34.66
PK	17.48718G	64.52	68.20	-3.68	45.07	3	Vertical	248	1.80	-	41.93	12.65	35.13

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5825MHz_TX




EUT_Z_2TX
Setting Z1.5
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6431G	56.49	74.00	-17.51	42.80	3	Horizontal	37	1.67	-	38.80	9.55	34.66
AV	11.65279G	44.89	54.00	-9.11	31.21	3	Horizontal	37	1.67	-	38.79	9.55	34.66
PK	17.47959G	64.72	68.20	-3.48	45.27	3	Horizontal	41	2.32	-	41.94	12.64	35.13

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5,644G	61.67	68.20	-6.53	55.18	3	Vertical	58	2.21	-	33.70	6.22	33.43
PK	5,8315G	124.47	Inf	-Inf	117.39	3	Vertical	58	2.21	-	34.33	6.23	33.48
AV	5,8315G	115.35	Inf	-Inf	108.27	3	Vertical	58	2.21	-	34.33	6.23	33.48
PK	5,937G	63.90	68.20	-4.30	56.17	3	Vertical	58	2.21	-	34.92	6.32	33.51

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66299G	63.16	74.00	-10.84	49.48	3	Vertical	342	2.87	-	38.77	9.56	34.65
AV	11.66544G	51.67	54.00	-2.33	37.99	3	Vertical	342	2.87	-	38.77	9.56	34.65
PK	17.4836G	63.23	68.20	-4.97	43.79	3	Vertical	127	2.98	-	41.93	12.64	35.13

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66557G	62.48	74.00	-11.52	48.80	3	Horizontal	341	2.82	-	38.77	9.56	34.65
AV	11.66541G	51.22	54.00	-2.78	37.54	3	Horizontal	341	2.82	-	38.77	9.56	34.65
PK	17.45265G	64.21	68.20	-3.99	44.72	3	Horizontal	142	1.80	-	41.99	12.62	35.12

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
04-K-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5925G	61.31	68.20	-6.89	54.81	3	Vertical	54	2.05	-	33.70	6.22	33.42
PK	5.831G	121.41	Inf	-Inf	114.34	3	Vertical	54	2.05	-	34.32	6.23	33.48
AV	5.8265G	112.15	Inf	-Inf	105.10	3	Vertical	54	2.05	-	34.31	6.22	33.48
PK	5.9285G	63.39	68.20	-4.81	55.71	3	Vertical	54	2.05	-	34.87	6.32	33.51

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5825MHz_TX




EUT_Z_2TX
Setting 22
04-K-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66334G	61.82	74.00	-12.18	48.14	3	Vertical	90	2.22	-	38.77	9.56	34.65
AV	11.66043G	50.16	54.00	-3.84	36.48	3	Vertical	90	2.22	-	38.78	9.56	34.66
PK	17.45925G	63.98	68.20	-4.22	44.50	3	Vertical	171	1.80	-	41.98	12.62	35.12

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5825MHz_TX



EUT_Z_2TX
Setting 22
04-K-Y-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65855G	58.43	74.00	-15.57	44.75	3	Horizontal	283	1.28	-	38.78	9.56	34.66
AV	11.66083G	47.48	54.00	-6.52	33.80	3	Horizontal	283	1.28	-	38.78	9.56	34.66
PK	17.48455G	64.05	68.20	-4.15	44.60	3	Horizontal	68	2.53	-	41.93	12.65	35.13



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.23371G	34.07	54.00	-19.93	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.23753G	45.79	74.00	-28.21	-7.36	3	Vertical	354	2.06	-	53.15	25.67	3.79	36.82
AV	1.23371G	34.07	54.00	-19.93	-7.26	3	Vertical	354	2.06	"Worst"	41.33	25.79	3.78	36.83

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.23331G	43.94	74.00	-30.06	-7.25	3	Horizontal	180	2.16	-	51.19	25.80	3.78	36.83
AV	1.23351G	30.94	54.00	-23.06	-7.26	3	Horizontal	180	2.16	"Worst"	38.20	25.79	3.78	36.83